

## SUPPORTING INFORMATION / INFORMAZIONI SUPPLEMENTARI

### **Bezzi's Diptera Collection: list of genera and species names on labels. / La Collezione Ditterologica Bezzi: lista dei nomi dei generi e delle specie sulle etichette.**

S1 - The list is hierarchically organized by families, genera, and species in alphabetical order. Each family starts on a new page; the first line of the new page, highlighted in light blue, contains the number of genera, species, and specimens identified in the family in addition to the family name. Each genus starts on a new line, highlighted in light brown, with the genus name, its currently valid name (if amended), and the number of species and specimens found in the genus. Each species starts on a new line, with only its specific epithet given, its currently valid full binomial name, if amended and available, and the number of specimens detected in the collection. If a species name was originally associated to a different genus, this latter is added in square brackets at the end of the taxon. All valid names are highlighted in bold. A star (\*) at the beginning of a species' line indicates its annotation as a 'type'. / L'elenco è organizzato gerarchicamente per famiglie, generi e specie in ordine alfabetico. Ogni famiglia inizia su una nuova pagina; la prima riga della nuova pagina, evidenziata in azzurro, contiene il numero di generi, specie ed esemplari identificati nella famiglia oltre al nome della stessa. Ogni genere inizia su una nuova riga, evidenziata in marrone chiaro, con il nome del genere, il nome attualmente valido (se emendato) e il numero di specie ed esemplari trovati nel genere. Ogni specie inizia su una nuova riga, con l'indicazione del solo epiteto specifico, il nome binomiale completo attualmente valido, se emendato e disponibile, e il numero di esemplari rilevati nella collezione. Se il nome di una specie era originariamente associato a un genere diverso, quest'ultimo viene aggiunto tra parentesi quadre alla fine del taxon. Tutti i nomi validi sono evidenziati in grassetto. Un asterisco (\*) all'inizio della riga di una specie indica la sua annotazione come "tipo".

## Acartophthalmidae

*Acartophthalmus*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Acartophthalmidae</b>			1	1	2
	<i>Acartophthalmus</i> Czerny, 1902				1	2
	<i>nigrinus</i> (Zetterstedt, 1848) [ <i>Anthophilina</i> ]					2

Acroceridae				<i>Acrocera</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Acroceridae</b>				15	35	80
	<b>Acrocera</b> Meigen, 1803				3	6
	<i>globulus</i> (Panzer, 1802) [ <i>Syrphus</i> ]		<b>Acrocera orbicula</b> (Fabricius, 1787) [ <i>Syrphus</i> ]			2
	<i>sanguinea</i> Meigen, 1804					1
	<i>trigramma</i> Loew, 1845		<b>Acrocera sanguinea</b> Meigen, 1804			3
	<b>Astomella</b> Latreille, 1809				3	5
	<i>gravis</i> Erichson, 1840					2
	<i>lindenii</i> Erichson, 1840		<b>Astomella hispaniae</b> Lamarck, 1816			2
	<i>maculata</i> (Macquart, 1849) [ <i>Physegaster</i> ]					1
	<b>Corononcodes</b> Speiser, 1920				1	1
*	<i>siculus</i> Bezzi, 1923					1
	<b>Cyrtus</b> Latreille, 1797				1	2
	<i>gibbus</i> (Fabricius, 1794) [ <i>Syrphus</i> ]					2
	<b>Eulonchus</b> Gerstaecker, 1856				3	6
	<i>saphirinus</i> Osten Sacken, 1877					2
	<i>smaragdinus</i> Gerstaecker, 1856					1
	<i>tristis</i> Loew, 1872					3
	<b>Helle</b> Osten Sacken, 1896				1	4
	<i>longirostris</i> (Hudson, 1892) [ <i>Acrocera</i> ]					4
	<b>Lasia</b> Wiedemann, 1824				5	10
	<i>aenea</i> (Philippi, 1865) [ <i>Panops</i> ]					1
	<i>carbonaria</i> (Philippi, 1865) [ <i>Panops</i> ]		<b>Lasia corvina</b> Erichson, 1840			4
	<i>nigritarsis</i> (Blanchard, 1852) [ <i>Panops</i> ]					3
	<i>ocelliger</i> (Wiedemann, 1830) [ <i>Panops</i> ]					1
	<i>rufipes</i> Westwood, 1848					1
	<b>Ocnaea</b> Erichson, 1840				1	1
	<i>lugubris</i> Gerstaecker, 1856					1
	<b>Oncodes</b> Meigen, 1822		<b>Ogcodes</b> Latreille, 1797		8	34
	<i>basalis</i> (Walker, 1852) [ <i>Henops</i> ]		<b>Ogcodes basalis</b> (Walker, 1852) [ <i>Henops</i> ]			4
	<i>brunneus</i> (Hutton, 1881) [ <i>Henops</i> ]		<b>Ogcodes brunneus</b> (Hutton, 1881) [ <i>Henops</i> ]			8
	<i>etruscus</i> Griffini, 1896		<b>Ogcodes etruscus</b> (Griffini, 1896) [ <i>Oncodes</i> ]			4
	<i>gibbosus</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<b>Ogcodes gibbosa</b> (Linnaeus, 1758) [ <i>Musca</i> ]			8
	<i>guttatus</i> Costa, 1854		<b>Ogcodes guttatus</b> (Costa, 1854) [ <i>Oncodes</i> ]			1
	<i>nitens</i> (Hutton, 1901) [ <i>Henops</i> ]		<b>Ogcodes nitens</b> (Hutton, 1901) [ <i>Henops</i> ]			3

## Acroceridae

				<i>Oncodes</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>varius</i> Latreille, 1811		<i>Ogcodes varius</i> Latreille, 1811			4
	<i>zonatus</i> Erichson, 1840		<i>Ogcodes zonatus</i> Erichson, 1840			2
	<b><i>Opsebius</i></b> Costa, 1856				3	3
*	<i>birmanicus</i>					1
	<i>diligens</i> Osten Sacken, 1877		<i>Turbopsebius diligens</i> (Osten Sacken, 1877) [ <i>Opsebius</i> ]			1
	<i>formosus</i> Loew, 1871					1
	<b><i>Philopota</i></b> Wiedemann, 1830				2	3
	<i>aenea</i> (Bigot, 1878) [ <i>Oligoneura</i> ]		<i>Oligoneura aenea</i> Bigot, 1878			2
	<i>maculicollis</i> Westwood, 1835					1
	<b><i>Pialea</i></b> Erichson, 1840				1	2
	<i>lomata</i> Erichson, 1840					2
	<b><i>Psilodera</i></b> Gray, 1832				1	1
	<i>valida</i> (Wiedemann, 1830) [ <i>Cyrtus</i> ]					1
	<b><i>Pterodontia</i></b> Gray, 1832				1	1
	<i>flavipes</i> Gray, 1832					1
	<b><i>Thyllis</i></b> Erichson, 1840				1	1
	<i>crassa</i> (Fabricius, 1805) [ <i>Acrocera</i> ]					1

## Agromyzidae

## Agromyza

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Agromyzidae</b>			10	117	830
	<b>Agromyza</b> Fallen, 1810				64	449
	<i>abiens</i> Zetterstedt, 1848					33
	<i>aeneiventris</i> Fallen, 1823		<i>Melanagromyza aeneaoventr</i> (Fallen, 1823) [Agromyza]			13
	<i>albitarsis</i> Meigen, 1830					33
	<i>andalusiaca</i> Strobl, 1906		<i>Agromyza apfelbecki</i> Strobl, 1902			15
	<i>angulata</i> Loew, 1869		<i>Cerodontha angulata</i> (Loew, 1869) [Agromyza]			7
	<i>argenteolunulata</i> Strobl, 1909		<i>Calycomyza argenteolunulata</i> (Strobl, 1909) [Agromyza]			2
*	<i>aristata</i> Malloch, 1915					1
	<i>atripes</i> Zetterstedt, 1860		<i>Calycomyza artemisiae</i> (Kaltenbach, 1856) [Phytomyza]			1
*	<i>auriceps</i> Melander, 1913		<i>Amauromyza auriceps</i> (Melander, 1913) [Agromyza]			1
	<i>caerulea</i> Malloch, 1913		<i>Melanagromyza caerulea</i> (Malloch, 1913) [Agromyza]			11
	<i>capitata</i> Zetterstedt, 1848		<i>Cerodontha capitata</i> (Zetterstedt, 1848) [Agromyza]			7
	<i>cicerina</i> Rondani, 1875		<i>Liriomyza cicerina</i> (Rondani, 1875) [Agromyza]			7
*	<i>cilianthi</i> Watt, 1923		<i>Liriomyza clianthi</i> (Watt, 1923) [Agromyza]			5
*	<i>citreifemorata</i> Watt, 1923		<i>Liriomyza citreifemorata</i> (Watt, 1923) [Agromyza]			1
	<i>cunctans</i> Meigen, 1830		<i>Melanagromyza cunctans</i> (Meigen, 1830) [Agromyza]			13
	<i>curvipalpis</i> Zetterstedt, 1848		<i>Ophiomyia curvipalpis</i> (Zetterstedt, 1848) [Agromyza]			6
	<i>errans</i> Meigen, 1830		<i>Phytobia errans</i> (Meigen, 1830) [Agromyza]			2
	<i>flaviceps</i> Fallen, 1823					1
	<i>flavicornis</i> Zetterstedt, 1835		<i>Agromyza albitarsis</i> Meigen, 1830			7
*	<i>flavocentralis</i> Watt, 1923		<i>Liriomyza flavocentralis</i> (Watt, 1923) [Agromyza]			12
*	<i>flavolateralis</i> Watt, 1923		<i>Liriomyza flavolateralis</i> (Watt, 1923) [Agromyza]			3
*	<i>flavopleura</i> Watt, 1923		<i>Phytoliriomyza flavopleura</i> (Watt, 1923) [Agromyza]			4
*	<i>fumicosta</i> Malloch, 1914		<i>Phytoliriomyza fumicosta</i> (Malloch, 1914) [Agromyza]			1
	<i>geniculata</i> Fallen, 1823		<i>Cerodontha geniculata</i> (Fallen, 1823) [Agromyza]			21
	<i>grossicornis</i> Zetterstedt, 1860		<i>Cerodontha morosa</i> (Meigen, 1830) [Agromyza]			1
	<i>gyrans</i> Fallen, 1823		<i>Amauromyza gyrans</i> (Fallen, 1823) [Agromyza]			3
	<i>holosericea</i> Bouche, 1847		<i>Phytomyza holosericea</i> (Bouche, 1847) [Agromyza]			21
	<i>illinoensis</i> Malloch, 1934		<i>Cerodontha illinoensis</i> (Malloch, 1934) [Agromyza]			1
	<i>immaculata</i> (Coquillett, 1902) [Odinia]		<i>Phytoliriomyza arctica</i> (Lundbeck, 1901) [Agromyza]			1
*	<i>indecora</i> Malloch, 1918		<i>Phytobia indecora</i> (Malloch, 1918) [Agromyza]			1
	<i>interfrontalis</i> Melander, 1913		<i>Metopomyza interfrontalis</i> (Melander, 1913) [Agromyza]			1
	<i>jucunda</i> Wulp, 1867	Sciomyzidae	<i>Tetanocera fuscineris</i> (Zetterstedt, 1838) [Sciomyza]			2
	<i>lateritia</i> Rondani, 1875		<i>Phytomyza lateritia</i> (Rondani, 1875) [Agromyza]			2
	<i>longipennis</i> Loew, 1869		<i>Cerodontha longipennis</i> (Loew, 1869) [Agromyza]			2
	<i>luctuosa</i> Meigen, 1830		<i>Cerodontha luctuosa</i> (Meigen, 1830) [Agromyza]			3
	<i>lutea</i> Meigen, 1830		<i>Liriomyza lutea</i> (Meigen, 1830) [Agromyza]			6
	<i>maura</i> Meigen, 1838		<i>Ophiomyia maura</i> (Meigen, 1838) [Agromyza]			29
	<i>melampyga</i> Loew, 1869		<i>Phytoliriomyza melampyga</i> (Loew, 1869) [Agromyza]			8
	<i>nana</i> Meigen, 1830		<i>Liriomyza nana</i> (Meigen, 1830) [Agromyza]			2
*	<i>nasuta</i> Melander, 1913		<i>Ophiomyia nasuta</i> (Melander, 1913) [Agromyza]			2

## Agromyzidae

## Agromyza

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>nigripes</i> Meigen, 1830					14
*	<i>nitida</i> Malloch, 1913		<i>Aulagromyza nitida</i> (Malloch, 1913) [Agromyza]			1
	<i>obscuritarsis</i> (Rondani, 1875) [Domomyza]		<i>Phytomyza obscuritarsis</i> (Rondani, 1875) [Domomyza]			1
	<i>orbona</i> Meigen, 1830		<i>Liriomyza orbona</i> (Meigen, 1830) [Agromyza]			7
	<i>pallitarsis</i> Macquart, 1835		<i>Phytomyza pallitarsis</i> (Macquart, 1835) [Agromyza]			1
	<i>parvicornis</i> Loew, 1969					7
	<i>pascuum</i> Meigen, 1838		<i>Liriomyza pascuum</i> (Meigen, 1838) [Agromyza]			1
	<i>pictella</i> Thomson, 1869		<i>Liriomyza pictella</i> (Thomson, 1869) [Agromyza]			4
	<i>posticata</i> Meigen, 1830		<i>Nemorimyza posticata</i> (Meigen, 1830) [Agromyza]			5
	<i>pruinosa</i> Coquillett, 1902		<i>Phytobia pruinosa</i> (Coquillett, 1902) [Agromyza]			1
	<i>pulicaria</i> Meigen, 1830		<i>Ophiomyia pulicaria</i> (Meigen, 1830) [Agromyza]			8
	<i>pusio</i> Meigen, 1830		<i>Liriomyza pusio</i> (Meigen, 1830) [Agromyza]			14
	<i>reptans</i> Fallen, 1823					29
	<i>schineri</i> Giraud, 1861		<i>Hexomyza schineri</i> (Giraud, 1861) [Agromyza]			14
	<i>scutellata</i> Fallen, 1823		<i>Metopomyza scutellata</i> (Fallen, 1823) [Agromyza]			4
*	<i>subangulata</i> Malloch, 1916		<i>Cerodontha subangulata</i> (Malloch, 1916) [Agromyza]			1
	<i>superciliosa</i> Zetterstedt, 1860		<i>Cerodontha superciliosa</i> (Zetterstedt, 1860) [Agromyza]			9
*	<i>terebrans</i> Bezzi & Tavares, 1916					4
	<i>terminalis</i> Coquillett, 1895		<i>Nemorimyza posticata</i> (Meigen, 1830) [Agromyza]			1
	<i>tuberculata</i> Becker, 1903		<i>Ophiomyia tuberculata</i> (Becker, 1903) [Agromyza]			10
*	<i>umbrina</i> Watt, 1923		<i>Liriomyza umbrina</i> (Watt, 1923) [Agromyza]			3
*	<i>umbrinella</i> Watt, 1923		<i>Liriomyza umbrinella</i> (Watt, 1923) [Agromyza]			1
	<i>variegata</i> Meigen, 1830		<i>Phytoliriomyza variegata</i> (Meigen, 1830) [Agromyza]			8
	<i>virens</i> Loew, 1869		<i>Melanagromyza virens</i> (Loew, 1869) [Agromyza]			9
<b>Cerodonta</b> Hering, 1926		<b>Cerodontha</b> Rondani, 1861			7	36
	<i>affinis</i> (Fallen, 1823) [Chlorops]		<i>Cerodontha affinis</i> (Fallen, 1823) [Chlorops]			2
	<i>denticornis</i> (Panzer, 1806) [Chlorops]		<i>Cerodontha denticornis</i> (Panzer, 1806) [Chlorops]			6
	<i>flavicornis</i> (Egger, 1862) [Ceratomyza]		<i>Cerodontha flavicornis</i> (Egger, 1862) [Ceratomyza]			2
	<i>fulvipes</i> (Meigen, 1830) [Agromyza]		<i>Cerodontha fulvipes</i> (Meigen, 1830) [Agromyza]			21
	<i>lateralis</i> (Zetterstedt, 1848) [Chlorops]		<i>Cerodontha hennigi</i> Nowakowski, 1967			3
	<i>nigroscutellata</i> (Strobl, 1900) [Ceratomyza]		<i>Cerodontha denticornis</i> (Panzer, 1806) [Chlorops]			1
	<i>semivittata</i> (Strobl, 1909) [Ceratomyza]		<i>Cerodontha denticornis</i> (Panzer, 1806) [Chlorops]			1
<b>Dizygomyia</b>		<b>Cerodontha</b> Rondani, 1861			3	4
	<i>atra</i> (Meigen, 1830) [Agromyza]		<i>Cerodontha atra</i> (Meigen, 1830) [Agromyza]			1
	<i>morosa</i> (Meigen, 1830) [Agromyza]		<i>Cerodontha morosa</i> (Meigen, 1830) [Agromyza]			1
	<i>muscina</i> (Meigen, 1830) [Agromyza]		<i>Cerodontha muscina</i> (Meigen, 1830) [Agromyza]			2
<b>Dizygomyza</b> Hendel, 1920		<b>Cerodontha</b> Rondani, 1861			1	1
	<i>bellidis</i> (Kaltenbach, 1874) [Agromyza]		<i>Calycomyza humeralis</i> (Roser, 1840) [Agromyza]			1
<b>Haplomyza</b> Hendel, 1914		<b>Liriomyza</b> Mik, 1894			1	4

## Agromyzidae

## Haplomyza

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>xanthaspis</i> (Loew, 1858) [ <i>Phytomyza</i> ]		<i>Metopomyza xanthaspis</i> (Loew, 1858) [ <i>Phytomyza</i> ]			4
	<b>Liriomyza</b> Mik, 1894				6	21
	<i>flaveola</i> (Fallen, 1823) [ <i>Agromyza</i> ]					5
	<i>flavonotata</i> (Haliday, 1833) [ <i>Agromyza</i> ]		<i>Metopomyza flavonotata</i> (Haliday, 1833) [ <i>Agromyza</i> ]			4
	<i>impatiens</i> (Brischke, 1881) [ <i>Agromyza</i> ]		<i>Phytoliriomyza melampyga</i> (Loew, 1869) [ <i>Agromyza</i> ]			1
	<i>perpusilla</i> (Meigen, 1830) [ <i>Agromyza</i> ]		<i>Phytoliriomyza perpusilla</i> (Meigen, 1830) [ <i>Agromyza</i> ]			4
	<i>pusilla</i> (Meigen, 1830) [ <i>Agromyza</i> ]					6
	<i>urophorina</i> Mik, 1894					1
	<b>Melanagromyza</b> Hendel, 1920				3	4
	<i>cuscutae</i> Hering, 1958					1
*	<i>leguminum</i> Bezzi, 1928		<i>Melanagromyza albisquama</i> (Malloch, 1927) [ <i>Agromyza</i> ]			1
	<i>phaseoli</i> (Coquillett, 1899) [ <i>Agromyza</i> ]		<i>Ophiomyia phaseoli</i> (Coquillett, 1899) [ <i>Agromyza</i> ]			2
	<b>Napomyza</b> Westwood, 1840				3	18
	<i>anomala</i> (Strobl, 1893) [ <i>Phytomyza</i> ]		<i>Aulagromyza anomala</i> (Strobl, 1893) [ <i>Phytomyza</i> ]			4
	<i>elegans</i> (Meigen, 1830) [ <i>Phytomyza</i> ]					2
	<i>lateralis</i> (Fallen, 1823) [ <i>Phytomyza</i> ]					12
	<b>Phytomyza</b> Fallen, 1810				28	290
	<i>abdominalis</i> Zetterstedt, 1848					1
	<i>aeneonitens</i> Strobl, 1893		<i>Ophiomyia aeneonitens</i> (Strobl, 1893) [ <i>Phytomyza</i> ]			6
	<i>affinis</i> (Fallen, 1823) [ <i>Chlorops</i> ]		<i>Cerodontha affinis</i> (Fallen, 1823) [ <i>Chlorops</i> ]			5
	<i>albiceps</i> Meigen, 1830					1
	<i>albipennis</i> Meigen, 1830					5
	<i>atricornis</i> Meigen, 1838					36
	<i>bicolor</i> Coquillett, 1902					6
	<i>bipunctata</i> Loew, 1858					5
*	<i>clematadi</i> Watt, 1923					1
	<i>clematidis</i> Loew, 1863		<i>Phytomyza loewii</i> Hendel, 1923			1
	<i>flava</i> Fallen, 1823		<i>Phytomyza ranunculi</i> (Schrank, 1803) [ <i>Musca</i> ]			47
	<i>flavicornis</i> Fallen, 1823					1
	<i>flavofemorata</i> Strobl, 1893					1
	<i>flavoscutellata</i> Fallen, 1823		<i>Phytomyza ranunculi</i> (Schrank, 1803) [ <i>Musca</i> ]			18
	<i>genalis</i> Melander, 1913					5
	<i>gentianae</i> Hendel, 1920		<i>Chromatomyia gentianae</i> (Hendel, 1920) [ <i>Phytomyza</i> ]			3
	<i>horticola</i> Goureau, 1851		<i>Chromatomyia horticola</i> (Goureau, 1851) [ <i>Phytomyza</i> ]			14
	<i>nigripennis</i> Fallen, 1823					10
	<i>obscorella</i> Fallen, 1823					6
*	<i>orbitalis</i> Melander, 1913		<i>Aulagromyza orbitalis</i> (Melander, 1913) [ <i>Phytomyza</i> ]			2
	<i>orobanchia</i> Kaltenbach, 1864					27
	<i>phillyreae</i> Hering, 1930					56

## Agromyzidae

## Phytomyza

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>rufipes</i> Meigen, 1830					12
	<i>tridentata</i> Loew, 1858		<i>Aulagromyza tridentata</i> (Loew, 1858) [ <i>Phytomyza</i> ]			4
	<i>varipes</i> (Macquart, 1835) [ <i>Agromyza</i> ]					4
	<i>virgaureae</i> Hering, 1926					1
	<i>wahlgreni</i> Ryden, 1944					9
	<i>zetterstedti</i> Schiner, 1864		<i>Phytomyza ranunculi</i> (Schrank, 1803) [ <i>Musca</i> ]			3
	<b><i>Selachops</i></b> Wahlberg, 1844				1	3
	<i>flavocincta</i> Wahlberg, 1844					3



## Anisopodidae

Mycetobia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Anisopodidae</b>				2	13	66
	<b><i>Mycetobia</i></b> Meigen, 1818				1	2
	<i>pallipes</i> Meigen, 1818					2
	<b><i>Rhyphus</i></b> Latreille, 1804		<b><i>Sylvicola</i></b> Harris, 1776		12	64
	<i>alternatus</i> Say, 1823		<i>Sylvicola alternatus</i> (Say, 1823) [ <i>Rhyphus</i> ]			2
*	<i>annuliferus</i> (Edwards, 1923) [ <i>Anisopus</i> ]		<i>Sylvicola annuliferus</i> (Edwards, 1923) [ <i>Anisopus</i> ]			2
	<i>cinctus</i> (Fabricius, 1787) [ <i>Rhagio</i> ]		<i>Sylvicola cinctus</i> (Fabricius, 1787) [ <i>Rhagio</i> ]			3
	<i>dubius</i> (Macquart, 1850) [ <i>Chrysopila</i> ]		<i>Sylvicola dubius</i> (Macquart, 1850) [ <i>Chrysopila</i> ]			3
	<i>fenestralis</i> (Scopoli, 1763) [ <i>Tipula</i> ]		<i>Sylvicola fenestralis</i> (Scopoli, 1763) [ <i>Tipula</i> ]			13
	<i>fuscatus</i> (Fabricius, 1775) [ <i>Tipula</i> ]		<i>Sylvicola fuscatus</i> (Fabricius, 1775) [ <i>Tipula</i> ]			11
	<i>guttatus</i> Schiner, 1868		<i>Sylvicola guttatus</i> (Schiner, 1868) [ <i>Rhyphus</i> ]			3
	<i>indicus</i> Brunetti, 1911		<i>Sylvicola indicus</i> (Brunetti, 1911) [ <i>Rhyphus</i> ]			1
	<i>marginatus</i> Say, 1823		<i>Sylvicola marginatus</i> (Say, 1823) [ <i>Rhyphus</i> ]			10
	<i>neozelandicus</i> Schiner, 1868		<i>Sylvicola neozelandicus</i> (Schiner, 1868) [ <i>Rhyphus</i> ]			6
	<i>notatus</i> Hutton, 1902		<i>Sylvicola notatus</i> (Hutton, 1902) [ <i>Rhyphus</i> ]			1
	<i>punctatus</i> (Fabricius, 1787) [ <i>Rhagio</i> ]		<i>Sylvicola punctatus</i> (Fabricius, 1787) [ <i>Rhagio</i> ]			9

Anthomyiidae					Acroptena
type flag	name on label	current family, if changed	valid name, if changed	genera #	species # specimens #
<b>Anthomyiidae</b>				41	196 3154
	<b>Acroptena</b> Pokorny, 1893		<b>Zaphne</b> Robineau-Desvoidy, 1830	8	145
	<i>ambigua</i> (Fallen, 1823) [ <i>Musca</i> ]		<i>Zaphne ambigua</i> (Fallen, 1823) [ <i>Musca</i> ]		10
	<i>annulata</i> Pandellé, 1899		<i>Hydrophoria silvicola</i> Robineau-Desvoidy, 1830		22
	<i>caudata</i> (Zetterstedt, 1855) [ <i>Aricia</i> ]		<i>Zaphne caudata</i> (Zetterstedt, 1855) [ <i>Aricia</i> ]		2
	<i>divisa</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Zaphne divisa</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		8
	<i>frontata</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]		<i>Zaphne frontata</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]		44
	<i>septimalis</i> (Pandellé, 1899) [ <i>Anthomyia</i> ]		<i>Hydrophoria septimalis</i> (Pandellé, 1899) [ <i>Anthomyia</i> ]		41
	<i>simonyi</i> Pokorny, 1893		<i>Zaphne frontata</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]		14
	<i>wierzejskii</i> (Mik, 1867) [ <i>Spilogaster</i> ]		<i>Zaphne wierzejskii</i> (Mik, 1867) [ <i>Spilogaster</i> ]		4
	<b>Acyglossa</b> Rondani, 1866			2	7
	<i>atramentaria</i> (Meigen, 1826) [ <i>Anthomyia</i> ]				6
	<i>pollinosa</i> Villeneuve, 1908				1
	<b>Adia</b> Robineau-Desvoidy, 1830			3	56
	<i>curvicauda</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]		<i>Phorbia curvicauda</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]		18
	<i>longicauda</i> (Strobl, 1898) [ <i>Anthomyia</i> ]		<i>Delia longicauda</i> (Strobl, 1898) [ <i>Anthomyia</i> ]		20
	<i>sepia</i> (Meigen, 1926) [ <i>Anthomyia</i> ]		<i>Phorbia sepia</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		18
	<b>Alliopsis</b> Schnabl & Dziedzicki, 1911			1	6
	<i>glacialis</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]				6
	<b>Ammomyia</b> Stein, 1916		<b>Leucophora</b> Robineau-Desvoidy, 1830	5	32
	<i>albisetia</i> (Roser, 1840) [ <i>Anthomyia</i> ]		<i>Leucophora cinerea</i> Robineau-Desvoidy, 1830		22
*	<i>flavipes</i> Stein, 1918		<i>Leucophora flavipes</i> (Stein, 1918) [ <i>Ammomyia</i> ]		2
	<i>grisea</i> (Fallen, 1823) [ <i>Musca</i> ]		<i>Leucophora grisella</i> Hennig, 1967		6
	<i>maculata</i> (Stein, 1898) [ <i>Hammomyia</i> ]		<i>Leucophora maculata</i> (Stein, 1898) [ <i>Hammomyia</i> ]		2
*	<i>rufitibia</i> Stein, 1918		<i>Leucophora rufitibia</i> (Stein, 1918) [ <i>Ammomyia</i> ]		0
	<b>Anthomyia</b> Meigen, 1803			9	249
*	<i>anthracina</i> (Czerny, 1906) [ <i>Chortophila</i> ]		<i>Strobilomyia anthracina</i> (Czerny, 1906) [ <i>Chortophila</i> ]		10
	<i>discreta</i> Meigen, 1826		<i>Botanophila striolata</i> (Fallen, 1824) [ <i>Musca</i> ]		36
	<i>illocata</i> Walker, 1856				1
	<i>intersecta</i> Meigen, 1826		<i>Paradelia intersecta</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		20
	<i>pluvialis</i> (Linnaeus, 1758) [ <i>Musca</i> ]				43
	<i>procellaris</i> Rondani, 1866				46
	<i>pullula</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]		<i>Anthomyia liturata</i> (Robineau-Desvoidy, 1830) [ <i>Delia</i> ]		43
	<i>tempestatum</i> Wiedemann, 1818				8
	<i>transversalis</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]		<i>Pegomya haemorrhoum</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]		42
	<b>Calythea</b> Schnabl & Dziedzicki, 1911			2	111

## Anthomyiidae

## Calythea

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>albicincta</i> (Fallen, 1825) [ <i>Musca</i> ]		<i>Calythea nigricans</i> (Robineau-Desvoidy, 1830) [ <i>Anthomyia</i> ]			95
	<i>pratincta</i> (Meigen, 1809) [ <i>Anthomyia</i> ]					16
	<b>Chelisia</b> Rondani, 1856		<b>Anthomyia</b> Meigen, 1803		1	10
	<i>monilis</i> (Meigen, 1826) [ <i>Coenosia</i> ]		<i>Anthomyia monilis</i> (Meigen, 1826) [ <i>Coenosia</i> ]			10
	<b>Chiastochaeta</b> Neave, 1939		<b>Chiastocheta</b> Pokorný, 1889		3	18
	<i>dentifera</i> Hennig, 1953					4
	<i>rotundiventris</i> Hennig, 1953					11
	<i>trollii</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]		<i>Chiastochaeta inermella</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]			3
	<b>Chirosia</b> Rondani, 1856				2	4
	<i>albitarsis</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]					2
*	<i>nigripes</i> Bezzi, 1895					2
	<b>Chortophila</b> Macquart, 1835		<b>Phorbia</b> Robineau-Desvoidy, 1830		19	288
	<i>alpina</i> Ringdahl, 1916		<i>Eutrichota tunicata</i> (Zetterstedt, 1846) [ <i>Anthomyza</i> ]			17
	<i>anthomyina</i> (Rondani, 1866) [ <i>Lasiopa</i> ]		<i>Lasiomma anthomyinum</i> (Rondani, 1866) [ <i>Lasiopa</i> ]			7
	<i>atronitens</i> (Strobl, 1893) [ <i>Anthomyia</i> ]		<i>Alliopsis atronitens</i> (Strobl, 1893) [ <i>Anthomyia</i> ]			4
*	<i>bompadrei</i> Bezzi, 1918		<i>Botanophila bompadrei</i> (Bezzi, 1918) [ <i>Chortophila</i> ]			9
	<i>coerulescens</i> (Strobl, 1893) [ <i>Anthomyia</i> ]		<i>Adia coerulescens</i> (Strobl, 1893) [ <i>Anthomyia</i> ]			100
	<i>debilis</i> Stein, 1916		<i>Pegoplata debilis</i> (Stein, 1916) [ <i>Chortophila</i> ]			1
	<i>dentiens</i> (Pandellé, 1900) [ <i>Phorbia</i> ]		<i>Pegomya rubivora</i> (Coquillett, 1897) [ <i>Phorbia</i> ]			4
	<i>elongata</i> Pokorný, 1889		<i>Delia elongata</i> (Pokorný, 1889) [ <i>Chortophila</i> ]			4
	<i>flavibasis</i> Stein, 1903		<i>Delia flavibasis</i> (Stein, 1903) [ <i>Chortophila</i> ]			15
	<i>frontella</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]		<i>Delia frontella</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]			2
	<i>fugax</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Botanophila fugax</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			19
	<i>grisella</i> Rondani, 1871		<i>Adia grisella</i> (Rondani, 1871) [ <i>Chortophila</i> ]			78
	<i>longula</i> (Fallen, 1824) [ <i>Musca</i> ]		<i>Subhylemyia longula</i> (Fallen, 1824) [ <i>Musca</i> ]			4
	<i>parvula</i> (Fallen, 1825) [ <i>Musca</i> ]		<i>Subhylemyia longula</i> (Fallen, 1824) [ <i>Musca</i> ]			3
	<i>pilitarsis</i> (Stein, 1920) [ <i>Hylemyia</i> ]		<i>Delia pilitarsis</i> (Stein, 1920) [ <i>Hylemyia</i> ]			2
	<i>platura</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Delia platura</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			4
	<i>punctipennis</i> (Wiedemann, 1830) [ <i>Anthomyia</i> ]		<i>Anthomyia punctipennis</i> Wiedemann, 1830			1
	<i>substriata</i> Stein, 1898		<i>Botanophila betarum</i> (Lintner, 1883) [ <i>Chortophila</i> ]			3
	<i>varicolor</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Botanophila varicolor</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			11
	<b>Craspedochaeta</b> Marschall, 1873		<b>Anthomyia</b> Meigen, 1803		1	1
	<i>punctipennis</i> (Wiedemann, 1830) [ <i>Anthomyia</i> ]		<i>Anthomyia punctipennis</i> Wiedemann, 1830			1
	<b>Crinura</b> Schnabl, 1911		<b>Delia</b> Robineau-Desvoidy, 1830		7	225
	<i>albula</i> (Fallen, 1825) [ <i>Musca</i> ]		<i>Delia albula</i> (Fallen, 1825) [ <i>Musca</i> ]			9
	<i>angustifrons</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Delia angustifrons</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			5
	<i>antiqua</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Delia antiqua</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			16
	<i>cilicrura</i> (Rondani, 1866) [ <i>Chortophila</i> ]		<i>Delia platura</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			114

## Anthomyiidae

## Crinura

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>lavata</i> (Boheman, 1864) [ <i>Anthomyza</i> ]		<i>Delia lavata</i> (Boheman, 1864) [ <i>Anthomyza</i> ]			23
	<i>lepida</i> (Fallen, 1825) [ <i>Musca</i> ]	Fanniidae	<i>Fannia lepida</i> (Wiedemann, 1817) [ <i>Anthomyia</i> ]			23
	<i>trichodactyla</i> (Rondani, 1866) [ <i>Chortophila</i> ]		<i>Delia florilega</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]			35
<b>Delia</b>	Robineau-Desvoidy, 1830				11	134
	<i>brassicae</i> (Bouche, 1833) [ <i>Anthomyia</i> ]		<i>Delia radicum</i> (Linnaeus, 1758) [ <i>Musca</i> ]			42
	<i>cardui</i> (Meigen, 1826) [ <i>Anthomyia</i> ]					40
	<i>carduiiformis</i> (Schnabl, 1911) [ <i>Hylemyia</i> ]					3
	<i>criniventris</i> (Zetterstedt, 1860) [ <i>Anthomyza</i> ]					9
	<i>fallax</i> (Loew, 1873) [ <i>Chirosia</i> ]					5
	<i>flaviceps</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]		<i>Pegomya haemorrhoum</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]			6
	<i>florilega</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]					2
	<i>meigenii</i> (Schnabl, 1911) [ <i>Hylemyia</i> ]					2
	<i>piliventris</i> (Pokorny, 1889) [ <i>Hylemyia</i> ]					10
*	<i>setiventris</i> (Stein, 1898) [ <i>Hylemyia</i> ]					4
	<i>striolata</i> (Fallen, 1824) [ <i>Musca</i> ]		<i>Botanophila striolata</i> (Fallen, 1824) [ <i>Musca</i> ]			11
<b>Egle</b>	Robineau-Desvoidy, 1830				5	164
	<i>aestiva</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Pegoplata aestiva</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			70
	<i>alpina</i> Strobl, 1893		<i>Pegoplata aestiva</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			47
	<i>dissecta</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Botanophila dissecta</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			23
	<i>muscaria</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Pegoplata aestiva</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			10
	<i>parva</i> Robineau-Desvoidy, 1830					14
<b>Eremomyia</b>	Stein, 1898		<b>Eutrichota</b> Kowarz, 1893		4	190
	<i>cylindrica</i> Stein, 1898		<i>Eutrichota cylindrica</i> (Stein, 1898) [ <i>Eremomyia</i> ]			2
	<i>humeralis</i> Stein, 1898		<i>Eutrichota humeralis</i> (Stein, 1898) [ <i>Eremomyia</i> ]			4
	<i>pilimana</i> (Ringdahl, 1918) [ <i>Chortophila</i> ]		<i>Eutrichota pilimana</i> (Ringdahl, 1918) [ <i>Chortophila</i> ]			183
	<i>triticiperda</i> (Stein, 1900) [ <i>Chortophila</i> ]		<i>Eutrichota triticiperda</i> (Stein, 1900) [ <i>Chortophila</i> ]			1
<b>Eustalomyia</b>	Kowarz, 1873				4	15
	<i>festiva</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]					1
	<i>hilaris</i> (Fallen, 1823) [ <i>Musca</i> ]					8
	<i>histrion</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]					5
	<i>vittipes</i> (Zetterstedt, 1845) [ <i>Anthomyza</i> ]					1
<b>Fallacia</b>	Stein, 1915		<b>Calythea</b> Schnabl & Dziedzicki, 1911		1	3
	<i>limnophorina</i> Stein, 1915		<i>Calythea limnophorina</i> (Stein, 1915) [ <i>Fallacia</i> ]			3
<b>Fucellia</b>	Robineau-Desvoidy, 1842				4	63
	<i>ariciiformis</i> (Holmgren, 1872) [ <i>Scatomyza</i> ]					7
	<i>fucorum</i> (Fallen, 1819) [ <i>Scatomyza</i> ]					10
	<i>maritima</i> (Haliday, 1838) [ <i>Scatophaga</i> ]		<i>Fucellia tergina</i> (Zetterstedt, 1845) [ <i>Anthomyza</i> ]			38
	<i>rufitibia</i> Stein, 1910					8

## Anthomyiidae

## Fucellia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Ganperdea</b> Aldrich, 1921		<b>Leucophora</b> Robineau-Desvoidy, 1830		1	2
*	<i>apivora</i> (Aldrich, 1919) [ <i>Pergandea</i> ]		<i>Leucophora apivora</i> (Aldrich, 1919) [ <i>Pergandea</i> ]			2
	<b>Hammomyia</b> Rondani, 1877		<b>Leucophora</b> Robineau-Desvoidy, 1830		1	4
	<i>sociata</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Leucophora sociata</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			4
	<b>Heterostylus</b> Schnabl & Dziedzicki, 1911		<b>Heterostylodes</b> Hennig, 1967		1	46
	<i>piliferus</i> (Zetterstedt, 1845) [ <i>Arcia</i> ]		<i>Delia pilifera</i> (Zetterstedt, 1845) [ <i>Arcia</i> ]			46
	<b>Hydrophoria</b> Robineau-Desvoidy, 1830				5	117
	<i>conica</i> (Wiedemann, 1817) [ <i>Anthomyia</i> ]		<i>Hydrophoria lancifer</i> (Harris, 1780) [ <i>Musca</i> ]			81
	<i>conica</i> var. <i>alpicola</i> Strobl, 1898		<i>Hydrophoria lancifer</i> (Harris, 1780) [ <i>Musca</i> ]			2
	<b>linogrisea</b> (Meigen, 1826) [ <i>Anthomyia</i> ]					5
	<i>palposa</i> Stein, 1897		<i>Pegoplata palposa</i> (Stein, 1897) [ <i>Hydrophoria</i> ]			1
	<b>ruralis</b> (Meigen, 1826) [ <i>Anthomyia</i> ]					28
	<b>Hylemyia</b> Macquart, 1835		<b>Hylemya</b> Robineau-Desvoidy, 1830		17	303
	<i>albostrata</i> (Wulp, 1883) [ <i>Chortophila</i> ]		<i>Anthomyia albostrata</i> (Wulp, 1883) [ <i>Chortophila</i> ]			1
	<i>alcathoe</i> (Walker, 1849) [ <i>Anthomyia</i> ]		<i>Hylemya alcathoe</i> (Walker, 1849) [ <i>Anthomyia</i> ]			11
	<i>angusta</i> Stein, 1898		<i>Delia angusta</i> (Stein, 1898) [ <i>Hylemyia</i> ]			3
	<i>coenosiaeformis</i> Stein, 1904		<i>Delia cupricrus</i> (Walker, 1849) [ <i>Cordylura</i> ]			9
	<i>deceptiva</i> Malloch, 1921		<i>Anthomyia punctipennis</i> Wiedemann, 1830			2
	<i>depressa</i> Stein, 1898		<i>Delia aemene</i> (Walker, 1849) [ <i>Anthomyia</i> ]			1
*	<i>dispar</i> Bezzi, 1908		<i>Delia dispar</i> (Bezzi, 1908) [ <i>Hylemyia</i> ]			7
*	<i>lateralis</i> Stein, 1920		<i>Delia alaba</i> (Walker, 1849) [ <i>Anthomyia</i> ]			1
*	<i>latevittata</i> Stein, 1908		<i>Hylemya latevittata</i> (Stein, 1908) [ <i>Hylemyia</i> ]			7
*	<i>latifrons</i> Stein, 1918		<i>Botanophila latifrons</i> (Zetterstedt, 1845) [ <i>Arcia</i> ]			4
	<i>lindigii</i> (Schiner, 1868) [ <i>Anthomyia</i> ]		<i>Anthomyia lindigii</i> Schiner, 1868			1
	<i>nigrimana</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Hylemya nigrimana</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			33
	<i>praepotens</i> (Wiedemann, 1817) [ <i>Anthomyia</i> ]		<i>Eutrichota praepotens</i> (Wiedemann, 1817) [ <i>Anthomyia</i> ]			1
	<i>strigosa</i> (Fabricius, 1794) [ <i>Musca</i> ]		<i>Hylemya vagans</i> (Panzer, 1798) [ <i>Musca</i> ]			154
	<i>testacea</i> Stein, 1898		<i>Delia aemene</i> (Walker, 1849) [ <i>Anthomyia</i> ]			3
	<i>tristriata</i> Stein, 1900		<i>Delia linearis</i> (Stein, 1898) [ <i>Hylemyia</i> ]			2
	<i>variata</i> (Fallen, 1823) [ <i>Musca</i> ]		<i>Hylemya variata</i> (Fallen, 1823) [ <i>Musca</i> ]			63
	<b>Hylemyza</b> Schnabl & Dziedzicki, 1911				1	15
	<i>lasciva</i> (Zetterstedt, 1837) [ <i>Anthomyza</i> ]					15
	<b>Hylephila</b> Rondani, 1877		<b>Leucophora</b> Robineau-Desvoidy, 1830		4	17
*	<i>brevifrons</i> Stein, 1916		<i>Leucophora brevifrons</i> (Stein, 1916) [ <i>Hylephila</i> ]			3
	<i>buccata</i> (Fallen, 1824) [ <i>Musca</i> ]		<i>Leucophora buccata</i> (Fallen, 1824) [ <i>Musca</i> ]			5
*	<i>dorsalis</i> (Stein, 1916) [ <i>Hammomyia</i> ]		<i>Leucophora dorsalis</i> (Stein, 1916) [ <i>Hammomyia</i> ]			1
	<i>unilineata</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]		<i>Leucophora unilineata</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]			8

## Anthomyiidae

## Hylephila

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Hyporites</b> Pokorny, 1893				1	5
	<i>montanus</i> (Schiner, 1861) [ <i>Eriphia</i> ]					5
	<b>Lasiomma</b> Stein, 1916				1	2
	<i>meadei appennina</i> Hennig, 1967		<i>Lasiomma seminitidum</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]			2
	<b>Leptohylemyia</b> Schnabl & Dziedzicki, 1911		<b>Delia</b> Robineau-Desvoidy, 1830		1	16
	<i>coarctata</i> (Fallen, 1825) [ <i>Musca</i> ]		<i>Delia coarctata</i> (Fallen, 1825) [ <i>Musca</i> ]			16
	<b>Mycophaga</b> Rondani, 1856				1	24
	<i>fungorum</i> (De Geer, 1776) [ <i>Musca</i> ]		<i>Mycophaga testacea</i> (Gimmerthal, 1834) [ <i>Coenosia</i> ]			24
	<b>Myiopina</b>		<b>Myopina</b> Robineau-Desvoidy, 1830		1	12
	<i>reflexa</i> Robineau-Desvoidy, 1830		<i>Myopina myopina</i> (Fallen, 1824) [ <i>Musca</i> ]			12
	<b>Myopina</b> Robineau-Desvoidy, 1830				1	3
	<i>nigripes</i> Macquart	Muscidae	<i>Limnophora exuta</i> (Kowarz, 1893) [ <i>Calliophrys</i> ]			3
	<b>Paregle</b> Schnabl, 1911				3	177
	<i>cinerella</i> (Fallen, 1825) [ <i>Musca</i> ]		<i>Adia cinerella</i> (Fallen, 1825) [ <i>Musca</i> ]			47
	<i>radicum</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<i>Delia radicum</i> (Linnaeus, 1758) [ <i>Musca</i> ]			115
	<i>vetula</i> (Zetterstedt, 1845) [ <i>Anthomyza</i> ]	Muscidae	<i>Phaonia gracilis</i> Stein, 1916			15
	<b>Pegohylemyia</b> Schnabl, 1911		<b>Botanophila</b> Lioy, 1864		7	164
	<i>brunneilinea</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]		<i>Botanophila brunneilinea</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]			27
	<i>brunnescens</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]		<i>Delia brunnescens</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]			30
	<i>cinerea</i> (Fallen, 1824) [ <i>Musca</i> ]		<i>Botanophila silvatica</i> (Robineau-Desvoidy, 1830) [ <i>Egeria</i> ]			9
	<i>gnava</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Botanophila gnava</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			14
	<i>spinosa</i> (Rondani, 1866) [ <i>Hylemyia</i> ]		<i>Botanophila spinosa</i> (Rondani, 1866) [ <i>Hylemyia</i> ]			10
	<i>tristriata</i> (Stein, 1900) [ <i>Hylemyia</i> ]		<i>Delia linearis</i> (Stein, 1898) [ <i>Hylemyia</i> ]			2
	<i>varicolor</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Botanophila varicolor</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			72
	<b>Pegomyia</b> Macquart, 1835		<b>Pegomyia</b> Robineau-Desvoidy, 1830		46	410
	<i>affinis</i> Stein, 1898		<i>Eutrichota affinis</i> (Stein, 1898) [ <i>Pegomyia</i> ]			6
	<i>albimargo</i> (Pandellé, 1901) [ <i>Anthomyia</i> ]		<i>Pegomyia flavifrons</i> (Walker, 1849) [ <i>Eriphia</i> ]			4
	<i>bicolor</i> (Wiedemann, 1817) [ <i>Anthomyia</i> ]		<i>Pegomyia bicolor</i> (Wiedemann, 1817) [ <i>Anthomyia</i> ]			37
	<i>caesia</i> Stein, 1906		<i>Pegomyia caesia</i> (Stein, 1906) [ <i>Pegomyia</i> ]			1
	<i>calyprata</i> (Zetterstedt, 1846) [ <i>Anthomyza</i> ]		<i>Pegomyia calyprata</i> (Zetterstedt, 1846) [ <i>Anthomyza</i> ]			6
*	<i>cinctinervis</i> Stein, 1918		<i>Pegomyia cinctinervis</i> (Stein, 1918) [ <i>Pegomyia</i> ]			1
*	<i>dolosa</i> Stein, 1918		<i>Pegomyia rufescens</i> (Stein, 1898) [ <i>Pegomyia</i> ]			1
	<i>esuriens</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Pegomyia conformis</i> (Fallen, 1825) [ <i>Musca</i> ]			7
	<i>femorata</i> Stein, 1906		<i>Pegomyia rugulosa</i> (Zetterstedt, 1845) [ <i>Anthomyza</i> ]			4
	<i>flavipalpis</i> (Zetterstedt, 1845) [ <i>Anthomyza</i> ]		<i>Pegomyia flavoscutellata</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]			2

## Anthomyiidae

## Pegomyia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>flavipes</i> (Fallen, 1825) [ <i>Musca</i> ]		<i>Pegomya pulchripes</i> (Loew, 1857) [ <i>Anthomyia</i> ]			28
	<i>flavipes</i> var. <i>diluta</i> Stein, 1906		<i>Pegomya pulchripes</i> (Loew, 1857) [ <i>Anthomyia</i> ]			12
	<i>fulgens</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Pegomya fulgens</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			9
	<i>geniculata</i> (Bouche, 1834) [ <i>Anthomyia</i> ]		<i>Pegomya geniculata</i> (Bouche, 1834) [ <i>Anthomyia</i> ]			18
	<i>humerala</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]		<i>Pegoplata aestiva</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			6
	<i>hyoscyami</i> (Panzer, 1809) [ <i>Anthomyia</i> ]		<i>Pegomya hyoscyami</i> (Panzer, 1809) [ <i>Anthomyia</i> ]			8
	<i>incisiva</i> Stein, 1906		<i>Pegomya incisiva</i> (Stein, 1906) [ <i>Pegomyia</i> ]			1
	<i>insignis</i> Stein, 1913		<i>Pegoplata tarsata</i> (Adams, 1905) [ <i>Hydrophoria</i> ]			1
	<i>latipennis</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]		<i>Chirosia latipennis</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]			2
	<i>lipsia</i> (Walker, 1849) [ <i>Anthomyia</i> ]		<i>Eutrichota lipsia</i> (Walker, 1849) [ <i>Anthomyia</i> ]			11
*	<i>nigrifemur</i> Stein, 1918		<i>Eutrichota nigrifemur</i> (Stein, 1918) [ <i>Pegomyia</i> ]			5
*	<i>nigrisquama</i> (Stein, 1888) [ <i>Chortophila</i> ]		<i>Pegomya nigrisquama</i> (Stein, 1888) [ <i>Chortophila</i> ]			3
	<i>nigritarsis</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]		<i>Pegomya solennis</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			19
	<i>pallidoscutellata</i> (Zetterstedt, 1852) [ <i>Anthomyza</i> ]		<i>Pegomya pallidoscutellata</i> (Zetterstedt, 1852) [ <i>Anthomyza</i> ]			1
	<i>pallipes</i> Stein, 1906		<i>Pegomya deprimata</i> (Zetterstedt, 1845) [ <i>Anthomyza</i> ]			8
	<i>pilosa</i> Stein, 1900		<i>Pegomya scapularis</i> (Zetterstedt, 1846) [ <i>Anthomyza</i> ]			2
	<i>pseudomaculipes</i> (Strobl, 1893) [ <i>Hylemyia</i> ]		<i>Botanophila maculipes</i> (Zetterstedt, 1845) [ <i>Anthomyza</i> ]			20
	<i>ruficeps</i> Stein, 1898		<i>Pegomya wygodzinskyi</i> (Albuquerque, 1954) [ <i>Petromyia</i> ]			2
	<i>rufipes</i> (Fallen, 1825) [ <i>Musca</i> ]		<i>Pegomya notabilis</i> (Zetterstedt, 1845) [ <i>Anthomyza</i> ]			19
	<i>seitenstettensis</i> (Strobl, 1880) [ <i>Anthomyia</i> ]		<i>Pegomya seitenstettensis</i> (Strobl, 1880) [ <i>Anthomyia</i> ]			2
	<i>setaria</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Pegomya setaria</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			6
	<i>silacea</i> (Meigen, 1830) [ <i>Anthomyia</i> ]		<i>Pegomya silacea</i> (Meigen, 1830) [ <i>Anthomyia</i> ]			30
	<i>socia</i> (Fallen, 1825) [ <i>Musca</i> ]		<i>Emmesomyia socia</i> (Fallen, 1825) [ <i>Musca</i> ]			37
	<i>solitaria</i> Stein, 1906		<i>Pegomya ruficeps</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]			1
	<i>sp.</i>					15
	<i>spinosissima</i> Stein, 1898		<i>Eutrichota spinosissima</i> (Stein, 1898) [ <i>Pegomyia</i> ]			1
	<i>squamifera</i> Stein, 1906		<i>Pegomya rufina</i> (Fallen, 1825) [ <i>Musca</i> ]			3
	<i>terminalis</i> (Rondani, 1866) [ <i>Chortophila</i> ]		<i>Pegomya terminalis</i> (Rondani, 1866) [ <i>Chortophila</i> ]			5
*	<i>testacea</i> (Stein, 1898) [ <i>Hylemyia</i> ]		<i>Delia aemene</i> (Walker, 1849) [ <i>Anthomyia</i> ]			2
	<i>transversa</i> (Fallen, 1825) [ <i>Musca</i> ]		<i>Delia transversa</i> (Fallen, 1825) [ <i>Musca</i> ]			5
	<i>trivittata</i> Stein, 1898		<i>Botanophila trivittata</i> (Stein, 1898) [ <i>Pegomyia</i> ]			1
	<i>ulmaria</i> Rondani, 1866		<i>Pegomya ulmaria</i> (Rondani, 1866) [ <i>Pegomyia</i> ]			7
	<i>univittata</i> (Roser, 1840) [ <i>Anthomyia</i> ]		<i>Pegomya geniculata</i> (Bouche, 1834) [ <i>Anthomyia</i> ]			30
*	<i>ventralis</i> Stein, 1906		<i>Pegomya ventralis</i> (Stein, 1906) [ <i>Pegomyia</i> ]			3
	<i>versicolor</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Pegomya versicolor</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			3
	<i>winthemi</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Pegomya winthemi</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			15
	<b>Pegomyza</b> Schnabl & Dziedzicki, 1911		<b>Eutrichota</b> Kowarz, 1893		2	21
	<i>intermedia</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Pegomya intermedia</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			4
	<i>praepotens</i> (Wiedemann, 1817) [ <i>Anthomyia</i> ]		<i>Eutrichota praepotens</i> (Wiedemann, 1817) [ <i>Anthomyia</i> ]			17
	<b>Pegoplata</b> Schnabl & Dziedzicki, 1911				1	4
	<i>virginea</i> (Meigen, 1826) [ <i>Anthomyia</i> ]					4

## Anthomyiidae

## Pogonomyza

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Pogonomyza</b> Schnabl, 1911		<b>Chirosia</b> Rondani, 1856		2	29
	<i>cinerosa</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]		<i>Chirosia cinerosa</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]			18
	<i>flavipennis</i> (Fallen, 1823) [ <i>Musca</i> ]		<i>Chirosia flavipennis</i> (Fallen, 1823) [ <i>Musca</i> ]			11
	<b>Proboscidomyia</b> Bigot, 1885		<b>Leucophora</b> Robineau-Desvoidy, 1830		1	1
	<i>siphonina</i> Bigot, 1883		<i>Leucophora siphonina</i> (Bigot, 1883) [ <i>Proboscidomyia</i> ]			1
	<b>Prosalpia</b> Pokorny, 1893		<b>Alliopsis</b> Schnabl & Dziedzicki, 1911		5	59
	<i>bilbergi</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]		<i>Alliopsis bilbergi</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]			31
	<i>conifrons</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]		<i>Alliopsis conifrons</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]			1
	<i>incisivalva</i> (Strobl, 1898) [ <i>Anthomyia</i> ]		<i>Alliopsis incisivalva</i> (Strobl, 1898) [ <i>Anthomyia</i> ]			4
	<i>silvestris</i> (Fallen, 1824) [ <i>Musca</i> ]		<i>Alliopsis silvestris</i> (Fallen, 1824) [ <i>Musca</i> ]			8
	<i>teriolensis</i> Pokorny, 1893		<i>Alliopsis teriolensis</i> (Pokorny, 1893) [ <i>Prosalpia</i> ]			15
	<b>Taeniomyia</b> Stein, 1919		<b>Emmesomyia</b> Malloch, 1917		1	2
*	<i>semipellucida</i> Stein, 1918		<i>Emmesomyia apicalis</i> Malloch, 1917			2



## Anthomyzidae

## Anthomyza

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Anthomyzidae</b>				4	8	53
	<b>Anthomyza</b> Fallen, 1810				5	27
*	<i>bezzii</i> Czerny, 1902		<b>Santhomyza bezzii</b> (Czerny, 1902) [ <i>Anthomyza</i> ]			3
	<i>gracilis</i> Fallen, 1823					17
	<i>pallida</i> (Zetterstedt, 1838) [ <i>Anthophilina</i> ]					4
	<i>tenuis</i> (Loew, 1863) [ <i>Anthophilina</i> ]					1
	<i>ungulata</i> Loew, 1873					2
	<b>Ischnomyia</b> Loew, 1863				1	3
	<i>albicosta</i> (Walker, 1849) [ <i>Diastata</i> ]					3
	<b>Mumetopia</b> Melander, 1913				1	8
	<i>terminalis</i> (Loew, 1863) [ <i>Anthophilina</i> ]					8
	<b>Paranthomyza</b> Czerny, 1902				1	15
	<i>nitida</i> (Meigen, 1838) [ <i>Opomyza</i> ]					15

Apioceridae

*Apiocera*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Apioceridae</b>			1	1	1
	<i>Apiocera</i> Westwood, 1835				1	1
	<i>haruspex</i> Osten Sacken, 1877					1

Asilidae							<i>Ablautus</i>
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #	
<b>Asilidae</b>				130	594	3306	
	<b><i>Ablautus</i></b> Loew, 1866				1	2	
	<i>mimus</i> Osten Sacken, 1877					2	
	<b><i>Alcimus</i></b> Loew, 1846				3	16	
	<i>fraternus</i> (Wiedemann, 1819) [ <i>Asilus</i> ]		<i>Philodicus fraternus</i> (Wiedemann, 1819) [ <i>Asilus</i> ]			9	
	<i>stenurus</i> Loew, 1858					4	
	<i>tristrigatus</i> Loew, 1858					3	
	<b><i>Allocotasia</i></b> Wulp, 1872		<b><i>Michotamia</i></b> Macquart, 1838		1	9	
	<i>aurata</i> (Fabricius, 1794) [ <i>Asilus</i> ]		<i>Michotamia aurata</i> (Fabricius, 1794) [ <i>Asilus</i> ]			9	
	<b><i>Allopogon</i></b> Schiner, 1866		<b><i>Caenarolia</i></b> Thomson, 1869		1	2	
	<i>tessellatus</i> (Wiedemann, 1828) [ <i>Dasypogon</i> ]					2	
	<b><i>Amphisbetetus</i></b> Hermann, 1906				3	6	
	<i>affinis</i> Hermann, 1906					1	
	<i>dorsatus</i> Becker & Stein, 1913					4	
	<i>favillaceus</i> (Loew, 1856) [ <i>Habropogon</i> ]					1	
	<b><i>Ancylorrhynchus</i></b> Osten Sacken, 1882		<b><i>Ancylorrhynchus</i></b> Berthold, 1827		4	6	
	<i>glaucius</i> (Rossi, 1790) [ <i>Asilus</i> ]		<i>Ancylorrhynchus glaucius</i> (Rossi, 1790) [ <i>Asilus</i> ]			2	
	<i>laufferi</i> Strobl, 1906		<i>Ancylorrhynchus limbatus</i> (Fabricius, 1794) [ <i>Asilus</i> ]			1	
	<i>limbatus</i> (Fabricius, 1794) [ <i>Asilus</i> ]		<i>Ancylorrhynchus limbatus</i> (Fabricius, 1794) [ <i>Asilus</i> ]			1	
	<i>longicornis</i> (Schiner, 1867) [ <i>Xiphocerus</i> ]		<i>Ancylorrhynchus longicornis</i> (Schiner, 1867) [ <i>Xiphocerus</i> ]			2	
	<b><i>Anisosis</i></b> Hermann, 1914		<b><i>Laloides</i></b> Oldroyd, 1972		1	5	
	<i>phalaris</i> (Osten Sacken, 1882) [ <i>Laphria</i> ]		<i>Laloides phalaris</i> (Osten Sacken, 1882) [ <i>Laphria</i> ]			5	
	<b><i>Antipalus</i></b> Loew, 1849				1	7	
	<i>varipes</i> (Meigen, 1820) [ <i>Asilus</i> ]					7	
	<b><i>Antiphrisson</i></b> Loew, 1849				2	12	
	<i>adpressus</i> (Loew, 1848) [ <i>Asilus</i> ]					6	
	<i>trifarium</i> Bezzi		<i>Antiphrisson trifarius</i> (Loew, 1849) [ <i>Asilus</i> ]			6	
	<b><i>Aphestia</i></b> Schiner, 1866				1	1	
	<i>nigra</i> Bigot, 1878					1	
	<b><i>Asilus</i></b> Linnaeus, 1758				5	30	
	<i>barbarus</i> Linnaeus, 1758					11	
	<i>crabroniformis</i> Linnaeus, 1758					9	

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>mydas</i> Brauer, 1885		<i>Wilcoxius mydas</i> (Brauer, 1885) [ <i>Asilus</i> ]			5
	<i>rufiventris</i> Macquart, 1838		<i>Colepia rufiventris</i> (Macquart, 1838) [ <i>Asilus</i> ]			1
	<i>sericeus</i> Say, 1823					4
	<b>Atomosia</b> Macquart, 1838				9	53
	<i>argyrophora</i> Schiner, 1868					12
*	<i>armata</i> Hermann, 1912					1
	<i>glabrata</i> (Say, 1823) [ <i>Laphria</i> ]					8
*	<i>melanopogon</i> Hermann, 1912					3
	<i>puella</i> (Wiedemann, 1828) [ <i>Laphria</i> ]					11
*	<i>sayii</i> Johnson, 1903					7
*	<i>setosa</i> Hermann, 1912					4
	<i>similis</i> Bigot, 1856					2
	<i>tibialis</i> Macquart, 1846					5
	<b>Atonia</b> Williston, 1890				3	8
	<i>albifacies</i> Hermann, 1912					2
*	<i>hispidella</i> Hermann, 1912					5
*	<i>lateropunctata</i> Hermann, 1912					1
	<b>Atractia</b> Macquart, 1838				2	6
	<i>lucida</i> Hermann, 1912					4
*	<i>vivax</i> Hermann, 1912					2
	<b>Blepharepium</b> Rondani, 1848				1	11
	<i>coarctatum</i> (Perty, 1833) [ <i>Laphria</i> ]					11
	<b>Ceratotaenia</b> Lynch Arribalzaga, 1880		<b>Cerotainia</b> Schiner, 1866		2	10
	<i>macrocera</i> (Say, 1823) [ <i>Laphria</i> ]		<i>Cerotainia macrocera</i> (Say, 1823) [ <i>Laphria</i> ]			7
	<i>violaceithorax</i> (Lynch Arribalzaga, 1880) [ <i>Cerotainia</i> ]		<i>Cerotainia violaceithorax</i> Lynch Arribalzaga, 1880			3
	<b>Ceraturgus</b> Wiedemann, 1824				3	6
	<i>brevis</i> (Schiner, 1868) [ <i>Isopogon</i> ]		<i>Heteropogon nubilus</i> (Wiedemann, 1820) [ <i>Dasyopogon</i> ]			2
	<i>cruciatus</i> (Say, 1823) [ <i>Dasyopogon</i> ]					1
	<i>nubilus</i> (Wiedemann, 1820) [ <i>Dasyopogon</i> ]		<i>Heteropogon nubilus</i> (Wiedemann, 1820) [ <i>Dasyopogon</i> ]			3
	<b>Cerdistus</b> Loew, 1849				5	45
	<i>auricomus</i> (Hine, 1909) [ <i>Asilus</i> ]		<i>Neomochtherus auricomus</i> (Hine, 1909) [ <i>Asilus</i> ]			4
	<i>denticulatus</i> Loew, 1849					1
	<i>erythrurus</i> Meigen, 1820					20
	<i>melanopus</i> (Meigen, 1820) [ <i>Asilus</i> ]		<i>Paritamus alpinus</i> (Meigen, 1820) [ <i>Asilus</i> ]			16
	<i>zelleri</i> Schiner, 1862					4
	<b>Cerotainia</b> Schiner, 1866				1	3

## Asilidae

## Cerotainia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>dasythrix</b> Hermann, 1912					3
	<b>Cinadus</b> Wulp, 1898		<b>Heligmonevra</b> Bigot, 1858		1	1
	<i>forcipatus</i> Meijere, 1916		<b>Heligmonevra forcipatus</b> (Meijere, 1916) [ <i>Cinadus</i> ]			1
	<b>Clinopogon</b> Bezzi, 1910				1	1
	<i>scalaris</i> (Bigot, 1878) [ <i>Stichopogon</i> ]					1
	<b>Cophura</b> Osten Sacken, 1887				1	1
	<i>brevicornis</i> (Williston, 1883) [ <i>Taracticus</i> ]					1
	<b>Crobillocerus</b>		<b>Crobillocerus</b> Loew, 1847		1	5
	<i>megilliformis</i> (Loew, 1847) [ <i>Dasypogon</i> ]		<b>Crobillocerus megilliformis</b> (Loew, 1847) [ <i>Dasypogon</i> ]			5
	<b>Ctenota</b> Loew, 1873				1	2
	<i>ruficornis</i> (Wulp, 1899) [ <i>Dasythrix</i> ]					2
	<b>Cyanonedys</b> Hermann, 1912				2	4
	<i>albohirta</i> (Ricardo, 1912) [ <i>Clariola</i> ]		<b>Cyanonedys hornii</b> Hermann, 1912			1
*	<b>hornii</b> Hermann, 1912					3
	<b>Cylindrophora</b> Philippi, 1865		<b>Theromyia</b> Williston, 1891		1	4
	<i>murina</i> Philippi, 1865		<b>Theromyia murina</b> (Philippi, 1865) [ <i>Cylindrophora</i> ]			4
	<b>Cyrtopogon</b> Loew, 1847				26	166
	<i>callipedilus</i> Loew, 1874					2
	<i>cerussatus</i> Osten Sacken, 1877		<b>Nannocyrtopogon cerussatus</b> (Osten Sacken, 1877) [ <i>Cyrtopogon</i> ]			1
	<i>dasyllis</i> Williston, 1893					1
*	<b>dasylloides</b> Williston, 1883					1
	<i>evidens</i> Osten Sacken, 1877					3
	<b>falto</b> (Walker, 1849) [ <i>Dasypogon</i> ]					5
	<i>flavimanus</i> (Meigen, 1820) [ <i>Dasypogon</i> ]					11
	<b>fulvicornis</b> (Macquart, 1834) [ <i>Dasypogon</i> ]		<b>Cyrtopogon maculipennis</b> (Macquart, 1834) [ <i>Dasypogon</i> ]			7
	<i>lateralis</i> (Fallen, 1814) [ <i>Dasypogon</i> ]					5
	<i>luteicornis</i> (Zetterstedt, 1842) [ <i>Dasypogon</i> ]					1
	<b>maculipennis</b> (Macquart, 1834) [ <i>Dasypogon</i> ]					26
	<i>maculosus</i> Coquillett, 1904		<b>Eucyrtopogon maculosus</b> Coquillett, 1904			4
	<i>meyer-durrii</i> Mik, 1864		<b>Cyrtopogon meyerduerii</b> Mik, 1864			52
	<b>montanus</b> Loew, 1874					4
	<b>nugator</b> Osten Sacken, 1877					2
*	<b>perspicax</b> Cole, 1919					1
	<i>platycerus</i> Villeneuve, 1913		<b>Cyclosocerus platycerus</b> (Villeneuve, 1913) [ <i>Cyrtopogon</i> ]			2
	<b>plausor</b> Osten Sacken, 1877					3
*	<b>praepes</b> Williston, 1883					2

## Asilidae

## Cyrtopogon

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>profusus</i> Osten Sacken, 1877					4
	<i>pulchripes</i> Loew, 1871					1
*	<i>pyrenaeus</i> Villeneuve, 1913					1
	<i>ruficornis</i> (Fabricius, 1794) [ <i>Asilus</i> ]					16
	<i>sudator</i> Osten Sacken, 1877					1
	<i>varicornis</i> Bezzi, 1899					6
	<i>willistoni</i> Curran, 1922					4
<b>Damalis</b> Fabricius, 1805					4	12
	<i>fulvipes</i> (Westwood, 1836) [ <i>Chalcidimorpha</i> ]					3
	<i>maculata</i> Wiedemann, 1828					1
	<i>planiceps</i> Fabricius, 1805					1
	<i>vitripennis</i> Osten Sacken, 1882					7
<b>Dasyllis</b> Loew, 1851					11	53
	<i>astur</i> (Osten Sacken, 1877) [ <i>Laphria</i> ]		<i>Laphria astur</i> Osten Sacken, 1877			4
	<i>californica</i> Banks, 1917		<i>Laphria astur</i> Osten Sacken, 1877			3
	<i>columbica</i> (Walker, 1866) [ <i>Laphria</i> ]		<i>Laphria columbica</i> Walker, 1866			5
	<i>flavicollis</i> Say, 1824		<i>Laphria flavicollis</i> Say, 1824			15
	<i>grossa</i> (Fabricius, 1775) [ <i>Asilus</i> ]		<i>Laphria grossa</i> (Fabricius, 1775) [ <i>Asilus</i> ]			3
	<i>insignis</i> Banks, 1917		<i>Laphria insignis</i> (Banks, 1917) [ <i>Dasyllis</i> ]			2
	<i>lata</i> (Macquart, 1850) [ <i>Laphria</i> ]		<i>Laphria lata</i> Macquart, 1850			4
	<i>posticata</i> (Say, 1824) [ <i>Laphria</i> ]		<i>Laphria posticata</i> Say, 1824			3
	<i>sacrator</i> Walker, 1849		<i>Laphria sacrator</i> Walker, 1849			4
	<i>thoracica</i> Fabricius, 1805		<i>Laphria thoracica</i> Fabricius, 1805			6
	<i>unicolor</i> Williston, 1883		<i>Laphria unicolor</i> (Williston, 1883) [ <i>Dasyllis</i> ]			4
<b>Dasyopogon</b> Meigen, 1803					1	17
	<i>teutonius</i> (Linnaeus, 1767) [ <i>Asilus</i> ]		<i>Molobratia teutonius</i> (Linnaeus, 1767) [ <i>Asilus</i> ]			17
<b>Dasythrix</b> Loew, 1851					2	13
	<i>barbiellinii</i> Bezzi					8
	<i>sp.</i>					5
<b>Deromyia</b> Philippi, 1865					7	49
	<i>angustipennis</i> (Loew, 1866) [ <i>Diogmites</i> ]		<i>Diogmites angustipennis</i> Loew, 1866			7
	<i>discolor</i> (Loew, 1866) [ <i>Diogmites</i> ]		<i>Diogmites discolor</i> Loew, 1866			18
	<i>misella</i> (Loew, 1866) [ <i>Diogmites</i> ]		<i>Diogmites misellus</i> Loew, 1866			7
	<i>platyptera</i> (Loew, 1866) [ <i>Diogmites</i> ]		<i>Diogmites platypterus</i> Loew, 1866			6
	<i>sallei</i> (Bellardi, 1861) [ <i>Dasyopogon</i> ]		<i>Diogmites sallei</i> (Bellardi, 1861) [ <i>Dasyopogon</i> ]			2
	<i>ternata</i> (Loew, 1866) [ <i>Diogmites</i> ]					6
	<i>umbrina</i> (Loew, 1866) [ <i>Diogmites</i> ]		<i>Diogmites basalis</i> (Walker, 1851) [ <i>Dasyopogon</i> ]			3
<b>Dicolonus</b> Loew, 1866					1	3

## Asilidae

## Dicolonus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>simplex</i> Loew, 1866					3
	<b>Dicranus</b> Loew, 1851				1	1
	<i>schrottkyi</i> Bezzi, 1910					1
	<b>Dioctria</b> Meigen, 1803				26	169
	<i>albius</i> Walker, 1849		<i>Eudioctria albius</i> (Walker, 1849) [ <i>Dioctria</i> ]			8
	<i>atricapilla</i> Meigen, 1804					11
	<i>aurifrons</i> Meigen, 1820		<i>Dioctria flavipennis</i> Meigen, 1820			7
	<i>banski</i> Johnson, 1918		<i>Eudioctria tibialis</i> (Banks, 1917) [ <i>Dioctria</i> ]			1
	<i>baumhaueri</i> Meigen, 1820					6
	<i>bicincta</i> Meigen, 1820					17
	<i>calceata</i> Meigen, 1820					2
	<i>concinna</i> Costa, 1883		<i>Dioctria gracilis</i> Meigen, 1820			6
	<i>flavipes</i> Meigen, 1804		<i>Dioctria hyalipennis</i> Meigen, 1804			24
	<i>fuscipes</i> Macquart, 1834					6
	<i>harcyniae</i> Loew, 1844					7
	<i>humeralis</i> Zeller, 1840					4
	<i>lata</i> Loew, 1853					3
	<i>lateralis</i> Meigen, 1804					3
	<i>linearis</i> Meigen, 1830					8
	<i>longicornis</i> Meigen, 1820					5
*	<i>meridionalis</i> Bezzi, 1898					14
	<i>nitida</i> Williston, 1883		<i>Eudioctria nitida</i> (Williston, 1883) [ <i>Dioctria</i> ]			1
	<i>ochrifacies</i> Becker, 1906					1
	<i>oedipus</i> Loew, 1869		<i>Dioctria gagates</i> Wiedemann, 1820			5
	<i>oelandica</i> Linnaeus, 1758					9
	<i>reinhardi</i> Meigen, 1820		<i>Dioctria cothurnata</i> Meigen, 1820			5
	<i>rubida</i> Coquillett, 1893		<i>Metadioctria rubida</i> (Coquillett, 1893) [ <i>Dioctria</i> ]			1
	<i>rufipes</i> (De Geer, 1776) [ <i>Asilus</i> ]					12
	<i>rufithorax</i> Loew, 1853					1
	<i>speculifrons</i> Wiedemann, 1820					2
	<b>Dissmeryngodes</b> Hermann, 1912				1	5
	<i>dispar</i> (Walker, 1855) [ <i>Atomosia</i> ]					5
	<b>Dizonias</b> Loew, 1866		<b>Prolepsis</b> Walker, 1851		1	4
	<i>bicinctus</i> Loew, 1866		<i>Prolepsis tristis</i> (Walker, 1851) [ <i>Dasypogon</i> ]			4
	<b>Dysmachus</b> Loew, 1860				19	127
	<i>acutus</i> (Loew, 1870) [ <i>Lophonotus</i> ]		<i>Dysmachus cristatus</i> (Wiedemann, 1820) [ <i>Asilus</i> ]			3
	<i>albiseta</i> Becker, 1907					7
	<i>albociliatus</i> Loew, 1854		<i>Neolophonotus albiciliatus</i> (Loew, 1854) [ <i>Lophonotus</i> ]			10
	<i>bifurcus</i> (Loew, 1848) [ <i>Asilus</i> ]					1

Asilidae				<i>Dysmachus</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>bimucronatus</i> (Loew, 1854) [ <i>Lophonotus</i> ]					2
	<i>cochleatus</i> (Loew, 1854) [ <i>Lophonotus</i> ]					7
	<i>cristatus</i> (Wiedemann, 1820) [ <i>Asilus</i> ]					8
	<i>evanescens</i> Villeneuve, 1912					7
	<i>femoratellus</i> Loew, 1871					2
	<i>forcipula</i> (Zeller, 1840) [ <i>Asilus</i> ]		<i>Dysmachus picipes</i> (Meigen, 1820) [ <i>Asilus</i> ]			34
	<i>hamulatus</i> (Loew, 1854) [ <i>Lophonotus</i> ]					3
*	<i>harpax</i> Villeneuve, 1904					8
	<i>kervillei</i> Villeneuve, 1910		<i>Dysmachus tricuspis</i> (Loew, 1848) [ <i>Asilus</i> ]			1
	<i>pauper</i> Becker, 1907		<i>Conosiphon pauper</i> (Becker, 1907) [ <i>Dysmachus</i> ]			2
	<i>setiger</i> (Loew, 1848) [ <i>Asilus</i> ]					1
	<i>spiniger</i> (Zeller, 1840) [ <i>Asilus</i> ]		<i>Dysmachus fuscipennis</i> (Meigen, 1820) [ <i>Asilus</i> ]			6
	<i>tricuspis</i> (Loew, 1848) [ <i>Asilus</i> ]					8
	<i>trigonus</i> (Meigen, 1804) [ <i>Asilus</i> ]					12
	<i>verticillatus</i> Becker, 1907					5
<b><i>Eccoctopus</i> Loew, 1860</b>					1	5
	<i>erythrogastrus</i> Loew, 1871		<i>Eccoctopus longitarsis</i> (Macquart, 1838) [ <i>Asilus</i> ]			5
<b><i>Eccritosia</i> Schiner, 1866</b>					2	6
	<i>amphinome</i> (Walker, 1849) [ <i>Asilus</i> ]					3
	<i>barbata</i> (Fabricius, 1787) [ <i>Asilus</i> ]					3
<b><i>Echthistus</i> Loew, 1849</b>					2	5
	<i>cognatus</i> (Loew, 1849) [ <i>Asilus</i> ]					1
	<i>rufinervis</i> (Meigen, 1820) [ <i>Asilus</i> ]					4
<b><i>Echthopoda</i> Loew, 1872</b>			<b><i>Echthodopa</i> Loew, 1966</b>		1	4
	<i>pubera</i> Loew, 1866		<i>Echthodopa pubera</i> Loew, 1866			4
<b><i>Eicherax</i> Bigot, 1857</b>					4	15
	<i>aridus</i> (Williston, 1893) [ <i>Erax</i> ]		<i>Efferia arida</i> (Williston, 1893) [ <i>Erax</i> ]			3
	<i>barbatus</i> (Fabricius, 1805) [ <i>Dasyopogon</i> ]		<i>Efferia pogonias</i> (Wiedemann, 1821) [ <i>Asilus</i> ]			8
	<i>griseus</i> (Guerin-Meneville, 1831) [ <i>Erax</i> ]		<i>Lochmorhynchus griseus</i> (Guerin-Meneville, 1831) [ <i>Erax</i> ]			2
	<i>subcupreus</i> (Schaeffer, 1916) [ <i>Erax</i> ]		<i>Efferia subcuprea</i> (Schaeffer, 1916) [ <i>Erax</i> ]			2
<b><i>Emphysomera</i> Schiner, 1866</b>			<b><i>Ommatius</i> Wiedemann, 1821</b>		2	28
	<i>aliena</i> Osten Sacken, 1882		<i>Ommatius aliena</i> (Osten Sacken, 1882) [ <i>Emphysomera</i> ]			3
	<i>pulchra</i> Engel, 1885		<i>Ommatius pulcher</i> (Engel, 1885) [ <i>Emphysomera</i> ]			25
<b><i>Epholchiolaphria</i></b>			<b><i>Laphria</i> Meigen, 1803</b>		20	129
	<i>aurifacies</i> (Macquart, 1848) [ <i>Laphria</i> ]		<i>Maira aurifacies</i> (Macquart, 1848) [ <i>Laphria</i> ]			7
	<i>basifera</i> (Walker, 1861) [ <i>Laphria</i> ]		<i>Pogonosoma basifera</i> (Walker, 1861) [ <i>Laphria</i> ]			7
	<i>basigutta</i> (Walker, 1857) [ <i>Laphria</i> ]		<i>Laphria basigutta</i> Walker, 1857			5



## Asilidae

## Epholchiolaphria

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>canis</i> (Williston, 1883) [ <i>Laphria</i> ]		<i>Laphria canis</i> Williston, 1883			9
	<i>dimidiata</i> (Macquart, 1846) [ <i>Laphria</i> ]		<i>Laphria dimidiata</i> Macquart, 1846			27
	<i>fulva</i> (Meigen, 1804) [ <i>Laphria</i> ]		<i>Lamyra fulva</i> (Meigen, 1804) [ <i>Laphria</i> ]			10
	<i>gilva</i> (Linnaeus, 1758) [ <i>Asilus</i> ]		<i>Laphria gilva</i> (Linnaeus, 1758) [ <i>Asilus</i> ]			11
	<i>ignea</i> (Meigen, 1820) [ <i>Laphria</i> ]		<i>Lamyra ignea</i> (Meigen, 1820) [ <i>Laphria</i> ]			5
	<i>inaurea</i> (Walker, 1857) [ <i>Laphria</i> ]		<i>Laphria inaurea</i> Walker, 1857			3
	<i>leucoprocta</i> (Wiedemann, 1828) [ <i>Laphria</i> ]		<i>Laphria leucoprocta</i> Wiedemann, 1828			3
	<i>marginata</i> (Linnaeus, 1758) [ <i>Asilus</i> ]		<i>Lamyra marginata</i> (Linnaeus, 1758) [ <i>Asilus</i> ]			9
	<i>ostensa</i> (Walker, 1862) [ <i>Laphria</i> ]		<i>Laphria ostensa</i> Walker, 1862			6
	<i>partita</i> (Walker, 1859) [ <i>Laphria</i> ]		<i>Laphria philippinensis</i> Enderlein, 1914			9
	<i>pubescens</i> (Williston, 1883) [ <i>Laphria</i> ]		<i>Laphria sadales</i> Walker, 1849			4
	<i>rufipes</i> (Fallen, 1814) [ <i>Laphria</i> ]		<i>Lamyra rufipes</i> (Fallen, 1814) [ <i>Laphria</i> ]			4
	<i>sadales</i> (Walker, 1849) [ <i>Laphria</i> ]		<i>Laphria sadales</i> Walker, 1849			1
	<i>sericea</i> (Say, 1823) [ <i>Laphria</i> ]		<i>Laphria sericea</i> Say, 1823			6
	<i>vivax</i> (Williston, 1883) [ <i>Laphria</i> ]		<i>Laphria vivax</i> Williston, 1883			1
	<i>vulcanus</i> (Wiedemann, 1828) [ <i>Laphria</i> ]		<i>Laphria vulcanus</i> Wiedemann, 1828			1
	<i>vultur</i> (Osten Sacken, 1877) [ <i>Laphria</i> ]		<i>Laphria vultur</i> Osten Sacken, 1877			1
	<b>Epitriptus</b> Loew, 1849				7	83
	<i>cingulatus</i> (Fabricius, 1781) [ <i>Asilus</i> ]					55
	<i>elkantarae</i> Becker, 1907					3
	<i>inconstans</i> (Wiedemann, 1820) [ <i>Asilus</i> ]					4
	<i>major</i> Becker, 1907					4
	<i>nigrifemoratus</i> (Macquart, 1839) [ <i>Asilus</i> ]		<i>Machimus nigrifemoratus</i> (Macquart, 1838) [ <i>Asilus</i> ]			2
	<i>senex</i> (Wiedemann, 1820) [ <i>Asilus</i> ]		<i>Machimus senex</i> (Wiedemann, 1820) [ <i>Asilus</i> ]			2
	<i>setosulus</i> (Zeller, 1840) [ <i>Asilus</i> ]					13
	<b>Erax</b> Scopoli, 1763				12	126
	<i>aestuans</i> (Linnaeus, 1763) [ <i>Asilus</i> ]		<i>Efferia aestuans</i> (Linnaeus, 1763) [ <i>Asilus</i> ]			11
	<i>albibarbis</i> Macquart, 1838		<i>Efferia albibarbis</i> (Macquart, 1838) [ <i>Erax</i> ]			9
	<i>anomalous</i> Bellardi, 1861		<i>Efferia anomala</i> (Bellardi, 1861) [ <i>Erax</i> ]			8
	<i>bastardi</i> Macquart, 1838		<i>Efferia aestuans</i> (Linnaeus, 1763) [ <i>Asilus</i> ]			8
	<i>cinerascens</i> Bellardi, 1861		<i>Efferia albibarbis</i> (Macquart, 1838) [ <i>Erax</i> ]			11
	<i>lateralis</i> Macquart, 1838		<i>Triorla interrupta</i> (Macquart, 1834) [ <i>Asilus</i> ]			13
	<i>macularis</i> (Wiedemann, 1821) [ <i>Asilus</i> ]		<i>Efferia macularis</i> (Wiedemann, 1821) [ <i>Asilus</i> ]			15
	<i>maculatus</i> Macquart, 1838		<i>Triorla striola</i> (Fabricius, 1805) [ <i>Dasyopogon</i> ]			10
	<i>rufibarbis</i> (Macquart, 1848) [ <i>Asilus</i> ]		<i>Promachus rufibarbis</i> (Macquart, 1848) [ <i>Asilus</i> ]			3
	<i>stamineus</i> Williston, 1885		<i>Efferia staminea</i> (Williston, 1885) [ <i>Erax</i> ]			21
	<i>tricolor</i> Bellardi, 1861		<i>Efferia albibarbis</i> (Macquart, 1838) [ <i>Erax</i> ]			7
	<i>varipes</i> Williston, 1885		<i>Efferia varipes</i> (Williston, 1885) [ <i>Erax</i> ]			10
	<b>Eriopogon</b> Loew, 1847				1	7
	<i>laniger</i> (Meigen, 1804) [ <i>Dasyopogon</i> ]					7

## Asilidae

## Eumecosoma

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Eumecosoma</b> Schiner, 1866				2	3
	<i>metallescens</i> Schiner, 1868					2
	<i>staurophorum</i> Bezzi		<i>Eumecosoma staurophora</i> Schiner, 1868			1
	<b>Eutolmus</b> Loew, 1848				6	20
	<i>albiseta</i> Becker, 1915		<i>Cerdistus flavimystaceus</i> (Macquart, 1849) [ <i>Asilus</i> ]			4
	<i>decipiens</i> (Wiedemann, 1820) [ <i>Asilus</i> ]		<i>Dysmachus decipiens</i> (Wiedemann, 1820) [ <i>Asilus</i> ]			6
	<i>haematoscelis</i> (Gerstaecker, 1861) [ <i>Asilus</i> ]					1
	<i>hyalopterus</i> Loew, 1871		<i>Eutolmus kiesenwetteri</i> Loew, 1854			3
*	<i>nevadensis</i> (Strobl, 1909) [ <i>Asilus</i> ]		<i>Machimus nevadensis</i> (Strobl, 1909) [ <i>Asilus</i> ]			1
	<i>rufibarbis</i> (Meigen, 1820) [ <i>Asilus</i> ]					5
	<b>Glaphyropyga</b> Schiner, 1866				1	10
	<i>himantocera</i> (Wiedemann, 1828) [ <i>Asilus</i> ]					10
	<b>Gonioscelis</b> Schiner, 1866				1	4
	<i>mantis</i> (Loew, 1852) [ <i>Stenopogon</i> ]					4
	<b>Habropogon</b> Loew, 1847				6	28
	<i>appendiculatus</i> Schiner, 1867					8
	<i>exquisitum</i> Meigen		<i>Habropogon exquisitus</i> (Wiedemann, 1820) [ <i>Dasypogon</i> ]			3
	<i>longiventris</i> Loew, 1847					3
	<i>rubriventris</i> (Macquart, 1849) [ <i>Dasypogon</i> ]					4
	<i>spissipes</i> Hermann, 1909					6
	<i>striatus</i> (Fabricius, 1794) [ <i>Asilus</i> ]					4
	<b>Heligmoneura</b> Kertész, 1909		<b>Heligmonevra</b> Bigot, 1858		16	71
	<i>annulata</i> (Fabricius, 1775) [ <i>Asilus</i> ]		<i>Clephyroneura annulata</i> (Fabricius, 1775) [ <i>Asilus</i> ]			4
	<i>annulitarsis</i> (Loew, 1858) [ <i>Mochtherus</i> ]		<i>Neomochtherus annulitarsis</i> (Loew, 1858) [ <i>Mochtherus</i> ]			1
	<i>antimachus</i> (Walker, 1849) [ <i>Asilus</i> ]		<i>Machimus antimachus</i> (Walker, 1849) [ <i>Asilus</i> ]			7
	<i>auriannulatus</i> (Hine, 1906) [ <i>Stilpnogaster</i> ]		<i>Regasilus auriannulatus</i> (Hine, 1906) [ <i>Stilpnogaster</i> ]			8
	<i>brunnipes</i> (Fabricius, 1794) [ <i>Asilus</i> ]		<i>Engelepogon brunnipes</i> (Fabricius, 1794) [ <i>Asilus</i> ]			6
	<i>clypeata</i> Becker, 1915		<i>Neomochtherus clypeatus</i> (Becker, 1915) [ <i>Heligmoneura</i> ]			5
	<i>flavicornis</i> (Ruthe, 1831) [ <i>Asilus</i> ]		<i>Neomochtherus flavicornis</i> (Ruthe, 1831) [ <i>Asilus</i> ]			5
	<i>flavipes</i> (Meigen, 1820) [ <i>Asilus</i> ]		<i>Neomochtherus flavipes</i> (Meigen, 1820) [ <i>Asilus</i> ]			2
	<i>gnava</i> (Wulp, 1872) [ <i>Mochtherus</i> ]		<i>Neomochtherus gnavus</i> (Wulp, 1872) [ <i>Mochtherus</i> ]			19
	<i>longitudinalis</i> (Loew, 1856) [ <i>Mochtherus</i> ]		<i>Neomochtherus aegyptius</i> (Macquart, 1838) [ <i>Asilus</i> ]			2
	<i>malacias</i> (Gerstaecker, 1861) [ <i>Mochtherus</i> ]		<i>Neomochtherus schineri</i> (Egger, 1855) [ <i>Mochtherus</i> ]			2
	<i>munda</i> (Loew, 1849) [ <i>Asilus</i> ]		<i>Neomochtherus mundus</i> (Loew, 1849) [ <i>Asilus</i> ]			1
	<i>natalensis</i> Ricardo, 1919		<i>Neomochtherus natalensis</i> (Ricardo, 1919) [ <i>Heligmoneura</i> ]			1
*	<i>nuda</i> Bezzi, 1906		<i>Neomochtherus nudus</i> (Bezzi, 1906) [ <i>Heligmoneura</i> ]			1
	<i>ochriventris</i> (Loew, 1854) [ <i>Mochtherus</i> ]		<i>Neomochtherus ochriventris</i> (Loew, 1854) [ <i>Mochtherus</i> ]			2
	<i>pallipes</i> (Meigen, 1820) [ <i>Asilus</i> ]		<i>Neomochtherus pallipes</i> (Meigen, 1820) [ <i>Asilus</i> ]			5

## Asilidae

## Heteropogon

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Heteropogon</b> Loew, 1847				4	12
	<i>lautus</i> Loew, 1872					2
*	<i>lugubris</i> Hermann, 1906					2
	<i>manicatus</i> (Meigen, 1820) [ <i>Dasyopogon</i> ]					6
	<i>phoenicurus</i> Loew, 1872					2
	<b>Holcocephala</b> Jaennicke, 1867				3	42
	<i>abdominalis</i> (Say, 1823) [ <i>Dasyopogon</i> ]					17
	<i>calva</i> (Loew, 1872) [ <i>Discocephala</i> ]					8
	<i>rufithorax</i> (Wiedemann, 1828) [ <i>Dasyopogon</i> ]					17
	<b>Holopogon</b> Loew, 1847				10	64
	<i>claripennis</i> (Loew, 1856) [ <i>Dasyopogon</i> ]					1
	<i>clavipes</i> (Loew, 1840) [ <i>Dasyopogon</i> ]		<b>Holopogon priscus</b> (Meigen, 1820) [ <i>Dasyopogon</i> ]			5
*	<i>dichromatopus</i> Bezzi, 1926					1
	<i>dimidiatus</i> (Meigen, 1820) [ <i>Dasyopogon</i> ]					3
	<i>fumipennis</i> (Meigen, 1820) [ <i>Dasyopogon</i> ]					7
	<i>guttula</i> (Wiedemann, 1821) [ <i>Dasyopogon</i> ]		<b>Holopogon guttulus</b> (Wiedemann, 1821) [ <i>Dasyopogon</i> ]			5
	<i>nigrifacies</i> Bezzi, 1900					21
	<i>nigripennis</i> (Meigen, 1820) [ <i>Dasyopogon</i> ]					2
	<i>siculus</i> (Macquart, 1834) [ <i>Dasyopogon</i> ]					1
	<i>venustus</i> (Rossi, 1790) [ <i>Asilus</i> ]					18
	<b>Hoplistomera</b> Macquart, 1838		<b>Hoplistomerus</b> Macquart, 1838		1	8
	<i>serripes</i> (Fabricius, 1805) [ <i>Laphria</i> ]		<b>Hoplistomerus serripes</b> (Fabricius, 1805) [ <i>Laphria</i> ]			8
	<b>Hypenetes</b> Loew, 1858				2	3
	<i>punctipennis</i> (Philippi, 1965) [ <i>Clavator</i> ]		<b>Tillobroma punctipennis</b> (Philippi, 1865) [ <i>Clavator</i> ]			2
	<i>sp.</i>					1
	<b>Isopogon</b> Loew, 1847		<b>Leptarthrus</b> Stephens, 1829		1	4
	<i>vitripennis</i> (Meigen, 1820) [ <i>Dasyopogon</i> ]		<b>Leptarthrus vitripennis</b> (Meigen, 1820) [ <i>Dasyopogon</i> ]			4
	<b>Lampria</b> Macquart, 1838				3	14
	<i>bicolor</i> (Wiedemann, 1828) [ <i>Laphria</i> ]					5
	<i>clavipes</i> (Fabricius, 1805) [ <i>Laphria</i> ]					7
	<i>rubriventris</i> (Macquart, 1834) [ <i>Laphria</i> ]					2
	<b>Laphria</b> Meigen, 1803				13	67
	<i>aurea</i> (Fabricius, 1794) [ <i>Asilus</i> ]					3
	<i>bipenicillata</i> Bigot, 1891					6
*	<i>caspica</i> Hermann, 1906					1
	<i>dizonias</i> Loew, 1847					1

## Asilidae

## Laphria

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>ephippium</i> (Fabricius, 1781) [ <i>Asilus</i> ]					5
	<i>flava</i> (Linnaeus, 1761) [ <i>Asilus</i> ]					28
	<i>fuliginosa</i> (Panzer, 1798) [ <i>Asilus</i> ]		<i>Lamyra fuliginosa</i> (Panzer, 1798) [ <i>Asilus</i> ]			10
	<i>gibbosa</i> (Linnaeus, 1758) [ <i>Asilus</i> ]					6
	<i>index</i> McAtee, 1919					1
	<i>janus</i> McAtee, 1919					2
	<i>mitsukurii</i> Coquillett, 1898					1
	<i>saffrana</i> Fabricius, 1805					2
	<i>solita</i> Wulp, 1872					1
	<b>Laphystia</b> Loew, 1847				2	15
	<i>sabulicola</i> Loew, 1847					4
	<i>sexfasciata</i> (Say, 1823) [ <i>Dasyopogon</i> ]					11
	<b>Lasiocnemus</b> Loew, 1851				1	4
	<i>lugens</i> Loew, 1858					4
	<b>Lasiopogon</b> Loew, 1847				20	72
	<i>aldrichii</i> Melander, 1923					2
*	<i>apenninus</i> Bezzi, 1921					8
	<i>arenicola</i> Osten Sacken, 1877		<i>Lasiopogon areniculus</i> (Osten Sacken, 1877) [ <i>Daulopogon</i> ]			2
	<i>bellardii</i> Jaennicke, 1867		<i>Lasiopogon montanus</i> Schiner, 1862			13
	<i>bezzii</i> Engel, 1929					2
	<i>bivittatus</i> Loew, 1866					1
	<i>cinctus</i> (Fabricius, 1781) [ <i>Asilus</i> ]					9
*	<i>delphinensis</i> Bezzi, 1921		<i>Lasiopogon cinctus</i> (Fabricius, 1781) [ <i>Asilus</i> ]			2
*	<i>gracilipes</i> Bezzi, 1916					1
*	<i>grajus</i> Bezzi, 1921		<i>Lasiopogon cinctus</i> (Fabricius, 1781) [ <i>Asilus</i> ]			4
*	<i>immaculatus</i> Strobl, 1893					3
*	<i>littoris</i> Cole, 1924					1
	<i>macquarti</i> (Perris, 1852) [ <i>Dasyopogon</i> ]					2
	<i>montanus</i> Schiner, 1862					5
*	<i>nitidicauda</i> Bezzi, 1921		<i>Lasiopogon montanus</i> Schiner, 1862			5
	<i>pusillus</i> Bezzi, 1921		<i>Lasiopogon montanus</i> Schiner, 1862			2
*	<i>spinisquama</i> Bezzi, 1921		<i>Lasiopogon montanus</i> Schiner, 1862			1
	<i>tarsalis</i> Loew, 1847					4
*	<i>terricola</i> Johnson, 1900		<i>Lasiopogon terricolus</i> (Johnson, 1900) [ <i>Daulopogon</i> ]			3
*	<i>velutinus</i> Bezzi, 1921		<i>Lasiopogon montanus</i> Schiner, 1862			2
	<b>Lastaurus</b> Loew, 1851				2	2
	<i>fallax</i> (Macquart, 1846) [ <i>Dasyopogon</i> ]					1
	<i>mutabilis</i> Loew, 1851					1
	<b>Laxenecera</b> Macquart, 1838				1	12

## Asilidae

## Laxenecera

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b><i>albicincta</i></b> (Loew, 1852) [ <i>Laphria</i> ]					12
	<b><i>Lecania</i></b> Macquart, 1838				1	16
	<i>rufipes</i> Macquart, 1838		<b><i>Ommatius rufipes</i></b> Macquart, 1846			16
	<b><i>Leptarthrus</i></b> Stephens, 1829				1	28
	<i>brevirostris</i> (Meigen, 1804) [ <i>Dioctria</i> ]					28
	<b><i>Leptogaster</i></b> Meigen, 1803				18	83
	<i>annulatus</i> Say, 1823		<b><i>Psilonyx annulatus</i></b> (Say, 1823) [ <i>Leptogaster</i> ]			6
	<i>atridorsalis</i> Back, 1909					1
	<i>brevicornis</i> Loew, 1872					12
	<i>brunnea</i> Loew, 1858					2
	<i>cylindricus</i> (De Geer, 1776) [ <i>Asilus</i> ]					3
	<i>favillaceus</i> Loew, 1862		<b><i>Leptogaster flavipes</i></b> Loew, 1862			4
	<i>flavipes</i> Loew, 1862					8
	<i>fumipennis</i> Loew, 1871					2
	<i>guttiventris</i> Zetterstedt, 1842					2
	<i>latestriata</i> Becker, 1906					1
	<i>murina</i> Loew, 1862					9
	<i>obscuripes</i> Loew, 1862					5
	<i>pedunculata</i> Loew, 1847					7
	<i>pictipes</i> Loew, 1862		<b><i>Beameromyia pictipes</i></b> (Loew, 1862) [ <i>Leptogaster</i> ]			5
	<i>princeps</i> Osten Sacken, 1882					1
	<i>stigmatalis</i> Loew, 1852		<b><i>Euscelidia stigmatalis</i></b> (Loew, 1852) [ <i>Leptogaster</i> ]			2
	<i>subtilis</i> Loew, 1847					1
	<i>testacea</i> Loew, 1862		<b><i>Tipulogaster glabrata</i></b> (Wiedemann, 1828) [ <i>Leptogaster</i> ]			12
	<b><i>Lestomyia</i></b> Williston, 1883				1	1
	<i>sabulona</i> (Osten Sacken, 1877) [ <i>Clavator</i> ]					1
	<b><i>Lissoteles</i></b> Bezzi, 1910				2	4
	<i>hermanni</i> Bezzi, 1910					2
*	<i>vanduzeri</i> Cole, 1923					2
	<b><i>Lithoeciscus</i></b> Neave, 1939		<b><i>Lithoeciscus</i></b> Bezzi, 1927		3	8
*	<i>carpathicus</i> Bezzi, 1927		<b><i>Cyrtopogon carpathicus</i></b> (Bezzi, 1927) [ <i>Lithoeciscus</i> ]			3
	<i>heydeni</i> (Loew, 1870) [ <i>Stenopogon</i> ]		<b><i>Lithoeciscus heydenii</i></b> (Loew, 1870) [ <i>Stenopogon</i> ]			1
*	<i>pedemontanus</i> Bezzi, 1927		<b><i>Cyrtopogon pedemontanus</i></b> (Bezzi, 1927) [ <i>Lithoeciscus</i> ]			4
	<b><i>Lophonotus</i></b> Macquart, 1838		<b><i>Neolophonotus</i></b> Engel, 1925		3	7
*	<i>leucotaenia</i> Bezzi, 1906		<b><i>Neolophonotus leucotaenia</i></b> (Bezzi, 1906) [ <i>Lophonotus</i> ]			1
	<i>molitor</i> (Wiedemann, 1828) [ <i>Asilus</i> ]		<b><i>Neolophonotus molitor</i></b> (Wiedemann, 1828) [ <i>Asilus</i> ]			4
	<i>setiventris</i> Loew, 1858		<b><i>Neolophonotus setiventris</i></b> (Loew, 1858) [ <i>Lophonotus</i> ]			2

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Machimus</b> Loew, 1849				17	201
	<i>atricapillus</i> (Fallen, 1814) [ <i>Asilus</i> ]					33
	<i>caliginosus</i> (Meigen, 1820) [ <i>Asilus</i> ]					8
	<i>colubrinus</i> (Wiedemann, 1820) [ <i>Asilus</i> ]		<i>Machimus fimbriatus</i> (Meigen, 1804) [ <i>Asilus</i> ]			13
	<i>concinnus</i> Loew, 1870					4
	<i>cribratus</i> (Loew, 1849) [ <i>Asilus</i> ]					8
	<i>dasyppygus</i> (Loew, 1849) [ <i>Asilus</i> ]					7
	<i>diagonalis</i> (Pandellé, 1905) [ <i>Asilus</i> ]					2
	<i>hispanus</i> (Loew, 1871) [ <i>Eutolmus</i> ]		<i>Machimus pilipes</i> (Meigen, 1820) [ <i>Asilus</i> ]			2
	<i>lacinulatus</i> Loew, 1854					9
*	<i>lucentinus</i> (Strobl, 1909) [ <i>Asilus</i> ]					4
	<i>lugens</i> (Loew, 1849) [ <i>Asilus</i> ]		<i>Machimus caliginosus</i> (Meigen, 1820) [ <i>Asilus</i> ]			19
	<i>minusculus</i> Bezzi, 1899					8
	<i>occidentalis</i> (Hine, 1909) [ <i>Asilus</i> ]					20
	<i>perplexus</i> Becker, 1915					5
	<i>rusticus</i> (Meigen, 1820) [ <i>Asilus</i> ]					51
	<i>setibarbus</i> Loew		<i>Machimus setibarbis</i> (Loew, 1849) [ <i>Asilus</i> ]			2
	<i>tenebrosus</i> (Williston, 1901) [ <i>Asilus</i> ]					6
	<b>Maira</b> Schiner, 1866				3	10
	<i>aenea</i> (Fabricius, 1805) [ <i>Laphria</i> ]					4
*	<i>limbidorsum</i> Bezzi, 1928					1
	<i>paradisiaca</i> (Walker, 1859) [ <i>Laphria</i> ]					5
	<b>Mallophora</b> Macquart, 1834				11	72
	<i>bomboides</i> (Wiedemann, 1821) [ <i>Asilus</i> ]					1
	<i>clausicella</i> Macquart, 1850		<i>Megaphorus clausicellus</i> (Macquart, 1850) [ <i>Mallophora</i> ]			5
	<i>fasciventris</i> (Macquart, 1850) [ <i>Stichopogon</i> ]		<i>Stichopogon trifasciatus</i> (Say, 1823) [ <i>Dasyopogon</i> ]			11
	<i>fautrix</i> Osten Sacken, 1887					4
	<i>guildiana</i> Williston, 1885		<i>Megaphorus guildiana</i> (Williston, 1885) [ <i>Mallophora</i> ]			3
	<i>laphroides</i> (Wiedemann, 1828) [ <i>Asilus</i> ]		<i>Megaphorus laphroides</i> (Wiedemann, 1828) [ <i>Asilus</i> ]			2
	<i>megachile</i> Coquillett, 1893		<i>Megaphorus megachile</i> (Coquillett, 1893) [ <i>Mallophora</i> ]			2
	<i>nigritarsis</i> (Fabricius, 1805) [ <i>Dasyopogon</i> ]					24
	<i>orcina</i> (Wiedemann, 1828) [ <i>Asilus</i> ]					8
	<i>ruficauda</i> (Wiedemann, 1828) [ <i>Asilus</i> ]					8
	<i>scopipeda</i> Rondani, 1863		<i>Promachus macquartii</i> (Rondani, 1848) [ <i>Mallophora</i> ]			4
	<b>Metapogon</b> Coquillett, 1904				2	2
*	<i>pictus</i> Cole, 1916					1
*	<i>setigerus</i> Cole, 1919		<i>Coleomyia setigera</i> (Cole, 1919) [ <i>Metapogon</i> ]			1
	<b>Microstylum</b> Macquart, 1838				6	28
	<i>cilipes</i> Macquart, 1838					3

## Asilidae

## Microstylum

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>dispar</i> Loew, 1858					2
	<i>dux</i> (Wiedemann, 1828) [ <i>Dasygogon</i> ]					13
	<i>glabrum</i> Ricardo, 1900					2
	<i>morosum</i> Loew, 1872					6
	<i>partitum</i> (Walker, 1856) [ <i>Dasygogon</i> ]					2
	<b>Neoitamus</b> Osten Sacken, 1878				8	66
	<i>affinis</i> (Williston, 1893) [ <i>Asilus</i> ]					1
	<i>cothurnatus</i> (Meigen, 1820) [ <i>Asilus</i> ]					11
	<i>cyanurus</i> (Loew, 1849) [ <i>Asilus</i> ]					20
	<i>flavofemoratus</i> (Hine, 1909) [ <i>Asilus</i> ]					7
	<i>longistylus</i> (Wiedemann, 1828) [ <i>Asilus</i> ]		<i>Astochia longistylus</i> (Wiedemann, 1828) [ <i>Asilus</i> ]			17
	<i>orphne</i> (Walker, 1849) [ <i>Asilus</i> ]					5
*	<i>podagricus</i> Bezzi, 1914		<i>Hoplophomerus podagricus</i> (Bezzi, 1914) [ <i>Neoitamus</i> ]			3
	<i>varius</i> (Walker, 1849) [ <i>Asilus</i> ]		<i>Neoitamus walkeri</i> Daniels, 1989			2
	<b>Neolaparus</b> Williston, 1890				4	9
	<i>aulicus</i> (Wiedemann, 1828) [ <i>Dasygogon</i> ]					4
	<i>moerens</i> (Wiedemann, 1828) [ <i>Dasygogon</i> ]					2
*	<i>morio</i> Bezzi, 1914					2
	<i>volcatus</i> (Walker, 1848) [ <i>Dasygogon</i> ]					1
	<b>Nicocles</b> Jaenicke, 1867				3	8
	<i>aemulator</i> (Loew, 1872) [ <i>Pygostolus</i> ]					3
	<i>dives</i> (Loew, 1866) [ <i>Pygostolus</i> ]					2
	<i>pictus</i> (Loew, 1866) [ <i>Pygostolus</i> ]					3
	<b>Nusa</b> Walker, 1851				7	34
	<i>abdominalis</i> Brown, 1897		<i>Cerotainiops abdominalis</i> (Brown, 1897) [ <i>Nusa</i> ]			1
	<i>albibarbis</i> (Meigen, 1820) [ <i>Laphria</i> ]		<i>Andrenosoma albibarbe</i> (Meigen, 1820) [ <i>Laphria</i> ]			8
	<i>atra</i> (Linnaeus, 1758) [ <i>Asilus</i> ]		<i>Andrenosoma atra</i> (Linnaeus, 1758) [ <i>Asilus</i> ]			19
	<i>erythropyga</i> (Wiedemann, 1828) [ <i>Laphria</i> ]		<i>Andrenosoma erythropyga</i> (Wiedemann, 1828) [ <i>Laphria</i> ]			1
	<i>olbus</i> (Walker, 1849) [ <i>Laphria</i> ]		<i>Andrenosoma olbus</i> (Walker, 1849) [ <i>Laphria</i> ]			2
	<i>rubidapex</i> Hermann, 1912		<i>Andrenosoma rubidapex</i> (Hermann, 1912) [ <i>Nusa</i> ]			1
	<i>xanthocnema</i> (Wiedemann, 1828) [ <i>Laphria</i> ]		<i>Andrenosoma xanthocnema</i> (Wiedemann, 1828) [ <i>Laphria</i> ]			2
	<b>Obelophorus</b> Schiner, 1866				1	1
	<i>landbecki</i> (Philippi, 1865) [ <i>Dasygogon</i> ]					1
	<b>Oligopogon</b> Loew, 1847				1	4
	<i>penicillatus</i> Loew, 1858					4
	<b>Ommatius</b> Wiedemann, 1821				7	80
	<i>angustiventris</i> Macquart, 1850		<i>Ommatius coeraebus</i> Walker, 1849			1

Asilidae								Ommatius
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #		
	<i>chinensis</i> (Fabricius, 1794) [ <i>Asilus</i> ]		<b><i>Cophinopoda chinensis</i></b> (Fabricius, 1794) [ <i>Asilus</i> ]			13		
	<i>gracilis</i> (Wulp, 1899) [ <i>Philodicus</i> ]		<b><i>Philodicus gracilis</i></b> Wulp, 1899			1		
	<b><i>hecale</i></b> Walker, 1849					44		
*	<b><i>macroscelis</i></b> Bezzi, 1906					9		
	<b><i>marginellus</i></b> (Fabricius, 1781) [ <i>Asilus</i> ]					10		
*	<b><i>strigicostus</i></b> (Bezzi, 1928) [ <i>Ommatinus</i> ]					2		
	<b><i>Orthogonis</i></b> Hermann, 1914				1	5		
	<i>scapularis</i> (Wiedemann, 1828) [ <i>Laphria</i> ]					5		
	<b><i>Ospriocerus</i></b> Loew, 1866		<b><i>Stenopogon</i></b> Loew, 1847		2	8		
	<i>abdominalis</i> (Say, 1823) [ <i>Dasyopogon</i> ]		<b><i>Holcocephala abdominalis</i></b> (Say, 1823) [ <i>Dasyopogon</i> ]			7		
	<i>minos</i> Osten Sacken, 1877		<b><i>Stenopogon minos</i></b> (Osten Sacken, 1887) [ <i>Ospriocerus</i> ]			1		
	<b><i>Othoniomyia</i></b> Hermann, 1912				1	3		
*	<b><i>triangularis</i></b> Hermann, 1912					3		
	<b><i>Pagidolaphria</i></b> Hermann, 1914		<b><i>Laphria</i></b> Meigen, 1803		1	4		
	<i>sp.</i>					4		
	<b><i>Palamopogon</i></b> Bezzi, 1927		<b><i>Cyrtopogon</i></b> Loew, 1847		1	8		
	<i>longibarbus</i> (Loew, 1857) [ <i>Cyrtopogon</i> ]		<b><i>Cyrtopogon longibarbus</i></b> Loew, 1857			8		
	<b><i>Pamponerus</i></b> Loew, 1849				2	8		
	<b><i>germanicus</i></b> (Linnaeus, 1758) [ <i>Asilus</i> ]					5		
	<b><i>mendax</i></b> (Walker, 1857) [ <i>Asilus</i> ]		<b><i>Stenommatius mendax</i></b> (Walker, 1857) [ <i>Asilus</i> ]			3		
	<b><i>Parataracticus</i></b> Cole, 1924				1	2		
*	<b><i>rubidus</i></b> Cole, 1924					2		
	<b><i>Paritamus</i></b> Verrall, 1909				1	4		
	<b><i>geniculatus</i></b> (Meigen, 1820) [ <i>Asilus</i> ]					4		
	<b><i>Perasis</i></b> Hermann, 1906				1	2		
	<b><i>violacea</i></b> Becker, 1907					2		
	<b><i>Philodicus</i></b> Loew, 1848				3	42		
	<i>longipes</i> Schiner, 1868					27		
	<i>obscuripes</i> Loew, 1858		<b><i>Philodicus temerarius</i></b> (Walker, 1851) [ <i>Trupanea</i> ]			5		
	<i>turinus</i> (Walker, 1849) [ <i>Asilus</i> ]		<b><i>Promachus turinus</i></b> (Walker, 1849) [ <i>Asilus</i> ]			10		
	<b><i>Philonicus</i></b> Loew, 1849				5	22		
	<b><i>albiceps</i></b> (Meigen, 1820) [ <i>Asilus</i> ]					10		
	<b><i>arizonensis</i></b> (Williston, 1893) [ <i>Asilus</i> ]					2		



## Asilidae

## Philonicus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
*	<i>cacopilogus</i> (Hine, 1909) [ <i>Asilus</i> ]		<i>Proctacanthella cacopiloga</i> (Hine, 1909) [ <i>Asilus</i> ]			4
	<i>elutus</i> Loew, 1871					3
*	<i>fuscatus</i> (Hine, 1909) [ <i>Asilus</i> ]					3
	<b><i>Plesiomma</i> Macquart, 1838</b>				2	3
	<i>longiventris</i> Schiner, 1867		<i>Plesiomma indecorum</i> Loew, 1866			1
	<i>testaceum</i> (Fabricius, 1805) [ <i>Dasyopogon</i> ]					2
	<b><i>Pogonosoma</i> Rondani, 1856</b>				6	21
	<i>beccarii</i> Rondani, 1875					4
	<i>cyanogaster</i> Bezzi, 1916					1
	<i>dorsata</i> (Say, 1824) [ <i>Laphria</i> ]		<i>Pogonosoma dorsatum</i> (Say, 1824) [ <i>Laphria</i> ]			2
	<i>maroccanum</i> (Fabricius, 1794) [ <i>Asilus</i> ]					11
	<i>minus</i> Bezzi					1
	<i>unicolor</i> Loew, 1873		<i>Pogonosoma minor</i> Loew, 1869			2
	<b><i>Polyphonus</i> Loew, 1848</b>				1	2
	<i>laevigatus</i> Loew, 1848					2
	<b><i>Polysarca</i> Schiner, 1866</b>				1	3
	<i>violacea</i> Schiner, 1867					3
	<b><i>Proctacanthus</i> Macquart, 1838</b>				6	39
	<i>arno</i> Townsend, 1895					7
	<i>brevipennis</i> (Wiedemann, 1828) [ <i>Asilus</i> ]					4
	<i>milberti</i> Macquart, 1838					7
	<i>occidentalis</i> Hine, 1911					4
	<i>philadelphicus</i> Macquart, 1838					9
	<i>rufus</i> Williston, 1885					8
	<b><i>Prolepsis</i> Walker, 1851</b>				1	6
	<i>lucifer</i> (Wiedemann, 1828) [ <i>Dasyopogon</i> ]					6
	<b><i>Promachus</i> Loew, 1848</b>				29	112
	<i>albifacies</i> Williston, 1885					4
	<i>anicus</i> (Walker, 1849) [ <i>Asilus</i> ]					2
	<i>apivorus</i> (Walker, 1860) [ <i>Trupanea</i> ]					9
*	<i>argyropus</i> Bezzi, 1906					4
	<i>bastardi</i> (Macquart, 1838) [ <i>Trupanea</i> ]					3
	<i>bifasciatus</i> (Macquart, 1838) [ <i>Trupanea</i> ]					2
	<i>doddi</i> Ricardo, 1913					4
	<i>fitchii</i> Osten Sacken, 1878					1
	<i>flavifasciatus</i> (Macquart, 1838) [ <i>Trupanea</i> ]					4
	<i>forcipatus</i> Schiner, 1868					10

## Asilidae

## Promachus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>fulvipes</i> (Macquart, 1838) [ <i>Trupanea</i> ]					1
	<i>indigenus</i> (Becker, 1925) [ <i>Trypanoides</i> ]					2
	<i>lacinosus</i> Becker, 1907					8
	<i>leoninus</i> Loew, 1848					2
	<i>leontochlaenus</i> Loew, 1871					1
	<i>maculosus</i> (Macquart, 1834) [ <i>Asilus</i> ]					1
	<i>magnus</i> Bellardi, 1861					5
	<i>manilliensis</i> (Macquart, 1838) [ <i>Trupanea</i> ]					6
	<i>mustela</i> Loew, 1854					1
	<i>poetinus</i> (Walker, 1849) [ <i>Asilus</i> ]					1
	<i>princeps</i> Williston, 1885					1
	<i>pulchellus</i> Bellardi, 1861					2
	<i>rectangularis</i> Loew, 1854					2
	<i>rufipes</i> (Fabricius, 1775) [ <i>Asilus</i> ]					6
	<i>testaceipes</i> (Macquart, 1855) [ <i>Trypanoides</i> ]					2
	<i>trichozonus</i> Loew, 1858					2
	<i>triflagellatus</i> Frey, 1923					4
	<i>vertebratus</i> (Say, 1823) [ <i>Asilus</i> ]					17
	<i>yesonicus</i> Bigot, 1887					5
	<b>Protophanes</b> Loew, 1860		<b>Erax</b> Scopoli, 1763		1	6
	<i>punctipennis</i> (Meigen, 1820) [ <i>Asilus</i> ]		<i>Erax punctipennis</i> (Meigen, 1820) [ <i>Asilus</i> ]			6
	<b>Pseudoholopogon</b> Strobl, 1898		<b>Holopogon</b> Loew, 1847		1	2
	<i>chalcogaster</i> (Dufour, 1850) [ <i>Dioctria</i> ]		<i>Holopogon chalcogaster</i> (Dufour, 1850) [ <i>Dioctria</i> ]			2
	<b>Psilocurus</b> Loew, 1874				1	4
	<i>nadiusculus</i> Loew, 1874					4
	<b>Pycnopogon</b> Loew, 1847				6	16
	<i>anthophorinus</i> (Loew, 1847) [ <i>Dasyopogon</i> ]		<i>Pycnopogon mixtus</i> (Loew, 1847) [ <i>Dasyopogon</i> ]			1
	<i>cirrhatus</i> Osten Sacken, 1877		<i>Heteropogon cirrhatus</i> (Osten Sacken, 1877) [ <i>Pycnopogon</i> ]			2
	<i>fasciculatum</i> (Loew, 1847) [ <i>Dasyopogon</i> ]		<i>Pycnopogon fasciculatus</i> (Loew, 1847) [ <i>Dasyopogon</i> ]			6
*	<i>leucostomus</i> Engel, 1930					1
	<i>mixtus</i> (Loew, 1847) [ <i>Dasyopogon</i> ]					5
	<i>pallidipennis</i> (Brulle, 1833) [ <i>Laphria</i> ]					1
	<b>Rhadinus</b> Loew, 1856				2	11
	<i>megalonyx</i> Loew, 1856					7
	<i>ungulinus</i> Loew, 1856					4
	<b>Rhadiurgus</b> Loew, 1849				1	5
	<i>variabilis</i> (Zetterstedt, 1838) [ <i>Asilus</i> ]					5

## Asilidae

## Rhipidocephala

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Rhipidocephala</b> Hermann, 1926				2	4
	<i>caffra</i> (Macquart, 1846) [ <i>Discocephala</i> ]					1
	<i>semitestacea</i> (Loew, 1863) [ <i>Discocephala</i> ]					3
	<b>Saropogon</b> Loew, 1847				25	85
	<i>axillaris</i> Loew, 1851					3
	<i>clausus</i> Becker, 1906					2
	<i>combustus</i> Loew, 1874					2
	<i>comosus</i> Loew, 1859					2
	<i>distinctus</i> Becker, 1906					2
	<i>flavicinctus</i> (Wiedemann, 1820) [ <i>Laphria</i> ]					1
	<i>frontalis</i> Loew, 1869					1
	<i>fugiens</i> Hutton, 1901					1
	<i>gayi</i> (Macquart, 1838) [ <i>Dasyopogon</i> ]		<b><i>Araiopogon gayi</i></b> (Macquart, 1838) [ <i>Dasyopogon</i> ]			5
	<i>jugulum</i> (Loew, 1847) [ <i>Dasyopogon</i> ]					5
	<i>lamperti</i> Becker, 1906					10
	<i>leucocephalus</i> (Meigen, 1820) [ <i>Dasyopogon</i> ]					1
	<i>longicornis</i> (Macquart, 1838) [ <i>Dasyopogon</i> ]					1
	<i>luctuosus</i> (Meigen, 1820) [ <i>Dasyopogon</i> ]					7
	<i>melampygnus</i> (Loew, 1851) [ <i>Dasyopogon</i> ]					2
	<i>notatus</i> (Loew, 1869) [ <i>Dasyopogon</i> ]					3
	<i>obesulus</i> Loew, 1869					3
	<i>obscuripennis</i> (Macquart, 1849) [ <i>Dasyopogon</i> ]					6
	<i>pictus</i> (Philippi, 1865) [ <i>Dasyopogon</i> ]		<b><i>Araiopogon cyanogaster</i></b> (Loew, 1851) [ <i>Dasyopogon</i> ]			4
	<i>pollinosus</i> Loew, 1869					8
*	<i>rubricosus</i> Bezzi, 1916					4
*	<i>specularis</i> Bezzi, 1916					1
	<i>ticinense</i> Bezzi, 1892					6
	<i>varians</i> Bigot, 1888					2
*	<i>weissi</i> Bezzi, 1911					3
	<b>Satanas</b> Jacobson, 1908				1	2
	<i>gigas</i> (Eversmann, 1855) [ <i>Asilus</i> ]					2
	<b>Scleropogon</b> Loew, 1866				2	3
	<i>helvolus</i> Loew, 1874					2
	<i>porcus</i> Loew, 1871					1
	<b>Scylaticus</b> Loew, 1858				2	2
	<i>semizonatus</i> Becker, 1906					1
	<i>venustus</i> (Philippi, 1865) [ <i>Dasyopogon</i> ]					1
	<b>Seilopogon</b> Rondani, 1861		<b><i>Dasyopogon</i></b> Meigen, 1803		2	28

Asilidae					<i>Seilopogon</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #	
	<i>cylindricum</i> (Fabricius, 1794) [ <i>Asilus</i> ]		<b><i>Dasyopogon diadema</i></b> (Fabricius, 1781) [ <i>Asilus</i> ]			4	
	<i>diadema</i> (Fabricius, 1781) [ <i>Asilus</i> ]		<b><i>Dasyopogon diadema</i></b> (Fabricius, 1781) [ <i>Asilus</i> ]			24	
	<b><i>Selidopogon</i> Bezzi, 1902</b>		<b><i>Dasyopogon</i> Meigen, 1803</b>		5	19	
	<i>atratus</i> (Fabricius, 1794) [ <i>Asilus</i> ]		<b><i>Dasyopogon atratus</i></b> (Fabricius, 1794) [ <i>Asilus</i> ]			3	
	<i>crassus</i> (Macquart, 1849) [ <i>Dasyopogon</i> ]		<b><i>Dasyopogon crassus</i></b> Macquart, 1849			3	
	<i>gougeleti</i> (Bigot, 1878) [ <i>Seilopogon</i> ]		<b><i>Dasyopogon gougeleti</i></b> (Bigot, 1878) [ <i>Seilopogon</i> ]			1	
	<i>melanopterus</i> (Loew, 1869) [ <i>Dasyopogon</i> ]		<b><i>Dasyopogon melanopterus</i></b> Loew, 1869			10	
	<i>variabilis</i> (Brulle, 1833) [ <i>Dasyopogon</i> ]		<b><i>Dasyopogon variabilis</i></b> Brulle, 1833			2	
	<b><i>Sisyrnodytes</i> Loew, 1856</b>				2	5	
	<i>brevis</i> Macquart, 1838					4	
	<i>niger</i> Bezzi, 1906		<b><i>Sisyrnodytes major</i></b> Adams, 1905			1	
	<b><i>Smeringolaphria</i> Curran, 1942</b>		<b><i>Smeringolaphria</i> Hermann, 1912</b>		2	16	
	<i>alternans</i> (Wiedemann, 1828) [ <i>Laphria</i> ]		<b><i>Laphria alternans</i></b> Wiedemann, 1828			4	
	<i>notabilis</i> (Walker, 1857) [ <i>Laphria</i> ]		<b><i>Laphria notabilis</i></b> Walker, 1857			12	
	<b><i>Spanurus</i> Loew, 1858</b>				1	1	
*	<i>tellinii</i> Bezzi, 1906					1	
	<b><i>Stenopogon</i> Loew, 1847</b>				23	92	
	<i>albibasis</i> Bigot, 1878					2	
	<i>californiae</i> (Walker, 1849) [ <i>Dasyopogon</i> ]					3	
	<i>callosum</i> Bezzi		<b><i>Stenopogon callosus</i></b> (Pallas, 1818) [ <i>Asilus</i> ]			5	
	<i>cervinus</i> Loew, 1861					3	
	<i>consanguineus</i> Loew, 1866		<b><i>Stenopogon latipennis</i></b> Loew, 1866			3	
	<i>coracinus</i> (Loew, 1847) [ <i>Dasyopogon</i> ]					2	
	<i>costatus</i> Loew, 1871					4	
	<i>elongatum</i> Bezzi		<b><i>Stenopogon elongatus</i></b> (Meigen, 1804) [ <i>Asilus</i> ]			3	
*	<i>festae</i> Bezzi, 1925					4	
	<i>gratus</i> Loew, 1872					1	
	<i>heteroneurus</i> (Macquart, 1838) [ <i>Dasyopogon</i> ]					9	
	<i>holoxanthus</i> Hermann, 1907		<b><i>Stenopogon dilutus</i></b> (Walker, 1851) [ <i>Dasyopogon</i> ]			2	
	<i>inquinatus</i> Loew, 1866					2	
	<i>junceus</i> (Wiedemann, 1820) [ <i>Dasyopogon</i> ]					3	
	<i>laevigatus</i> (Loew, 1851) [ <i>Dasyopogon</i> ]					3	
	<i>macilentus</i> Loew, 1861					1	
	<i>milvus</i> (Loew, 1847) [ <i>Dasyopogon</i> ]					1	
	<i>modestus</i> Loew, 1866		<b><i>Stenopogon inquinatus</i></b> Loew, 1866			2	
	<i>obscuriventris</i> Loew, 1872					4	
	<i>ochripes</i> Loew, 1851					6	
	<i>roederii</i> Bezzi, 1895					1	
	<i>sabaudus</i> (Fabricius, 1794) [ <i>Asilus</i> ]					27	

## Asilidae

## Stenopogon

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>subulatus</i> (Wiedemann, 1828) [ <i>Dasyopogon</i> ]		<i>Scleropogon subulatus</i> (Wiedemann, 1828) [ <i>Dasyopogon</i> ]			1
	<b>Stenoprosopis</b> Agassiz, 1846		<b>Stenoprosopis</b> Macquart, 1838		1	1
	<i>meridionalis</i> Hutton, 1901		<i>Neoitamus meridionalis</i> (Hutton, 1901) [ <i>Senoprosopis</i> ]			1
	<b>Stichopogon</b> Loew, 1847				26	128
	<i>albofasciatus</i> (Meigen, 1820) [ <i>Dasyopogon</i> ]					10
	<i>albofasciatus</i> var. <i>albisetata</i> Bezzi, 1910					1
	<i>argenteus</i> (Say, 1823) [ <i>Dasyopogon</i> ]					5
*	<i>auctus</i> Bezzi, 1912					8
	<i>barbiellinii</i> Bezzi, 1910					8
	<i>barbistrellus</i> Loew, 1854					6
	<i>beckeri</i> Bezzi, 1910					1
	<i>canariensis</i> Becker, 1908					1
	<i>candidus</i> Becker, 1902					1
	<i>caucasicus</i> Bezzi, 1910					7
	<i>chrysostoma</i> Schiner, 1867					2
	<i>conjungens</i> Bezzi, 1910					5
	<i>coquillettii</i> Bezzi, 1910					2
	<i>elegantulus</i> (Wiedemann, 1820) [ <i>Dasyopogon</i> ]					9
*	<i>griseomaculatus</i> Villeneuve, 1910		<i>Stichopogon pusio</i> (Macquart, 1849) [ <i>Dasyopogon</i> ]			5
*	<i>hermanni</i> Bezzi, 1910					1
	<i>inaequalis</i> (Loew, 1847) [ <i>Dasyopogon</i> ]					5
	<i>infuscatus</i> Bezzi, 1910					3
	<i>kerteszi</i> Bezzi, 1910					2
	<i>krueperi</i> Bezzi, 1910					4
	<i>muticus</i> Bezzi, 1910					4
*	<i>sauteri</i> Bezzi, 1910		<i>Clinopogon sauteri</i> Bezzi, 1910			19
	<i>scaliger</i> Loew, 1847					6
	<i>schnusei</i> Bezzi, 1910					6
	<i>snowii</i> Bezzi, 1910		<i>Stichopogon trifasciatus</i> (Say, 1823) [ <i>Dasyopogon</i> ]			1
	<i>trifasciatus</i> (Say, 1823) [ <i>Dasyopogon</i> ]					6
	<b>Stilpnogaster</b> Loew, 1849				2	32
	<i>aemulus</i> Meigen, 1820		<i>Stilpnogaster aemula</i> (Meigen, 1820) [ <i>Asilus</i> ]			31
	<i>brevicomus</i> Hine, 1909		<i>Neoitamus brevicomus</i> (Hine, 1909) [ <i>Asilus</i> ]			1
	<b>Synolcus</b> Loew, 1858				3	17
	<i>acrobaptus</i> (Wiedemann, 1828) [ <i>Asilus</i> ]					1
	<i>bengalensis</i> (Macquart, 1838) [ <i>Asilus</i> ]		<i>Clephroneura bengalensis</i> (Macquart, 1838) [ <i>Asilus</i> ]			1
	<i>xanthopus</i> (Wiedemann, 1819) [ <i>Asilus</i> ]		<i>Clephroneura xanthopha</i> (Wiedemann, 1819) [ <i>Asilus</i> ]			15
	<b>Taracticus</b> Loew, 1872				1	9
	<i>octopunctatus</i> Say, 1823					9

## Asilidae

Asilidae					<i>Taracticus</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #	
	<b>Tolmerus</b> Loew, 1849				8	97	
	<i>atripes</i> Loew, 1854		<b><i>Machimus atripes</i></b> (Loew, 1854) [ <i>Tolmerus</i> ]			6	
	<i>naxius</i> (Macquart, 1838) [ <i>Asilus</i> ]		<b><i>Engelepogon naxia</i></b> (Macquart, 1838) [ <i>Asilus</i> ]			1	
	<i>notatus</i> (Wiedemann, 1828) [ <i>Asilus</i> ]		<b><i>Machimus notatus</i></b> (Wiedemann, 1828) [ <i>Asilus</i> ]			10	
	<i>poecilogaster</i> Lo (Loew, 1849) [ <i>Asilus</i> ]		<b><i>Machimus poecilogaster</i></b> (Loew, 1849) [ <i>Asilus</i> ]			65	
	<i>pyragra</i> (Zeller, 1840) [ <i>Asilus</i> ]		<b><i>Machimus pyragra</i></b> (Zeller, 1840) [ <i>Asilus</i> ]			4	
	<i>ravus</i> Loew, 1871		<b><i>Engelepogon ravus</i></b> (Loew, 1871) [ <i>Tolmerus</i> ]			2	
	<i>sadytes</i> (Walker) [ <i>Asilus</i> ]		<b><i>Machimus sadyates</i></b> (Walker, 1849) [ <i>Asilus</i> ]			7	
	<i>snowi</i> (Hine, 1909) [ <i>Asilus</i> ]		<b><i>Machimus snowii</i></b> (Hine, 1909) [ <i>Asilus</i> ]			2	
	<b>Trichardis</b> Hermann, 1906				2	13	
	<i>leucocomus</i> (Wulp, 1899) [ <i>Hoplistomera</i> ]					1	
	<i>testacea</i> Macquart, 1838					12	
	<b>Triclis</b> Loew, 1851				3	12	
	<i>nubeculipennis</i> (Costa, 1863) [ <i>Gastrichelus</i> ]		<b><i>Scytomedes haemorrhoidalis</i></b> (Fabricius, 1794) [ <i>Asilus</i> ]			5	
	<i>ornatus</i> Schiner, 1868		<b><i>Glyphotriclis ornatus</i></b> (Schiner, 1868) [ <i>Triclis</i> ]			3	
	<i>tagax</i> Williston, 1883		<b><i>Zabrops tagax</i></b> (Williston, 1883) [ <i>Triclis</i> ]			4	
	<b>Xenomyza</b> Wiedemann, 1817				1	2	
	<i>grossa</i> (Schiner, 1868) [ <i>Damalis</i> ]		<b><i>Damalis grossa</i></b> Schiner, 1868			2	

## Asteiidae

Astia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Asteiidae</b>			2	4	18
	<i>Astia</i> Agassiz, 1846		<b><i>Asteia</i></b> Meigen, 1830		3	16
	<i>amoena</i> (Meigen, 1830) [ <i>Asteia</i> ]		<b><i>Asteia amoena</i></b> Meigen, 1830			7
	<i>concinna</i> (Meigen, 1830) [ <i>Asteia</i> ]		<b><i>Asteia concinna</i></b> Meigen, 1830			3
	<i>elegantula</i> (Zetterstedt, 1845) [ <i>Asteia</i> ]		<b><i>Asteia elegantula</i></b> Zetterstedt, 1847			6
	<i>Liomyza</i> Agassiz, 1846		<b><i>Leiomyza</i></b> Macquart, 1835		1	2
	<i>laevigata</i> (Meigen, 1830) [ <i>Agromyza</i> ]		<b><i>Leiomyza laevigata</i></b> (Meigen, 1830) [ <i>Agromyza</i> ]			2

## Atelestidae

*Atelestus*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Atelestidae</b>			1	1	8
	<i>Atelestus</i> Walker, 1837				1	8
	<i>pulicarius</i> (Fallen, 1816) [ <i>Empis</i> ]					8



## Athericidae

Atherix

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Athericidae</b>				2	13	62
	<b>Atherix</b> Meigen, 1803				12	56
*	<i>androgyna</i> Bezzi, 1926					2
*	<i>barnardi</i> Bezzi, 1926					2
	<i>binominata</i> Bequaert, 1921		<i>Suragina binominata</i> (Bequaert, 1921) [Atherix]			1
	<i>bivittata</i> (Bezzi, 1926) [Atrichops]		<i>Suragina bivittata</i> (Bezzi, 1926) [Atrichops]			1
*	<i>braunsi</i> Bequaert, 1921		<i>Pachybates braunsi</i> (Bequaert, 1921) [Atherix]			1
	<i>cincta</i> Brunetti, 1909		<i>Suragina cincta</i> (Brunetti, 1909) [Atherix]			3
	<i>dispar</i> Bezzi, 1909					1
	<i>fascipennis</i> Bezzi, 1916		<i>Suragina fascipennis</i> (Bezzi, 1916) [Atherix]			3
	<i>femoralis</i> Loew, 1869		<i>Atherix ibis</i> (Fabricius, 1798) [Rhagio]			6
	<i>ibis</i> (Fabricius, 1798) [Rhagio]					4
	<i>limbata</i> Osten Sacken, 1882		<i>Suragina limbata</i> (Osten Sacken, 1882) [Atherix]			1
	<i>marginata</i> (Fabricius, 1781) [Bibio]					31
	<b>Atrichops</b> Verrall, 1909				1	6
	<i>crassipes</i> (Meigen, 1820) [Atherix]					6

## Aulacigastridae

*Aulacigaster*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Aulacigastridae</b>			1	1	7
	<i>Aulacigaster</i> Macquart, 1835				1	7
	<i>leucopeza</i> (Meigen, 1830) [ <i>Diastata</i> ]					7

## Austroleptidae

*Austroleptis*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Austroleptidae</b>			1	1	0
	<i>Austroleptis</i> Hardy, 1920				1	0
*	<i>rhyphoides</i> Hardy, 1920					0

## Bibionidae

## Amasia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Bibionidae</b>				5	49	743
	<i>Amasia</i> Meigen, 1800		<i>Penthetria</i> Meigen, 1803		1	27
	<i>funebria</i> (Meigen, 1804) [ <i>Penthetria</i> ]		<i>Penthetria funebria</i> Meigen, 1804			27
	<b><i>Bibio</i></b> Geoffroy, 1762				27	499
	<i>albipennis</i> Say, 1823					38
	<i>anglicus</i> Verrall, 1869					2
	<i>articulatus</i> Say, 1823					9
	<i>clavipes</i> Meigen, 1818		<i>Bibio johannis</i> (Linnaeus, 1767) [ <i>Tipula</i> ]			12
	<i>femoratus</i> Wiedemann, 1820					2
	<i>ferruginatus</i> (Linnaeus, 1767) [ <i>Tipula</i> ]					2
	<i>hirtipes</i> Loew, 1846		<i>Bibio hortulanus</i> (Linnaeus, 1758) [ <i>Tipula</i> ]			3
	<i>hirtus</i> Loew, 1864		<i>Bibio albipennis</i> Say, 1823			9
	<i>hortulanus</i> (Linnaeus, 1758) [ <i>Tipula</i> ]					82
	<i>johannis</i> (Linnaeus, 1767) [ <i>Tipula</i> ]					49
	<i>lacteipennis</i> Zetterstedt, 1850		<i>Bibio nigriventris</i> Haliday, 1833			28
	<i>lanigerus</i> Wiedemann, 1818					8
	<i>leucopterus</i> Meigen, 1818					4
	<i>longipes</i> Loew, 1864					6
	<i>marci</i> (Linnaeus, 1758) [ <i>Tipula</i> ]					102
	<i>nervosus</i> Loew, 1864		<i>Bibio vestitus</i> Walker, 1848			12
	<i>nigriventris</i> Haliday, 1833					2
	<i>obscuripennis</i> Meijere, 1904		<i>Bibio tenebrosus</i> Coquillett, 1898			4
	<i>pallipes</i> Say, 1823					17
	<i>pomomae</i> (Fabricius, 1775) [ <i>Tipula</i> ]					52
	<i>pusillus</i> Macquart, 1846		<i>Bibio marci</i> (Linnaeus, 1758) [ <i>Tipula</i> ]			2
	<i>reticulatus</i> Loew, 1846					12
	<i>rubicundus</i> Wulp, 1884					2
	<i>siculus</i> Loew, 1846					8
	<i>umbellatarum</i> (Zetterstedt, 1838) [ <i>Hirtea</i> ]		<i>Bibio fulvipes</i> (Zetterstedt, 1838) [ <i>Hirtea</i> ]			11
	<i>varipes</i> Meigen, 1830					19
	<i>venosus</i> Meigen, 1804	Therevidae	<i>Dialineura anilis</i> (Linnaeus, 1761) [ <i>Musca</i> ]			2
	<b><i>Dilophus</i></b> Meigen, 1803				11	128
	<i>bispinosus</i> Lundstrom, 1913					21
*	<i>erythraeus</i> Bezzi, 1906					8
	<i>femoratus</i> Meigen, 1804					28
*	<i>hiemalis</i> Becker, 1908					2
	<i>lingens</i> Loew, 1869					8
	<i>orbatus</i> (Say, 1823) [ <i>Bibio</i> ]					9
	<i>serotinus</i> Loew, 1861					3
	<i>similis</i> Rondani, 1868					7

## Bibionidae

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	<i>Dilophus</i> specimens #
	<i>tapir</i> Schiner, 1868					3
	<i>ternatus</i> Loew, 1846		<i>Dilophus tenuis</i> Wiedemann, 1818			5
	<i>vulgaris</i> Meigen, 1818		<i>Dilophus febrilis</i> Linnaeus, 1758			34
	<b><i>Plecia</i> Wiedemann, 1828</b>				9	78
	<i>collaris</i> (Fabricius, 1805) [ <i>Hirtea</i> ]					19
	<i>confusa</i> Loew, 1858					9
	<i>ephippium</i> Speiser, 1909					5
	<i>fulvicollis</i> (Fabricius, 1805) [ <i>Hirtea</i> ]					11
	<i>funebri</i> (Fabricius, 1805) [ <i>Hirtea</i> ]					12
	<i>ruficollis</i> (Fabricius, 1781) [ <i>Tipula</i> ]					2
	<i>tergorata</i> Rondani, 1875					6
	<i>tristis</i> Wulp, 1884					1
	<i>vittata</i> Wiedemann, 1828					13
	<b><i>Pleciomyia</i> Brunetti, 1911</b>		<b><i>Penthetria</i> Meigen, 1803</b>		1	11
	<i>melanaspis</i> (Wiedemann, 1828) [ <i>Penthetria</i> ]		<i>Penthetria melanaspis</i> Wiedemann, 1828			11

## Blephariceridae

Apistomyia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Blephariceridae</b>				10	22	199
	<b>Apistomyia</b> Bigot, 1862				2	5
	<i>elegans</i> Bigot, 1862					3
*	<i>harrisi</i> Campbell, 1921		<i>Peritheates harrisi</i> (Campbell, 1921) [ <i>Apistomyia</i> ]			2
	<b>Bibiocephala</b> Osten Sacken, 1874				2	7
	<i>comstocki</i> Kellogg, 1903		<i>Agathon comstocki</i> (Kellogg, 1903) [ <i>Bibiocephala</i> ]			4
	<i>elegantula</i> (Roder, 1890) [ <i>Agathon</i> ]		<i>Agathon elegantulus</i> Roder, 1890			3
	<b>Blepharocera</b> Loew, 1858		<b>Blepharicera</b> Macquart, 1843		4	15
*	<i>armeniaca</i> Komarek, 1914		<i>Blepharocera fasciata</i> Westwood, 1842			8
	<i>fasciata</i> Westwood, 1842					3
*	<i>platyphrons</i> Komarek, 1914		<i>Liponeura platyfrons</i> Komarek, 1914			1
	<i>tenuipes</i> Walker, 1848					3
	<b>Edwardsina</b> Alexander, 1920				3	6
	<i>australiensis</i> Tillyard, 1922					2
*	<i>tasmaniensis</i> (Tonnoir, 1923) [ <i>Dixa</i> ]	Dixidae	<i>Dixella tasmaniensis</i> (Tonnoir, 1923) [ <i>Dixa</i> ]			2
	<i>tillyardi</i> Tonnoir, 1923		<i>Edwardsina australiensis</i> Tillyard, 1922			2
	<b>Hapalothrix</b> Loew, 1876				1	52
	<i>lugubris</i> Loew, 1876					52
	<b>Liponeura</b> Loew, 1844				5	81
	<i>brevirostris</i> Loew, 1877					3
*	<i>caucasica</i> Komarek, 1914		<i>Liponeura brevisrostris</i> Loew, 1877			1
	<i>cinerascens</i> Loew, 1844					40
*	<i>decipiens</i> Bezzi, 1913					17
	<i>sp.</i>					20
	<b>Neocurupira</b> Lamb, 1913				1	3
	<i>hudsoni</i> Lamb, 1913					3
	<b>Paracurupira</b> Tillyard, 1922		<b>Neocurupira</b> Lamb, 1913		1	23
	<i>chiltoni</i> (Campbell, 1921) [ <i>Curupira</i> ]		<i>Neocurupira chiltoni</i> (Campbell, 1921) [ <i>Curupira</i> ]			23
	<b>Peritheates</b> Lamb, 1913				2	6
*	<i>intermedius</i> Tillyard, 1922		<i>Peritheates turriifer</i> Lamb, 1913			4
	<i>turriifer</i> Lamb, 1913					2
	<b>Philorus</b> Kellogg, 1903				1	1
	<i>sp.</i>					1

Bolbomyiidae

*Bolbomyia*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Bolbomyiidae</b>			1	1	3
	<i>Bolbomyia</i> Loew, 1850				1	3
	<i>nana</i> Loew, 1862					3

## Bolitophilidae

*Bolitophila*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Bolitophilidae</b>			1	8	17
	<b><i>Bolitophila</i></b> Meigen, 1818				8	17
	<i>cinerea</i> Meigen, 1818					2
	<i>disjuncta</i> Loew, 1869		<b><i>Bolitophila dubia</i></b> Siebke, 1863			2
	<i>fusca</i> Meigen, 1818		<b><i>Bolitophila hybrida</i></b> Meigen, 1804			3
	<b><i>glabrata</i></b> Loew, 1869					2
	<b><i>hybrida</i></b> Meigen, 1804					2
	<b><i>pseudohybrida</i></b> Landrock, 1912					2
	<b><i>saundersii</i></b> Curtis, 1836					2
	<b><i>tenella</i></b> Winnertz, 1863					2



## Bombyliidae

## Acreotrichus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Bombyliidae</b>				95	674	2676
	<b>Acreotrichus</b> Macquart, 1850				1	1
*	<i>maculipennis</i> Cole, 1923		<i>Acreophthiria egerminans</i> (Loew, 1872) [ <i>Phthiria</i> ]			1
	<b>Acrodisca</b> Bezzi, 1921		<b>Heteralonia</b> Rondani, 1863		7	16
	<i>angulata</i> (Loew, 1860) [ <i>Exoprosopa</i> ]		<i>Heteralonia angulata</i> (Loew, 1860) [ <i>Exoprosopa</i> ]			2
*	<i>fimbriatella</i> (Bezzi, 1921) [ <i>Exoprosopa</i> ]		<i>Heteralonia fimbriatella</i> (Bezzi, 1921) [ <i>Exoprosopa</i> ]			2
*	<i>katonae</i> (Bezzi, 1924) [ <i>Exoprosopa</i> ]		<i>Heteralonia katonae</i> (Bezzi, 1924) [ <i>Exoprosopa</i> ]			4
*	<i>offuscata</i> (Bezzi, 1921) [ <i>Exoprosopa</i> ]		<i>Heteralonia offuscata</i> (Bezzi, 1921) [ <i>Exoprosopa</i> ]			1
*	<i>personata</i> (Bezzi, 1921) [ <i>Exoprosopa</i> ]		<i>Heteralonia personata</i> (Bezzi, 1921) [ <i>Exoprosopa</i> ]			3
*	<i>pilimana</i> (Bezzi, 1924) [ <i>Exoprosopa</i> ]		<i>Heteralonia katonae</i> (Bezzi, 1924) [ <i>Exoprosopa</i> ]			1
*	<i>spoliata</i> Bezzi, 1922		<i>Heteralonia spoliata</i> (Bezzi, 1922) [ <i>Acrodisca</i> ]			3
	<b>Acrophthalmyda</b> Bigot, 1858				1	1
	<i>sphenoptera</i> (Loew, 1855) [ <i>Bombylius</i> ]					1
	<b>Adelidea</b> Macquart, 1840				2	5
	<i>braunsi</i> Bezzi, 1921					3
	<i>ruficornis</i> Bezzi, 1921					2
	<b>Aldrichia</b> Coquillett, 1894				1	2
	<i>ehrmanni</i> Coquillett, 1894					2
	<b>Alyosia</b> Rondani, 1863		<b>Ylasoia</b> Speiser, 1920		1	8
	<i>pegasus</i> (Wiedemann, 1828) [ <i>Anthrax</i> ]		<i>Ylasoia pegasus</i> (Wiedemann, 1828) [ <i>Anthrax</i> ]			8
	<b>Amictus</b> Wiedemann, 1817				6	10
	<i>setosus</i> Loew, 1869					3
	<i>strigilatus</i> Loew, 1869		<i>Amictus pulchellus</i> Macquart, 1846			1
	<i>tener</i> Becker, 1906					1
	<i>validus</i> Loew, 1869					1
	<i>variegatus</i> (Meigen, 1835) [ <i>Thlipsomyza</i> ]					3
	<i>zinamominus</i> Becker, 1906					1
	<b>Anastoechus</b> Osten Sacken, 1877				11	45
*	<i>erinaceus</i> Bezzi, 1921					1
	<i>exalbidus</i> (Wiedemann, 1820) [ <i>Bombylius</i> ]					1
	<i>hyrcanus</i> (Pallas & Wiedemann, 1818) [ <i>Bombylius</i> ]					6
	<i>innocuus</i> Bezzi, 1921					2
*	<i>leucosoma</i> Bezzi, 1921					3
*	<i>macrophthalmus</i> Bezzi, 1921					2
	<i>nitidulus</i> (Fabricius, 1794) [ <i>Bombylius</i> ]					9

## Bombyliidae

## Anastoechus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>retrogradus</i> (Becker, 1902) [ <i>Systoechus</i> ]		<i>Anastoechus trisignatus</i> (Portschinsky, 1881) [ <i>Systoechus</i> ]			13
	<i>rubricosus</i> (Wiedemann, 1821) [ <i>Bombylius</i> ]					3
*	<i>spinifacies</i> Bezzi, 1924					1
	<i>stramineus</i> (Wiedemann, 1820) [ <i>Bombylius</i> ]					4
<b>Anisotamia</b> Macquart, 1840						1
	<i>ruficornis</i> Macquart, 1840					1
<b>Anthrax</b> Scopoli, 1763						51
*	<i>adumbrata</i> Coquillett, 1887		<i>Chrysanthrax adumbratus</i> (Coquillett, 1887) [ <i>Anthrax</i> ]			4
	<i>afra</i> Fabricius, 1794		<i>Exhyalanthrax afer</i> (Fabricius, 1794) [ <i>Anthrax</i> ]			12
*	<i>anna</i> Coquillett, 1887		<i>Chrysanthrax anna</i> (Coquillett, 1887) [ <i>Anthrax</i> ]			3
	<b>anthrax</b> (Schrank, 1781) [ <i>Musca</i> ]					13
*	<i>arenicola</i> (Cole, 1923) [ <i>Villa</i> ]		<i>Villa psamma</i> Cole, 1960			1
	<i>atratus</i> Coquillett, 1887		<i>Thyridanthrax atratus</i> (Coquillett, 1887) [ <i>Anthrax</i> ]			2
	<i>aygulus</i> Fabricius, 1805					3
	<i>binotatus</i> Wiedemann, 1820					6
	<i>carbo</i> Rondani, 1875					5
*	<i>cautor</i> Coquillett, 1887		<i>Chrysanthrax cautor</i> (Coquillett, 1887) [ <i>Anthrax</i> ]			3
	<i>consul</i> Osten Sacken, 1886		<i>Paravilla consul</i> (Osten Sacken, 1886) [ <i>Anthrax</i> ]			1
	<i>cyanoptera</i> Wiedemann, 1830	Tabanidae	<i>Stypommisa scythropa</i> (Schiner, 1868) [ <i>Tabanus</i> ]			2
	<i>diffusa</i> Wiedemann, 1824					1
	<i>distigma</i> Wiedemann, 1828					6
	<i>edititia</i> Say, 1829		<i>Chrysanthrax edititius</i> (Say, 1829) [ <i>Anthrax</i> ]			6
	<i>epilais</i> Wiedemann, 1828		<i>Hemipenthes epilais</i> (Wiedemann, 1828) [ <i>Anthrax</i> ]			3
*	<i>eudora</i> Coquillett, 1887		<i>Chrysanthrax eudorus</i> (Coquillett, 1887) [ <i>Anthrax</i> ]			2
	<i>fulvohirta</i> Wiedemann, 1821		<i>Chrysanthrax cypris</i> (Meigen, 1820) [ <i>Anthrax</i> ]			12
	<i>fuscopennis dentatus</i> Becker, 1906		<i>Anthrax dentata</i> (Becker, 1906) [ <i>Argyrobrithes</i> ]			2
	<i>gentilis</i> (Brunetti, 1909) [ <i>Argyramoeba</i> ]		<i>Hemipenthes gentilis</i> (Brunetti, 1909) [ <i>Argyramoeba</i> ]			5
	<i>gideon</i> Fabricius, 1805					2
	<i>hemimelas</i> Speiser, 1910					1
	<i>hessii</i> Wiedemann, 1818					3
	<i>irrorella</i> Klug, 1832		<i>Exhyalanthrax irrorellus</i> (Klug, 1832) [ <i>Anthrax</i> ]			5
	<i>isis</i> Meigen, 1820		<i>Spogostylum isis</i> (Meigen, 1820) [ <i>Anthrax</i> ]			7
	<i>junctura</i> Coquillett, 1887		<i>Chrysanthrax juncturus</i> (Coquillett, 1887) [ <i>Anthrax</i> ]			1
	<i>lepidota</i> Osten Sacken, 1887		<i>Hemipenthes lepidotua</i> (Osten Sacken, 1887) [ <i>Anthrax</i> ]			4
	<b>leucogaster</b> Wiedemann, 1820					6
	<i>lucifer</i> (Fabricius, 1775) [ <i>Bibio</i> ]		<i>Poecilanthrax lucifer</i> (Fabricius, 1775) [ <i>Bibio</i> ]			10
	<i>melanchlaenus</i> Loew, 1869		<i>Exhyalanthrax melanchlaenus</i> (Loew, 1869) [ <i>Anthrax</i> ]			2
*	<i>mercedis</i> Coquillett, 1887		<i>Paravilla mercedis</i> (Coquillett, 1887) [ <i>Anthrax</i> ]			3
	<i>minas</i> Macquart, 1848		<i>Hemipenthes minas</i> (Macquart, 1848) [ <i>Anthrax</i> ]			2
*	<i>mira</i> Coquillett, 1887		<i>Neodiplocampta mira</i> (Coquillett, 1887) [ <i>Anthrax</i> ]			3
	<i>miscella</i> Coquillett, 1887					2

## Bombyliidae

## Anthrax

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>mobilis</i> Coquillett, 1894		<i>Chrysanthrax mobile</i> (Coquillett, 1894) [Anthrax]			1
	<i>molitor</i> Loew, 1869		<i>Villa molitor</i> (Loew, 1869) [Anthrax]			2
	<i>nigerrimus</i> Bezzi, 1923					1
*	<i>nitida</i> (Cole, 1923) [Villa]		<i>Villa nitida</i> Cole, 1923			2
	<i>nugator</i> Coquillett, 1887		<i>Thyridanthrax nugator</i> (Coquillett, 1887) [Anthrax]			3
	<i>parvicornis</i> Loew, 1869		<i>Rhynchanthrax parvicornis</i> (Loew, 1869) [Anthrax]			4
	<i>pedemontanus</i> (Griffini, 1896) [Argyramoeba]		<i>Anthrax virgo</i> Egger, 1859			3
	<i>punctum</i> Loew, 1854		<i>Caecanthrax arabicus</i> (Macquart, 1840) [Anthrax]			4
	<i>rex</i> Osten Sacken, 1886		<i>Rhynchanthrax rex</i> (Osten Sacken, 1886) [Anthrax]			2
*	<i>syrtis</i> Coquillett, 1887		<i>Paravilla syrtis</i> (Coquillett, 1887) [Anthrax]			4
	<i>tegminipennis</i> Say, 1824		<i>Poecilanthrax tegminipennis</i> (Say, 1824) [Anthrax]			2
	<i>trimaculatus</i> Macquart, 1848					2
	<i>vagans</i> Loew, 1862		<i>Exhyalanthrax muscarius</i> (Pallas, 1818) [Anthrax]			5
*	<i>vana</i> Coquillett, 1887		<i>Chrysanthrax vanus</i> (Coquillett, 1887) [Anthrax]			1
	<i>varius</i> Fabricius, 1794					4
	<i>viduatus</i> Loew, 1860		<i>Exhyalanthrax viduatus</i> (Loew, 1860) [Anthrax]			2
	<i>virgo</i> Egger, 1859					5
<b>Antonia</b> Loew, 1856					1	2
	<i>suavissima</i> Loew, 1856					2
<b>Aphoebantus</b> Loew, 1872					16	37
	<i>argentifrons</i> Cole, 1923					8
*	<i>catulus</i> Coquillett, 1894					3
	<i>conurus</i> Osten Sacken, 1887					2
	<i>desertus</i> Coquillett, 1891					1
*	<i>dichromatopus</i> Bezzi, 1925		<i>Cononedys dichromatopa</i> (Bezzi, 1925) [Aphoebantus]			2
*	<i>efflatouni</i> Bezzi, 1925		<i>Cononedys efflatouni</i> (Bezzi, 1925) [Aphoebantus]			2
*	<i>escheri</i> Bezzi, 1908		<i>Cononedys escheri</i> (Bezzi, 1908) [Aphoebantus]			4
	<i>hirsutus</i> Coquillett, 1886					1
	<i>interruptus</i> Coquillett, 1891					1
*	<i>leviculus</i> Coquillett, 1894					3
	<i>mus</i> Osten Sacken, 1877					1
	<i>peodes</i> Osten Sacken, 1887					1
*	<i>scutellatus</i> (Meigen, 1835) [Anthrax]		<i>Cononedys scutellata</i> (Meigen, 1835) [Anthrax]			2
*	<i>transitus</i> (Coquillett, 1886) [Leptochilus]					2
	<i>vittatus</i> Coquillett, 1886					2
*	<i>vulpecula</i> Coquillett, 1894					2
<b>Apolysis</b> Loew, 1860					1	6
	<i>humilis</i> Loew, 1860					6
<b>Argyramoeba</b> Loew, 1869			<b>Spogostylum</b> Macquart, 1840		18	61

## Bombyliidae

## Argyramoeba

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>aanalis</i> (Say, 1823) [ <i>Anthrax</i> ]		<i>Anthrax analis</i> Say, 1823			10
	<i>albofasciata</i> (Macquart, 1840) [ <i>Anthrax</i> ]		<i>Anthrax albofasciatus</i> Macquart, 1840			2
*	<i>argentata</i> (Cole, 1919) [ <i>Anthalia</i> ]		<i>Anthrax argentatus</i> Cole, 1919			1
	<i>argyropyga</i> (Wiedemann, 1828) [ <i>Anthrax</i> ]		<i>Anthrax argyropyga</i> Wiedemann, 1828			3
*	<i>bisniphis</i> Bezzi, 1925		<i>Anthrax bisniphis</i> (Bezzi, 1925) [ <i>Argyramoeba</i> ]			2
	<i>crosci</i> Villeneuve, 1910		<i>Turkmeniella crosci</i> (Villeneuve, 1910) [ <i>Argyramoeba</i> ]			1
	<i>daphne</i> Osten Sacken, 1886		<i>Anthrax daphne</i> (Osten Sacken, 1886) [ <i>Argyramoeba</i> ]			1
	<i>decipiens</i> (Bezzi, 1912) [ <i>Molybdamoeba</i> ]		<i>Spogostylum decipiens</i> (Bezzi, 1912) [ <i>Anthrax</i> ]			1
	<i>hippolyta</i> (Wiedemann, 1828) [ <i>Anthrax</i> ]		<i>Spogostylum hippolyta</i> (Wiedemann, 1828) [ <i>Anthrax</i> ]			4
*	<i>melanista</i> Bezzi, 1925		<i>Anthrax melanista</i> (Bezzi, 1925) [ <i>Argyramoeba</i> ]			1
	<i>oedipus</i> (Fabricius, 1805) [ <i>Anthrax</i> ]		<i>Anthrax oedipus</i> Fabricius, 1805			10
	<i>pauper</i> Loew, 1869		<i>Anthrax pauper</i> (Loew, 1869) [ <i>Argyramoeba</i> ]			2
	<i>pithecius</i> (Fabricius, 1805) [ <i>Anthrax</i> ]		<i>Anthrax pithecius</i> Fabricius, 1805			7
	<i>pluto</i> (Wiedemann, 1828) [ <i>Anthrax</i> ]		<i>Anthrax pluto</i> Wiedemann, 1828			4
	<i>simson</i> (Fabricius, 1805) [ <i>Anthrax</i> ]		<i>Anthrax simson</i> Fabricius, 1805			4
	<i>stellans</i> (Loew, 1869) [ <i>Anthrax</i> ]		<i>Anthrax stellans</i> Loew, 1869			1
	<i>tripunctata</i> (Wiedemann, 1820) [ <i>Anthrax</i> ]		<i>Spogostylum tripunctatum</i> (Wiedemann, 1820) [ <i>Anthrax</i> ]			6
	<i>ventralis</i> (Bezzi, 1924) [ <i>Spongostylum</i> ]		<i>Spogostylum ventrale</i> Bezzi, 1924			1
<b>Argyrospila Rondani, 1856</b>			<b>Exoprosopa Macquart, 1840</b>		5	64
	<i>baccha</i> (Loew, 1869) [ <i>Exoprosopa</i> ]		<i>Exoprosopa baccha</i> Loew, 1869			10
	<i>capucina</i> (Fabricius, 1781) [ <i>Bibio</i> ]		<i>Exoprosopa capucina</i> (Fabricius, 1781) [ <i>Bibio</i> ]			9
	<i>cleomene</i> (Egger, 1859) [ <i>Exoprosopa</i> ]		<i>Exoprosopa cleomene</i> Egger, 1859			9
	<i>italica</i> (Wiedemann, 1820) [ <i>Anthrax</i> ]		<i>Exoprosopa italica</i> (Wiedemann, 1820) [ <i>Anthrax</i> ]			9
	<i>jacchus</i> (Fabricius, 1805) [ <i>Anthrax</i> ]		<i>Exoprosopa jacchus</i> (Fabricius, 1805) [ <i>Anthrax</i> ]			27
<b>Bombylius Linnaeus, 1758</b>					96	567
*	<i>acroleucus</i> Bezzi, 1921		<i>Bombomyia acroleuca</i> (Bezzi, 1921) [ <i>Bombylius</i> ]			3
	<i>albibarbus</i> Zetterstedt		<i>Bombylius minor</i> Linnaeus, 1758			3
	<b>albicapillus</b> Loew, 1872					5
	<b>ambustus</b> Pallas & Wiedemann, 1818					2
	<i>analis</i> Fabricius, 1794		<i>Bombomyia discoidea</i> (Fabricius, 1794) [ <i>Bombylius</i> ]			20
	<i>androgynus</i> Loew, 1855		<i>Beckerellus androgynus</i> (Loew, 1855) [ <i>Bombylius</i> ]			2
	<i>argentatus</i> Fabricius, 1805		<i>Bombylella argentata</i> (Fabricius, 1805) [ <i>Bombylius</i> ]			5
	<i>argentifer</i> Walker, 1849		<i>Australoechus molitor</i> (Wiedemann, 1830) [ <i>Bombylius</i> ]			2
	<i>ater</i> Scopoli, 1763		<i>Bombylella atra</i> (Scopoli, 1763) [ <i>Bombylius</i> ]			48
	<b>atriceps</b> Loew, 1863					21
	<i>auricomus</i> Bezzi, 1924		<i>Bombylella auricoma</i> (Bezzi, 1924) [ <i>Bombylius</i> ]			1
	<b>aurifer</b> Osten Sacken, 1877					1
	<i>azaleae</i> Shannon, 1916		<i>Bombylius helvus</i> Wiedemann, 1821			1
	<i>basilinea</i> Loew, 1855		<i>Bombylius major</i> Linnaeus, 1758			7
*	<i>bicoloratus</i> Bezzi, 1924		<i>Bombomyia bombiformis</i> (Bezzi, 1921) [ <i>Bombylius</i> ]			1
	<i>biroi</i> Becker, 1906		<i>Dischistus biroi</i> (Becker, 1906) [ <i>Bombylius</i> ]			2

## Bombyliidae

## Bombylius

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>boghariensis</i> Lucas, 1852		<i>Triplasius boghariensis</i> Lucas, 1852			1
	<i>bombiformis</i> Bezzi, 1921		<i>Bombomyia bombiformis</i> (Bezzi, 1921) [ <i>Bombylius</i> ]			1
*	<i>braunsi</i> Bezzi, 1921		<i>Australoechus capensis</i> (Linnaeus, 1764) [ <i>Bombylius</i> ]			1
	<i>cachinnans</i> Osten Sacken, 1877					2
	<i>canescens</i> Mikan, 1796					13
	<i>cinerascens</i> Mikan, 1796					36
	<i>collaris</i> Becker, 1906					7
	<i>concolor</i> Mikan, 1796		<i>Bombylius medius</i> Linnaeus, 1758			21
	<i>cruciatus</i> Fabricius, 1798					7
	<i>delicatus</i> Wiedemann, 1830		<i>Bombylella delicata</i> (Wiedemann, 1830) [ <i>Bombylius</i> ]			3
	<i>diagonalis</i> Wiedemann, 1820					2
	<i>disjunctus</i> Bezzi, 1921		<i>Beckerellus terminatus</i> (Becker, 1909) [ <i>Bombylius</i> ]			1
	<i>dives</i> (Bigot, 1888) [ <i>Euchariomyia</i> ]		<i>Euchariomyia dives</i> Bigot, 1888			5
*	<i>erythrocerus</i> Bezzi, 1901					3
	<i>fimbriatus</i> Meigen, 1820					13
	<i>flavipes</i> Wiedemann, 1828					9
	<i>fratellus</i> Wiedemann, 1828		<i>Bombylius major</i> Linnaeus, 1758			15
*	<i>fraudulentus</i> Johnson, 1907					3
*	<i>fucatus</i> Bezzi, 1921		<i>Parisus fucatus</i> (Bezzi, 1921) [ <i>Bombylius</i> ]			2
	<i>fuliginosus</i> Wiedemann, 1820		<i>Bombylius trichurus</i> Pallas, 1818			2
	<i>fulvescens</i> Wiedemann, 1820					27
	<i>furiosus</i> Walker, 1860		<i>Bombylella elegans</i> (Wiedemann, 1828) [ <i>Bombylius</i> ]			3
	<i>fuscilobus</i> Bezzi, 1924		<i>Bombylella fusciloba</i> (Bezzi, 1924) [ <i>Bombylius</i> ]			2
	<i>fuscus</i> Fabricius, 1781					4
	<i>globulus</i> Bezzi, 1921		<i>Parisus globulus</i> (Bezzi, 1921) [ <i>Bombylius</i> ]			1
*	<i>hirticeps</i> Bezzi, 1921	Asilidae	<i>Dasyopogon melanopterus</i> Loew, 1869			1
	<i>hirtus</i> Loew, 1860		<i>Australoechus hirtus</i> (Loew, 1860) [ <i>Bombylius</i> ]			2
	<i>hypoleucus</i> Wiedemann, 1821		<i>Australoechus hypoleucus</i> (Wiedemann, 1821) [ <i>Bombylius</i> ]			2
	<i>impurus</i> Loew, 1863		<i>Parisus impurus</i> (Loew, 1863) [ <i>Bombylius</i> ]			1
*	<i>incanus</i> Johnson, 1907					2
	<i>kilimandjarica</i> Speiser, 1910		<i>Bombylella kilimandjarica</i> (Speiser, 1910) [ <i>Bombylius</i> ]			3
	<i>lancifer</i> Osten Sacken, 1877					4
	<i>lateralis</i> Fabricius, 1805		<i>Triplasius lateralis</i> (Fabricius, 1805) [ <i>Bombylius</i> ]			1
	<i>leucopygus</i> Macquart, 1846					3
	<i>lugubris</i> Loew, 1855		<i>Bombylella atra</i> (Scopoli, 1763) [ <i>Bombylius</i> ]			6
	<i>maculatus</i> Fabricius, 1775					1
	<i>major</i> Linnaeus, 1758					11
	<i>medius</i> Linnaeus, 1758					14
	<i>metopium</i> Osten Sacken, 1877					1
	<i>mexicanus</i> Wiedemann, 1821					4
	<i>minor</i> Linnaeus, 1758					6
	<i>modestus</i> Loew, 1873					14
	<i>molitor</i> Wiedemann, 1830		<i>Australoechus molitor</i> (Wiedemann, 1830) [ <i>Bombylius</i> ]			2

## Bombyliidae

## Bombylius

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>mollis</i> Bezzi, 1921		<i>Beckerellus terminatus</i> (Becker, 1909) [ <i>Bombylius</i> ]			2
	<i>mundus</i> Loew, 1863		<i>Xerachistus mundus</i> (Loew, 1863) [ <i>Bombylius</i> ]			2
	<b><i>mus</i></b> Bigot, 1862					4
	<i>mutilatus</i> Bezzi, 1921		<i>Bombylella delicata</i> (Wiedemann, 1830) [ <i>Bombylius</i> ]			5
	<b><i>neithokris</i></b> Jaennicke, 1867					2
	<i>nigrilobus</i> Bezzi, 1920		<i>Bombylella nigriloba</i> (Bezzi, 1920) [ <i>Bombylius</i> ]			3
	<b><i>numidus</i></b> Macquart, 1846					1
*	<i>obesus</i> Bezzi, 1921		<i>Australoechus obesus</i> (Bezzi, 1921) [ <i>Bombylius</i> ]			3
	<i>obtusus</i> Bezzi, 1924		<i>Beckerellus obtusus</i> (Bezzi, 1924) [ <i>Bombylius</i> ]			1
	<i>ornatus</i> Wiedemann, 1828		<i>Bombylella ornata</i> (Wiedemann, 1828) [ <i>Bombylius</i> ]			6
	<i>pallipes</i> Loew, 1855		<i>Bombylius medius</i> Linnaeus, 1758			9
	<i>paterculus</i> (Walker, 1852) [ <i>Parisus</i> ]		<i>Parisus paterculus</i> Walker, 1852			2
*	<i>peringueyi</i> Bezzi, 1921		<i>Australoechus peringueyi</i> (Bezzi, 1921) [ <i>Bombylius</i> ]			1
*	<i>perniveus</i> (Bezzi, 1925) [ <i>Acanthogeron</i> ]		<i>Dischistus perniveus</i> (Bezzi, 1925) [ <i>Acanthogeron</i> ]			1
	<i>pictipennis</i> Loew, 1855		<i>Bombylius medius</i> Linnaeus, 1758			14
	<i>pictus</i> Panzer, 1794		<i>Triplasius pictus</i> (Panzer, 1794) [ <i>Bombylius</i> ]			5
*	<i>plagiatus</i> Bezzi, 1921		<i>Bombomyia hypoxantha</i> (Loew, 1863) [ <i>Bombylius</i> ]			1
	<b><i>pulchellus</i></b> Loew, 1863					3
	<b><i>pumilus</i></b> Meigen, 1820					14
	<b><i>pygmaeus</i></b> Fabricius, 1781					3
	<b><i>ravus</i></b> Loew, 1863					2
	<i>ruficeps</i> Macquart, 1840		<i>Parisus ruficeps</i> (Macquart, 1840) [ <i>Bombylius</i> ]			1
	<b><i>rufiventris</i></b> Macquart, 1846					6
	<b><i>semifuscus</i></b> Meigen, 1820					6
	<b><i>seminiger</i></b> Becker, 1906					7
	<i>senex</i> Wiedemann, 1820		<i>Dischistus senex</i> (Wiedemann, 1820) [ <i>Bombylius</i> ]			4
	<i>separatus</i> Becker, 1906		<i>Dischistus separatus</i> (Becker, 1906) [ <i>Bombylius</i> ]			5
	<i>sticticus</i> Boisduval, 1835		<i>Bombomyia vertebralis</i> (Dufour, 1833) [ <i>Bombylius</i> ]			2
	<i>subvarius</i> Johnson, 1907		<i>Bombylius atriceps</i> Loew, 1863			1
	<i>suffusus</i> Walker, 1849		<i>Bombylella suffusa</i> (Walker, 1849) [ <i>Bombylius</i> ]			1
	<b><i>torquatus</i></b> Loew, 1855					9
	<i>undatus</i> Mikan, 1796		<i>Bombylius analis</i> Olivier, 1789			3
	<i>variabilis</i> Loew, 1855		<i>Bombylius canescens</i> Mikan, 1796			26
	<b><i>varius</i></b> Fabricius, 1805					4
	<b><i>venosus</i></b> Mikan, 1796					12
	<i>versicolor</i> Fabricius, 1805		<i>Bombylius postversicolor</i> Evenhuis & Greathead, 1999			4
	<i>vulpinus</i> Wiedemann, 1820		<i>Bombylius posticus</i> Fabricius, 1805			6
	<b><i>Callynthrophora</i></b> Schiner, 1867				1	2
*	<i>magnifrons</i> Bezzi		<i>Callynthrophora marginifrons</i> Bezzi, 1921			2
	<b><i>Chalcochiton</i></b> Loew, 1844				3	15
*	<b><i>bisalbifrons</i></b> Bezzi, 1922					5

## Bombyliidae

## Chalcochiton

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>holosericeus</i> (Fabricius, 1794) [ <i>Anthrax</i> ]					9
	<i>lugubris</i> (Loew, 1873) [ <i>Mulio</i> ]		<i>Cytherea lugubris</i> (Loew, 1873) [ <i>Mulio</i> ]			1
	<b>Chiasmella</b> Bezzi, 1924		<b>Desmatoneura</b> Williston, 1895		2	2
	<i>rubicunda</i> Bezzi, 1925		<i>Xeramoeba rubicunda</i> (Bezzi, 1925) [ <i>Chiasmella</i> ]			1
	<i>sabulonis</i> (Becker, 1906) [ <i>Argyramoeba</i> ]		<i>Xeramoeba sabulonis</i> (Becker, 1906) [ <i>Argyramoeba</i> ]			1
	<b>Chionamoeba</b> Sack, 1909		<b>Desmatoneura</b> Williston, 1895		1	2
	<i>nivea</i> (Rossi, 1790) [ <i>Bibio</i> ]		<i>Desmatoneura nivea</i> (Rossi, 1790) [ <i>Bibio</i> ]			2
	<b>Cladodisca</b> Bezzi, 1922		<b>Heteralonia</b> Rondani, 1863		5	10
	<i>dispar</i> (Loew, 1869) [ <i>Exoprosopa</i> ]		<i>Exoprosopa dispar</i> Loew, 1869			3
	<i>munda</i> (Loew, 1869) [ <i>Exoprosopa</i> ]		<i>Exoprosopa munda</i> Loew, 1869			2
	<i>rivularis</i> (Meigen, 1820) [ <i>Anthrax</i> ]		<i>Heteralonia rivularis</i> (Meigen, 1820) [ <i>Anthrax</i> ]			3
	<i>serpentata</i> (Loew, 1854) [ <i>Exoprosopa</i> ]		<i>Heteralonia serpentata</i> (Loew, 1854) [ <i>Exoprosopa</i> ]			1
	<i>suffusa</i> (Klug, 1832) [ <i>Anthrax</i> ]		<i>Heteralonia suffusa</i> (Klug, 1832) [ <i>Anthrax</i> ]			1
	<b>Conophorina</b> Becker, 1920				1	1
*	<i>bicellaris</i> Becker, 1920					1
	<b>Conophorus</b> Meigen, 1803				10	22
*	<i>aegyptiacus</i> Bezzi, 1925					2
	<i>amabilis</i> (Osten Sacken, 1877) [ <i>Ploas</i> ]		<i>Conophorus obesulus</i> (Loew, 1872) [ <i>Ploas</i> ]			3
	<i>atratus</i> (Loew, 1872) [ <i>Ploas</i> ]					2
	<i>bellus</i> (Becker, 1906) [ <i>Ploas</i> ]					3
	<i>flavescens</i> (Meigen, 1820) [ <i>Ploas</i> ]					2
	<i>fuliginosus</i> (Wiedemann, 1820) [ <i>Ploas</i> ]					3
	<i>limbatus</i> (Loew, 1869) [ <i>Ploas</i> ]					1
	<i>melanoceratus</i> Bigot, 1892					2
	<i>nigripennis</i> (Loew, 1872) [ <i>Ploas</i> ]					3
	<i>rufulus</i> (Osten Sacken, 1877) [ <i>Ploas</i> ]					1
	<b>Corsomyza</b> Wiedemann, 1820				5	11
	<i>clavicornis</i> (Wiedemann, 1819) [ <i>Mulio</i> ]					5
	<i>hirtipes</i> Macquart, 1840					2
	<i>nigripes</i> Wiedemann, 1820					1
	<i>pennipes</i> Wiedemann, 1820					1
	<i>simplex</i> Wiedemann, 1820					2
	<b>Crocidium</b> Loew, 1860				1	1
	<i>poecilopterus</i> Loew, 1860					1
	<b>Cyllenia</b> Latreille, 1802				1	5
	<i>maculata</i> Latreille, 1802		<i>Cyllenia rustica</i> (Rossi, 1790) [ <i>Asilus</i> ]			5

## Bombyliidae

## Cyllenia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Cytherea</b> Fabricius, 1794				2	41
	<i>obscura</i> Fabricius, 1794					40
	<i>trifaria</i> (Becker, 1906) [ <i>Mulio</i> ]					1
	<b>Defilippia</b> Lioy, 1864		<b>Exoprosopa</b> Macquart, 1840		14	43
	<i>grandis</i> (Wiedemann, 1820) [ <i>Anthrax</i> ]		<i>Exoprosopa grandis</i> (Wiedemann, 1820) [ <i>Anthrax</i> ]			5
	<i>hirtipes</i> (Loew, 1860) [ <i>Exoprosopa</i> ]		<i>Exoprosopa inaequalipes</i> Loew, 1852			2
*	<i>lepidogastra</i> (Bezzi, 1912) [ <i>Exoprosopa</i> ]		<i>Heteralonia lepidogastra</i> (Bezzi, 1912) [ <i>Exoprosopa</i> ]			1
*	<i>maculifera</i> (Bezzi, 1921) [ <i>Exoprosopa</i> ]		<i>Heteralonia maculifera</i> (Bezzi, 1921) [ <i>Exoprosopa</i> ]			2
	<i>mayeti</i> (Bigot, 1888) [ <i>Exoprosopa</i> ]		<i>Heteralonia megerlei</i> (Meigen, 1820) [ <i>Anthrax</i> ]			7
	<i>megerlei</i> (Meigen, 1820) [ <i>Anthrax</i> ]		<i>Heteralonia megerlei</i> (Meigen, 1820) [ <i>Anthrax</i> ]			7
	<i>minos</i> (Meigen, 1804) [ <i>Anthrax</i> ]		<i>Exoprosopa minos</i> (Meigen, 1804) [ <i>Anthrax</i> ]			6
*	<i>nigerrima</i> (Bezzi, 1924) [ <i>Exoprosopa</i> ]		<i>Heteralonia nigerrima</i> (Bezzi, 1924) [ <i>Exoprosopa</i> ]			1
*	<i>nigrovenosa</i> (Bezzi, 1921) [ <i>Exoprosopa</i> ]		<i>Heteralonia nigrovenosa</i> (Bezzi, 1921) [ <i>Exoprosopa</i> ]			1
	<i>pectoralis</i> (Loew, 1862) [ <i>Exoprosopa</i> ]		<i>Exoprosopa pectoralis</i> Loew, 1862			2
	<i>senegalensis</i> (Macquart, 1840) [ <i>Exoprosopa</i> ]		<i>Exoprosopa senegalensis</i> Macquart, 1840			1
	<i>strenua</i> (Loew, 1860) [ <i>Exoprosopa</i> ]		<i>Exoprosopa strenua</i> Loew, 1860			2
	<i>venosa</i> (Wiedemann, 1819) [ <i>Anthrax</i> ]		<i>Exoprosopa venosa</i> (Wiedemann, 1819) [ <i>Anthrax</i> ]			2
	<i>vesperugo</i> (Costa, 1893) [ <i>Exoprosopa</i> ]		<i>Heteralonia vesperugo</i> (Costa, 1893) [ <i>Exoprosopa</i> ]			4
	<b>Dipalta</b> Osten Sacken, 1877				1	2
	<i>serpentina</i> Osten Sacken, 1877					2
	<b>Dischistus</b> Loew, 1855				13	34
	<i>amabilis</i> Wulp, 1881		<i>Euprepina amabilis</i> (Wulp, 1881) [ <i>Dischistus</i> ]			3
	<i>barbula</i> (Loew, 1855) [ <i>Bombylius</i> ]		<i>Bombylisoma croaticum</i> (Kertész, 1901) [ <i>Dischistus</i> ]			2
	<i>eximius</i> Becker, 1906		<i>Neobombylodes eximius</i> (Becker, 1906) [ <i>Dischistus</i> ]			7
	<i>flavibarbus</i> (Loew, 1855) [ <i>Bombylius</i> ]		<i>Bombylisoma flavibarbum</i> (Loew, 1855) [ <i>Bombylius</i> ]			1
	<i>gemmeus</i> Bezzi, 1824		<i>Bombylisoma gemmeum</i> (Bezzi, 1924) [ <i>Dischistus</i> ]			1
	<i>melanocephalus</i> Fabricius, 1794		<i>Bombylisoma melanocephalum</i> (Fabricius, 1794) [ <i>Bombylius</i> ]			3
	<i>minimus</i> (Schrank, 1781) [ <i>Bombylius</i> ]		<i>Bombylius minor</i> Linnaeus, 1758			8
	<i>niveus</i> (Macquart, 1840) [ <i>Bombylius</i> ]		<i>Gonarthus nivalis</i> Hesse, 1938			1
*	<i>plumipalpis</i> Bezzi, 1921					1
	<i>tridentatus</i> (Macquart, 1840) [ <i>Bombylius</i> ]		<i>Bombylisoma tripunctatum</i> (Macquart, 1840) [ <i>Bombylius</i> ]			1
*	<i>trigonus</i> Bezzi, 1925		<i>Bombylisoma tripunctatum</i> (Macquart, 1840) [ <i>Bombylius</i> ]			2
	<i>unicolor</i> (Loew, 1855) [ <i>Bombylius</i> ]		<i>Bombylisoma unicolor</i> (Loew, 1855) [ <i>Bombylius</i> ]			3
	<i>variegatus</i> (Macquart, 1840) [ <i>Bombylius</i> ]		<i>Doliogethes variatus</i> (Macquart, 1840) [ <i>Bombylius</i> ]			1
	<b>Eclimus</b> Loew, 1844				4	13
*	<i>celer</i> Cole & Lovett, 1919		<i>Thevenetimyia celer</i> (Cole & Lovett, 1919) [ <i>Eclimus</i> ]			1
*	<i>gracilis</i> var <i>festae</i> Bezzi, 1924		<i>Eclimus gracilis</i> Loew, 1844			6
	<i>lucifer</i> (Osten Sacken, 1877) [ <i>Epibates</i> ]		<i>Thevenetimyia luctifer</i> (Osten Sacken, 1877) [ <i>Epibates</i> ]			2
	<i>magnus</i> (Osten Sacken, 1877) [ <i>Epibates</i> ]		<i>Thevenetimyia magna</i> (Osten Sacken, 1877) [ <i>Epibates</i> ]			4



## Bombyliidae

## Eclimus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b><i>Efflatounia</i></b> Bezzi, 1925				1	2
*	<i>aegyptiaca</i> Bezzi, 1925					2
	<b><i>Eucessia</i></b> Coquillett, 1886				1	1
*	<i>rubens</i> Coquillett, 1886					1
	<b><i>Eurycarenum</i></b> Loew, 1860				3	9
	<i>dichopticus</i> Bezzi, 1920					4
	<i>laticeps</i> (Loew, 1852) [ <i>Bombylius</i> ]					4
	<i>sessilis</i> Bezzi, 1921					1
	<b><i>Exoprosopa</i></b> Macquart, 1840				74	209
	<i>aeacus</i> (Meigen, 1804) [ <i>Anthrax</i> ]		<b><i>Heteralonia aeaca</i></b> (Meigen, 1804) [ <i>Anthrax</i> ]			3
	<i>aegina</i> (Wiedemann, 1828) [ <i>Anthrax</i> ]		<b><i>Heteralonia aegina</i></b> (Wiedemann, 1828) [ <i>Anthrax</i> ]			1
*	<i>albata</i> Bezzi, 1924					1
*	<i>ancilla</i> Bezzi, 1924					1
	<i>argentifrons</i> Macquart, 1855					2
	<i>atrinasis</i> Speiser, 1910					6
	<i>balioptera</i> Loew, 1860					1
*	<i>batrachoides</i> Bezzi, 1912					2
*	<i>brevinasis</i> Bezzi, 1924					3
	<i>caliptera</i> (Say, 1823) [ <i>Anthrax</i> ]					5
	<i>capensis</i> (Wiedemann, 1821) [ <i>Anthrax</i> ]		<b><i>Heteralonia capensis</i></b> (Wiedemann, 1821) [ <i>Anthrax</i> ]			2
*	<i>chionea</i> Bezzi, 1924					1
	<i>collaris</i> (Wiedemann, 1828) [ <i>Anthrax</i> ]					1
	<i>decipiens</i> Bezzi, 1924					1
	<i>decora</i> Loew, 1869					6
	<i>decrepita</i> (Wiedemann, 1828) [ <i>Anthrax</i> ]					2
*	<i>dilatata</i> Bezzi, 1921		<b><i>Exoprosopa morosa</i></b> Loew, 1860			2
	<i>dimidiata</i> Macquart, 1846					2
	<i>divisa</i> (Coquillett, 1887) [ <i>Exoptata</i> ]					2
	<i>dodrans</i> Osten Sacken, 1877					5
	<i>dorcadion</i> Osten Sacken, 1877					5
	<i>doris</i> Osten Sacken, 1877					2
	<i>dux</i> (Wiedemann, 1828) [ <i>Anthrax</i> ]					1
*	<i>efflatouni</i> Bezzi, 1925					1
	<i>elongata</i> Ricardo, 1901					3
	<i>eluta</i> Loew, 1860					4
	<i>emarginata</i> Macquart, 1840		<b><i>Exoprosopa meigenii</i></b> (Wiedemann, 1828) [ <i>Anthrax</i> ]			4
	<i>eremita</i> Osten Sacken, 1877					8
*	<i>erronea</i> Bezzi, 1924					5
	<i>fasciata</i> Macquart, 1840					24

## Bombyliidae

## Exoprosopa

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>fascipennis</i> (Say, 1824) [ <i>Anthrax</i> ]					11
*	<i>fuscescens</i> Bezzi, 1924					4
	<i>heros</i> (Wiedemann, 1819) [ <i>Anthrax</i> ]					4
	<i>ignava</i> Loew, 1860		<i>Exoprosopa dux</i> (Wiedemann, 1828) [ <i>Anthrax</i> ]			1
	<i>inaequalipes</i> Loew, 1852					1
*	<i>infumata</i> Bezzi, 1921					5
	<i>iota</i> Osten Sacken, 1886					1
	<i>iris</i> Loew, 1869		<i>Micomitra iri</i> (Loew, 1869) [ <i>Exoprosopa</i> ]			3
*	<i>kruegeri</i> Bezzi, 1926		<i>Exoprosopa rutila</i> Pallas & Wiedemann, 1818			1
	<i>limbipennis</i> Macquart, 1846		<i>Exoprosopa argentifasciata</i> Macquart, 1846			2
*	<i>luteicosta</i> Bezzi, 1921					4
	<i>madagascariensis</i> Macquart, 1850					1
*	<i>mesopleuralis</i> Bezzi, 1924		<i>Litorhina mesopleuralis</i> (Bezzi, 1924) [ <i>Exoprosopa</i> ]			1
	<i>nemesis</i> (Fabricius, 1805) [ <i>Anthrax</i> ]					2
	<i>nigrina</i> Bezzi, 1924					1
	<i>nigritella</i> Bezzi, 1924					1
	<i>nova</i> Ricardo, 1910					1
*	<i>obtusa</i> Bezzi, 1924					1
	<i>olivierii</i> Macquart, 1840		<i>Heteralonia olivierii</i> (Macquart, 1840) [ <i>Exoprosopa</i> ]			3
	<i>parvula</i> Bezzi, 1921					1
	<i>pavida</i> Williston, 1901					1
*	<i>pentoptera</i> Bezzi, 1912					1
*	<i>perpulchra</i> Bezzi, 1921					3
	<i>praefica</i> Loew, 1860					1
	<i>pueblensis</i> Jaenicke, 1867					4
	<i>punctulata</i> Macquart, 1840					3
	<i>pusilla</i> Macquart, 1840					1
	<i>rivulosa</i> Becker, 1802		<i>Heteralonia rivulosa</i> (Becker, 1902) [ <i>Exoprosopa</i> ]			1
	<i>robertii</i> Macquart, 1840					2
	<i>rostrifera</i> Jaenicke, 1867					2
	<i>rutila</i> Pallas & Wiedemann, 1818					2
	<i>seniculus</i> Wiedemann, 1828		<i>Exoprosopa dux</i> (Wiedemann, 1828) [ <i>Anthrax</i> ]			3
	<i>sigmoidea</i> Bezzi, 1912					4
	<i>sordida</i> Loew, 1869					2
	<i>spectrum</i> Speiser, 1910					2
*	<i>stannusi</i> Bezzi, 1912					4
	<i>stupida</i> (Rossi, 1790) [ <i>Bibio</i> ]		<i>Micomitra stupida</i> (Rossi, 1790) [ <i>Bibio</i> ]			8
	<i>tephroleuca</i> Loew, 1856		<i>Heteralonia tephroleuca</i> (Loew, 1856) [ <i>Exoprosopa</i> ]			2
	<i>titubans</i> Osten Sacken, 1877					1
	<i>tricolor</i> Macquart, 1840					1
	<i>vespertilio</i> (Wiedemann, 1820) [ <i>Anthrax</i> ]		<i>Heteralonia megerlei</i> (Meigen, 1820) [ <i>Anthrax</i> ]			1
	<i>vesperugo</i> Costa, 1893		<i>Heteralonia vesperugo</i> (Costa, 1893) [ <i>Exoprosopa</i> ]			1
*	<i>villaeformis</i> Bezzi, 1912					2

## Bombyliidae

## Exoprosopa

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
*	<b>zanoni</b> Bezzi, 1922					2
	<b>Exoptata</b> Coquillett, 1887		<b>Exoprosopa</b> Macquart, 1840		1	2
	<i>algira</i> (Fabricius, 1794) [ <i>Anthrax</i> ]		<b>Heteralonia</b> <i>algira</i> (Fabricius, 1794) [ <i>Anthrax</i> ]			2
	<b>Geron</b> Meigen, 1820				12	23
	<i>albescens</i> Brunetti, 1909					1
	<i>albifacies</i> Bezzi, 1924					1
	<i>barbatus</i> Bezzi, 1921					2
*	<b>erythropus</b> Bezzi, 1925					2
	<i>gibbosus</i> Olivier, 1789					3
	<i>litoralis</i> Painter, 1932		<b>Geron</b> <i>rufipes</i> Macquart, 1846			6
*	<b>luctuosus</b> Bezzi, 1921					1
	<i>mystacinus</i> Bezzi, 1924					1
*	<b>phallophorus</b> Bezzi, 1920					2
*	<b>priapeus</b> Bezzi, 1920					2
	<i>rufipes</i> Macquart, 1846					1
	<i>senilis</i> (Fabricius, 1794) [ <i>Bombylius</i> ]					1
	<b>Glossista</b> Rondani, 1856		<b>Cytherea</b> Fabricius, 1794		10	25
*	<i>albolineata</i> Bezzi, 1925		<b>Cytherea</b> <i>albolineata</i> (Bezzi, 1925) [ <i>Glossista</i> ]			2
	<i>alexandrina</i> (Becker, 1902) [ <i>Cytherea</i> ]		<b>Cytherea</b> <i>alexandrina</i> (Becker, 1902) [ <i>Glossista</i> ]			2
	<i>aurea</i> (Fabricius, 1794) [ <i>Cytherea</i> ]		<b>Cytherea</b> <i>aurea</i> Fabricius, 1794			1
	<i>barbara</i> (Sack, 1906) [ <i>Cytherea</i> ]		<b>Cytherea</b> <i>barbara</i> Sack, 1906			5
*	<i>cyrenaica</i> Bezzi, 1926		<b>Cytherea</b> <i>cyrenaica</i> (Bezzi, 1926) [ <i>Glossista</i> ]			2
	<i>delicata</i> (Becker, 1906) [ <i>Mulio</i> ]		<b>Cytherea</b> <i>delicata</i> (Becker, 1906) [ <i>Mulio</i> ]			1
	<i>infuscata</i> (Meigen, 1820) [ <i>Mulio</i> ]		<b>Cytherea</b> <i>infuscata</i> (Meigen, 1820) [ <i>Mulio</i> ]			1
*	<i>nitidapex</i> Bezzi, 1925		<b>Cytherea</b> <i>maroccana</i> (Becker, 1903) [ <i>Mulio</i> ]			1
	<i>nucleorum</i> (Becker, 1902) [ <i>Mulio</i> ]		<b>Cytherea</b> <i>nucleorum</i> (Becker, 1902) [ <i>Mulio</i> ]			2
*	<i>thyridophora</i> Bezzi, 1925		<b>Cytherea</b> <i>thyridophora</i> (Bezzi, 1925) [ <i>Glossista</i> ]			8
	<b>Gnumyia</b> Bezzi, 1921				1	1
	<i>brevirostris</i> Bezzi, 1921					1
	<b>Gonarthrus</b> Bezzi, 1921				5	12
*	<i>chioneus</i> Bezzi, 1921					2
	<i>cycnus</i> (Bigot, 1892) [ <i>Dischistus</i> ]					4
*	<b>cylindricus</b> Bezzi, 1906					2
	<i>leucophys</i> (Bigot, 1892) [ <i>Dischistus</i> ]		<b>Notolomatia</b> <i>leucophys</i> (Bigot, 1892) [ <i>Dischistus</i> ]			2
*	<b>xanthinus</b> Bezzi, 1921					2
	<b>Hemipenthes</b> Loew, 1869				11	107
	<i>bigradata</i> (Loew, 1869) [ <i>Anthrax</i> ]					3
	<i>ditaenia</i> (Wiedemann, 1828) [ <i>Anthrax</i> ]					1

## Bombyliidae

## Hemipenthes

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>eumenes</i> (Osten Sacken, 1887) [ <i>Anthrax</i> ]					7
	<i>hamifera</i> (Loew, 1854) [ <i>Anthrax</i> ]					6
	<i>maura</i> (Linnaeus, 1758) [ <i>Musca</i> ]					11
	<i>morio</i> (Linnaeus, 1758) [ <i>Musca</i> ]					20
	<i>orbitalis</i> (Williston, 1901) [ <i>Anthrax</i> ]		<i>Hemipenthes sagata</i> (Loew, 1869) [ <i>Anthrax</i> ]			4
	<i>seminigra</i> Loew, 1859					10
	<i>sinuosus</i> (Wiedemann, 1821) [ <i>Anthrax</i> ]					18
	<i>uncinus</i> (Loew, 1869) [ <i>Anthrax</i> ]		<i>Hemipenthes maura</i> (Linnaeus, 1758) [ <i>Musca</i> ]			3
	<i>velutina</i> (Meigen, 1820) [ <i>Anthrax</i> ]					24
<b>Henica</b> Agassiz, 1846		<b>Enica</b> Macquart, 1834			1	2
	<i>longirostris</i> (Wiedemann, 1819) [ <i>Anthrax</i> ]		<i>Enica longirostris</i> (Wiedemann, 1819) [ <i>Anthrax</i> ]			2
<b>Heterostylum</b> Macquart, 1848					2	6
	<i>robustum</i> (Osten Sacken, 1877) [ <i>Comastes</i> ]					4
	<i>rufum</i> (Olivier, 1789) [ <i>Bombylius</i> ]					2
<b>Heterotropus</b> Loew, 1873					2	2
*	<i>stigmaticus</i> Bezzi, 1926					1
*	<i>trotteri</i> Bezzi, 1915					1
<b>Hyperalonia</b> Rondani, 1863					27	90
	<i>alula</i> (Bezzi, 1906) [ <i>Exoprosopa</i> ]		<i>Ligyra alula</i> (Bezzi, 1906) [ <i>Exoprosopa</i> ]			1
*	<i>atricosta</i> Bezzi, 1924		<i>Ligyra atricosta</i> (Bezzi, 1924) [ <i>Hyperalonia</i> ]			4
	<i>audouinii</i> (Macquart, 1840) [ <i>Exoprosopa</i> ]		<i>Ligyra audouinii</i> (Macquart, 1840) [ <i>Exoprosopa</i> ]			3
	<i>chrysolampis</i> (Jaenicke, 1867) [ <i>Exoprosopa</i> ]		<i>Ligyra chrysolampis</i> (Jaenicke, 1867) [ <i>Exoprosopa</i> ]			4
*	<i>cupido</i> Bezzi, 1924		<i>Ligyra cupido</i> (Bezzi, 1824) [ <i>Hyperalonia</i> ]			2
	<i>doryca</i> (Boisduval, 1835) [ <i>Anthrax</i> ]		<i>Ligyra doryca</i> (Boisduval, 1835) [ <i>Anthrax</i> ]			2
	<i>ferrea</i> (Walker, 1849) [ <i>Anthrax</i> ]		<i>Ligyra ferrea</i> (Walker, 1849) [ <i>Anthrax</i> ]			1
	<i>flaviventris</i> (Doleschall, 1857) [ <i>Anthrax</i> ]		<i>Ligyra flaviventris</i> (Doleschall, 1857) [ <i>Anthrax</i> ]			1
	<i>flavofasciata</i> (Macquart, 1855) [ <i>Exoprosopa</i> ]		<i>Ligyra flavofasciata</i> (Macquart, 1855) [ <i>Exoprosopa</i> ]			4
	<i>funesta</i> (Walker, 1849) [ <i>Anthrax</i> ]		<i>Ligyra satyrus</i> (Fabricius, 1775) [ <i>Bibio</i> ]			7
	<i>hela</i> (Erichson, 1849) [ <i>Anthrax</i> ]		<i>Ligyra hela</i> (Erichson, 1849) [ <i>Anthrax</i> ]			1
	<i>helena</i> (Loew, 1854) [ <i>Exoprosopa</i> ]		<i>Ligyra helena</i> (Loew, 1854) [ <i>Exoprosopa</i> ]			3
	<i>leuconoe</i> (Jaenicke, 1867) [ <i>Exoprosopa</i> ]		<i>Ligyra leuconoe</i> (Jaenicke, 1867) [ <i>Exoprosopa</i> ]			6
*	<i>mars</i> Bezzi, 1924		<i>Ligyra mars</i> (Bezzi, 1924) [ <i>Hyperalonia</i> ]			1
	<i>morio</i> (Fabricius, 1775) [ <i>Stomoxys</i> ]					11
*	<i>niveifrons</i> Bezzi, 1914		<i>Ligyra niveifrons</i> (Bezzi, 1914) [ <i>Hyperalonia</i> ]			2
	<i>oenomaus</i> Rondani, 1875		<i>Ligyra oenomaus</i> (Rondani, 1875) [ <i>Hyperalonia</i> ]			5
*	<i>paris</i> Bezzi, 1923		<i>Ligyra paris</i> (Bezzi, 1823) [ <i>Hyperalonia</i> ]			2
	<i>proserpina</i> (Wiedemann, 1828) [ <i>Anthrax</i> ]		<i>Ligyra proserpina</i> (Wiedemann, 1828) [ <i>Anthrax</i> ]			2
	<i>similis</i> Coquillett, 1898		<i>Ligyra similis</i> (Coquillett, 1898) [ <i>Hyperalonia</i> ]			6
	<i>sisyphus</i> (Fabricius, 1805) [ <i>Anthrax</i> ]		<i>Ligyra sisyphus</i> (Fabricius, 1805) [ <i>Anthrax</i> ]			5

## Bombyliidae

## Hyperalonia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>sphinx</i> (Fabricius, 1787) [ <i>Bibio</i> ]		<i>Ligyra sphinx</i> (Fabricius, 1787) [ <i>Bibio</i> ]			7
	<i>tantalus</i> (Fabricius, 1794) [ <i>Anthrax</i> ]		<i>Ligyra tantalus</i> (Fabricius, 1794) [ <i>Anthrax</i> ]			2
*	<i>transiens</i> Bezzi, 1924		<i>Ligyra transiens</i> (Bezzi, 1924) [ <i>Hyperalonia</i> ]			1
	<i>venus</i> (Karsch, 1888) [ <i>Exoprosopa</i> ]		<i>Ligyra venus</i> (Karsch, 1888) [ <i>Exoprosopa</i> ]			1
	<i>vittata</i> Ricardo, 1901		<i>Ligyra vittata</i> (Ricardo, 1901) [ <i>Hyperalonia</i> ]			3
	<i>vulcanus</i> Bezzi, 1924		<i>Ligyra vulcanus</i> (Bezzi, 1824) [ <i>Hyperalonia</i> ]			3
	<b>Hyperusia</b> Bezzi, 1921				1	2
*	<i>minor</i> Bezzi, 1921					2
	<b>Lepidanthrax</b> Osten Sacken, 1886				2	6
*	<i>hyalinipennis</i> Cole, 1923					3
*	<i>inauratus</i> (Coquillett, 1887) [ <i>Anthrax</i> ]		<i>Lepidanthrax coquilletti</i> Evenhuis & Greathead, 1999			3
	<b>Lepidophora</b> Westwood, 1835				1	1
	<i>lepidocera</i> (Wiedemann, 1828) [ <i>Toxophora</i> ]					1
	<b>Leucamoeba</b> Sack, 1909		<b>Spogostylum</b> Macquart, 1840		1	7
	<i>aethiops</i> (Fabricius, 1781) [ <i>Bibio</i> ]		<i>Anthrax aethiops</i> (Fabricius, 1781) [ <i>Bibio</i> ]			7
	<b>Ligyra</b> Newman, 1841				1	2
	<i>bifasciata</i> (Macquart, 1850) [ <i>Comptosia</i> ]		<i>Macrocondyla bifasciata</i> (Macquart, 1850) [ <i>Comptosia</i> ]			2
	<b>Litorrhynchus</b> Bezzi, 1924		<b>Exoprosopa</b> Macquart, 1840		11	20
	<i>allothryis</i> Bezzi, 1920		<i>Exoprosopa allothryis</i> (Bezzi, 1920) [ <i>Litorrhynchus</i> ]			2
	<i>argyrolepis</i> Bezzi, 1912		<i>Litorhina argyrolepis</i> (Bezzi, 1912) [ <i>Litorrhynchus</i> ]			1
	<i>basalis</i> (Ricardo, 1901) [ <i>Exoprosopa</i> ]		<i>Litorhina basalis</i> (Ricardo, 1901) [ <i>Exoprosopa</i> ]			2
*	<i>corticeus</i> Bezzi, 1924		<i>Litorhina corticeus</i> (Bezzi, 1924) [ <i>Litorrhynchus</i> ]			1
*	<i>erythraeus</i> Bezzi, 1906		<i>Litorhina erythraeus</i> (Bezzi, 1906) [ <i>Litorrhynchus</i> ]			2
*	<i>evanescens</i> Bezzi, 1924		<i>Litorhina evanescens</i> (Bezzi, 1924) [ <i>Litorrhynchus</i> ]			2
	<i>maurus</i> (Thunberg, 1827) [ <i>Tanyglossa</i> ]		<i>Litorhina maura</i> (Thunberg, 1827) [ <i>Tanyglossa</i> ]			2
	<i>nyasae</i> (Ricardo, 1901) [ <i>Exoprosopa</i> ]		<i>Litorhina nyasae</i> (Ricardo, 1901) [ <i>Exoprosopa</i> ]			1
*	<i>obumbratus</i> Bezzi, 1924		<i>Litorhina obumbratus</i> (Bezzi, 1924) [ <i>Litorrhynchus</i> ]			1
	<i>phloeochromus</i> Bezzi, 1920		<i>Litorhina phloeochroma</i> (Bezzi, 1920) [ <i>Litorrhynchus</i> ]			1
	<i>tollini</i> (Loew, 1863) [ <i>Exoprosopa</i> ]		<i>Litorhina tollini</i> (Loew, 1863) [ <i>Exoprosopa</i> ]			5
	<b>Lomatia</b> Meigen, 1822				22	94
	<i>abbreviata</i> Villeneuve, 1911					5
	<i>acutangula</i> Loew, 1860		<i>Canariellum acutangula</i> (Loew, 1860) [ <i>Lomatia</i> ]			2
	<i>atropos</i> Egger, 1859					4
	<i>australensis</i> Schiner, 1868		<i>Comptosia australensis</i> (Schiner, 1868) [ <i>Lomatia</i> ]			1
	<i>belzebul</i> (Fabricius, 1794) [ <i>Anthrax</i> ]					22
	<i>conocephala</i> (Macquart, 1840) [ <i>Anthrax</i> ]		<i>Notolomatia conocephala</i> (Macquart, 1840) [ <i>Anthrax</i> ]			1
	<i>gigantea</i> Bezzi, 1912		<i>Notolomatia gigantea</i> (Bezzi, 1912) [ <i>Lomatia</i> ]			2

## Bombyliidae

							<i>Lomatia</i>
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #	
	<i>hamifera</i> Becker, 1915						2
	<i>infernalis</i> Loew, 1869		<i>Lomatia tysiophone</i> Loew, 1860				1
	<i>inornata</i> Loew, 1854						1
	<i>lateralis</i> (Meigen, 1820) [ <i>Stygia</i> ]						6
	<i>latiuscula</i> Loew, 1860						1
	<i>liturata</i> Loew, 1860		<i>Notolomatia liturata</i> (Loew, 1860) [ <i>Lomatia</i> ]				2
	<i>mitis</i> Loew, 1860		<i>Notolomatia mitis</i> (Loew, 1860) [ <i>Lomatia</i> ]				2
	<i>neavei</i> Bezzi, 1924		<i>Canariellum neavei</i> (Bezzi, 1924) [ <i>Lomatia</i> ]				1
	<i>pictipennis</i> (Wiedemann, 1828) [ <i>Anthrax</i> ]		<i>Notolomatia pictipennis</i> (Wiedemann, 1828) [ <i>Anthrax</i> ]				5
	<i>polyzona</i> Loew, 1869						2
	<i>pulchriceps</i> Loew, 1860		<i>Notolomatia pulchriceps</i> (Loew, 1860) [ <i>Lomatia</i> ]				1
	<i>sabaea</i> (Fabricius, 1781) [ <i>Bibio</i> ]						16
	<i>simplex</i> (Wiedemann, 1819) [ <i>Anthrax</i> ]						5
	<i>tenera</i> Loew, 1860		<i>Notolomatia tenera</i> (Loew, 1860) [ <i>Lomatia</i> ]				1
	<i>tysiophone</i> Loew, 1860						11
	<b>Lordotus</b> Loew, 1863				5		11
	<i>apicula</i> Coquillett, 1887						3
*	<i>diversus</i> Coquillett, 1891						4
	<i>gibbus</i> Loew, 1863						2
	<i>planus</i> Osten Sacken, 1877						1
	<i>zona</i> Coquillett, 1887						1
	<b>Lyophaeaba</b> Rondani, 1863		<b>Macrocondyla</b> Rondani, 1863		1		1
	<i>lugubris</i> Rondani, 1863		<i>Macrocondyla lugubris</i> (Rondani, 1863) [ <i>Lyophaeaba</i> ]				1
	<b>Megapalpus</b> Macquart, 1834				1		1
	<i>capensis</i> (Wiedemann, 1828) [ <i>Phthiria</i> ]						1
	<b>Mesoclis</b> Bezzi, 1924		<b>Exoprosopa</b> Macquart, 1840		2		5
	<i>delineata</i> (Becker, 1906) [ <i>Exoprosopa</i> ]		<i>Heteralonia delineata</i> (Becker, 1908) [ <i>Exoprosopa</i> ]				1
	<i>pygmalion</i> (Fabricius, 1805) [ <i>Anthrax</i> ]		<i>Heteralonia pygmalion</i> (Fabricius, 1805) [ <i>Anthrax</i> ]				4
	<b>Metapeuta</b> Bezzi, 1921		<b>Heteralonia</b> Rondani, 1863		2		6
	<i>corvina</i> (Loew, 1860) [ <i>Exoprosopa</i> ]		<i>Heteralonia corvina</i> (Loew, 1860) [ <i>Exoprosopa</i> ]				4
	<i>pentala</i> (Macquart, 1840) [ <i>Exoprosopa</i> ]		<i>Heteralonia pentala</i> (Macquart, 1840) [ <i>Exoprosopa</i> ]				2
	<b>Nomalonia</b> Rondani, 1863				1		3
	<i>afra</i> (Wiedemann, 1828) [ <i>Cyllenia</i> ]		<i>Enica longirostris</i> (Wiedemann, 1819) [ <i>Anthrax</i> ]				3
	<b>Oestranthrax</b> Bezzi, 1921				2		2
	<i>obesus</i> (Loew, 1863) [ <i>Anthrax</i> ]						1
	<i>pallifrons</i> Bezzi, 1926						1

## Bombyliidae

## Oncodocera

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Oncodocera</b> Osten Sacken, 1877		<b>Ogcodocera</b> Macquart, 1840		1	2
	<i>leucoprocta</i> (Wiedemann, 1828) [ <i>Mulio</i> ]		<b>Ogcodocera leucoprocta</b> (Wiedemann, 1828) [ <i>Mulio</i> ]			2
	<b>Oniromyia</b> Bezzi, 1921				1	2
	<i>pachycera</i> Bigot, 1892		<b>Oniromyia pachycerata</b> (Bigot, 1892) [ <i>Eurycarenum</i> ]			2
	<b>Pantarbes</b> Osten Sacken, 1877				2	5
	<i>capito</i> Osten Sacken, 1877					1
*	<i>pusio</i> Osten Sacken, 1887					4
	<b>Pantostomus</b> Bezzi, 1921				1	1
*	<i>gibbiventris</i> Bezzi, 1921					1
	<b>Parabombylius</b> Williston, 1907		<b>Bombylius</b> Linnaeus, 1758		1	4
	<i>ater</i> (Coquillett, 1894) [ <i>Thlipsogaster</i> ]		<b>Parabombylius coquilletti</b> (Williston, 1899) [ <i>Bombylius</i> ]			4
	<b>Paracosmus</b> Osten Sacken, 1877				1	1
	<i>morrisoni</i> Osten Sacken, 1887					1
	<b>Peringueyimyia</b> Bigot, 1886				1	1
	<i>capensis</i> Bigot, 1886					1
	<b>Petrorossia</b> Bezzi, 1908				7	41
	<i>albifacies</i> (Macquart, 1840) [ <i>Anthrax</i> ]		<b>Desmatoneura albifacies</b> (Macquart, 1840) [ <i>Anthrax</i> ]			1
	<i>fulvipes</i> (Loew, 1860) [ <i>Anthrax</i> ]					2
	<i>fulvula</i> (Wiedemann, 1821) [ <i>Anthrax</i> ]					10
	<i>gratiosa</i> Bezzi, 1912		<b>Petrorossia cognata</b> (Walker, 1849) [ <i>Anthrax</i> ]			2
	<i>hesperus</i> (Rossi, 1790) [ <i>Bibio</i> ]					15
	<i>letho</i> (Wiedemann, 1828) [ <i>Anthrax</i> ]					4
	<i>liliputiana</i> Bezzi, 1925					7
	<b>Phthiria</b> Meigen, 1803				19	47
	<i>canescens</i> Loew, 1846					2
	<i>cingulata</i> Loew, 1846		<b>Neacreotrichus cingulatus</b> (Loew, 1846) [ <i>Phthiria</i> ]			2
	<i>cynocephala</i> Johnson, 1903		<b>Tmemophlebia coquilletti</b> (Johnson, 1902) [ <i>Phthiria</i> ]			2
*	<i>diversa</i> Coquillett, 1894		<b>Neacreotrichus diversus</b> (Coquillett, 1894) [ <i>Phthiria</i> ]			2
	<i>egerminans</i> Loew, 1872		<b>Acreophthiria egerminans</b> (Loew, 1872) [ <i>Phthiria</i> ]			1
	<i>gaedii</i> Wiedemann, 1820					3
	<i>humilis</i> Osten Sacken, 1877		<b>Neacreotrichus humilis</b> (Osten Sacken, 1877) [ <i>Phthiria</i> ]			2
*	<i>lanigera</i> Bezzi, 1921					1
	<i>notata</i> Bigot, 1862		<b>Phthiria umbripennis</b> Loew, 1846			2
	<i>notata</i> Loew, 1863		<b>Phthiria loewi</b> Painter, 1965			2
	<i>pulicaria</i> (Mikan, 1796) [ <i>Bombylius</i> ]					3

## Bombyliidae

## Phthiria

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
*	<b><i>pulla</i></b> Bezzi, 1922					1
	<i>punctipennis</i> Walker, 1849		<b><i>Poecilognathus punctipennis</i></b> (Walker, 1849) [ <i>Phthiria</i> ]			1
	<b><i>scutellaris</i></b> Wiedemann, 1820					3
	<i>similis</i> Coquillett, 1894		<b><i>Acreophthiria simile</i></b> (Coquillett, 1894) [ <i>Phthiria</i> ]			2
	<b><i>subnitens</i></b> Loew, 1846					2
	<i>sulphurea</i> Loew, 1863		<b><i>Poecilognathus sulphureus</i></b> (Loew, 1863) [ <i>Phthiria</i> ]			11
	<b><i>umbripennis</i></b> Loew, 1846					3
*	<b><i>xanthaspis</i></b> Bezzi, 1925					2
	<b><i>Pipunculopsis</i></b> Bezzi, 1925				1	1
*	<b><i>bivittata</i></b> Bezzi, 1925					1
	<b><i>Plesiocera</i></b> Macquart, 1840				3	4
	<i>algira</i> Macquart, 1840					2
*	<i>biumbonata</i> Bezzi, 1922		<b><i>Epacmoides biumbonatus</i></b> (Bezzi, 1922) [ <i>Plesiocera</i> ]			1
*	<i>integra</i> Bezzi, 1922		<b><i>Prorostoma integrum</i></b> (Bezzi, 1956) [ <i>Plesiocera</i> ]			1
	<b><i>Ploas</i></b> Latreille, 1804		<b><i>Conophorus</i></b> Meigen, 1803		2	6
	<i>fenestrata</i> Osten Sacken, 1877		<b><i>Conophorus fenestratus</i></b> (Osten Sacken, 1877) [ <i>Ploas</i> ]			2
	<i>virescens</i> (Fabricius, 1787) [ <i>Bombylius</i> ]		<b><i>Conophorus virescens</i></b> (Fabricius, 1787) [ <i>Bombylius</i> ]			4
	<b><i>Poecilanthrax</i></b> Osten Sacken, 1886				7	38
	<i>alcyon</i> (Say, 1824) [ <i>Anthrax</i> ]					15
	<i>alpha</i> (Osten Sacken, 1877) [ <i>Anthrax</i> ]					6
	<i>arethusia</i> (Osten Sacken, 1886) [ <i>Anthrax</i> ]					5
*	<b><i>autumnalis</i></b> (Cole, 1917) [ <i>Anthrax</i> ]					2
	<i>ceyx</i> (Loew, 1869) [ <i>Anthrax</i> ]		<b><i>Poecilanthrax demogorgon</i></b> (Walker, 1849) [ <i>Anthrax</i> ]			3
*	<b><i>pilosa</i></b> (Cole, 1917) [ <i>Anthrax</i> ]					3
*	<b><i>willistoni</i></b> (Coquillett, 1887) [ <i>Anthrax</i> ]					4
	<b><i>Prorhachtes</i></b>		<b><i>Prorachthes</i></b> Loew, 1868		1	1
*	<b><i>longirostris</i></b> Bezzi, 1925					1
	<b><i>Prothaplocnemis</i></b> Bezzi, 1925				1	1
	<i>anthracina</i> (Becker, 1902) [ <i>Argyramoeba</i> ]					1
	<b><i>Psiatholasius</i></b> Becker, 1906		<b><i>Legnotomyia</i></b> Bezzi, 1902		1	1
*	<i>fascipennis</i> (Bezzi, 1925) [ <i>Legnotomyia</i> ]		<b><i>Legnotomyia fascipennis</i></b> Bezzi, 1925			1
	<b><i>Pteraulax</i></b> Bezzi, 1921				1	2
	<i>braunsi</i> Bezzi, 1922					2
	<b><i>Pterobates</i></b> Bezzi, 1921				2	9
	<i>apicalis</i> (Wiedemann, 1821) [ <i>Anthrax</i> ]					6



## Bombyliidae

## Pterobates

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>chalybaea</b> (Roder, 1887) [ <i>Exoprosopa</i> ]					3
	<b>Rhabdopselaphus</b> Bigot, 1886		<b>Apolysis</b> Loew, 1860		2	2
	<i>setosus</i> (Cresson, 1915) [ <i>Pseudogeron</i> ]		<b>Apolysis setosa</b> (Cresson, 1915) [ <i>Pseudogeron</i> ]			0
	<i>sigma</i> (Coquillett, 1902) [ <i>Geron</i> ]		<b>Apolysis sigma</b> (Coquillett, 1902) [ <i>Geron</i> ]			2
	<b>Satyramoeba</b> Sack, 1909				1	7
	<i>etrusca</i> (Fabricius, 1794) [ <i>Anthrax</i> ]		<b>Satyramoeba hetrusca</b> (Fabricius, 1794) [ <i>Anthrax</i> ]			7
	<b>Sisyrophanus</b> Karsch, 1886				1	1
*	<b>abdominalis</b> Bezzi, 1924					1
	<b>Sparnopolius</b> Loew, 1855				4	25
	<i>caminarius</i> (Wiedemann, 1830) [ <i>Bombylius</i> ]		<b>Euprepina caminaria</b> (Wiedemann, 1830) [ <i>Bombylius</i> ]			3
	<i>cumatilis</i> Grote, 1867					1
	<i>fulvus</i> (Wiedemann, 1821) [ <i>Bombylius</i> ]		<b>Sparnopolius confusus</b> (Wiedemann, 1824) [ <i>Bombylius</i> ]			20
	<i>melampogon</i> (Philippi, 1865) [ <i>Bombylius</i> ]		<b>Nothoschistus melampogon</b> (Philippi, 1865) [ <i>Bombylius</i> ]			1
	<b>Spogostylum</b> Macquart, 1840				2	2
	<i>argyropyga</i> (Wiedemann, 1828) [ <i>Anthrax</i> ]		<b>Anthrax argyropyga</b> Wiedemann, 1828			1
	<i>limatulus</i> (Say, 1829) [ <i>Anthrax</i> ]		<b>Anthrax limatulus</b> Say, 1829			1
	<b>Spongostylum</b> Agassiz, 1847		<b>Spogostylum</b> Macquart, 1840		2	10
	<i>incisuralis</i> (Macquart, 1840) [ <i>Anthrax</i> ]		<b>Spogostylum incisurale</b> (Macquart, 1840) [ <i>Anthrax</i> ]			9
	<i>ocyale</i> (Wiedemann, 1828) [ <i>Anthrax</i> ]		<b>Spogostylum ocyale</b> (Wiedemann, 1828) [ <i>Anthrax</i> ]			1
	<b>Stomylomyia</b> Bigot, 1888				3	4
*	<b>aegyptiaca</b> Bezzi, 1925					1
*	<b>pusilla</b> Bezzi, 1925					2
	<b>tenella</b> (Loew, 1869) [ <i>Tomomyza</i> ]					1
	<b>Stonyx</b> Osten Sacken, 1886				1	2
	<i>clelia</i> Osten Sacken, 1886					2
	<b>Systoechus</b> Loew, 1855				20	113
	<i>albidus</i> Loew, 1860					2
	<i>aurulentus</i> (Wiedemann, 1820) [ <i>Bombylius</i> ]					9
	<i>autumnalis</i> (Pallas & Wiedemann, 1818) [ <i>Bombylius</i> ]					5
	<i>candidulus</i> Loew, 1863					5
	<i>ctenopterus</i> (Mikan, 1796) [ <i>Bombylius</i> ]					37
	<i>exilipes</i> Bezzi, 1923					2
*	<b>goliath</b> Bezzi, 1922					1
	<i>gradatus</i> (Wiedemann, 1820) [ <i>Bombylius</i> ]					1
	<i>leucophaeus</i> (Meigen, 1820) [ <i>Bombylius</i> ]		<b>Systoechus gradatus</b> (Wiedemann, 1820) [ <i>Bombylius</i> ]			6

## Bombyliidae

## Systoechus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #	
	<i>lucidus</i> (Loew, 1855) [ <i>Bombylius</i> ]					3	
	<i>melampogon</i> Bezzi, 1912					1	
	<i>mixtus</i> (Wiedemann, 1821) [ <i>Bombylius</i> ]					4	
	<i>nigripes</i> Loew, 1863					2	
	<i>oreas</i> Osten Sacken, 1877					4	
	<i>robustus</i> Bezzi, 1912					2	
	<i>simplex</i> Loew, 1860					2	
	<i>solitus</i> (Walker, 1849) [ <i>Bombylius</i> ]					8	
	<i>sulphureus</i> (Mikan, 1796) [ <i>Bombylius</i> ]		<i>Systoechus ctenopterus</i> (Mikan, 1796) [ <i>Bombylius</i> ]			8	
	<i>tumidifrons</i> Bezzi, 1921					1	
	<i>vulgaris</i> Loew, 1863					10	
<b>Systropus</b> Wiedemann, 1820						<b>12</b>	<b>43</b>
*	<i>bakeri</i> Bezzi					3	
*	<i>barbilellinii</i> Bezzi, 1905					4	
*	<i>chinensis</i> Bezzi, 1905					6	
*	<i>cyanescens</i> Bezzi					2	
	<i>fumipennis</i> Westwood, 1842					1	
*	<i>lanatus</i> Bezzi					10	
	<i>macer</i> Loew, 1863					8	
	<i>polistoidea</i> Westwood, 1876					1	
*	<i>sanguineus</i> Bezzi, 1921					2	
*	<i>silvestrii</i> Bezzi, 1914					2	
*	<i>valdezi</i> Bezzi, 1917					3	
*	<i>vitalisianus</i> Bezzi					1	
<b>Thyridanthrax</b> Osten Sacken, 1886						<b>30</b>	<b>126</b>
	<i>abruptus</i> (Loew, 1860) [ <i>Anthrax</i> ]		<i>Exhyalanthrax abruptus</i> (Loew, 1860) [ <i>Anthrax</i> ]			3	
*	<i>auctellus</i> Shiraki, 1932		<i>Exhyalanthrax auctellus</i> (Shiraki, 1932) [ <i>Thyridanthrax</i> ]			7	
	<i>chilensis</i> (Philippi, 1865) [ <i>Anthrax</i> ]		<i>Paranthrax rufiventris</i> (Blanchard, 1852) [ <i>Anthrax</i> ]			6	
*	<i>chionophorus</i> Bezzi, 1925		<i>Laminanthrax chionophorus</i> (Bezzi, 1925) [ <i>Thyridanthrax</i> ]			4	
	<i>circe</i> (Klug, 1832) [ <i>Anthrax</i> ]		<i>Pachyanthrax circe</i> (Klug, 1832) [ <i>Anthrax</i> ]			3	
	<i>elegans</i> (Wiedemann, 1820) [ <i>Anthrax</i> ]					21	
	<i>fenestratus</i> (Fallen, 1814) [ <i>Anthrax</i> ]					6	
	<i>flammiger</i> (Walker, 1849) [ <i>Anthrax</i> ]		<i>Exhyalanthrax flammiger</i> (Walker, 1849) [ <i>Anthrax</i> ]			2	
	<i>gallus</i> (Loew, 1869) [ <i>Anthrax</i> ]		<i>Thyridanthrax perspicillaris</i> (Loew, 1869) [ <i>Anthrax</i> ]			13	
	<i>griseolus</i> (Klug, 1832) [ <i>Anthrax</i> ]					3	
	<i>hispanus</i> (Loew, 1869) [ <i>Anthrax</i> ]					4	
	<i>incanus</i> (Klug, 1832) [ <i>Anthrax</i> ]					6	
*	<i>indigenus</i> (Becker, 1908) [ <i>Anthrax</i> ]					3	
	<i>laetus</i> Loew, 1860					3	
	<i>latona</i> (Wiedemann, 1828) [ <i>Anthrax</i> ]		<i>Veribubo latonus</i> (Wiedemann, 1828) [ <i>Anthrax</i> ]			4	
	<i>lemniscatus</i> (Philippi, 1865) [ <i>Anthrax</i> ]		<i>Hemipenthes gayi</i> (Macquart, 1840) [ <i>Anthrax</i> ]			1	

## Bombyliidae

## Thyridanthrax

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>lotus</i> (Loew, 1869) [ <i>Anthrax</i> ]					5
	<i>macquarti</i> Bezzi, 1912					2
*	<i>melanopleurus</i> Bezzi, 1912		<i>Exhyalanthrax melanopleurus</i> (Bezzi, 1912) [ <i>Thyridanthrax</i> ]			1
	<i>misellus</i> (Loew, 1869) [ <i>Anthrax</i> ]		<i>Veribubo misellus</i> (Loew, 1869) [ <i>Anthrax</i> ]			3
	<i>nubilus</i> (Dufour, 1852) [ <i>Anthrax</i> ]		<i>Thyridanthrax nebulosus</i> (Dufour, 1852) [ <i>Anthrax</i> ]			2
	<i>obliteratus</i> Loew, 1862					3
	<i>perspicillaris</i> (Loew, 1869) [ <i>Anthrax</i> ]					9
	<i>polyphemus</i> (Meigen, 1820) [ <i>Anthrax</i> ]					2
	<i>subperspicillaris</i> Bezzi, 1924					3
	<i>tabaninus</i> Bezzi, 1925		<i>Veribubo tabaninus</i> (Bezzi, 1925) [ <i>Thyridanthrax</i> ]			1
*	<i>ternarius</i> Bezzi, 1920		<i>Thyridanthrax perspicillaris</i> (Loew, 1869) [ <i>Anthrax</i> ]			3
*	<i>triradiatus</i> Bezzi		<i>Hemipenthes pauper</i> (Becker, 1916) [ <i>Villa</i> ]			1
	<i>unicolor</i> (Becker, 1902) [ <i>Anthrax</i> ]		<i>Exhyalanthrax unicolor</i> (Becker, 1902) [ <i>Anthrax</i> ]			1
	<i>ventruosus</i> (Loew, 1869) [ <i>Anthrax</i> ]		<i>Villa ventruosa</i> (Loew, 1869) [ <i>Anthrax</i> ]			1
<b>Tomomyza</b> Wiedemann, 1820					3	6
*	<i>barbatula</i> Bezzi, 1922					2
*	<i>pallipes</i> Bezzi, 1922					2
*	<i>pictipennis</i> Bezzi, 1921					2
<b>Toxophora</b> Meigen, 1803					7	26
	<i>amphitea</i> Walker, 1849					5
	<i>diploptera</i> Speiser, 1910					2
	<i>epargyra</i> Hermann, 1907					2
	<i>maculata</i> Meigen, 1804		<i>Toxophora fasciculata</i> (Villers, 1789) [ <i>Asilus</i> ]			10
	<i>maculipennis</i> Karsch, 1886					2
	<i>maxima</i> Coquillett, 1886					1
	<i>virgata</i> Osten Sacken, 1877					4
<b>Trinaria</b> Mulsant, 1852						
	<i>tamerlan</i> (Portschinsky, 1887) [ <i>Exoprosopa</i> ]		<i>Exoprosopa Macquart</i> , 1840		1	1
			<i>Exoprosopa tamerlan</i> Portschinsky, 1887			1
<b>Triplasius</b> Loew, 1855					1	1
	<i>bivittatus</i> (Loew, 1855) [ <i>Bombylius</i> ]					1
<b>Usia</b> Latreille, 1802					10	72
	<i>aenea</i> (Rossi, 1794) [ <i>Bombylius</i> ]					4
	<i>atrata</i> (Fabricius, 1798) [ <i>Volucella</i> ]					4
	<i>calva</i> Loew, 1869					4
	<i>forcipata</i> Brulle, 1833					4
	<i>grata</i> Loew, 1856		<i>Parageron gratus</i> (Loew, 1856) [ <i>Usia</i> ]			15
	<i>ignorata</i> Becker, 1906					10
	<i>incisa</i> Wiedemann, 1830		<i>Parageron incisus</i> (Wiedemann, 1830) [ <i>Usia</i> ]			2
	<i>sicula</i> Egger, 1859					6

## Bombyliidae

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #	Usia
	<i>unicolor</i> Loew, 1873						2
	<i>versicolor</i> (Fabricius, 1787) [ <i>Bombylius</i> ]						21
	<b>Villa</b> Lioy, 1864				33		194
	<i>agrippina</i> (Osten Sacken, 1887) [ <i>Anthrax</i> ]						3
	<i>alternata</i> (Say, 1823) [ <i>Anthrax</i> ]						15
	<i>circumdata</i> (Meigen, 1820) [ <i>Anthrax</i> ]		<i>Villa fasciata</i> (Meigen, 1804) [ <i>Anthrax</i> ]				5
	<i>claripennis</i> (Kowarz, 1868) [ <i>Anthrax</i> ]						10
	<i>clarissima</i> (Loew, 1857) [ <i>Anthrax</i> ]						1
	<i>festiva</i> (Philippi, 1865) [ <i>Anthrax</i> ]						3
	<i>fulviana</i> (Say, 1824) [ <i>Anthrax</i> ]						8
	<i>haesitans</i> Becker, 1916						1
	<i>halteralis</i> (Kowarz, 1883) [ <i>Anthrax</i> ]						7
	<i>hottentotta</i> (Linnaeus, 1758) [ <i>Musca</i> ]						16
	<i>humilis</i> (Ruthe, 1831) [ <i>Anthrax</i> ]						16
	<i>hypomelas</i> (Macquart, 1840) [ <i>Anthrax</i> ]						2
	<i>impiger</i> (Coquillett, 1887) [ <i>Anthrax</i> ]		<i>Chrysanthrax edititius</i> (Say, 1829) [ <i>Anthrax</i> ]				3
	<i>inops</i> (Coquillett, 1887) [ <i>Anthrax</i> ]		<i>Hemipenthes inops</i> (Coquillett, 1887) [ <i>Anthrax</i> ]				1
	<i>ixion</i> (Fabricius, 1794) [ <i>Anthrax</i> ]						8
	<i>lateralis</i> (Say, 1823) [ <i>Anthrax</i> ]						22
	<i>leucochila</i> Bezzi, 1921						2
	<i>limbata</i> (Coquillett, 1898) [ <i>Anthrax</i> ]						3
	<i>micrargyra</i> (Walker, 1871) [ <i>Anthrax</i> ]						1
	<i>mira</i> (Coquillett, 1887) [ <i>Anthrax</i> ]		<i>Neodiplocampta mira</i> (Coquillett, 1887) [ <i>Anthrax</i> ]				1
	<i>modesta</i> (Meigen, 1820) [ <i>Anthrax</i> ]						5
	<i>muscaria</i> (Coquillett, 1892) [ <i>Anthrax</i> ]		<i>Villa myximyia</i> Evenhuis, 1978				8
	<i>niphobleta</i> (Loew, 1869) [ <i>Anthrax</i> ]						1
	<i>panisca</i> (Rossi, 1790) [ <i>Bibio</i> ]						5
	<i>paniscoides</i> Bezzi, 1912						1
*	<i>phaeotaenia</i> Bezzi, 1920						16
	<i>quinquefasciata</i> (Wiedemann, 1820) [ <i>Anthrax</i> ]		<i>Villa cana</i> (Meigen, 1804) [ <i>Anthrax</i> ]				18
	<i>senecio</i> (Loew, 1869) [ <i>Anthrax</i> ]						2
	<i>squamigera</i> (Coquillett, 1892) [ <i>Anthrax</i> ]						2
	<i>turbida</i> (Loew, 1869) [ <i>Anthrax</i> ]		<i>Villa fasciata</i> (Meigen, 1804) [ <i>Anthrax</i> ]				5
	<i>ventruosa</i> (Loew, 1869) [ <i>Anthrax</i> ]						1
	<i>vitripennis</i> (Loew, 1860) [ <i>Anthrax</i> ]						1
	<i>vulpecula</i> (Philippi, 1865) [ <i>Anthrax</i> ]		<i>Villa fulvipeda</i> (Rondani, 1863) [ <i>Anthrax</i> ]				1
	<b>Zygodiola</b> Bezzi, 1926		<i>Heteralonia</i> Rondani, 1863		1		2
	<i>normalis</i> (Loew, 1869) [ <i>Exoprosopa</i> ]		<i>Heteralonia normalis</i> (Loew, 1869) [ <i>Exoprosopa</i> ]				2

## Brachystomatidae

## Apalocnemis

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Brachystomatidae</b>				7	15	146
	<b>Apalocnemis</b> Philippi, 1865				1	1
*	<i>cingulata</i> Bezzi, 1909					1
	<b>Boreodromia</b> Coquillett, 1903				1	2
	<i>bicolor</i> (Loew, 1863) [ <i>Synamphoera</i> ]					2
	<b>Brachystoma</b> Meigen, 1822				3	92
	<i>flavicolle</i> Mik, 1887		<b>Brachystoma vesiculosum</b> (Fabricius, 1794) [ <i>Syrphus</i> ]			7
*	<i>occidentalis</i> Melander, 1902					4
	<i>vesiculosum</i> (Fabricius, 1794) [ <i>Syrphus</i> ]					81
	<b>Gloma</b> Meigen, 1822				1	3
	<i>fuscipennis</i> Meigen, 1822					3
	<b>Heleodromia</b> Haliday, 1833				4	32
	<i>fontinalis</i> Haliday, 1833	Empididae	<b>Clinocera fontinalis</b> Haliday, 1833			3
*	<i>pullata</i> (Melander, 1902) [ <i>Sciodromia</i> ]					1
	<i>stagnalis</i> Haliday, 1833	Empididae	<b>Clinocera stagnalis</b> (Haliday, 1833) [ <i>Heleodromia</i> ]			12
	<i>wesmaelii</i> (Macquart, 1835) [ <i>Paramesia</i> ]	Empididae	<b>Clinocera wesmaelii</b> (Macquart, 1835) [ <i>Paramesia</i> ]			16
	<b>Sciodromia</b> Westwood, 1840		<b>Heleodromia</b> Haliday, 1833		3	9
*	<i>curtipes</i> Becker, 1910	Dolichopodidae	<b>Microphorella curtipes</b> Becker, 1910			2
	<i>immaculata</i> Haliday, 1833		<b>Heleodromia immaculata</b> Haliday, 1833			5
	<i>pectinulata</i> Strobl, 1898		<b>Heleodromia pectinulata</b> Strobl, 1898			2
	<b>Trichozepe</b> Rondani, 1856				2	7
	<i>albicincta</i> Frey, 1913		<b>Trichozepe albocincta</b> Boheman, 1864			2
	<i>longicornis</i> (Meigen, 1822) [ <i>Brachistoma</i> ]					5

Braulidae

*Braula*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Braulidae</b>			1	1	1
	<i>Braula</i> Nitzsch, 1818				1	1
	<i>coeca</i> Nitzsch, 1818					1

## Calliphoridae

## Acrophaga

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Calliphoridae</b>				53	157	1974
	<i>Acrophaga</i> Brauer & Bergenstamm, 1891		<b><i>Calliphora</i></b> Robineau-Desvoidy, 1830		1	9
	<i>alpina</i> (Zetterstedt, 1845) [ <i>Sarcophaga</i> ]		<b><i>Calliphora alpina</i></b> (Zetterstedt, 1845) [ <i>Sarcophaga</i> ]			9
	<b><i>Amenia</i></b> Robineau-Desvoidy, 1830				3	6
	<i>leonina</i> (Fabricius, 1775) [ <i>Musca</i> ]					4
	<i>parva</i> Schiner, 1868		<b><i>Amenia chrysame</i></b> (Walker, 1849) [ <i>Dexia</i> ]			1
	<i>stictica</i> Engel, 1925		<b><i>Amenia leonina</i></b> (Fabricius, 1775) [ <i>Musca</i> ]			1
	<i>Amphibolosia</i> Surcouf, 1926		<b><i>Calliphora</i></b> Robineau-Desvoidy, 1830		1	2
	<i>flavipennis</i> (Macquart, 1851) [ <i>Ochromyia</i> ]		<b><i>Calliphora ochracea</i></b> Schiner, 1868			2
	<i>Anthracomomyia</i> Rondani, 1868		<b><i>Morinia</i></b> Robineau-Desvoidy, 1830		1	50
	<i>melanoptera</i> (Fallen, 1817) [ <i>Musca</i> ]		<b><i>Morinia doronici</i></b> (Scopoli, 1763) [ <i>Musca</i> ]			50
	<b><i>Auchmeromyia</i></b> Brauer & Bergenstamm, 1891				1	6
	<i>luteola</i> (Fabricius, 1805) [ <i>Musca</i> ]		<b><i>Auchmeromyia senegalensis</i></b> (Macquart, 1851) [ <i>Ochromyia</i> ]			6
	<b><i>Bengalia</i></b> Robineau-Desvoidy, 1830				9	35
*	<i>fuscipennis</i> Bezzi, 1913					2
	<i>jejuna</i> (Fabricius, 1794) [ <i>Musca</i> ]					6
*	<i>lateralis</i> (Macquart, 1843) [ <i>Anthomyia</i> ]		<b><i>Bengalia torosa</i></b> (Wiedemann, 1818) [ <i>Musca</i> ]			1
	<i>latro</i> Meijere, 1910		<b><i>Bengalia varicolor</i></b> (Fabricius, 1805) [ <i>Musca</i> ]			1
	<i>quadrinotata</i> (Bigot, 1888) [ <i>Ochromyia</i> ]		<b><i>Bengalia torosa</i></b> (Wiedemann, 1818) [ <i>Musca</i> ]			16
*	<i>spinifemorata</i> Villeneuve, 1913					1
*	<i>spurca</i> Brauer & Bergenstamm, 1891		<b><i>Bengalia gaillardi</i></b> Surcouf & Guyon, 1812			4
	<i>surcoufi</i> Senior-White, 1923					3
	<i>varicolor</i> (Fabricius, 1805) [ <i>Musca</i> ]					1
	<b><i>Blepharicnema</i></b> Macquart, 1843				1	1
	<i>splendens</i> Macquart, 1843					1
	<b><i>Booponus</i></b> Aldrich, 1923				1	1
*	<i>intonsus</i> Aldrich, 1923					1
	<i>Caiusa</i> Surcouf, 1920		<b><i>Phumosi</i></b> a Robineau-Desvoidy, 1830		4	11
	<i>indica</i> Surcouf, 1920		<b><i>Phumosi</i></b> a <i>indica</i> (Surcouf, 1920) [ <i>Caiusa</i> ]			1
	<i>nigronitens</i> Senior-White, 1923		<b><i>Phumosi</i></b> a <i>nigronitens</i> (Senior-White, 1923) [ <i>Caiusa</i> ]			4
*	<i>surcoufi</i> Bezzi, 1927		<b><i>Phumosi</i></b> a <i>surcoufi</i> (Bezzi, 1927) [ <i>Caiusa</i> ]			3
	<i>testacea</i> Senior-White, 1923		<b><i>Phumosi</i></b> a <i>testacea</i> (Senior-White, 1923) [ <i>Caiusa</i> ]			3
	<b><i>Calliphora</i></b> Robineau-Desvoidy, 1830				13	160

## Calliphoridae

## Calliphora

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>aucta</i> (Walker, 1853) [ <i>Musca</i> ]		<i>Calliphora vicina</i> Robineau-Desvoidy, 1830			5
	<i>coloradensis</i> Hough, 1899					4
	<i>croceipalpis</i> Jaenicke, 1867					17
	<i>dispar</i> Macquart, 1846		<i>Onesia dispar</i> (Macquart, 1846) [ <i>Calliphora</i> ]			2
	<i>erythrocephala</i> Macquart, 1834					80
*	<i>leucosticta</i> Bezzi, 1927					2
*	<i>morticia</i> Shannon, 1923					2
*	<i>salivaga</i> Bezzi, 1927					1
	<i>semiatra</i> Schiner, 1868		<i>Calliphora peruviana</i> Macquart, 1830			21
	<i>violacea</i> Macquart, 1834		<i>Cochliomyia macellaria</i> (Fabricius, 1775) [ <i>Musca</i> ]			4
	<i>viridescens</i> Robineau-Desvoidy, 1830					5
	<i>vomitorea</i> (Linnaeus, 1758) [ <i>Musca</i> ]					16
*	<i>vomitorea nigribarbis</i> Shannon, 1923		<i>Calliphora terraenovae</i> Macquart, 1851			1
<b>Catapicephala</b> Macquart, 1851					1	5
	<i>splendens</i> Macquart, 1851					5
<b>Chlorobrachycoma</b> Townsend, 1918			<b>Sarconesia</b> Bigot, 1857		1	1
	<i>splendida</i> Townsend, 1918		<i>Sarconesia splendida</i> (Townsend, 1918) [ <i>Chlorobrachycoma</i> ]			1
<b>Choeromyia</b> Roubaud, 1911			<b>Auchmeromyia</b> Brauer & Bergenstamm, 1891		3	7
*	<i>bequaerti</i> Roubaud, 1913		<i>Auchmeromyia bequaerti</i> (Roubaud, 1913) [ <i>Choeromyia</i> ]			2
	<i>choerophaga</i> Roubaud, 1911		<i>Auchmeromyia choerophaga</i> (Roubaud, 1911) [ <i>Choeromyia</i> ]			1
	<i>praegrans</i> (Austen, 1916) [ <i>Cordylobia</i> ]		<i>Pachychoeromyia praegrans</i> (Austen, 1916) [ <i>Cordylobia</i> ]			4
<b>Chrysomyia</b> Macquart, 1835			<b>Chrysomya</b> Robineau-Desvoidy, 1830		14	305
	<i>albiceps</i> (Wiedemann, 1819) [ <i>Musca</i> ]		<i>Chrysomya albiceps</i> (Wiedemann, 1819) [ <i>Musca</i> ]			6
	<i>bezziana</i> Villeneuve, 1914		<i>Chrysomya bezziana</i> Villeneuve, 1914			11
	<i>bibula</i> (Wiedemann, 1830) [ <i>Musca</i> ]		<i>Chrysomya albiceps</i> (Wiedemann, 1819) [ <i>Musca</i> ]			22
	<i>chloropyga</i> (Wiedemann, 1818) [ <i>Musca</i> ]		<i>Chrysomya chloropyga</i> (Wiedemann, 1818) [ <i>Musca</i> ]			44
	<i>combrea</i> (Walker, 1859) [ <i>Musca</i> ]		<i>Chrysomya megacephala</i> (Fabricius, 1794) [ <i>Musca</i> ]			5
	<i>desvoidyi</i> Hough, 1900		<i>Paralucilia fulvinota</i> (Bigot, 1877) [ <i>Somomyia</i> ]			44
	<i>incisuralis</i> (Macquart, 1851) [ <i>Ochromyia</i> ]		<i>Chrysomya incisuralis</i> (Macquart, 1851) [ <i>Ochromyia</i> ]			15
	<i>marginalis</i> (Wiedemann, 1830) [ <i>Musca</i> ]		<i>Chrysomya regalis</i> Robineau-Desvoidy, 1830			15
	<i>megacephala</i> (Fabricius, 1794) [ <i>Musca</i> ]		<i>Chrysomya megacephala</i> (Fabricius, 1794) [ <i>Musca</i> ]			100
	<i>micropogon</i> (Bigot, 1888) [ <i>Somomyia</i> ]		<i>Chrysomya saffrana</i> (Bigot, 1877) [ <i>Somomyia</i> ]			4
	<i>putoria</i> (Wiedemann, 1830) [ <i>Musca</i> ]		<i>Chrysomya putoria</i> (Wiedemann, 1830) [ <i>Musca</i> ]			16
	<i>ruffacies</i> (Macquart, 1843) [ <i>Lucilia</i> ]		<i>Chrysomya ruffacies</i> (Macquart, 1843) [ <i>Lucilia</i> ]			14
*	<i>tellinii</i> Bezzi, 1908		<i>Chrysomya inclinata</i> Walker, 1861			6
*	<i>villeneuvi</i> Patton, 1922		<i>Chrysomya villeneuvi</i> Patton, 1922			3
<b>Cochliomyia</b> Townsend, 1915					1	67
	<i>macellaria</i> (Fabricius, 1775) [ <i>Musca</i> ]					67



## Calliphoridae

## Cordylobia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Cordylobia</b> Grunberg, 1903				2	7
	<i>anthropophaga</i> (Blanchard & Berenger-Feraud, 1872) [ <i>Ochromyia</i> ]					6
	<i>rodhaini</i> Gedoelst, 1910					1
	<b>Cynomyia</b> Macquart, 1835		<b>Cynomyia</b> Robineau-Desvoidy, 1830		3	27
	<i>cadaverina</i> Robineau-Desvoidy, 1830					15
	<i>hirta</i> Hough, 1898					1
	<i>mortuorum</i> (Linnaeus, 1761) [ <i>Musca</i> ]					11
	<b>Cynomyopsis</b> Townsend, 1915		<b>Cynomyia</b> Robineau-Desvoidy, 1830		1	3
	<i>elongata</i> (Hough, 1898) [ <i>Cynomyia</i> ]		<i>Cyanus elongatus</i> (Hough, 1898) [ <i>Cynomyia</i> ]			3
	<b>Engyops</b> Brauer & Bergenstamm, 1889		<b>Eggisops</b> Rondani, 1862		1	7
	<i>pecchioli</i> Rondani, 1862		<i>Eggisops pecchioli</i> Rondani, 1862			7
	<b>Eucalliphora</b> Townsend, 1908		<b>Calliphora</b> Robineau-Desvoidy, 1830		1	10
	<i>latifrons</i> (Hough, 1899) [ <i>Calliphora</i> ]		<i>Calliphora latifrons</i> Hough, 1899			10
	<b>Euphmosia</b> Malloch, 1926				1	3
	<i>papua</i> (Guerin-Meneville, 1831) [ <i>Calliphora</i> ]					3
	<b>Helicobosca</b> Bezzi, 1906		<b>Eurychaeta</b> Brauer & Bergenstamm, 1891		3	38
	<i>distinguenda</i> Villeneuve, 1924		<i>Eurychaeta palpalis</i> (Robineau-Desvoidy, 1830) [ <i>Theria</i> ]			4
	<i>muscaria</i> (Meigen, 1826) [ <i>Sarcophaga</i> ]		<i>Eurychaeta muscaria</i> (Meigen, 1826) [ <i>Sarcophaga</i> ]			31
	<i>nigrapex</i> Villeneuve, 1910		<i>Eurychaeta nigrapex</i> (Villeneuve, 1910) [ <i>Helicobosca</i> ]			3
	<b>Hypopygiopsis</b> Townsend, 1916				1	3
	<i>splendens</i> Townsend, 1916		<i>Hypopygiopsis fumipennis</i> (Walker, 1856) [ <i>Musca</i> ]			3
	<b>Lucilia</b> Robineau-Desvoidy, 1830				22	423
	<i>albopilosa</i> Senior-White, 1926		<i>Hemipyrellia ligurriens</i> (Wiedemann, 1830) [ <i>Musca</i> ]			17
	<i>australis</i> Townsend, 1908		<i>Lucilia caeruleiviridis</i> Macquart, 1855			3
	<i>caesar</i> (Linnaeus, 1758) [ <i>Musca</i> ]					120
*	<i>calviceps</i> Bezzi, 1927					5
	<i>coerulea</i> (Wiedemann, 1819) [ <i>Musca</i> ]	Muscidae	<i>Neomyia timorensis</i> (Robineau-Desvoidy, 1830) [ <i>Lucilia</i> ]			2
	<i>cuprina</i> (Wiedemann, 1830) [ <i>Musca</i> ]					10
	<i>cyanea</i> Robineau-Desvoidy, 1863					8
	<i>cyaneomarginata</i> Macquart, 1851		<i>Lucilia papuensis</i> Macquart, 1843			1
	<i>ditissima</i> (Walker, 1861) [ <i>Musca</i> ]	Rhiniidae	<i>Isomyia ditissima</i> (Walker, 1861) [ <i>Musca</i> ]			3
*	<i>elongata</i> Shannon, 1924					2
	<i>eximia</i> (Wiedemann, 1819) [ <i>Musca</i> ]					23
	<i>fortunata</i> (Walker, 1859) [ <i>Musca</i> ]		<i>Hemipyrellia ligurriens</i> (Wiedemann, 1830) [ <i>Musca</i> ]			47
	<i>illustris</i> (Meigen, 1826) [ <i>Musca</i> ]					2

## Calliphoridae

Calliphoridae							<i>Lucilia</i>
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #	
	<i>inducta</i> (Walker, 1853) [ <i>Musca</i> ]		<i>Lucilia papuensis</i> Macquart, 1843			14	
	<i>infuscata</i> Townsend, 1908		<i>Lucilia mexicana</i> Macquart, 1842			2	
	<i>nosocomiorum</i> Doleschall, 1857		<i>Lucilia papuensis</i> Macquart, 1843			8	
	<i>pilatei</i> Hough, 1899		<i>Lucilia cluvia</i> (Walker, 1849) [ <i>Musca</i> ]			1	
	<i>pulchra</i> (Wiedemann, 1830) [ <i>Musca</i> ]		<i>Hemipyrellia pulchra</i> (Wiedemann, 1830) [ <i>Musca</i> ]			6	
*	<i>rhodocera</i> (Bezzi, 1927) [ <i>Hemipyrellia</i> ]		<i>Hemipyrellia rhodocera</i> Bezzi, 1927			2	
	<i>sericata</i> (Meigen, 1826) [ <i>Musca</i> ]					127	
	<i>silvarum</i> (Meigen, 1826) [ <i>Musca</i> ]					12	
	<i>simulatrix</i> (Pandellé, 1896) [ <i>Calliphora</i> ]		<i>Lucilia illustris</i> (Meigen, 1826) [ <i>Musca</i> ]			8	
<b>Melanodexia</b> Williston, 1893					1	4	
	<i>tristis</i> Williston, 1893					4	
<b>Melanomyia</b> Rondani, 1868			<b>Melanomya</b> Rondani, 1856		1	11	
	<i>nana</i> (Meigen, 1826) [ <i>Dexia</i> ]					11	
<b>Melinda</b> Robineau-Desvoidy, 1830					2	71	
	<i>cognata</i> (Meigen, 1830) [ <i>Musca</i> ]					66	
	<i>polita</i> (Mik, 1884) [ <i>Onesia</i> ]		<i>Bellardia polita</i> (Mik, 1884) [ <i>Onesia</i> ]			5	
<b>Mesembrinella</b> Giglio-Tos, 1893					8	20	
	<i>aeneiventris</i> (Wiedemann, 1830) [ <i>Dexia</i> ]					1	
	<i>batesi</i> Aldrich, 1922					1	
*	<i>bellardiana</i> Aldrich, 1922					5	
	<i>bicolor</i> Giglio-Tos, 1893		<i>Mesembrinella socors</i> (Walker, 1861) [ <i>Calliphora</i> ]			5	
	<i>brunnipes</i> Surcouf, 1920					1	
	<i>quadrilineata</i> (Fabricius, 1805) [ <i>Musca</i> ]		<i>Mesembrinella flavipennis</i> (Macquart, 1843) [ <i>Ochromyia</i> ]			2	
	<i>randa</i> (Walker, 1849) [ <i>Dexia</i> ]					3	
*	<i>umbrosa</i> Aldrich, 1922					2	
<b>Microcalliphora</b> Townsend, 1916			<b>Chrysomya</b> Robineau-Desvoidy, 1830		2	8	
*	<i>flavifrons</i> Aldrich, 1925		<i>Chrysomya flavifrons</i> (Aldrich, 1925) [ <i>Microcalliphora</i> ]			2	
	<i>varipes</i> (Macquart, 1851) [ <i>Lucilia</i> ]		<i>Chrysomya varipes</i> (Macquart, 1851) [ <i>Lucilia</i> ]			6	
<b>Neocalliphora</b> Brauer & Bergenstamm, 1891			<b>Calliphora</b> Robineau-Desvoidy, 1830		3	6	
	<i>auronotata</i> (Macquart, 1855) [ <i>Pollenia</i> ]		<i>Ptilonesia auronotata</i> (Macquart, 1855) [ <i>Pollenia</i> ]			1	
	<i>hyalipennis</i> (Macquart, 1851) [ <i>Ochromyia</i> ]		<i>Calliphora nigrithorax</i> Malloch, 1927			1	
	<i>quadrinaculata</i> (Swederus, 1787) [ <i>Musca</i> ]		<i>Calliphora quadrinaculata</i> (Swederus, 1787) [ <i>Musca</i> ]			4	
<b>Neopollenia</b> Brauer, 1899			<b>Calliphora</b> Robineau-Desvoidy, 1830		6	12	
	<i>augur</i> (Fabricius, 1775) [ <i>Musca</i> ]		<i>Calliphora augur</i> (Fabricius, 1775) [ <i>Musca</i> ]			1	
	<i>clausa</i> (Macquart, 1848) [ <i>Calliphora</i> ]		<i>Onesia clausa</i> (Macquart, 1848) [ <i>Calliphora</i> ]			1	
	<i>dichromata</i> (Bigot, 1888) [ <i>Phumosi</i> ]		<i>Calliphora dichromata</i> (Bigot, 1888) [ <i>Phumosi</i> ]			1	
	<i>stygia</i> (Fabricius, 1781) [ <i>Musca</i> ]		<i>Calliphora stygia</i> (Fabricius, 1781) [ <i>Musca</i> ]			7	

## Calliphoridae

## Neopollenia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>tessellata</i> (Macquart, 1843) [ <i>Calliphora</i> ]		<b><i>Onesia tessellata</i></b> (Macquart, 1843) [ <i>Calliphora</i> ]			1
	<i>tibialis</i> (Macquart, 1846) [ <i>Calliphora</i> ]		<b><i>Onesia tibialis</i></b> (Macquart, 1846) [ <i>Calliphora</i> ]			1
	<b><i>Nitellia</i></b> Robineau-Desvoidy, 1830		<b><i>Pollenia</i></b> Robineau-Desvoidy, 1830		1	28
	<i>atramentaria</i> (Meigen, 1826) [ <i>Musca</i> ]		<b><i>Pollenia atramentaria</i></b> (Meigen, 1826) [ <i>Musca</i> ]			28
	<b><i>Ochromelinda</i></b> Villeneuve, 1915				1	1
*	<i>testacea</i> Villeneuve					1
	<b><i>Onesia</i></b> Robineau-Desvoidy, 1830				3	130
	<i>clausa</i> (Macquart, 1848) [ <i>Calliphora</i> ]					7
	<i>sepulcralis</i> (Meigen, 1826) [ <i>Musca</i> ]					16
	<i>vespillo</i> (Fallen, 1817) [ <i>Musca</i> ]					107
	<b><i>Paralucilia</i></b> Brauer & Bergenstamm, 1891				1	7
	<i>fulvipes</i> (Macquart) [ <i>Calliphora</i> ]		<b><i>Compsomyiops fulvicrura</i></b> (Robineau-Desvoidy, 1830) [ <i>Chrysomyia</i> ]			7
	<b><i>Paramenia</i></b> Brauer & Bergenstamm, 1889				1	1
	<i>semiauriceps</i> Brauer & Bergenstamm, 1889					1
	<b><i>Parapyrellia</i></b> Townsend, 1915		<b><i>Chloroprocta</i></b> Wulp, 1896		1	25
	<i>violacea</i> (Fabricius, 1805) [ <i>Musca</i> ]		<b><i>Chloroprocta idioidea</i></b> (Robineau-Desvoidy, 1830) [ <i>Chrysomya</i> ]			25
	<b><i>Paratricyclea</i></b> Villeneuve, 1913		<b><i>Phumosia</i></b> Robineau-Desvoidy, 1830		2	13
*	<i>imitans</i> Villeneuve, 1916		<b><i>Phumosia imitans</i></b> (Villeneuve, 1916) [ <i>Paratricyclea</i> ]			2
	<i>stabulans</i> (Bezzi, 1908) [ <i>Pollenia</i> ]		<b><i>Phumosia stabulans</i></b> (Bezzi, 1908) [ <i>Pollenia</i> ]			11
	<b><i>Paurothrix</i></b> Bezzi, 1927		<b><i>Melinda</i></b> Robineau-Desvoidy, 1830		1	1
*	<i>xiphophora</i> Bezzi, 1927		<b><i>Melinda xiphophora</i></b> (Bezzi, 1927) [ <i>Paurothrix</i> ]			1
	<b><i>Pericallimyia</i></b> Villeneuve, 1915				2	2
*	<i>majuscula</i> (Villeneuve, 1915) [ <i>Calliphora</i> ]					1
*	<i>versicolor</i> Villeneuve, 1915					1
	<b><i>Phormia</i></b> Robineau-Desvoidy, 1830				2	85
	<i>caerulea</i> Robineau-Desvoidy, 1830		<b><i>Protocalliphora azurea</i></b> (Fallen, 1817) [ <i>Musca</i> ]			26
	<i>regina</i> (Meigen, 1826) [ <i>Musca</i> ]					59
	<b><i>Phumosia</i></b> Robineau-Desvoidy, 1830				2	4
	<i>abdominalis</i> Robineau-Desvoidy, 1830					3
	<i>costata</i> Malloch, 1926					1
	<b><i>Pollenia</i></b> Robineau-Desvoidy, 1830				9	294
*	<i>chrysothrix</i> (Bezzi, 1927) [ <i>Dexopollenia</i> ]					1

## Calliphoridae

Calliphoridae							<i>Pollenia</i>
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #	
	<i>depressa</i> (Meigen, 1826) [ <i>Musca</i> ]						0
	<i>fulvipalpis</i> Macquart, 1835						18
	<i>intermedia</i> Macquart, 1835						1
	<i>pulvillata</i> Rondani, 1862						13
	<i>rudis</i> (Fabricius, 1794) [ <i>Musca</i> ]						196
	<i>vagabunda</i> (Meigen, 1826) [ <i>Musca</i> ]						10
	<i>varia</i> (Meigen, 1826) [ <i>Musca</i> ]						20
	<i>vespillo</i> (Fabricius, 1794) [ <i>Musca</i> ]						35
	<b><i>Polleniopsis</i></b> Townsend, 1917					1	1
	<i>pilosa</i> Townsend, 1917						1
	<b><i>Protocalliphora</i></b> Hough, 1899					5	22
*	<i>avium</i> Shannon & Dobroscky, 1924						1
	<i>azurea</i> (Fallen, 1817) [ <i>Musca</i> ]						3
	<i>coerulea</i> (Robineau-Desvoidy, 1830) [ <i>Onesia</i> ]		<i>Protocalliphora azurea</i> (Fallen, 1817) [ <i>Musca</i> ]				12
*	<i>hirundo</i> Shannon & Dobroscky, 1924						4
*	<i>splendida</i> (Macquart, 1846) [ <i>Calliphora</i> ]		<i>Protocalliphora metallica</i> (Townsend, 1919) [ <i>Phormia</i> ]				2
	<b><i>Protophormia</i></b> Townsend, 1908					1	13
	<i>terraenovae</i> (Robineau-Desvoidy, 1830) [ <i>Phormia</i> ]						13
	<b><i>Sarconesia</i></b> Bigot, 1857					1	1
	<i>chlorogaster</i> (Wiedemann, 1830) [ <i>Sarcophaga</i> ]						1
	<b><i>Sarconesiopsis</i></b> Townsend, 1918		<b><i>Sarconesia</i></b> Bigot, 1857			1	4
	<i>chilensis</i> (Macquart, 1843) [ <i>Calliphora</i> ]		<i>Sarconesia magellanica</i> (Le Guillou, 1842) [ <i>Calliphora</i> ]				4
	<b><i>Steringomyia</i></b> Pokorny, 1889		<b><i>Calliphora</i></b> Robineau-Desvoidy, 1830			3	5
	<i>aldrichia</i> Shannon, 1925		<i>Calliphora aldrichia</i> (Shannon, 1923) [ <i>Steringomyia</i> ]				1
	<i>popoffana</i> (Townsend, 1908) [ <i>Calliphora</i> ]		<i>Calliphora popoffana</i> Townsend, 1908				2
	<i>stylifera</i> Pokorny, 1889		<i>Calliphora stylifera</i> (Pokorny, 1889) [ <i>Steringomyia</i> ]				2
	<b><i>Stilbomyia</i></b> Agassiz, 1846		<b><i>Silbomyia</i></b> Macquart, 1843			2	4
	<i>fulgida</i> (Bigot, 1859) [ <i>Spinthemya</i> ]		<i>Silbomyia fulgida</i> (Bigot, 1859) [ <i>Spinthemya</i> ]				3
	<i>fuscipennis</i> (Fabricius, 1805) [ <i>Musca</i> ]		<i>Silbomyia fuscipennis</i> (Fabricius, 1805) [ <i>Musca</i> ]				1
	<b><i>Tricyclea</i></b> Wulp, 1885					1	4
	<i>semicinerea</i> Bezzi, 1908						4
	<b><i>Xenocalliphora</i></b> Malloch, 1924					1	1
	<i>hortona</i> (Walker, 1849) [ <i>Musca</i> ]						1
	<b><i>Zonochroa</i></b> Brauer & Bergenstamm, 1891		<b><i>Tricyclea</i></b> Wulp, 1885			2	9

## Calliphoridae

## Zonochroa

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>fasciata</i> (Macquart, 1843) [ <i>Ochromyia</i> ]		<b><i>Tricyclea fasciata</i></b> (Macquart, 1843) [ <i>Ochromyia</i> ]			4
*	<i>pterostigma</i> Bezzi, 1914		<b><i>Tricyclea unipunctata</i></b> Curran, 1927			5

## Camillidae

## Camilla

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Camillidae</b>			2	2	9
	<b>Camilla</b> Haliday, 1838				1	5
	<i>glabra</i> (Fallen, 1823) [ <i>Drosophila</i> ]					5
	<i>Oxycamilla</i> Oldenberg, 1914		<b>Camilla</b> Haliday, 1838		1	4
	<i>acutipennis</i> (Loew, 1865) [ <i>Noterophila</i> ]		<i>Camilla acutipennis</i> (Loew, 1865) [ <i>Noterophila</i> ]			4

Canacidae				<i>Canace</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Canacidae</b>				3	10	95
<b>Canace</b> Haliday, 1837					3	12
	<i>nasica</i> (Haliday, 1839) [ <i>Ephydra</i> ]					1
	<i>ranula</i> Loew, 1874		<i>Xanthocanace ranula</i> (Loew, 1874) [ <i>Canace</i> ]			6
	<i>salonitana</i> Strobl, 1900					5
<b>Rhinoessa</b> Loew, 1862			<b>Tethina</b> Haliday, 1837		5	79
	<i>cinerea</i> Loew, 1862		<i>Tethina cinerea</i> (Loew, 1862) [ <i>Rhinoessa</i> ]			43
	<i>longirostris</i> Loew, 1865		<i>Tethina longirostris</i> (Loew, 1865) [ <i>Rhinoessa</i> ]			2
	<i>pallipes</i> Loew, 1865		<i>Tethina pallipes</i> (Loew, 1865) [ <i>Rhinoessa</i> ]			15
	<i>pictipes</i> Becker, 1903		<i>Tethina incisuralis</i> (Macquart, 1851) [ <i>Rhinoessa</i> ]			17
	<i>whitmani</i> Melander, 1913		<i>Tethina parvula</i> (Loew, 1869) [ <i>Rhinoessa</i> ]			2
<b>Tethina</b> Haliday, 1837					2	4
	<i>illota</i> (Haliday, 1838) [ <i>Opomyza</i> ]					3
	<i>parvula</i> (Loew, 1869) [ <i>Rhinoessa</i> ]					1

## Canthylloscelidae

*Canthylloscelis*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Canthylloscelidae</b>			1	3	11
	<i>Canthylloscelis</i> Edwards, 1922				3	11
	<i>antennata</i> Edwards, 1922					4
	<i>claripennis</i> Edwards, 1922					1
	<i>nigricoxa</i> Edwards, 1922					6



## Carnidae

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	<i>Carnus</i> specimens #
	<b>Carnidae</b>			2	4	42
	<b><i>Carnus</i></b> Nitzsch, 1818				1	9
	<i>hemapterus</i> Nitzsch, 1818					9
	<b><i>Meoneura</i></b> Rondani, 1856				3	33
	<i>lacteipennis</i> (Fallen, 1823) [ <i>Agromyza</i> ]					7
	<i>obscura</i> (Fallen, 1823) [ <i>Agromyza</i> ]					11
	<i>vagans</i> (Fallen, 1823) [ <i>Agromyza</i> ]					15

## Cecidomyiidae

*Mayetiola*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Cecidomyiidae</b>			2	2	3
	<b><i>Mayetiola</i></b> Kieffer, 1896				1	2
	<i>destructor</i> (Say, 1817) [ <i>Cecidomyia</i> ]					2
	<b><i>Termitomastus</i></b> Silvestri, 1901				1	1
*	<i>leptoproctus</i> Silvestri, 1901					1

## Celyphidae

Celyphus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Celyphidae</b>			2	7	33
	<b>Celyphus</b> Dalman, 1818				4	12
	<i>africanus</i> Walker, 1849		<b>Chamaecelyphus africanus</b> (Walker, 1849) [Celyphus]			1
	<i>karschii</i> Roder, 1893		<b>Celyphus hyalinus</b> Karsch, 1884			2
	<b>obtectus</b> Dalman, 1818					8
	<i>sumatranus</i>					1
	<b>Spaniocelyphus</b> Hendel, 1914				3	21
*	<i>calcaratus</i>					7
	<b>levis</b> (Wulp, 1881) [Celyphus]					6
	<b>scutatus</b> (Wiedemann, 1830) [Celyphus]					8

## Chamaemyiidae

## Acrometopia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Chamaemyiidae</b>				4	18	135
	<b>Acrometopia</b> Schiner, 1862				1	9
	<i>wahlbergi</i> (Zetterstedt, 1846) [ <i>Oxyrhina</i> ]					9
	<b>Leucopis</b> Meigen, 1830				9	62
	<i>annulipes</i> Zetterstedt, 1848					6
	<i>argentata</i> Heeger, 1848					6
	<i>geniculata</i> Zetterstedt, 1855					2
	<i>griseola</i> (Fallen, 1823) [ <i>Anthomyza</i> ]					13
	<i>lusoria</i> Meigen, 1830					8
	<i>obscura</i> Haliday, 1833					11
	<i>palumbi</i> Rondani, 1872					11
	<i>puncticornis</i> Meigen, 1830					4
	<i>talaria</i> Rondani, 1874					1
	<b>Ochtiphila</b> Fallen, 1823		<b>Chamaemyia</b> Meigen, 1803		6	57
	<i>aridella</i> Fallen, 1823		<i>Chamaemyia aridella</i> (Fallen, 1823) [ <i>Ochtiphila</i> ]			11
	<i>elegans</i> Panzer, 1809		<i>Chamaemyia elegans</i> Panzer, 1809			1
	<i>geniculata</i> Zetterstedt, 1838		<i>Chamaemyia geniculata</i> (Zetterstedt, 1838) [ <i>Ochtiphila</i> ]			2
	<i>juncorum</i> Fallen, 1823		<i>Chamaemyia juncorum</i> (Fallen, 1823) [ <i>Ochtiphila</i> ]			10
	<i>maritima</i> Zetterstedt, 1846		<i>Chamaemyia flavipalpis</i> (Haliday, 1838) [ <i>Ochtiphila</i> ]			8
	<i>polystigma</i> Meigen, 1830		<i>Chamaemyia juncorum</i> (Fallen, 1823) [ <i>Ochtiphila</i> ]			25
	<b>Parochthiphila</b> Czerny, 1904				2	7
	<i>coronata</i> (Loew, 1858) [ <i>Ochtiphila</i> ]					4
	<i>spectabilis</i> (Loew, 1858) [ <i>Ochtiphila</i> ]					3

## Chaoboridae

## Chaoborus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Chaoboridae</b>			3	4	9
	<b>Chaoborus</b> Lichtenstein, 1800				2	5
	<i>pallidus</i> (Fabricius, 1781) [ <i>Tipula</i> ]					2
	<i>plumicornis</i> (Fabricius, 1794) [ <i>Tipula</i> ]		<b>Chaoborus</b> <i>crystallinus</i> (De Geer, 1776) [ <i>Tipula</i> ]			3
	<b>Corethra</b> Meigen, 1803		<b>Chaoborus</b> Lichtenstein, 1800		1	2
	<i>velutina</i> Ruthe, 1831		<b>Mochlonyx</b> <i>velutinus</i> (Ruthe, 1831) [ <i>Corethra</i> ]			2
	<b>Eucorethra</b> Underwood, 1903				1	2
	<i>underwoodi</i> Underwood, 1903					2

## Chironomidae

*Cataliptus*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Chironomidae</b>			3	3	26
	<i>Cataliptus</i> Bezzi, 1916				1	2
*	<i>peyerimhoffi</i> Bezzi, 1916					2
	<i>Scopelodromus</i> Chevrel, 1903		<i>Thalassomya</i> Schiner, 1856		1	10
*	<i>isemerina</i> Chevrel, 1903		<i>Thalassomya frauenfeldi</i> Schiner, 1856			10
	<i>Thalassomya</i> Schiner, 1856				1	14
	<i>frauenfeldi</i> Schiner, 1856					14

## Chloropidae

## Anatrichus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Chloropidae</b>				59	203	1561
	<b>Anatrichus</b> Loew, 1860				1	7
	<i>erinaceus</i> Loew, 1860					7
	<b>Anthracophaga</b> Loew, 1866		<b>Chlorops</b> Meigen, 1803		5	20
*	<i>albovariegata</i> (Thomson, 1869) [ <i>Eurhina</i> ]		<i>Anthracophagella albovariegata</i> (Thomson, 1869) [ <i>Eurhina</i> ]			1
	<i>dorsalis</i> Becker, 1912		<i>Parectecephala dorsalis</i> (Becker, 1912) [ <i>Anthracophaga</i> ]			2
	<i>frontosa</i> (Meigen, 1830) [ <i>Chlorops</i> ]		<i>Chlorops frontosus</i> Meigen, 1830			8
	<i>maculosa</i> (Loew, 1872) [ <i>Chlorops</i> ]		<i>Parectecephala maculosa</i> (Loew, 1872) [ <i>Chlorops</i> ]			3
	<i>strigula</i> (Fabricius, 1794) [ <i>Musca</i> ]		<i>Chlorops strigula</i> (Fabricius, 1794) [ <i>Musca</i> ]			6
	<b>Assuania</b> Becker, 1903				1	10
*	<i>thalhammeri</i> (Strobl, 1893) [ <i>Eutropha</i> ]					10
	<b>Cadrema</b> Walker, 1859				1	29
	<i>bilineata</i> (Meijere, 1904) [ <i>Hippelates</i> ]					29
	<b>Calamoncosis</b> Enderlein, 1911				2	3
	<i>minima</i> (Strobl, 1893) [ <i>Lipara</i> ]					1
	<i>tomentosa</i> (Macquart, 1835) [ <i>Gymnopoda</i> ]		<i>Lipara lucens</i> Meigen, 1830			2
	<b>Calcidomyia</b>		<b>Thressa</b> Walker, 1860		2	6
	<i>apicalis</i> Meijere, 1910		<i>Thressa apicalis</i> (Meijere, 1910) [ <i>Calcidomyia</i> ]			4
	<i>punctifera</i> Meijere, 1910		<i>Thressa punctifera</i> (Meijere, 1910) [ <i>Calcidomyia</i> ]			2
	<b>Capnoptera</b> Loew, 1866				1	8
	<i>scutata</i> (Rossi, 1790) [ <i>Musca</i> ]					8
	<b>Cetema</b> Hendel, 1907				4	41
	<i>cereris</i> (Fallen, 1820) [ <i>Oscinis</i> ]					12
	<i>elongatum</i> (Meigen, 1830) [ <i>Chlorops</i> ]					16
	<i>myopinum</i> (Loew, 1866) [ <i>Centor</i> ]					12
	<i>subvittatum</i> (Loew, 1863) [ <i>Oscinis</i> ]					1
	<b>Chaetochlorops</b> Malloch, 1914				1	1
	<i>inquilina</i> (Coquillett, 1898) [ <i>Siphonella</i> ]					1
	<b>Chloropisca</b> Loew, 1866		<b>Thaumatomyia</b> Zenker, 1833		10	103
	<i>appropinqua</i> (Adams, 1903) [ <i>Chlorops</i> ]		<i>Thaumatomyia appropinqua</i> (Adams, 1903) [ <i>Chlorops</i> ]			3
*	<i>elongatula</i> (Becker, 1910) [ <i>Chlorops</i> ]		<i>Thaumatomyia elongatula</i> (Becker, 1910) [ <i>Chlorops</i> ]			2
*	<i>gemina</i> Becker, 1912		<i>Thaumatomyia gemina</i> (Becker, 1912) [ <i>Chloropisca</i> ]			5
	<i>glabra</i> (Meigen, 1830) [ <i>Chlorops</i> ]		<i>Thaumatomyia glabra</i> (Meigen, 1830) [ <i>Chlorops</i> ]			38

## Chloropidae

## Chloropisca

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>grata</i> (Loew, 1863) [ <i>Chlorops</i> ]		<i>Thaumatomyia grata</i> (Loew, 1863) [ <i>Chlorops</i> ]			4
*	<i>luteolimbata</i> Bezzi, 1908		<i>Thaumatomyia luteolimbata</i> (Bezzi, 1908) [ <i>Chloropisca</i> ]			10
	<i>nigricollis</i> Frey, 1923		<i>Chloropsina nigricollis</i> (Frey, 1923) [ <i>Chloropisca</i> ]			1
	<i>notata</i> (Meigen, 1830) [ <i>Chlorops</i> ]		<i>Thaumatomyia notata</i> (Meigen, 1830) [ <i>Chlorops</i> ]			34
	<i>obscura</i> (Zetterstedt, 1838) [ <i>Oscinis</i> ]		<i>Chlorops obscurus</i> (Zetterstedt, 1838) [ <i>Oscinis</i> ]			4
	<i>pullipes</i> (Coquillett, 1898) [ <i>Chlorops</i> ]		<i>Thaumatomyia pullipes</i> (Coquillett, 1898) [ <i>Chlorops</i> ]			2
<b>Chlorops</b> Meigen, 1803					33	205
	<i>assimilis</i> Macquart, 1851		<i>Thaumatomyia glabra</i> (Meigen, 1830) [ <i>Chlorops</i> ]			2
*	<i>brunnipennis</i> Becker, 1912					10
	<i>calceata</i> Meigen, 1830					11
	<i>certima</i> Adams, 1904					8
	<i>dasycera</i> Loew, 1866					2
*	<i>finitima</i> Becker, 1910					7
	<i>fulviceps</i> Roser, 1840					3
	<i>geminata</i> Meigen, 1830					5
	<i>gracilis</i> Meigen, 1830					3
	<i>hirtifrons</i> Loew, 1860					11
	<i>hypostigma</i> Meigen, 1830					13
	<i>interrupta</i> Meigen, 1830					9
	<i>laevifrons</i> Becker, 1911					1
	<i>melanocera</i> Loew, 1863					4
	<i>mellea</i> Loew, 1872		<i>Homaluroides melleus</i> (Loew, 1872) [ <i>Chlorops</i> ]			1
	<i>nasuta</i> (Schrank, 1781) [ <i>Musca</i> ]		<i>Chlorops pumilionis</i> (Bjerkander, 1778) [ <i>Musca</i> ]			10
	<i>nigrithorax</i> Strobl, 1894		<i>Chlorops speciosa</i> Meigen, 1830			2
	<i>ochracea</i> Becker, 1911					13
	<i>planifrons</i> (Loew, 1866) [ <i>Oscinis</i> ]					6
	<i>puncticornis</i> Loew, 1866					2
	<i>ringens</i> Loew, 1866					10
	<i>rubrivittata</i> Adams, 1904					4
	<i>rufina</i> (Zetterstedt, 1848) [ <i>Oscinis</i> ]					5
	<i>sahlbergi</i> Loew, 1863					13
	<i>scalaris</i> Meigen, 1830					1
*	<i>seminigra</i> Becker, 1912					1
	<i>speciosa</i> Meigen, 1830					11
	<i>sulphurea</i> Loew, 1863					4
	<i>taeniopus</i> Meigen, 1830		<i>Chlorops pumilionis</i> (Bjerkander, 1778) [ <i>Musca</i> ]			14
	<i>trivittata</i> Williston, 1896		<i>Parectecephala gundlachi</i> Loew, 1872			7
	<i>troglodytes</i> (Zetterstedt, 1848) [ <i>Oscinis</i> ]					6
	<i>unicolor</i> Loew, 1863		<i>Ectecephala unicolor</i> Loew, 1863			1
	<i>variceps</i> Loew, 1863		<i>Thaumatomyia annulata</i> (Walker, 1849) [ <i>Chlorops</i> ]			5
<b>Chromatopterus</b> Becker, 1910					1	6



## Chloropidae

## Chromatopterum

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
*	<i>elegans</i> Bezzi, 1914		<i>Chloropsina elegans</i> (Bezzi, 1914) [ <i>Chromatopterum</i> ]			6
	<b>Crassiseta</b> Roser, 1840		<b>Elachiptera</b> Macquart, 1835		9	95
	<i>bimaculata</i> Loew, 1845		<i>Elachiptera bimaculata</i> (Loew, 1845) [ <i>Crassiseta</i> ]			11
	<i>cornuta</i> (Fallen, 1820) [ <i>Oscinis</i> ]		<i>Elachiptera cornuta</i> (Fallen, 1820) [ <i>Oscinis</i> ]			28
	<i>costata</i> Loew, 1863		<i>Elachiptera costata</i> (Loew, 1863) [ <i>Crassiseta</i> ]			3
	<i>flavida</i> (Williston, 1896) [ <i>Elachiptera</i> ]		<i>Elachiptera flavida</i> Williston, 1896			4
	<i>megaspis</i> Loew, 1858		<i>Elachiptera megaspis</i> (Loew, 1858) [ <i>Crassiseta</i> ]			12
	<i>nigriceps</i> Loew, 1863		<i>Elachiptera nigriceps</i> (Loew, 1863) [ <i>Crassiseta</i> ]			13
	<i>occipitalis</i> (Becker, 1910) [ <i>Elachiptera</i> ]		<i>Elachiptera occipitalis</i> Becker, 1910			10
	<i>sibirica</i> Loew, 1858		<i>Elachiptera sibirica</i> (Loew, 1858) [ <i>Crassiseta</i> ]			13
	<i>var nigripes</i> (Strobl, 1898) [ <i>Oscinis</i> ]		<i>Oscinella frit</i> (Linnaeus, 1758) [ <i>Musca</i> ]			1
	<b>Dactylothyrea</b> Meijere, 1910				1	5
*	<i>bakeri</i> Malloch, 1931		<i>Dactylothyrea spinipes</i> Becker, 1916			5
	<b>Dicraeus</b> Loew, 1873				4	29
	<i>fulviventris</i> (Meigen, 1838) [ <i>Chlorops</i> ]		<i>Dicraeus tibialis</i> (Macquart, 1838) [ <i>Oscinis</i> ]			2
	<i>ingratus</i> (Loew, 1866) [ <i>Eutropha</i> ]					2
	<i>pallidiventris</i> (Macquart, 1835) [ <i>Oscinis</i> ]		<i>Dicraeus tibialis</i> (Macquart, 1838) [ <i>Oscinis</i> ]			12
	<i>raptus</i> (Haliday, 1838) [ <i>Oscinis</i> ]					13
	<b>Diplotoxa</b> Loew, 1863				4	55
	<i>approximatonevis</i> (Zetterstedt, 1848) [ <i>Oscinis</i> ]		<i>Pseudopachychaeta approximatonevis</i> (Zetterstedt, 1848) [ <i>Oscinis</i> ]			43
*	<i>major</i> Becker, 1912		<i>Diplotoxa nigripes</i> (Coquillett, 1910) [ <i>Chlorops</i> ]			4
	<i>messoria</i> (Fallen, 1820) [ <i>Oscinis</i> ]					4
	<i>versicolor</i> (Loew, 1863) [ <i>Chlorops</i> ]					4
	<b>Disciphus</b> Becker, 1911				1	1
	<i>alatus</i> Becker, 1911					1
	<b>Ectecephala</b> Macquart, 1851				2	2
	<i>laevifrons</i> Becker, 1912					1
*	<i>tincta</i> Becker, 1912					1
	<b>Elachiptera</b> Macquart, 1835				1	4
	<i>brevipennis</i> (Meigen, 1830) [ <i>Chlorops</i> ]					4
	<b>Epicelyphus</b> Becker, 1911		<b>Nomba</b> Walker, 1860		1	10
	<i>boettcheri</i> (Frey, 1923) [ <i>Nomba</i> ]		<i>Nomba boettcheri</i> Frey, 1923			10
	<b>Epichlorops</b> Becker, 1910				1	6
	<i>exilis</i> (Coquillett, 1898) [ <i>Eurina</i> ]					6

## Chloropidae

Chloropidae							<i>Eurina</i>
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #	
	<b><i>Eurina</i> Meigen, 1830</b>				3	9	
	<i>calva</i> Egger, 1862		<i>Platycephala calva</i> (Egger, 1862) [ <i>Eurina</i> ]			5	
	<i>lurida</i> Meigen, 1830					2	
	<i>pubescens</i> Meigen, 1830		<i>Trichieurina pubescens</i> (Meigen, 1830) [ <i>Eurina</i> ]			2	
	<b><i>Eutropha</i> Loew, 1866</b>				1	16	
	<i>fulvifrons</i> (Haliday, 1833) [ <i>Chlorops</i> ]					16	
	<b><i>Gampsocera</i> Schiner, 1862</b>				2	16	
*	<i>decussata</i> Bezzi, 1928					13	
	<i>numerata</i> (Heeger, 1858) [ <i>Chlorops</i> ]					3	
	<b><i>Gaurax</i> Loew, 1863</b>				12	62	
	<i>anchora</i> Loew, 1866		<i>Pseudogaurax anchora</i> (Loew, 1866) [ <i>Gaurax</i> ]			5	
*	<i>apicata</i> Malloch		<i>Gaurax apicalis</i> Malloch, 1915			1	
	<i>bezzii</i> Frey, 1923		<i>Stenoscinis bezzii</i> (Frey, 1923) [ <i>Gaurax</i> ]			6	
	<i>ephippium</i> (Zetterstedt, 1848) [ <i>Oscinis</i> ]		<i>Gaurax dubius</i> (Macquart, 1835) [ <i>Oscinis</i> ]			3	
	<i>hippelinus</i> Frey, 1923		<i>Cestoplectus hippelatinus</i> (Frey, 1923) [ <i>Gaurax</i> ]			2	
	<i>nigricornis</i> Becker, 1911					27	
*	<i>platycephala</i> Bezzi, 1928					1	
	<i>plumiger</i> (Meigen, 1830) [ <i>Chlorops</i> ]		<i>Rhodesiella plumiger</i> (Meigen, 1830) [ <i>Chlorops</i> ]			10	
	<i>pubicollis</i> Becker, 1911					2	
*	<i>splendidus</i> Malloch, 1915					1	
*	<i>stigmatella</i> Bezzi, 1928		<i>Gaurax platycephala</i> Bezzi, 1928			1	
	<i>venustus</i> Czerny, 1906					3	
	<b><i>Haplegis</i> Loew, 1866</b>		<b><i>Cryptonevra</i> Lioy, 1864</b>		2	10	
	<i>flavitarsis</i> (Meigen, 1830) [ <i>Chlorops</i> ]		<i>Cryptonevra flavitarsis</i> (Meigen, 1830) [ <i>Chlorops</i> ]			5	
	<i>tarsata</i> (Fallen, 1820) [ <i>Oscinis</i> ]		<i>Cryptonevra tarsata</i> (Fallen, 1820) [ <i>Oscinis</i> ]			5	
	<b><i>Hippelates</i> Loew, 1863</b>				5	54	
	<i>convexus</i> Loew, 1866		<i>Apallates convexus</i> (Loew, 1866) [ <i>Hippelates</i> ]			12	
	<i>flavipes</i> Loew, 1866		<i>Liohippelates flavipes</i> (Loew, 1866) [ <i>Hippelates</i> ]			16	
*	<i>microcentrus</i> Coquillett, 1904		<i>Apallates microcentrus</i> (Coquillett, 1904) [ <i>Hippelates</i> ]			1	
	<i>plebejus</i> Loew, 1863					15	
	<i>pusio</i> Loew, 1872		<i>Liohippelates pusio</i> (Loew, 1872) [ <i>Hippelates</i> ]			10	
	<b><i>Lagaroceras</i> Becker, 1903</b>				1	5	
*	<i>megalops</i> Becker, 1903					5	
	<b><i>Lasiopleura</i> Becker, 1910</b>				1	5	
	<i>dimorpha</i> (Osten Sacken, 1882) [ <i>Oscinis</i> ]					5	

## Chloropidae

				<i>Lasiosina</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b><i>Lasiosina</i></b> Becker, 1910				2	7
	<i>albipila</i> (Loew, 1866) [ <i>Diplotoxa</i> ]					3
	<i>cinctipes</i> (Meigen, 1830) [ <i>Chlorops</i> ]					4
	<b><i>Leptotrigonum</i></b> Becker, 1912		<b><i>Ectecephala</i></b> Macquart, 1851		1	2
	<i>obscurum</i> (Schiner, 1868) [ <i>Platycephala</i> ]		<i>Ectecephala obscura</i> (Schiner, 1868) [ <i>Platycephala</i> ]			2
	<b><i>Lipara</i></b> Meigen, 1830				1	4
	<i>lucens</i> Meigen, 1830					4
	<b><i>Loxotaenia</i></b> Becker, 1911		<b><i>Neoloxotaenia</i></b> Sabrosky, 1964		1	4
	<i>gracilis</i> (Meijere, 1908) [ <i>Lagaroceras</i> ]		<i>Neoloxotaenia gracilis</i> (Meijere, 1908) [ <i>Lagaroceras</i> ]			4
	<b><i>Luzonia</i></b> Frey, 1923				1	5
	<i>obliquefasciata</i> Frey, 1923		<i>Coniochlorops obliquefasciata</i> (Frey, 1923) [ <i>Luzonia</i> ]			5
	<b><i>Melanochaeta</i></b> Bezzi, 1906				4	37
	<i>capreola</i> (Haliday, 1838) [ <i>Oscinis</i> ]					13
	<i>eunota</i> (Loew, 1872) [ <i>Crassiseta</i> ]					9
	<i>longula</i> (Loew, 1863) [ <i>Crassiseta</i> ]		<i>Eribolus longulus</i> (Loew, 1863) [ <i>Crassiseta</i> ]			11
*	<i>pubescens</i> (Thalhammer, 1898) [ <i>Elachiptera</i> ]					4
	<b><i>Melanum</i></b> Becker, 1910				1	10
	<i>laterale</i> (Haliday, 1833) [ <i>Chlorops</i> ]					10
	<b><i>Meromyza</i></b> Meigen, 1830				7	90
	<i>americana</i> Fitch, 1856					13
	<i>capensis</i> Loew, 1860		<i>Meromyzella capensis</i> (Loew, 1860) [ <i>Meromyza</i> ]			3
	<i>nigriventris</i> Macquart, 1835					11
	<i>pratorum</i> Meigen, 1830					9
	<i>saltatrix</i> (Linnaeus, 1761) [ <i>Musca</i> ]					16
	<i>variegata</i> Meigen, 1830					34
	<i>variegata</i> var <i>femorata</i>					4
	<b><i>Metopostigma</i></b> Becker, 1903				2	10
	<i>sauteri</i> Becker, 1911					2
	<i>tenuiseta</i> (Loew, 1860) [ <i>Chlorops</i> ]					8
	<b><i>Ochtherisoma</i></b> Becker, 1911		<b><i>Aragara</i></b> Walker, 1860		1	6
	<i>imitator</i> Becker, 1911		<i>Aragara imitator</i> (Becker, 1911) [ <i>Ochtherisoma</i> ]			6
	<b><i>Ops</i></b> Becker, 1910		<b><i>Homops</i></b> Speiser, 1923		1	4
	<i>madagascariensis</i> Enderlein, 1911		<i>Homops madagascariensis</i> (Enderlein, 1911) [ <i>Ops</i> ]			4

## Chloropidae

## Oscinella

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Oscinella</b> Becker, 1909				17	183
	<i>albipalpis</i> (Meigen, 1830) [ <i>Chlorops</i> ]		<i>Incertella albipalpis</i> (Meigen, 1830) [ <i>Chlorops</i> ]			6
	<i>albiseta</i> (Meigen, 1830) [ <i>Chlorops</i> ]		<i>Oscinella frit</i> (Linnaeus, 1758) [ <i>Musca</i> ]			6
	<i>anthracina</i> (Meigen, 1830) [ <i>Chlorops</i> ]		<i>Rhopalopterum anthracinum</i> (Meigen, 1830) [ <i>Chlorops</i> ]			13
	<i>cognata</i> (Meigen, 1830) [ <i>Chlorops</i> ]		<i>Oscinosoma cognatum</i> (Meigen, 1830) [ <i>Chlorops</i> ]			22
	<i>coxendix</i> (Fitch, 1856) [ <i>Oscinis</i> ]		<i>Apallates coxendix</i> (Fitch, 1856) [ <i>Oscinis</i> ]			13
*	<i>elegans</i> Becker, 1910		<i>Conioscinella elegans</i> (Becker, 1910) [ <i>Oscinella</i> ]			1
	<i>frit</i> (Linnaeus, 1758) [ <i>Musca</i> ]					72
	<i>frontella</i> (Fallen, 1820) [ <i>Oscinis</i> ]		<i>Conioscinella frontella</i> (Fallen, 1820) [ <i>Oscinis</i> ]			7
	<i>hyalipennis</i> (Meigen, 1838) [ <i>Chlorops</i> ]		<i>Chlorops hyalipennis</i> Meigen, 1838			1
	<i>lagunae</i> (Becker, 1908) [ <i>Oscinis</i> ]		<i>Fiebrigella lagunae</i> (Becker, 1908) [ <i>Oscinis</i> ]			5
	<i>magnipalpis</i> Becker, 1912		<i>Fiebrigella magnipalpis</i> (Becker, 1912) [ <i>Oscinella</i> ]			8
	<i>maura</i> (Fallen, 1820) [ <i>Oscinis</i> ]					5
	<i>nana</i> (Zetterstedt, 1838) [ <i>Oscinis</i> ]		<i>Eribolus nana</i> (Zetterstedt, 1838) [ <i>Oscinis</i> ]			5
	<i>nigripes</i> (Zetterstedt, 1848) [ <i>Oscinis</i> ]		<i>Aphanotrigonum nigripes</i> (Zetterstedt, 1848) [ <i>Oscinis</i> ]			4
	<i>pectoralis</i> Becker, 1910		<i>Arcuator pectoralis</i> (Becker, 1910) [ <i>Oscinella</i> ]			5
	<i>pratensis</i> (Meigen, 1830) [ <i>Chlorops</i> ]		<i>Conioscinella frontella</i> (Fallen, 1820) [ <i>Oscinis</i> ]			4
	<i>subpilosa</i> Becker, 1911		<i>Gaurax subpilosa</i> (Becker, 1911) [ <i>Oscinella</i> ]			6
	<b>Oscinis</b> Latreille, 1804		<b>Chlorops</b> Meigen, 1803		6	26
	<i>curvinervis</i> Latreille, 1805		<i>Camarota curvipennis</i> (Latreille, 1805) [ <i>Oscinis</i> ]			8
	<i>filippina</i>					2
	<i>formosa</i> (Becker, 1911) [ <i>Oscinella</i> ]		<i>Conioscinella formosa</i> (Becker, 1911) [ <i>Oscinella</i> ]			3
	<i>poecilogaster</i> (Becker, 1913) [ <i>Oscinella</i> ]		<i>Conioscinella poecilogaster</i> (Becker, 1911) [ <i>Oscinella</i> ]			3
	<i>variabilis</i> Loew, 1863		<i>Rhopalopterum variabilis</i> (Loew, 1863) [ <i>Oscinis</i> ]			6
	<i>virgata</i> Coquillett, 1898		<i>Biorbitella virgata</i> (Coquillett, 1898) [ <i>Oscinis</i> ]			4
	<b>Oscinosoma</b> aa.vv.		<b>Oscinisoma</b> Lioy, 1864		1	12
*	<i>discretum</i> Bezzi, 1917		<i>Fiebrigella discretum</i> (Bezzi, 1917) [ <i>Oscinisoma</i> ]			12
	<b>Pachylophus</b> Loew, 1858				5	73
	<i>frontalis</i> Loew, 1858					3
	<i>luzonicus</i> Frey, 1923		<i>Neoloxotaenia luzonicus</i> (Frey, 1923) [ <i>Pachylophus</i> ]			8
	<i>proximus</i> Adams, 1905					60
*	<i>tellinii</i> Bezzi, 1908					1
*	<i>varipes</i> Adams, 1905					1
	<b>Parahippelates</b> Becker, 1911		<b>Apotropina</b> Hendel, 1907		1	1
*	<i>costomaculata</i> Malloch, 1924		<i>Apotropina costomaculata</i> (Malloch, 1924) [ <i>Parahippelates</i> ]			1
	<b>Parectecephala</b> Becker, 1910				2	12
	<i>eucera</i> (Loew, 1863) [ <i>Chlorops</i> ]					6
	<i>longicornis</i> (Fallen, 1820) [ <i>Oscinis</i> ]					6

## Chloropidae

## Platycephala

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Platycephala</b> Fallen, 1820				2	10
	<i>planifrons</i> (Fabricius, 1798) [ <i>Musca</i> ]					6
	<i>umbraculata</i> (Fabricius, 1794) [ <i>Musca</i> ]					4
	<b>Pseudeurina</b> Meijere, 1904				1	16
	<i>maculata</i> Meijere, 1904					16
	<b>Pseudopachychaeta</b> Strobl, 1902				1	3
	<i>pachycera</i> (Strobl, 1902) [ <i>Diplotoxa</i> ]					3
	<b>Rhodesiella</b> Adams, 1905				4	19
*	<i>finitima</i> (Becker, 1911) [ <i>Meroscini</i> ]					1
	<i>nitidifrons</i> (Becker, 1911) [ <i>Meroscini</i> ]					5
	sp.					1
	<i>tarsalis</i> (Adams, 1905) [ <i>Rhodesia</i> ]					12
	<b>Scoliophthalmus</b> Becker, 1903				2	4
	<i>obliquus</i>					1
*	<i>philippinus</i>					3
	<b>Sepsidoscenis</b> Hendel, 1914				1	7
	<i>maculipennis</i> Hendel, 1914					7
	<b>Siphonella</b> Macquart, 1835				12	104
	<i>aprica</i> (Meigen, 1830) [ <i>Chlorops</i> ]		<i>Calamoncosis aprica</i> (Meigen, 1830) [ <i>Chlorops</i> ]			2
	<i>cinerea</i> Loew, 1863		<i>Olcella cinerea</i> (Loew, 1863) [ <i>Siphonella</i> ]			4
	<i>flavella</i> (Zetterstedt, 1848) [ <i>Oscinis</i> ]		<i>Dasyopa pygmaea</i> (Meigen, 1838) [ <i>Chlorops</i> ]			6
	<i>longirostris</i> (Loew, 1858) [ <i>Oscinis</i> ]		<i>Oscinimorpha longirostris</i> (Loew, 1858) [ <i>Oscinimorpha</i> ]			1
	<i>nigricornis</i> (Roser, 1840) [ <i>Chlorops</i> ]					4
	<i>oscinina</i> (Fallen, 1820) [ <i>Madiza</i> ]					10
	<i>palposa</i> (Fallen, 1820) [ <i>Oscinimorpha</i> ]		<i>Fiebrigella palposa</i> (Fallen, 1820) [ <i>Oscinis</i> ]			5
	<i>parallela</i> Becker, 1910		<i>Fiebrigella parallela</i> (Becker, 1910) [ <i>Siphonella</i> ]			10
	<i>pumilionis</i> (Bjerkander, 1778) [ <i>Musca</i> ]		<i>Chlorops pumilionis</i> (Bjerkander, 1778) [ <i>Musca</i> ]			14
	<i>ruficornis</i> Macquart, 1835		<i>Polyodaspis ruficornis</i> (Macquart, 1835) [ <i>Siphonella</i> ]			38
	<i>strobli</i> Czerny, 1909		<i>Oscinimorpha novakii</i> (Strobl, 1893) [ <i>Siphonella</i> ]			5
	<i>sulcicollis</i> (Meigen, 1838) [ <i>Chlorops</i> ]		<i>Polyodaspis sulcicollis</i> (Meigen, 1838) [ <i>Chlorops</i> ]			5
	<b>Siphunculina</b> Rondani, 1856				4	37
	<i>aenea</i> (Macquart, 1838) [ <i>Siphonella</i> ]					4
	<i>funicola</i> (Meijere, 1905) [ <i>Siphonella</i> ]					22
	<i>ornatifrons</i> (Loew, 1858) [ <i>Oscinis</i> ]					10
	<i>signata</i> (Wollaston, 1858) [ <i>Oscinis</i> ]		<i>Siphunculina striolata</i> (Wiedemann, 1830) [ <i>Chlorops</i> ]			1

## Chloropidae

Chloropidae				<i>Steleocerus</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b><i>Steleocerus</i> Becker, 1910</b>		<b><i>Mepachymerus</i> Speiser, 1910</b>		3	14
	<i>ensifer</i> (Thomson, 1869) [ <i>Oscinis</i> ]		<b><i>Mepachymerus ensifer</i></b> (Thomson, 1869) [ <i>Oscinis</i> ]			5
	<i>longicollis</i> Becker, 1910		<b><i>Mepachymerus longicollis</i></b> (Becker, 1910) [ <i>Steleocerus</i> ]			3
	<i>obscurellus</i> Becker, 1911		<b><i>Ensiferella obscurella</i></b> (Becker, 1911) [ <i>Steleocerus</i> ]			6
	<b><i>Stenophthalmus</i> Becker, 1903</b>				1	1
	<i>ocellatus</i> Becker, 1903					1
	<b><i>Stenoscinis</i> Malloch, 1918</b>				1	1
	<i>longipes</i> (Loew, 1863) [ <i>Oscinis</i> ]					1
	<b><i>Tricimba</i> Lioy, 1864</b>				3	35
	<i>cincta</i> (Meigen, 1830) [ <i>Chlorops</i> ]					10
	<i>humeralis</i> (Loew, 1858) [ <i>Oscinis</i> ]					12
	<i>trilineata</i> (Meigen, 1830) [ <i>Chlorops</i> ]		<b><i>Aphanotrigonum trilineatum</i></b> (Meigen, 1830) [ <i>Chlorops</i> ]			13
	<b><i>Tylopterna</i> Bezzi, 1916</b>				1	1
*	<i>monstruosum</i> Bezzi, 1916					1

## Chyromyidae

## Aphaniosoma

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Chyromyidae</b>			2	4	68
	<b>Aphaniosoma</b> Becker, 1903				1	2
	<i>quadrinotatum</i> (Becker, 1904) [ <i>Peletophila</i> ]					2
	<b>Chiromyia</b> Agassiz, 1846		<b>Chyromyia</b> Robineau-Desvoidy, 1830		3	66
	<i>flava</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<b>Chyromyia flava</b> (Linnaeus, 1758) [ <i>Musca</i> ]			42
	<i>minima</i> (Becker, 1904) [ <i>Peletophila</i> ]		<b>Gymnochiromyia flavella</b> (Zetterstedt, 1848) [ <i>Anthophilina</i> ]			16
	<i>oppidana</i> (Scopoli, 1763) [ <i>Musca</i> ]		<b>Chyromyia oppidana</b> (Scopoli, 1763) [ <i>Musca</i> ]			8

Clusiidae				<i>Clusia</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Clusiidae</b>				4	11	32
	<b><i>Clusia</i></b> Haliday, 1838				3	13
*	<i>czernyi</i> Johnson, 1913					2
	<i>flava</i> (Meigen, 1830) [ <i>Heteroneura</i> ]					5
	<i>lateralis</i> (Walker, 1849) [ <i>Helomyza</i> ]					6
	<b><i>Clusiodes</i></b> Coquillett, 1904				5	15
	<i>albimana</i> (Meigen, 1830) [ <i>Heteroneura</i> ]					5
	<i>caledonica</i> (Collin, 1912) [ <i>Heteroneura</i> ]					2
	<i>geomyzina</i> (Fallen, 1823) [ <i>Heteroneura</i> ]					1
	<i>melanostoma</i> (Loew, 1864) [ <i>Heteroneura</i> ]					3
	<i>ruficollis</i> (Meigen, 1830) [ <i>Heteroneura</i> ]					4
	<b><i>Heteromeriingia</i></b> Czerny, 1903				2	2
	<i>latifrons</i> (Loew, 1860) [ <i>Heteroneura</i> ]		<i>Sobarocephala latifrons</i> (Loew, 1860) [ <i>Heteroneura</i> ]			1
	<i>sp.</i>					1
	<b><i>Paraclusia</i></b> Czerny, 1903		<b><i>Clusia</i></b> Haliday, 1838		1	2
	<i>tigrina</i> (Fallen, 1820) [ <i>Helomyza</i> ]		<i>Clusia tigrina</i> (Fallen, 1820) [ <i>Helomyza</i> ]			2



## Coelopidae

## Coelopa

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Coelopidae</b>			2	7	41
	<b>Coelopa</b> Meigen, 1830				6	39
*	<i>dasyпода</i> Bezzi, 1908					3
	<i>eximia</i> (Stenhammar, 1854) [ <i>Fucomyia</i> ]					8
	<i>frigida</i> (Fabricius, 1805) [ <i>Musca</i> ]					9
	<i>monstruosa</i> Hutton, 1901		<i>Chaetocoelopa littoralis</i> (Hutton, 1881) [ <i>Coelopa</i> ]			1
	<i>parvula</i> Haliday, 1833		<i>Coelopa frigida</i> (Fabricius, 1805) [ <i>Musca</i> ]			10
	<i>pilipes</i> Haliday, 1838					8
	<b>Malacomyia</b> Haliday, 1840				1	2
	<i>sciomyzina</i> (Haliday, 1833) [ <i>Coelopa</i> ]					2

## Conopidae

## Brachyglossum

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Conopidae</b>				12	116	624
	<i>Brachyglossum</i> Bigot, 1858		<i>Leopoldius</i> Rondani, 1843		7	11
	<i>brevirostris</i> (Germar, 1827) [ <i>Conops</i> ]		<i>Leopoldius brevisrostris</i> (Germar, 1827) [ <i>Conops</i> ]			1
	<i>calceatum</i> Rondani, 1857		<i>Leopoldius calceatus</i> (Rondani, 1857) [ <i>Brachyglossum</i> ]			2
	<i>capitatum</i> (Loew, 1847) [ <i>Conops</i> ]		<i>Abbrachyglossum capitatum</i> (Loew, 1847) [ <i>Conops</i> ]			2
	<i>coronatum</i> Rondani, 1857		<i>Leopoldius coronatus</i> (Rondani, 1857) [ <i>Brachyglossum</i> ]			2
	<i>diadematum</i> (Rondani, 1845) [ <i>Leopoldius</i> ]		<i>Leopoldius diadematus</i> Rondani, 1845			1
	<i>erostratum</i> Rondani, 1843		<i>Leopoldius signatus</i> (Wiedemann, 1824) [ <i>Conops</i> ]			2
*	<i>valvatum</i> Krober, 1914		<i>Leopoldius valvatus</i> (Krober, 1914) [ <i>Brachyglossum</i> ]			1
<b>Conops</b> Linnaeus, 1758					40	193
	<i>affinis</i> Williston, 1882		<i>Physocephala texana</i> (Williston, 1882) [ <i>Conops</i> ]			3
	<i>analís</i> Fabricius, 1805		<i>Physoconops analís</i> (Fabricius, 1805) [ <i>Conops</i> ]			1
	<i>angusta</i> Krober, 1915		<i>Physoconops angustus</i> (Krober, 1915) [ <i>Conops</i> ]			7
	<i>aurata</i> Townsend, 1901		<i>Physoconops auratus</i> (Townsend, 1901) [ <i>Conops</i> ]			2
*	<i>bimaculata</i> Krober, 1915		<i>Physocephala bimaculata</i> (Krober, 1915) [ <i>Conops</i> ]			1
	<i>brachyrrhynchus</i> Macquart, 1843		<i>Physoconops brachyrrhynchus</i> (Macquart, 1843) [ <i>Conops</i> ]			3
	<i>burgessi</i> Williston, 1882		<i>Physocephala burgessi</i> (Williston, 1882) [ <i>Conops</i> ]			3
	<i>chrysorrhoea</i> Meigen, 1824		<i>Physocephala chrysorrhoea</i> (Meigen, 1824) [ <i>Conops</i> ]			1
	<i>discalis</i> Williston, 1892		<i>Physoconops discalis</i> (Williston, 1892) [ <i>Conops</i> ]			2
	<i>elegans</i> Meigen, 1824					1
	<i>erythrocephala</i> Fabricius, 1794		<i>Archiconops erythrocephalus</i> (Fabricius, 1794) [ <i>Conops</i> ]			14
	<i>excisus</i> Wiedemann, 1830		<i>Physoconops excisus</i> (Wiedemann, 1830) [ <i>Conops</i> ]			1
*	<i>fenestrata</i> Krober, 1915		<i>Physoconops fenestratus</i> (Krober, 1915) [ <i>Conops</i> ]			1
	<i>fraterna</i> Loew, 1847		<i>Physocephala vittata</i> (Fabricius, 1794) [ <i>Conops</i> ]			10
	<i>furcillata</i> Williston, 1882		<i>Physocephala furcillata</i> (Williston, 1882) [ <i>Conops</i> ]			5
	<i>gracilis</i> Williston, 1885		<i>Physoconops gracilis</i> (Williston, 1885) [ <i>Conops</i> ]			1
	<i>interrupta</i> var <i>flavifacies</i> (Krober, 1915) [ <i>Physocephala</i> ]		<i>Physocephala maculipes</i> (Bigot, 1887) [ <i>Conops</i> ]			14
*	<i>interruptus</i> Bezzi, 1901		<i>Physocephala maculipes</i> (Bigot, 1887) [ <i>Conops</i> ]			6
	<i>lacera</i> Meigen, 1824		<i>Physocephala lacera</i> (Meigen, 1824) [ <i>Conops</i> ]			2
	<i>laticincta</i> Brulle, 1833		<i>Physocephala laticincta</i> (Brulle, 1833) [ <i>Conops</i> ]			2
	<i>maculigera</i> Krober, 1915		<i>Physocephala maculigera</i> Krober, 1915			3
	<i>nigra</i> De Geer, 1776		<i>Physocephala nigra</i> (De Geer, 1776) [ <i>Conops</i> ]			2
*	<i>nubeculipennis</i> Bezzi, 1901					3
	<i>nubeculosus</i> Bigot, 1887					1
*	<i>ornatifrons</i> Krober, 1915		<i>Physoconops ornatifrons</i> (Krober, 1915) [ <i>Conops</i> ]			2
	<i>pusilla</i> Meigen, 1824		<i>Physocephala pusilla</i> (Meigen, 1824) [ <i>Conops</i> ]			3
*	<i>rondanii</i> Bezzi, 1901					4
	<i>rufipes</i> Fabricius, 1781		<i>Physocephala rufipes</i> (Fabricius, 1781) [ <i>Conops</i> ]			61
	<i>rufiventris</i> Macquart, 1849					1
	<i>sagittarius</i> Say, 1823		<i>Physocephala sagittaria</i> (Say, 1823) [ <i>Conops</i> ]			3
	<i>sequax</i> Williston, 1892		<i>Physoconops sequax</i> (Williston, 1892) [ <i>Conops</i> ]			1

## Conopidae

Conopidae				Conops		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>silaceus</i> Wiedemann, 1824					1
	<i>silvosus</i> Williston, 1882		<i>Physoconops sylvosus</i> (Williston, 1882) [Conops]			3
*	<i>striatifrons</i> Krober, 1915		<i>Physoconops nigrimanus</i> (Bigot, 1887) [Conops]			1
	<i>strigatus</i> Wiedemann, 1824					5
	<i>testacea</i> Wulp, 1883		<i>Physocephala wulpi</i> Camras, 1996			3
	<i>texana</i> Williston, 1882		<i>Physocephala texana</i> (Williston, 1882) [Conops]			1
	<i>tibialis</i> Say, 1829		<i>Physocephala tibialis</i> (Say, 1829) [Conops]			3
	<i>truncata</i> Loew, 1847		<i>Physocephala truncata</i> (Loew, 1847) [Conops]			3
	<i>vittata</i> Fabricius, 1794		<i>Physocephala vittata</i> (Fabricius, 1794) [Conops]			9
<b>Dalmannia</b> Robineau-Desvoidy, 1830					5	18
	<i>aculeata</i> (Linnaeus, 1761) [Conops]					2
	<i>dorsalis</i> (Fabricius, 1794) [Myopa]					2
	<i>flavescens</i> (Meigen, 1824) [Myopa]		<i>Dalmannia dorsalis</i> (Fabricius, 1794) [Myopa]			4
	<i>marginata</i> (Meigen, 1824) [Myopa]					4
	<i>punctata</i> (Fabricius, 1794) [Myopa]					6
<b>Melanosoma</b> Robineau-Desvoidy, 1853					1	14
	<i>bicolor</i> (Meigen, 1824) [Myopa]					14
<b>Myopa</b> Fabricius, 1775					22	112
	<i>aperta</i> Roder, 1889		<i>Myopa rubida</i> Bigot, 1867			1
	<i>buccata</i> (Linnaeus, 1758) [Conops]					11
	<i>clausa</i> Loew, 1866					2
*	<i>curticornis</i> Krober, 1916					2
	<i>dorsalis</i> Fabricius, 1794					17
	<i>extricata</i> Collin, 1960					11
	<i>fasciata</i> Meigen, 1804					2
*	<i>fenestrata</i> Coquillett, 1902					1
	<i>minor</i> Strobl, 1899					1
	<i>occulta</i> Wiedemann, 1824					4
	<i>picta</i> Panzer, 1798					10
	<i>pilosa</i> Williston, 1885		<i>Myopa vicaria</i> Walker, 1849			2
	<i>plebeia</i> Williston, 1885					1
	<i>polystigma</i> Rondani, 1857					5
	<i>rubida</i> Bigot, 1867					1
	<i>sp.</i>					1
	<i>stigma</i> Meigen, 1824					5
	<i>strandii</i> Duda, 1940		<i>Myopa vicaria</i> Walker, 1849			2
	<i>testacea</i> (Linnaeus, 1767) [Conops]					20
	<i>variegata</i> Meigen, 1804					2
	<i>vesiculosa</i> Say, 1823					10
	<i>virginica</i> Banks, 1916					1

## Conopidae

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Occemyia</b> Marschall, 1873		<b>Thecophora</b> Rondani, 1845		1	2
	<i>hyalipennis</i> Krober, 1916		<i>Thecophora hyalipennis</i> (Krober, 1916) [Occemyia]			2
	<b>Oncomyia</b> Loew, 1866		<b>Thecophora</b> Rondani, 1845		12	84
	<i>abbreviata</i> Loew, 1866		<i>Thecophora abbreviata</i> (Loew, 1866) [Oncomyia]			2
	<i>atra</i> (Fabricius, 1775) [Myopa]		<i>Thecophora atra</i> (Fabricius, 1775) [Myopa]			23
	<i>baroni</i> Williston, 1883		<i>Thecophora occidensis</i> (Walker, 1849) [Zodion]			3
	<i>distincta</i> (Wiedemann, 1824) [Myopa]		<i>Thecophora distincta</i> (Wiedemann, 1824) [Myopa]			11
	<i>loraria</i> Loew, 1866		<i>Thecophora occidensis</i> (Walker, 1849) [Zodion]			4
	<i>melanopa</i> (Rondani, 1857) [Thecophora]		<i>Thecophora melanopa</i> Rondani, 1857			9
	<i>melanopoda</i> Williston, 1885		<i>Thecophora abbreviata</i> (Loew, 1866) [Oncomyia]			2
	<i>modesta</i> Williston, 1885		<i>Thecophora modesta</i> (Williston, 1885) [Oncomyia]			5
	<i>pilosa</i> Krober, 1916		<i>Thecophora pilosa</i> (Krober, 1916) [Oncomyia]			1
	<i>propinqua</i> Adams, 1903		<i>Thecophora propinqua</i> (Adams, 1903) [Oncomyia]			6
	<i>pusilla</i> (Meigen, 1824) [Myopa]		<i>Thecophora cinerascens</i> (Meigen, 1804) [Myopa]			11
	<i>sundewalli</i> (Zetterstedt, 1844) [Myopa]		<i>Thecophora fulvipes</i> (Robineau-Desvoidy, 1830) [Myopa]			7
	<b>Physocephala</b> Schiner, 1861				2	2
	<i>antiqua</i> (Wiedemann, 1830) [Conops]					1
	<i>variegata</i> (Meigen, 1824) [Conops]					1
	<b>Sicus</b> Scopoli, 1763				3	64
	<i>abdominalis</i> Krober, 1915					3
	<i>ferrugineus</i> (Linnaeus, 1761) [Conops]					58
	<i>nigritarsis</i> Zimina, 1975					3
	<b>Sphixosoma</b> Rondani, 1857		<b>Conops</b> Linnaeus, 1758		6	32
	<i>flavipes</i> (Linnaeus, 1758) [Conops]		<i>Conops flavipes</i> Linnaeus, 1758			6
	<i>insignis</i> (Loew, 1848) [Conops]		<i>Conops insignis</i> Loew, 1848			3
	<i>quadrifasciata</i> (De Geer, 1776) [Conops]		<i>Conops quadrifasciatus</i> De Geer, 1776			9
	<i>scutellata</i> (Meigen, 1804) [Conops]		<i>Conops scutellatus</i> Meigen, 1804			5
	<i>vesicularis</i> (Linnaeus, 1761) [Conops]		<i>Conops vesicularis</i> Linnaeus, 1761			4
	<i>vitellina</i> (Loew, 1847) [Conops]		<i>Conops vitellinus</i> Loew, 1847			5
	<b>Stylogaster</b> Macquart, 1835				5	18
*	<i>bakeri</i> Bezzi, 1916					4
*	<i>ethiopa</i> Townsend, 1897					2
	<i>neglecta</i> Williston, 1883					2
	<i>ornatipes</i> Krober, 1914					7
*	<i>stylosa</i> Townsend, 1897					3
	<b>Zodion</b> Latreille, 1797				12	74
	<i>abdominalis</i> Say, 1823		<i>Zodion fulvifrons</i> Say, 1823			9

## Conopidae

Conopidae				<i>Zodion</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b><i>cinereum</i></b> (Fabricius, 1794) [ <i>Myopa</i> ]					34
*	<i>dibaphus</i> Krober, 1915		<b><i>Zodion dibaphum</i></b> Krober, 1915			1
	<b><i>erythrurum</i></b> Rondani, 1865					3
	<i>frontale</i> (Fabricius, 1805) [ <i>Myopa</i> ]		<b><i>Zodion cinereum</i></b> (Fabricius, 1794) [ <i>Myopa</i> ]			0
	<b><i>fulvifrons</i></b> Say, 1823					4
	<i>nanellum</i> Loew, 1866		<b><i>Zodion americanum</i></b> Wiedemann, 1830			4
*	<i>nigripes</i> (Krober, 1913) [ <i>Conops</i> ]		<b><i>Conops nigripes</i></b> Krober, 1913			1
	<i>notatum</i> (Meigen, 1804) [ <i>Myopa</i> ]		<b><i>Zodion cinereum</i></b> (Fabricius, 1794) [ <i>Myopa</i> ]			8
	<b><i>obliquefasciatum</i></b> (Macquart, 1846) [ <i>Myopa</i> ]					7
	<b><i>perlongum</i></b> Coquillett, 1902					2
*	<i>peruvianum</i> Krober, 1915		<b><i>Zodion anale</i></b> Krober, 1915			1

Cryptochetidae

*Cryptochoetum*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Cryptochetidae</b>			1	4	25
	<i>Cryptochoetum</i> Rondani, 1875		<b><i>Cryptochetum</i></b> Rondani, 1875		4	25
*	<i>fastidiosum</i> Bezzi, 1920		<b><i>Cryptochetum fastidiosum</i></b> Bezzi, 1920			5
	<i>grandicorne</i> Rondani, 1875		<b><i>Cryptochetum grandicorne</i></b> Rondani, 1875			16
	<i>iceryae</i> (Williston, 1888) [ <i>Lestophonus</i> ]		<b><i>Cryptochetum iceryae</i></b> (Williston, 1888) [ <i>Lestophonus</i> ]			3
	<i>monophlebi</i> (Skuse, 1889) [ <i>Lestophonus</i> ]		<b><i>Cryptochetum monophlebi</i></b> (Skuse, 1889) [ <i>Lestophonus</i> ]			1

Culicidae								<i>Aedes</i>	
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #			
<b>Culicidae</b>				17	78	377			
<b><i>Aedes</i> Meigen, 1818</b>					11	71			
	<i>canadensis</i> (Theobald, 1901) [ <i>Culex</i> ]								1
	<i>cataphylla</i> Dyar, 1916								20
	<i>cinereus</i> Meigen, 1818								2
	<i>excrucians</i> (Walker, 1856) [ <i>Culex</i> ]								9
	<i>fitchii</i> (Felt & Young, 1904) [ <i>Culex</i> ]								6
	<i>intrudens</i> Dyar, 1919								4
	<i>lazarensis</i> (Felt & Young, 1904) [ <i>Culex</i> ]		<i>Aedes communis</i> (De Geer, 1776) [ <i>Culex</i> ]						4
	<i>pionips</i> Dyar, 1919								1
	<i>punctor</i> (Kirby, 1837) [ <i>Culex</i> ]								3
	<i>salinus</i> (Ficalbi, 1896) [ <i>Culex</i> ]		<i>Aedes detritus</i> (Haliday, 1833) [ <i>Culex</i> ]						15
	<i>vexans</i> (Meigen, 1830) [ <i>Culex</i> ]								6
<b><i>Anopheles</i> Meigen, 1818</b>					11	78			
	<i>albimanus</i> Wiedemann, 1820								2
	<i>annulipes</i> Walker, 1856								3
	<i>barbistrotris</i> Wulp, 1884								2
	<i>bifurcatus</i> (Linnaeus, 1758) [ <i>Culex</i> ]		<i>Anopheles claviger</i> (Meigen, 1804) [ <i>Culex</i> ]						5
	<i>crucians</i> Wiedemann, 1828								2
	<i>eiseni</i> Coquillett, 1902								1
	<i>maculipennis</i> Meigen, 1818								53
	<i>pseudopunctipennis</i> Theobald, 1901								2
	<i>punctipennis</i> (Say, 1823) [ <i>Culex</i> ]								3
	<i>quadrifasciatus</i> Say, 1824								2
	<i>superpictus</i> Grassi, 1899								3
<b><i>Culex</i> Linnaeus, 1758</b>					12	68			
	<i>atropalpus</i> Coquillett, 1902		<i>Aedes atropalpus</i> (Coquillett, 1902) [ <i>Culex</i> ]						3
	<i>concolor</i> Robineau-Desvoidy, 1827		<i>Lutzia fuscana</i> (Wiedemann, 1820) [ <i>Culex</i> ]						3
	<i>consobrinus</i> Robineau-Desvoidy, 1827		<i>Culex pipiens</i> Linnaeus, 1758						3
	<i>fatigans</i> Wiedemann, 1828		<i>Culex quinquefasciatus</i> Say, 1823						5
	<i>hortensis</i> Ficalbi, 1889								5
	<i>laticinctus</i> Edwards, 1913								2
	<i>pipiens</i> Linnaeus, 1758								26
	<i>quinquefasciatus</i> Say, 1823								1
	<i>sitiens</i> Wiedemann, 1828								4
	<i>sylvestris</i> Theobald, 1901		<i>Aedes vexans</i> (Meigen, 1830) [ <i>Culex</i> ]						2
	<i>tarsalis</i> Coquillett, 1896								12
	<i>territans</i> Walker, 1856								2
<b><i>Culiseta</i> Felt, 1904</b>					4	11			

## Culicidae

## Culiseta

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>alaskaensis</i> (Ludlow, 1906) [ <i>Theobaldia</i> ]					3
	<i>annulata</i> (Schrank, 1776) [ <i>Culex</i> ]					3
	<i>impatiens</i> (Walker, 1848) [ <i>Culex</i> ]					2
	<i>inornata</i> (Williston, 1893) [ <i>Culex</i> ]					3
	<b><i>Janthinosoma</i> Lynch Arribalzaga, 1891</b>		<b><i>Psorophora</i> Robineau-Desvoidy, 1827</b>		4	11
	<i>albigenu</i> Peryassu, 1908		<i>Psorophora albigenu</i> (Peryassu, 1908) [ <i>Janthinosoma</i> ]			1
	<i>lutzii</i> Theobald, 1901		<i>Psorophora lutzii</i> (Theobald, 1901) [ <i>Janthinosoma</i> ]			6
	<i>posticata</i> (Wiedemann, 1821) [ <i>Culex</i> ]		<i>Psorophora ferox</i> (Humboldt, 1819) [ <i>Culex</i> ]			3
	<i>sayi</i> Theobald, 1907		<i>Psorophora ferox</i> (Humboldt, 1819) [ <i>Culex</i> ]			1
	<b><i>Joblotia</i> Blanchard, 1901</b>		<b><i>Trichoprosopon</i> Theobald, 1901</b>		1	5
	<i>digitata</i> (Rondani, 1848) [ <i>Culex</i> ]		<i>Trichoprosopon digitatum</i> (Rondani, 1848) [ <i>Culex</i> ]			5
	<b><i>Leucomyia</i> Theobald, 1907</b>		<b><i>Culex</i> Linnaeus, 1758</b>		1	1
	<i>scapularis</i> (Rondani, 1848) [ <i>Culex</i> ]		<i>Aedes scapularis</i> (Rondani, 1848) [ <i>Culex</i> ]			1
	<b><i>Mansonia</i> Blanchard, 1901</b>				1	1
	<i>titillans</i> (Walker, 1848) [ <i>Culex</i> ]					1
	<b><i>Mansonioides</i> Theobald, 1907</b>		<b><i>Mansonia</i> Blanchard, 1901</b>		1	2
	<i>uniformis</i> (Theobald, 1901) [ <i>Panoplites</i> ]		<i>Mansonia uniformis</i> (Theobald, 1901) [ <i>Panoplites</i> ]			2
	<b><i>Megarhinus</i> Robineau-Desvoidy, 1827</b>		<b><i>Toxorhynchites</i> Theobald, 1901</b>		1	1
*	<i>solstitialis</i> Lutz, 1904		<i>Toxorhynchites solstitialis</i> Lutz, 1904			1
	<b><i>Mucidus</i> Theobald, 1901</b>		<b><i>Aedes</i> Meigen, 1818</b>		1	3
	<i>alternans</i> (Westwood, 1836) [ <i>Culex</i> ]		<i>Aedes alternans</i> (Westwood, 1836) [ <i>Culex</i> ]			3
	<b><i>Ochlerotatus</i> Lynch Arribalzaga, 1891</b>		<b><i>Aedes</i> Meigen, 1818</b>		20	96
	<i>alboannulatus</i> (Macquart, 1850) [ <i>Culex</i> ]		<i>Aedes alboannulatus</i> (Macquart, 1850) [ <i>Culex</i> ]			9
	<i>canadensis</i> (Theobald, 1901) [ <i>Culex</i> ]		<i>Aedes canadensis</i> (Theobald, 1901) [ <i>Culex</i> ]			6
	<i>caspius</i> (Pallas, 1771) [ <i>Culex</i> ]		<i>Aedes caspius</i> (Pallas, 1771) [ <i>Culex</i> ]			1
	<i>communis</i> (De Geer, 1776) [ <i>Culex</i> ]		<i>Aedes communis</i> (De Geer, 1776) [ <i>Culex</i> ]			11
	<i>detritus</i> (Haliday, 1833) [ <i>Culex</i> ]		<i>Aedes detritus</i> (Haliday, 1833) [ <i>Culex</i> ]			2
	<i>fitchii</i> (Felt & Young, 1904) [ <i>Culex</i> ]		<i>Aedes fitchii</i> (Felt & Young, 1904) [ <i>Culex</i> ]			1
	<i>geniculatus</i> (Olivier, 1791) [ <i>Culex</i> ]		<i>Aedes geniculatus</i> (Olivier, 1791) [ <i>Culex</i> ]			8
	<i>lazarensis</i> (Felt & Young, 1904) [ <i>Culex</i> ]		<i>Aedes communis</i> (De Geer, 1776) [ <i>Culex</i> ]			2
*	<i>metalepticus</i> Dyar, 1920		<i>Aedes pullatus</i> (Coquillett, 1904) [ <i>Culex</i> ]			2
	<i>morsitans</i> (Theobald, 1901) [ <i>Culex</i> ]		<i>Culiseta morsitans</i> (Theobald, 1901) [ <i>Culex</i> ]			3
	<i>notoscriptus</i> (Skuse, 1889) [ <i>Culex</i> ]		<i>Aedes notoscriptus</i> (Skuse, 1889) [ <i>Culex</i> ]			3
	<i>poicilia</i> (Theobald, 1903) [ <i>Finlaya</i> ]		<i>Aedes poicilius</i> (Theobald, 1903) [ <i>Finlaya</i> ]			1
	<i>pulchritarsis</i> (Rondani, 1872) [ <i>Culex</i> ]		<i>Aedes pulchritarsis</i> (Rondani, 1872) [ <i>Culex</i> ]			1
	<i>punctor</i> (Kirby, 1837) [ <i>Culex</i> ]		<i>Aedes punctor</i> (Kirby, 1837) [ <i>Culex</i> ]			13



## Culicidae

## Ochlerotatus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>tasmaniensis</i> (Strickland, 1911) [ <i>Culicada</i> ]		<i>Aedes australis</i> (Erichson, 1842) [ <i>Culex</i> ]			1
	<i>vandema</i> (Strickland, 1911) [ <i>Culicada</i> ]		<i>Aedes flavifrons</i> (Skuse, 1889) [ <i>Culex</i> ]			5
	<i>vexans</i> (Meigen, 1830) [ <i>Culex</i> ]		<i>Aedes vexans</i> (Meigen, 1830) [ <i>Culex</i> ]			19
	<i>vigilax</i> (Skuse, 1889) [ <i>Culex</i> ]		<i>Aedes vigilax</i> (Skuse, 1889) [ <i>Culex</i> ]			2
	<i>vittiger</i> (Skuse, 1889) [ <i>Culex</i> ]		<i>Aedes vittiger</i> (Skuse, 1889) [ <i>Culex</i> ]			3
	<i>waterhousei</i> (Theobald, 1905) [ <i>Culex</i> ]		<i>Aedes waterhousei</i> (Theobald, 1905) [ <i>Culex</i> ]			3
	<b><i>Psorophora</i></b> Robineau-Desvoidy, 1827				1	3
	<i>ciliata</i> (Fabricius, 1794) [ <i>Culex</i> ]					3
	<b><i>Stegomyia</i></b> Theobald, 1901		<b><i>Aedes</i></b> Meigen, 1818		2	4
	<i>fasciata</i> (Fabricius, 1805) [ <i>Culex</i> ]		<i>Aedes aegypti</i> (Linnaeus, 1762) [ <i>Culex</i> ]			3
	<i>punctolateralis</i> Theobald, 1903		<i>Tripteroides punctolateralis</i> (Theobald, 1903) [ <i>Stegomyia</i> ]			1
	<b><i>Taeniorhynchus</i></b> Lynch Arribalzaga, 1891		<b><i>Aedes</i></b> Meigen, 1818		1	1
	<i>perturbans</i> (Walker, 1856) [ <i>Culex</i> ]		<i>Coquillettidia perturbans</i> (Walker, 1856) [ <i>Culex</i> ]			1
	<b><i>Theobaldia</i></b> Neveu-Lemaire, 1902		<b><i>Culiseta</i></b> Felt, 1904		3	17
	<i>annulata</i> (Schränk, 1776) [ <i>Culex</i> ]		<i>Culiseta annulata</i> (Schränk, 1776) [ <i>Culex</i> ]			3
	<i>incidens</i> (Thomson, 1869) [ <i>Culex</i> ]		<i>Culiseta incidens</i> (Thomson, 1869) [ <i>Culex</i> ]			7
	<i>longiareolata</i> (Meigen, 1838) [ <i>Culex</i> ]		<i>Culiseta longiareolata</i> (Meigen, 1838) [ <i>Culex</i> ]			7
	<b><i>Toxorhynchites</i></b> Theobald, 1901				3	4
	<i>immisericors</i> (Walker, 1859) [ <i>Megarhina</i> ]		<i>Toxorhynchites amboinensis</i> (Doleschall, 1857) [ <i>Culex</i> ]			2
	<i>lewaldii</i> Ludlow, 1904		<i>Toxorhynchites amboinensis</i> (Doleschall, 1857) [ <i>Culex</i> ]			1
	<i>speciosa</i> (Skuse, 1889) [ <i>Megarhina</i> ]					1

## Curtonotidae

Apsinota

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Curtonotidae</b>			2	6	23
	<i>Apsinota</i> Wulp, 1887		<b><i>Axinota</i></b> Wulp, 1886		1	2
	<i>pictiventris</i> Wulp, 1886		<b><i>Axinota pictiventris</i></b> (Wulp, 1886) [ <i>Apsinota</i> ]			2
	<b><i>Cyrtonotum</i></b> Agassiz, 1846		<b><i>Curtonotum</i></b> Macquart, 1843		5	21
	<i>anus</i> (Meigen, 1830) [ <i>Diastata</i> ]		<b><i>Curtonotum anus</i></b> (Meigen, 1830) [ <i>Diastata</i> ]			8
*	<i>decumanum</i> Bezzi, 1914		<b><i>Curtonotum decumanum</i></b> (Bezzi, 1914) [ <i>Cyrtonotum</i> ]			2
	<i>helvum</i> (Loew, 1862) [ <i>Curtonotum</i> ]		<b><i>Curtonotum helvum</i></b> Loew, 1862			8
	<i>murinum</i> (Hendel, 1913) [ <i>Curtonotum</i> ]		<b><i>Curtonotum murinum</i></b> Hendel, 1913			1
	<i>pantherinum</i> (Walker, 1849) [ <i>Curtonotum</i> ]		<b><i>Curtonotum pantherinum</i></b> Walker, 1849			2

## Cypselosomatidae

*Formicosepsis*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Cypselosomatidae</b>			1	1	15
	<i>Formicosepsis</i> Meijere, 1916				1	15
	<i>tinctipennis</i> Meijere, 1916					15

## Diadocidiidae

*Diadocidia*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Diadocidiidae</b>			1	1	3
	<i>Diadocidia</i> Ruthe, 1831				1	3
	<i>ferruginosa</i> Meigen, 1830					3

Diastatidae								<i>Diastata</i>	
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #			
<b>Diastatidae</b>							3	10	89
	<b><i>Diastata</i></b> Meigen, 1830				7	39			
	<i>costata</i> Meigen, 1830					12			
	<i>eluta</i> Loew, 1863					5			
	<i>inornata</i> Loew, 1864		<i>Diastata fuscula</i> (Fallen, 1823) [ <i>Drosophila</i> ]			9			
	<i>nebulosa</i> (Fallen, 1823) [ <i>Geomyza</i> ]					4			
	<i>pulchra</i> Loew, 1861		<i>Diastata repleta</i> (Walker, 1849) [ <i>Notiphila</i> ]			1			
	<i>unipunctata</i> Zetterstedt, 1847		<i>Diastata adusta</i> Meigen, 1830			5			
	<i>vagans</i> Loew, 1864					3			
	<b><i>Euthychoeta</i></b>		<b><i>Euthychoeta</i></b> Loew, 1864		1	2			
	<i>spectabilis</i> (Loew, 1864) [ <i>Diastata</i> ]					2			
	<b><i>Tryptochaeta</i></b> Becker, 1905		<b><i>Campichoeta</i></b> Macquart, 1835		2	48			
	<i>obscuripennis</i> (Meigen, 1830) [ <i>Diastata</i> ]		<i>Campichoeta obscuripennis</i> (Meigen, 1830) [ <i>Diastata</i> ]			25			
	<i>punctum</i> (Meigen, 1830) [ <i>Diastata</i> ]		<i>Campichoeta punctum</i> (Meigen, 1830) [ <i>Diastata</i> ]			23			

Diopsidae								<i>Diopsis</i>	
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #			
<b>Diopsidae</b>							3	22	166
<b><i>Diopsis</i> Linnaeus, 1775</b>								16	74
	<i>apicalis</i> Dalman, 1817							10	
	<i>belzebuth</i> Bigot, 1874		<i>Teleopsis discrepans</i> (Walker, 1856) [ <i>Diopsis</i> ]					7	
	<i>circularis</i> Macquart, 1835							1	
	<i>collaris</i> Westwood, 1837							7	
	<i>concolor</i> Westwood, 1837		<i>Diasemopsis concolor</i> (Westwood, 1837) [ <i>Diopsis</i> ]					9	
	<i>dalmanni</i> Wiedemann, 1830		<i>Teleopsis dalmanni</i> (Wiedemann, 1830) [ <i>Diopsis</i> ]					2	
	<i>fasciata</i> Gray, 1832		<i>Diasemopsis fasciata</i> (Gray, 1832) [ <i>Diopsis</i> ]					6	
	<i>fumipennis</i> Westwood, 1837							2	
	<i>ichneumonea</i> Linnaeus, 1775							5	
	<i>indica</i> Westwood, 1837							5	
	<i>meigenii</i> Westwood, 1837		<i>Diasemopsis meigenii</i> (Westwood, 1837) [ <i>Diopsis</i> ]					2	
	<i>pallida</i> Westwood, 1837		<i>Diopsis collaris</i> Westwood, 1837					3	
	<i>punctigera</i> Westwood, 1837							1	
	<i>signata</i> Dalman, 1817		<i>Diasemopsis signata</i> (Dalman, 1817) [ <i>Diopsis</i> ]					5	
	<i>subnotata</i> Westwood, 1847		<i>Eurydiopsis subnotata</i> (Westwood, 1847) [ <i>Diopsis</i> ]					8	
	<i>thoracica</i> Westwood, 1837		<i>Diopsis macrophthalma</i> Dalman, 1817					1	
<b><i>Sphyracephala</i> Say, 1828</b>								3	77
	<i>beccarii</i> (Rondani, 1873) [ <i>Diopsis</i> ]							47	
	<i>brevicornis</i> (Say, 1817) [ <i>Diopsis</i> ]							9	
	<i>hearseyana</i> (Westwood, 1844) [ <i>Diopsis</i> ]		<i>Sphyracephala hearseyana</i> (Westwood, 1844) [ <i>Diopsis</i> ]					21	
<b><i>Teleopsis</i> Rondani, 1875</b>								3	15
	<i>belzebuth</i> (Bigot, 1874) [ <i>Diopsis</i> ]		<i>Teleopsis discrepans</i> (Walker, 1856) [ <i>Diopsis</i> ]					11	
*	<i>bigoti</i> Hendel, 1914		<i>Teleopsis quadriguttata</i> (Walker, 1856) [ <i>Diopsis</i> ]					2	
	<i>fulviventris</i> Bigot, 1880							2	

## Ditomyiidae

*Ditomyia*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Ditomyiidae</b>			2	3	2
	<i>Ditomyia</i> Winnertz, 1846				1	0
	<i>fasciata</i> Meigen, 1818					0
	<i>Symmerus</i> Walker, 1848				2	2
	<i>annulatus</i> Meigen, 1830					1
	<i>lautus</i> Loew, 1870					1

Dixidae							<i>Dixa</i>
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #	
<b>Dixidae</b>				1	4	49	
	<b><i>Dixa</i></b> Meigen, 1818				4	49	
	<i>aestivalis</i> Meigen, 1818		<b><i>Dixella aestivalis</i></b> (Meigen, 1818) [ <i>Dixa</i> ]			6	
	<b><i>maculata</i></b> Meigen, 1818					6	
	<b><i>nebulosa</i></b> Meigen, 1830					3	
	<b><i>puberula</i></b> Loew, 1849					34	



## Dolichopodidae

Achalcus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Dolichopodidae</b>				<b>71</b>	<b>405</b>	<b>3908</b>
	<b>Achalcus</b> Loew, 1857				2	6
	<i>cinereus</i> (Haliday, 1851) [ <i>Rhaphium</i> ]					3
	<i>flavicollis</i> Meigen, 1824					3
	<b>Anepsiomyia</b> Bezzi, 1902				1	13
	<i>flaviventris</i> (Meigen, 1824) [ <i>Porphyrops</i> ]					13
	<b>Aphrosylus</b> Haliday, 1851				6	29
	<i>celtiber</i> Haliday, 1855					7
*	<i>griseatus</i> Curran, 1926		<i>Cymatopus griseatus</i> (Curran, 1926) [ <i>Aphrosylus</i> ]			2
*	<i>jucundus</i> Becker, 1908					4
	<i>occultus</i> Becker, 1908					5
*	<i>praedator</i> Wheeler, 1897					3
	<i>venator</i> Loew, 1857					8
	<b>Argyra</b> Macquart, 1834				6	37
	<i>argentina</i> (Meigen, 1824) [ <i>Porphyrops</i> ]					8
	<i>argyria</i> (Meigen, 1824) [ <i>Porphyrops</i> ]					3
	<i>atriceps</i> Loew, 1857					7
	<i>auricollis</i> (Meigen, 1824) [ <i>Porphyrops</i> ]					12
	<i>grata</i> Loew, 1857					6
	<i>leucocephala</i> (Meigen, 1824) [ <i>Porphyrops</i> ]					1
	<b>Asphyrotarsus</b> Oldenberg, 1916		<b>Diostracus</b> Loew, 1861		1	8
	<i>leucostomus</i> (Loew, 1861) [ <i>Liancalus</i> ]		<i>Diostracus leucostomus</i> (Loew, 1861) [ <i>Liancalus</i> ]			8
	<b>Asyndetus</b> Loew, 1869				2	6
	<i>latifrons</i> (Loew, 1857) [ <i>Diaphorus</i> ]					5
	<i>syntormoides</i> Wheeler, 1899					1
	<b>Bathycranium</b> Strobl, 1892		<b>Syntormon</b> Loew, 1857		1	3
	<i>bicolorellum</i> (Zetterstedt, 1843) [ <i>Dolichopus</i> ]		<i>Syntormon bicolorellum</i> (Zetterstedt, 1843) [ <i>Dolichopus</i> ]			3
	<b>Campsicnemus</b> Haliday, 1851				9	73
	<i>curvipes</i> (Fallen, 1823) [ <i>Dolichopus</i> ]					22
	<i>loripes</i> (Haliday, 1832) [ <i>Medeterus</i> ]					2
	<i>lumbatus</i> Loew, 1857					7
	<i>magius</i> (Loew, 1845) [ <i>Medeterus</i> ]					4
	<i>paradoxus</i> (Wahlberg, 1844) [ <i>Medeterus</i> ]					4
	<i>pusillus</i> (Meigen, 1824) [ <i>Dolichopus</i> ]					2
	<i>scambus</i> (Fallen, 1823) [ <i>Dolichopus</i> ]					11

## Dolichopodidae

## Campsicnemus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>umbripennis</i> Loew, 1856					17
	<i>varipes</i> Loew, 1859					4
	<b>Chrysosoma</b> Guerin-Meneville, 1831				5	62
	<i>ovale</i> Becker, 1922					18
	<i>patellifer</i> (Thomson, 1869) [ <i>Psilopus</i> ]					2
	<i>pulcherrimum</i> Becker, 1922					6
	<i>terminatum</i> Becker, 1922					35
	<i>vittatum</i> (Wiedemann, 1819) [ <i>Dolichopus</i> ]					1
	<b>Chrysotimus</b> Loew, 1857				1	20
	<i>molliculus</i> (Fallen, 1823) [ <i>Dolichopus</i> ]					20
	<b>Chrysotus</b> Meigen, 1824				18	172
	<i>affinis</i> Loew, 1861					10
	<i>albibarbus</i> Loew, 1857					4
	<i>amplicornis</i> Zetterstedt, 1849					6
	<i>choricus</i> Wheeler, 1890					3
	<i>cilipes</i> Meigen, 1824					13
	<i>cupreus</i> Macquart, 1828					10
	<i>discolor</i> Loew, 1861					10
	<i>excisus</i> Aldrich, 1896					2
	<i>gramineus</i> (Fallen, 1823) [ <i>Dolichopus</i> ]					10
	<i>laesus</i> Wiedemann, 1817					6
	<i>melampodius</i> Loew, 1857					12
	<i>microcerus</i> Kowarz, 1874		<i>Chrysotus gramineus</i> (Fallen, 1823) [ <i>Dolichopus</i> ]			14
	<i>monochaetus</i> Kowarz, 1875					9
	<i>neglectus</i> (Wiedemann, 1817) [ <i>Dolichopus</i> ]					5
	<i>obliquus</i> Loew, 1861					35
	<i>philtrum</i> Melander, 1903					6
	<i>pulchellus</i> Kowarz, 1875					5
	<i>suavis</i> Loew, 1857					12
	<b>Condylostylus</b> Bigot, 1859				2	32
	<i>brunnicosus</i> Frey, 1925					30
*	<i>nuptus</i> Bezzi, 1928		<i>Sciapus nupta</i> (Bezzi, 1928) [ <i>Condylostylus</i> ]			2
	<b>Coracocephalus</b> Mik, 1892				1	2
*	<i>magellensis</i> Bezzi, 1898		<i>Eucoryphus brunneri</i> Mik, 1869			2
	<b>Dasyarthrus</b> Mik, 1869		<b>Sybistroma</b> Meigen, 1824		1	13
	<i>inornatus</i> (Loew, 1857) [ <i>Gymnopternus</i> ]		<i>Sybistroma inornatus</i> (Loew, 1857) [ <i>Gymnopternus</i> ]			13
	<b>Diaphorus</b> Meigen, 1824				10	113

## Dolichopodidae

## Diaphorus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #	
*	<i>bezzii</i> Parent, 1925					1	
	<i>cinctellus</i> Meijere, 1910					35	
	<i>disjunctus</i> Loew, 1857					7	
	<i>gredleri</i> Mik, 1881					9	
*	<i>jacobai</i> Parent, 1922					4	
	<i>nigricans</i> Meigen, 1824					12	
	<i>oculatus</i> (Fallen, 1823) [ <i>Dolichopus</i> ]					18	
	<i>tripilus</i> Loew, 1857		<i>Diaphorus hoffmannseggii</i> Meigen, 1830			6	
*	<i>unguiculatus</i> Parent, 1925					8	
	<i>winthemi</i> Meigen, 1824					13	
<b><i>Dolichopus</i> Latreille, 1797</b>						<b>70</b>	<b>723</b>
	<i>albicoxa</i> Aldrich, 1893					2	
	<i>arbustorum</i> Stannius, 1831					7	
	<i>armillatus</i> Wahlberg, 1851					7	
	<i>atratus</i> Meigen, 1824					6	
	<i>atripes</i> Meigen, 1824					23	
	<i>batillifer</i> Loew, 1861		<i>Dolichopus coercens</i> Walker, 1849			1	
	<i>bifRACTUS</i> Loew, 1961					13	
	<i>brevipennis</i> Meigen, 1824					4	
	<i>caligatus</i> Wahlberg, 1851					51	
	<i>campestris</i> Meigen, 1824					1	
	<i>claviger</i> Stannius, 1831					5	
	<i>comatus</i> Loew, 1861					2	
	<i>confusus</i> Zetterstedt, 1838		<i>Dolichopus nigricornis</i> Meigen, 1824			9	
	<i>cuprinus</i> Wiedemann, 1830					46	
	<i>detersus</i> Loew, 1866					7	
	<i>discifer</i> Stannius, 1831		<i>Dolichopus nigricornis</i> Meigen, 1824			19	
	<i>discimanus</i> Wahlberg, 1851					2	
	<i>festivus</i> Haliday, 1832					11	
	<i>flavocrinitus</i> Becker, 1902					1	
	<i>genupallidus</i> Becker		<i>Dolichopus geniculopallidus</i> Becker, 1889			19	
	<i>gratus</i> Loew, 1861					6	
	<i>griseipennis</i> Stannius, 1831					11	
	<i>groenlandicus</i> Zetterstedt, 1843					67	
	<i>laticornis</i> Loew, 1861					12	
	<i>latilimbatus</i> Macquart, 1827					9	
	<i>lepidus</i> Staeger, 1842					13	
	<i>linearis</i> Meigen, 1824					7	
	<i>lobatus</i> Loew, 1861					12	
	<i>longicornis</i> Stannius, 1831					5	
	<i>longimanus</i> Loew, 1861					4	
	<i>longipennis</i> Loew, 1861					5	

## Dolichopodidae

				<i>Dolichopus</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>longitarsis</i> Stannius, 1831					9
	<i>luteipennis</i> Loew, 1861					2
	<i>maculipennis</i> Zetterstedt, 1843					9
	<i>nitidus</i> Fallen, 1823					9
	<i>notabilis</i> Zetterstedt, 1843		<i>Dolichopus notatus</i> Staeger, 1842			5
	<i>nubilus</i> Meigen, 1824					9
	<i>nudus</i> Loew, 1864					0
	<i>obcordatus</i> Aldrich, 1893					4
	<i>occidentalis</i> Aldrich, 1893					5
	<i>ovatus</i> Loew, 1861					9
	<i>pennatus</i> Meigen, 1824					45
	<i>picipes</i> Meigen, 1824					11
	<i>planitarsis</i> Fallen, 1823					9
	<i>plumipes</i> (Scopoli, 1763) [ <i>Musca</i> ]					20
	<i>plumitarsis</i> Fallen, 1823					9
	<i>popularis</i> Wiedemann, 1817					9
	<i>punctum</i> Meigen, 1824					6
	<i>ramifer</i> Loew, 1861					9
	<i>rupestris</i> Haliday, 1833					8
	<i>rutheii</i> Loew, 1847					8
	<i>sabinus</i> Haliday, 1838					5
	<i>scapularis</i> Loew, 1861					5
	<i>scoparius</i> Loew, 1864		<i>Dolichopus finitus</i> Walker, 1849			10
	<i>setifer</i> Loew, 1861					1
	<i>signifer</i> Haliday, 1838					11
	<i>simplex</i> Meigen, 1824					1
	<i>socius</i> Loew, 1862					24
	<i>splendidus</i> Loew, 1861		<i>Dolichopus contiguus</i> Walker, 1849			8
	<i>stenhammari</i> Zetterstedt, 1843					7
	<i>tenuipes</i> Aldrich, 1894					5
	<i>tibialis</i> Zetterstedt, 1838		<i>Dolichopus lepidus</i> Staeger, 1842			2
	<i>trivialis</i> Haliday, 1832					7
	<i>ungulatus</i> (Linnaeus, 1758) [ <i>Musca</i> ]					12
	<i>variabilis</i> Loew, 1861					1
	<i>vitripennis</i> Meigen, 1824					7
	<i>vittatus</i> Loew, 1861					5
	<i>wahlbergi</i> Zetterstedt, 1843					16
	<i>willistoni</i> Aldrich, 1893		<i>Dolichopus pulchrimanus</i> (Bigot, 1888) [ <i>Spathichira</i> ]			7
	<i>xanthocnemus lo</i> Loew, 1864					7
	<b><i>Epithalassius</i> Mik, 1891</b>				2	2
*	<i>czernyi</i> Strobl, 1909		<i>Epithalassius sanctimarci</i> Mik, 1891			1
	<i>sanctimarci</i> Mik, 1891					1

## Dolichopodidae

## Eucoryphus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Eucoryphus</b> Mik, 1869				3	9
	<i>brunneri</i> Mik, 1869					3
	<i>coeruleus</i> Becker, 1889					4
*	<i>simplex</i> Bezzi					2
	<b>Gymnopternus</b> Loew, 1857				13	183
	<i>aerosus</i> (Fallen, 1823) [ <i>Dolichopus</i> ]		<i>Hercostomus aerosus</i> (Fallen, 1823) [ <i>Dolichopus</i> ]			25
	<i>barbatulus</i> Loew, 1861					9
	<i>celer</i> (Meigen, 1824) [ <i>Dolichopus</i> ]		<i>Hercostomus celer</i> (Meigen, 1824) [ <i>Dolichopus</i> ]			115
	<i>chalcochrus</i> Loew, 1864		<i>Gymnopternus spectabilis</i> Loew, 1861			3
	<i>chalybaeus</i> (Wiedemann, 1817) [ <i>Dolichopus</i> ]		<i>Hercostomus chalybeus</i> (Wiedemann, 1817) [ <i>Dolichopus</i> ]			5
	<i>crassicauda</i> Loew, 1861					1
	<i>cupreus</i> (Fallen, 1823) [ <i>Dolichopus</i> ]		<i>Hercostomus cupreus</i> Fallen, 1823			4
	<i>debilis</i> Loew, 1861					1
	<i>difficilis</i> (Loew, 1861) [ <i>Hercostomus</i> ]		<i>Hercostomus difficilis</i> Loew, 1861			8
	<i>frequens</i> Loew, 1861					1
	<i>humilis</i> Loew, 1864					8
	<i>metatarsalis</i> (Thomson, 1869) [ <i>Dolichopus</i> ]					1
	<i>subulatus</i> Loew, 1861					2
	<b>Hercostomus</b> Loew, 1857				28	416
	<i>bicolor</i> (Macquart, 1827) [ <i>Dolichopus</i> ]					12
	<i>caudatus</i> (Loew, 1859) [ <i>Gymnopternus</i> ]					10
	<i>chaerophylli</i> (Meigen, 1824) [ <i>Dolichopus</i> ]					13
*	<i>chaerophylli</i> var. <i>apicalis</i> Bezzi, 1898		<i>Hercostomus apicalis</i> Bezzi, 1898			1
	<i>chrysozygus</i> Wiedemann, 1817		<i>Poecilobothrus chrysozygus</i> (Wiedemann, 1817) [ <i>Dolichopus</i> ]			15
	<i>cretifer</i> Walker		<i>Hercostomus chetifer</i> (Walker, 1849) [ <i>Porphyrops</i> ]			11
*	<i>excipiens</i> Becker, 1907					2
	<i>fugax</i> (Loew, 1857) [ <i>Gymnopternus</i> ]					45
	<i>fulvicaudis</i> (Haliday, 1851) [ <i>Sybistroma</i> ]					4
	<i>fuscipennis</i> (Meigen, 1824) [ <i>Dolichopus</i> ]					1
	<i>germanus</i> (Wiedemann, 1817) [ <i>Dolichopus</i> ]					11
*	<i>griseifrons</i> Becker, 1910					6
	<i>lichtwardti</i> Villeneuve, 1899					1
	<i>longiventris</i> (Loew, 1857) [ <i>Sybistroma</i> ]					17
	<i>lorifer</i> Mik, 1878		<i>Sybistroma lorifer</i> Mik, 1878			13
	<i>nigrilamellatus</i> (Macquart, 1827) [ <i>Dolichopus</i> ]					19
	<i>nigripennis</i> (Fallen, 1823) [ <i>Dolichopus</i> ]					3
	<i>nigriplantis</i> (Stannius, 1831) [ <i>Dolichopus</i> ]					18
	<i>parvilamellatus</i> (Macquart, 1827) [ <i>Dolichopus</i> ]					9
	<i>pilifer</i> (Loew, 1859) [ <i>Gymnopternus</i> ]					9
	<i>plagiatus</i> (Loew, 1857) [ <i>Gymnopternus</i> ]					8
	<i>pokorny</i> Mik, 1889					2

## Dolichopodidae

## Hercostomus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
*	<i>proboscideus</i> Becker, 1907					2
	<i>rogenhofferi</i> (Mik, 1878) [ <i>Orthochile</i> ]					46
	<i>rusticus</i> (Meigen, 1824) [ <i>Dolichopus</i> ]					13
	<i>sahlbergi</i> (Zetterstedt, 1838) [ <i>Dolichopus</i> ]					79
*	<i>varicolor</i> Becker, 1917					3
	<i>vivax</i> (Loew, 1857) [ <i>Gymnopternus</i> ]					43
<b>Hydrophorus</b> Fallen, 1823					17	118
	<i>aestuum</i> Loew, 1869					3
	<i>alpinus</i> Wahlberg, 1844					2
	<i>balticus</i> (Meigen, 1824) [ <i>Medeterus</i> ]					19
	<i>bipunctatus</i> (Lehmann, 1822) [ <i>Dolichopus</i> ]					7
	<i>bisetus</i> Loew, 1857		<i>Hydrophorus oceanus</i> (Macquart, 1838) [ <i>Medeterus</i> ]			8
	<i>borealis</i> Loew, 1857					9
	<i>breviventris</i> Becker, 1902		<i>Hydrophorus praecox</i> (Lehmann, 1822) [ <i>Dolichopus</i> ]			2
*	<i>canescens</i> Wheeler, 1896					3
*	<i>eldoradensis</i> Wheeler, 1899					3
*	<i>geminus</i> Frey, 1915					9
*	<i>intentus</i> Aldrich, 1911		<i>Hydatostega viridiflos</i> (Walker, 1852) [ <i>Medeterus</i> ]			2
	<i>nebulosus</i> Fallen, 1823					10
*	<i>pensus</i> Aldrich, 1911					1
	<i>praecox</i> (Lehmann, 1822) [ <i>Dolichopus</i> ]					31
	<i>rogenhoferi</i> Mik, 1874					5
*	<i>sodalis</i> Wheeler, 1899					2
	<i>viridis</i> (Meigen, 1824) [ <i>Medeterus</i> ]					2
<b>Hygroceleuthus</b> Loew, 1857						
	<i>afflictus</i> Osten Sacken, 1877		<i>Dolichopus Latreille, 1797</i>		6	38
	<i>crenatus</i> Osten Sacken, 1877		<i>Dolichopus afflictus</i> (Osten Sacken, 1877) [ <i>Hygroceleuthus</i> ]			7
	<i>diadema</i> (Haliday, 1832) [ <i>Dolichopus</i> ]		<i>Dolichopus crenatus</i> (Osten Sacken, 1877) [ <i>Hygroceleuthus</i> ]			9
	<i>idahoensis</i> Aldrich, 1894		<i>Dolichopus diadema</i> Haliday, 1832			4
	<i>latipennis</i> (Fallen, 1823) [ <i>Dolichopus</i> ]		<i>Dolichopus idahoensis</i> (Aldrich, 1894) [ <i>Hygroceleuthus</i> ]			7
	<i>latipes</i> Loew, 1861		<i>Dolichopus latipennis</i> Fallen, 1823			6
			<i>Dolichopus latipes lo</i> (Loew, 1861) [ <i>Hygroceleuthus</i> ]			5
<b>Hypophyllus</b> Haliday, 1832						
	<i>crinipes</i> (Staeger, 1842) [ <i>Sybistroma</i> ]		<i>Sybistroma Meigen, 1824</i>		3	42
	<i>discipes</i> (Germar, 1817) [ <i>Dolichopus</i> ]		<i>Sybistroma crinipes</i> Staeger, 1842			25
	<i>obsurellus</i> (Fallen, 1823) [ <i>Dolichopus</i> ]		<i>Sybistroma discipes</i> (Germar, 1817) [ <i>Dolichopus</i> ]			1
			<i>Sybistroma obsurellus</i> (Fallen, 1823) [ <i>Dolichopus</i> ]			16
<b>Lasiargyra</b> Mik, 1878						
	<i>albicans</i> (Loew, 1861) [ <i>Argyra</i> ]		<i>Argyra Macquart, 1834</i>		3	8
	<i>diaphana</i> (Fabricius, 1775) [ <i>Musca</i> ]		<i>Argyra albicans</i> Loew, 1861			6
	<i>magnicornis</i> (Zetterstedt, 1838) [ <i>Dolichopus</i> ]		<i>Argyra diaphana</i> (Fabricius, 1775) [ <i>Musca</i> ]			1
			<i>Argyra magnicornis</i> (Zetterstedt, 1838) [ <i>Dolichopus</i> ]			1

## Dolichopodidae

## Leucostola

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Leucostola</b> Loew, 1857		<b>Argyra</b> Macquart, 1834		2	11
	<i>cingulata</i> Loew, 1861		<i>Argyra cingulata</i> (Loew, 1861) [ <i>Leucostola</i> ]			4
	<i>vestita</i> (Wiedemann, 1817) [ <i>Dolichopus</i> ]		<i>Argyra vestita</i> (Wiedemann, 1817) [ <i>Dolichopus</i> ]			7
	<b>Liancalus</b> Loew, 1857				1	66
	<i>virens</i> (Scopoli, 1763) [ <i>Musca</i> ]					66
	<b>Ludovicicus</b> Rondani, 1843		<b>Sybistroma</b> Meigen, 1824		3	5
	<i>eucerus</i> (Loew, 1861) [ <i>Haltericerus</i> ]		<i>Sybistroma eucerus</i> (Loew, 1861) [ <i>Haltericerus</i> ]			1
	<i>impar</i> Rondani, 1843		<i>Sybistroma impar</i> (Rondani, 1843) [ <i>Ludovicicus</i> ]			2
	<i>spathulatus</i> (Loew, 1861) [ <i>Haltericerus</i> ]		<i>Sybistroma dufouri</i> Macquart, 1834			2
	<b>Machaerium</b> Haliday, 1832				3	9
	<i>maritimae</i> Haliday, 1832					3
*	<i>sordidum</i> Becker, 1908					3
	<i>thinophilum</i> Loew, 1857					3
	<b>Medeterus</b> Meigen, 1824		<b>Medetera</b> Fischer, 1819		15	195
	<i>ambiguus</i> (Zetterstedt, 1843) [ <i>Hydrophorus</i> ]		<i>Medetera ambigua</i> (Zetterstedt, 1843) [ <i>Hydrophorus</i> ]			3
	<i>apicalis</i> (Zetterstedt, 1843) [ <i>Hydrophorus</i> ]		<i>Medetera apicalis</i> (Zetterstedt, 1843) [ <i>Hydrophorus</i> ]			3
	<i>dendrobaenus</i> Kowarz, 1878		<i>Medetera dendrobaena</i> (Kowarz, 1878) [ <i>Medeterus</i> ]			12
	<i>diadema</i> (Linnaeus, 1767) [ <i>Musca</i> ]		<i>Medetera diadema</i> (Linnaeus, 1767) [ <i>Musca</i> ]			27
	<i>flavipes</i> (Meigen, 1824) [ <i>Medetera</i> ]		<i>Medetera flavipes</i> Meigen, 1824			9
	<i>glaucellus</i> Kowarz, 1878		<i>Medetera glaucella</i> (Kowarz, 1878) [ <i>Medeterus</i> ]			2
	<i>infumatus</i> (Loew, 1857) [ <i>Medetera</i> ]		<i>Medetera infumata</i> Loew, 1857			11
	<i>jaculus</i> (Fallen, 1823) [ <i>Hydrophorus</i> ]		<i>Medetera jacula</i> (Fallen, 1823) [ <i>Hydrophorus</i> ]			18
	<i>micaceus</i> (Loew, 1857) [ <i>Medetera</i> ]		<i>Medetera micacea</i> Loew, 1857			15
	<i>muralis</i> (Meigen, 1824) [ <i>Medetera</i> ]		<i>Medetera muralis</i> Meigen, 1824			9
	<i>obscurus</i> (Zetterstedt, 1838) [ <i>Hydrophorus</i> ]		<i>Medetera obscura</i> (Zetterstedt, 1838) [ <i>Hydrophorus</i> ]			6
	<i>pallipes</i> (Zetterstedt, 1843) [ <i>Hydrophorus</i> ]		<i>Medetera pallipes</i> (Zetterstedt, 1843) [ <i>Hydrophorus</i> ]			10
	<i>petrophilus</i> Kowarz, 1878		<i>Medetera petrophila</i> (Kowarz, 1878) [ <i>Medeterus</i> ]			6
	<i>tristis</i> (Zetterstedt, 1838) [ <i>Hydrophorus</i> ]		<i>Medetera tristis</i> (Zetterstedt, 1838) [ <i>Hydrophorus</i> ]			8
	<i>truncorum</i> (Meigen, 1824) [ <i>Medetera</i> ]		<i>Medetera truncorum</i> Meigen, 1824			56
	<b>Megistostylus</b> Bigot, 1888				1	148
	<i>crinicornis</i> (Wiedemann, 1824) [ <i>Dolichopus</i> ]		<i>Chrysosoma crinicornis</i> (Wiedemann, 1824) [ <i>Dolichopus</i> ]			148
	<b>Meringopherusa</b> Becker, 1902		<b>Asyndetus</b> Loew, 1869		3	3
	<i>connexa</i> Becker, 1902		<i>Asyndetus connexus</i> (Becker, 1902) [ <i>Meringopherusa</i> ]			0
	<i>separata</i> Becker, 1902		<i>Asyndetus separatus</i> (Becker, 1902) [ <i>Meringopherusa</i> ]			0
	<i>transversalis</i> (Becker, 1907) [ <i>Asyndetus</i> ]		<i>Asyndetus transversalis</i> Becker, 1907			3
	<b>Micromorphus</b> Mik, 1878				1	7

## Dolichopodidae

## Micromorphus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>albipes</i> (Zetterstedt, 1843) [ <i>Hydrophorus</i> ]					7
	<b>Microphorella</b> Becker, 1909				3	10
*	<i>chiragra</i> Melander, 1928					1
*	<i>longitarsis</i> Melander, 1928					3
	<i>praecox</i> (Loew, 1864) [ <i>Microphorus</i> ]					6
	<b>Microphorus</b> Macquart, 1827		<b>Microphor</b> Macquart, 1827		6	43
	<i>anomalus</i> Meigen, 1824		<i>Microphor anomalus</i> (Meigen, 1824) [ <i>Platypeza</i> ]			11
*	<i>armipes</i> Melander, 1928		<i>Microphor armipes</i> (Melander, 1928) [ <i>Microphorus</i> ]			1
	<i>fuscipes</i> Zetterstedt, 1852		<i>Microphor holosericeus</i> (Meigen, 1804) [ <i>Empis</i> ]			17
*	<i>isommatus</i> Melander, 1928		<i>Microphor isommatus</i> (Melander, 1928) [ <i>Microphorus</i> ]			1
*	<i>sycophantor</i> (Melander, 1902) [ <i>Holoclera</i> ]		<i>Microphor sycophantor</i> (Melander, 1902) [ <i>Holoclera</i> ]			7
	<i>velutinus</i> (Macquart, 1827) [ <i>Microphor</i> ]		<i>Microphor holosericeus</i> (Meigen, 1804) [ <i>Empis</i> ]			6
	<b>Nematoproctus</b> Loew, 1857				1	9
	<i>distendens</i> (Meigen, 1824) [ <i>Chrysotus</i> ]					9
	<b>Neurigona</b> Rondani, 1856				6	36
	<i>erichsoni</i> (Zetterstedt, 1843) [ <i>Dolichopus</i> ]					2
	<i>floridula</i> Wheeler, 1899					4
	<i>nubifer</i> (Loew, 1869) [ <i>Saucropus</i> ]					3
	<i>pallida</i> (Fallen, 1823) [ <i>Dolichopus</i> ]					7
	<i>quadrifasciata</i> (Fabricius, 1781) [ <i>Musca</i> ]					13
	<i>suturalis</i> (Fallen, 1823) [ <i>Dolichopus</i> ]					7
	<b>Neurogona</b> Oldenberg, 1904		<b>Neurigona</b> Rondani, 1856		2	6
*	<i>albispinosa</i> Van Duzee, 1913		<i>Neurigona albospinosa</i> Van Duzee, 1913			2
	<i>punctifera</i> Becker, 1907		<i>Neurigona punctifera</i> Becker, 1907			4
	<b>Nothosympycnus</b> Wheeler, 1899		<b>Calyxochaetus</b> Bigot, 1888		2	3
	<i>frontalis</i> (Loew, 1861) [ <i>Sympycnus</i> ]		<i>Sympycnus frontalis</i> Loew, 1861			2
	<i>vegetus</i> Wheeler, 1899		<i>Calyxochaetus vegetus</i> (Wheeler, 1899) [ <i>Nothosympycnus</i> ]			1
	<b>Oligochaetus</b> Mik, 1878		<b>Medetera</b> Fischer, 1819		1	8
	<i>plumbellus</i> Meigen, 1824		<i>Medetera plumbella</i> Meigen, 1824			8
	<b>Oncopygius</b> Mik, 1866				2	33
	<i>distans</i> (Loew, 1857) [ <i>Sybistroma</i> ]					30
	<i>magnificus</i> (Loew, 1873) [ <i>Oncopygius</i> ]					3
	<b>Orthoceratium</b> Schrank, 1803				1	4
	<i>lacustre</i> (Scopoli, 1763) [ <i>Musca</i> ]					4



## Dolichopodidae

## Orthochile

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Orthochile</b> Latreille, 1825		<b>Orthochile</b> Latreille, 1809		3	41
	<i>nigrocoerulea</i> (Latreille, 1809) [ <i>Orthochile</i> ]		<i>Orthochile nigrocoerulea</i> Latreille, 1809			8
	<i>soccata</i> Loew, 1850		<i>Orthochile soccata</i> (Loew, 1850) [ <i>Orthochile</i> ]			10
	<i>unicolor</i> Loew, 1850		<i>Orthochile unicolor</i> (Loew, 1850) [ <i>Orthochile</i> ]			23
	<b>Paraclius</b> Loew, 1864				1	1
	<i>vicinus</i> (Aldrich, 1904) [ <i>Paracleius</i> ]		<i>Paraclius alternans</i> (Loew, 1864) [ <i>Pelastoneurus</i> ]			1
	<b>Parasyntormon</b> Wheeler, 1899				1	35
	<i>montivagum</i> Wheeler, 1899					35
	<b>Parathalassius</b> Mik, 1891				2	6
*	<i>aldrichi</i> Melander, 1906					1
	<i>blasigii</i> Mik, 1891					5
	<b>Pelastoneurus</b> Loew, 1861				3	19
	<i>cyaneus</i> Wheeler, 1899					10
	<i>vagans</i> Loew, 1861					8
	<i>wheeleri</i> Melander, 1900					1
	<b>Peodes</b> Loew, 1857				1	11
	<i>forcipatus</i> Loew, 1857					11
	<b>Plagioneurus</b> Loew, 1857				1	3
	<i>univittatus</i> Loew, 1857					3
	<b>Poecilobothrus</b> Mik, 1878				7	59
	<i>basilicus</i> (Loew, 1869) [ <i>Gymnopternus</i> ]					6
	<i>comitalis</i> (Kowarz, 1867) [ <i>Gymnopterus</i> ]					9
	<i>ducalis</i> (Loew, 1857) [ <i>Gymnopternus</i> ]					6
	<i>infuscatus</i> (Stannius, 1831) [ <i>Dolichopus</i> ]					5
	<i>nobilitatus</i> (Linnaeus, 1767) [ <i>Musca</i> ]					7
	<i>principalis</i> (Loew, 1861) [ <i>Gymnopternus</i> ]		<i>Poecilobothrus fumipennis</i> (Stannius, 1831) [ <i>Dolichopus</i> ]			4
	<i>regalis</i> (Meigen, 1824) [ <i>Dolichopus</i> ]					22
	<b>Porphyrops</b> Meigen, 1824		<b>Argyra</b> Macquart, 1834		15	164
	<i>crassipes</i> Meigen, 1824		<i>Rhaphium crassipes</i> (Meigen, 1824) [ <i>Porphyrops</i> ]			20
	<i>discolor</i> (Zetterstedt, 1838) [ <i>Rhaphium</i> ]		<i>Rhaphium discolor</i> Zetterstedt, 1838			10
	<i>effilata</i> Wheeler, 1899		<i>Rhaphium effilatum</i> (Wheeler, 1899) [ <i>Porphyrops</i> ]			9
	<i>elegantulus</i> Meigen, 1824		<i>Rhaphium elegantulum</i> (Meigen, 1824) [ <i>Porphyrops</i> ]			6
	<i>fascipes</i> Meigen, 1824		<i>Rhaphium fascipes</i> (Meigen, 1824) [ <i>Porphyrops</i> ]			10
	<i>fractus</i> (Loew, 1850) [ <i>Rhaphium</i> ]		<i>Argyra fracta</i> (Loew, 1850) [ <i>Rhaphium</i> ]			10
	<i>melampus</i> Loew, 1861		<i>Rhaphium melampus</i> (Loew, 1861) [ <i>Porphyrops</i> ]			2

## Dolichopodidae

## Porphyrops

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>micans</i> Meigen, 1824		<i>Rhaphium micans</i> (Meigen, 1824) [ <i>Porphyrops</i> ]			20
	<i>nasutus</i> (Fallen, 1823) [ <i>Hydrochus</i> ]		<i>Rhaphium nasutum</i> (Fallen, 1823) [ <i>Hydrochus</i> ]			22
	<i>nemorum</i> (Meigen, 1830) [ <i>Rhaphium</i> ]		<i>Rhaphium laticorne</i> (Fallen, 1823) [ <i>Hydrophorus</i> ]			3
	<i>nigricoxa</i> Loew, 1861		<i>Rhaphium nigricoxa</i> (Loew, 1861) [ <i>Porphyrops</i> ]			2
	<i>penicillatus</i> (Loew, 1850) [ <i>Rhaphium</i> ]		<i>Rhaphium penicillatum</i> Loew, 1850			12
	<i>rivalis</i> Loew, 1869		<i>Rhaphium rivale</i> (Loew, 1869) [ <i>Porphyrops</i> ]			6
	<i>spinicoxa</i> (Loew, 1850) [ <i>Rhaphium</i> ]		<i>Rhaphium commune</i> (Meigen, 1824) [ <i>Porphyrops</i> ]			22
	<i>suavis</i> Loew, 1859		<i>Rhaphium suave</i> (Loew, 1859) [ <i>Porphyrops</i> ]			10
	<b><i>Psilopodinus</i> Bigot, 1888</b>		<b><i>Sciapus</i> Zeller, 1842</b>		14	106
	<i>caudatus</i> (Wiedemann, 1830) [ <i>Psilopus</i> ]		<i>Condylostylus caudatus</i> (Wiedemann, 1830) [ <i>Psilopus</i> ]			12
	<i>chrysoprasius</i> (Walker, 1849) [ <i>Psilopus</i> ]		<i>Condylostylus chrysoprasii</i> (Walker, 1849) [ <i>Psilopus</i> ]			4
	<i>cilipes</i> (Aldrich, 1901) [ <i>Psilopus</i> ]		<i>Condylostylus longicornis</i> (Fabricius, 1775) [ <i>Musca</i> ]			2
	<i>comatus</i> (Loew, 1861) [ <i>Psilopus</i> ]		<i>Chrysosoma comatus</i> (Loew, 1861) [ <i>Psilopus</i> ]			4
	<i>flavipes</i> Aldrich, 1904		<i>Condylostylus flavipes</i> (Aldrich, 1904) [ <i>Psilopodinus</i> ]			27
	<i>inornatus</i> (Aldrich, 1901) [ <i>Psilopus</i> ]		<i>Condylostylus inornatus</i> (Aldrich, 1901) [ <i>Psilopus</i> ]			1
	<i>melanopus</i> (Meigen, 1824) [ <i>Dolichopus</i> ]		<i>Dolichopus melanopus</i> Meigen, 1824			8
	<i>mundus</i> (Wiedemann, 1830) [ <i>Psilopus</i> ]		<i>Condylostylus mundus</i> (Wiedemann, 1830) [ <i>Psilopus</i> ]			2
	<i>patibulatus</i> (Say, 1823) [ <i>Dolichopus</i> ]		<i>Condylostylus patibulatus</i> (Say, 1823) [ <i>Dolichopus</i> ]			10
	<i>pilicornis</i> Aldrich, 1904		<i>Condylostylus occidentalis</i> (Bigot, 1888) [ <i>Psilopodinus</i> ]			4
	<i>purpuratus</i> (Aldrich, 1901) [ <i>Psilopus</i> ]		<i>Condylostylus purpuratus</i> (Aldrich, 1901) [ <i>Psilopus</i> ]			1
	<i>scobinator</i> (Loew, 1861) [ <i>Psilopus</i> ]		<i>Condylostylus nigrofemoratus</i> (Walker, 1849) [ <i>Psilopus</i> ]			7
	<i>sipho</i> (Say, 1823) [ <i>Dolichopus</i> ]		<i>Condylostylus sipho say</i> (Say, 1823) [ <i>Dolichopus</i> ]			22
	<i>viridicoxa</i> Aldrich, 1904		<i>Condylostylus viridicoxa</i> (Aldrich, 1904) [ <i>Psilopodinus</i> ]			2
	<b><i>Psilopus</i> Meigen, 1824</b>		<b><i>Sciapus</i> Zeller, 1842</b>		21	213
	<i>adumbratus</i> Becker, 1902		<i>Sciapus adumbratus</i> (Becker, 1902) [ <i>Psilopus</i> ]			7
	<i>albifrons</i> Meigen, 1830		<i>Sciapus albifrons</i> (Meigen, 1830) [ <i>Psilopus</i> ]			15
	<i>bellus</i> Loew, 1873		<i>Sciapus bellus</i> (Loew, 1873) [ <i>Psilopus</i> ]			12
	<i>contristans</i> (Wiedemann, 1817) [ <i>Dolichopus</i> ]		<i>Sciapus contristans</i> (Wiedemann, 1817) [ <i>Dolichopus</i> ]			5
	<i>euzonus</i> Loew, 1859		<i>Sciapus euzonus</i> (Loew, 1859) [ <i>Psilopus</i> ]			9
*	<i>evanidus</i> (Bezzi, 1898) [ <i>Sciapus</i> ]		<i>Sciapus evanidus</i> Bezzi, 1898			4
	<i>flavicinctus</i> Loew, 1857	Ephyridae	<i>Brachydeutera argentata</i> (Walker, 1853) [ <i>Notiphila</i> ]			7
	<i>flavicoxa</i> Aldrich, 1901		<i>Condylostylus flavicoxa</i> (Aldrich, 1901) [ <i>Psilopus</i> ]			9
	<i>inermis</i> Loew, 1861		<i>Condylostylus inermis</i> (Loew, 1861) [ <i>Psilopus</i> ]			4
	<i>leucopogon</i> Wiedemann, 1824		<i>Chrysosoma leucopogon</i> (Wiedemann, 1824) [ <i>Dolichopus</i> ]			4
*	<i>longiseta</i> (Coquillett, 1902) [ <i>Sciapus</i> ]		<i>Condylostylus longiseta</i> (Coquillett, 1902) [ <i>Sciapus</i> ]			3
	<i>mobilis</i> Hutton, 1901		<i>Parentia mobilis</i> (Hutton, 1901) [ <i>Psilopus</i> ]			3
	<i>nervosus</i> (Lehmann, 1822) [ <i>Dolichopus</i> ]		<i>Sciapus nervosus</i> (Lehmann, 1822) [ <i>Dolichopus</i> ]			3
	<i>nitens</i> (Fabricius, 1805) [ <i>Dolichopus</i> ]					40
	<i>ornatipennis</i> Meijere, 1910		<i>Chrysosoma ornatipennis</i> (Meijere, 1910) [ <i>Agonosoma</i> ]			2
	<i>pachigyna</i> Macquart, 1848		<i>Amblypsilopus connexus</i> (Walker, 1835) [ <i>Psilopus</i> ]			4
	<i>pallens</i> Wiedemann, 1830		<i>Sciapus pallens</i> (Wiedemann, 1830) [ <i>Psilopus</i> ]			3

## Dolichopodidae

							<i>Psilopus</i>
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #	
	<i>platypterus</i> (Fabricius, 1805) [ <i>Dolichopus</i> ]		<i>Sciapus platypetrus</i> (Fabricius, 1805) [ <i>Dolichopus</i> ]			45	
	<i>psittacinus</i> Loew, 1861		<i>Amblypsilopus psittacinus</i> (Loew, 1861) [ <i>Psilopus</i> ]			7	
	<i>tener</i> Loew, 1862		<i>Sciapus tener</i> (Loew, 1862) [ <i>Psilopus</i> ]			26	
	<i>wiedemanni</i> (Fallen, 1823) [ <i>Leptopus</i> ]		<i>Sciapus wiedemanni</i> (Fallen, 1823) [ <i>Leptopus</i> ]			1	
	<b>Rhagoneurus</b> Loew, 1864		<b>Dolichopus</b> Latreille, 1797		2	2	
*	<i>aethiopicus</i> Bezzi, 1906		<i>Dolichopus aethiopica</i> (Bezzi, 1906) [ <i>Rhagoneurus</i> ]			1	
	<i>polychromus</i> Loew, 1864		<i>Dolichopus ziczac</i> Wiedemann, 1824			1	
	<b>Rhaphium</b> Meigen, 1803				1	10	
	<i>longicorne</i> (Fallen, 1823) [ <i>Hydrochus</i> ]					10	
	<b>Scellus</b> Loew, 1857				5	25	
	<i>exustus</i> (Walker, 1852) [ <i>Medeterus</i> ]					4	
	<i>filifer</i> Loew, 1864					5	
*	<i>gallicanus</i> Becker, 1909					2	
	<i>notatus</i> (Fabricius, 1781) [ <i>Musca</i> ]					6	
	<i>spinimanus</i> (Zetterstedt, 1843) [ <i>Hydrophorus</i> ]					8	
	<b>Schistostoma</b> Becker, 1902				1	3	
	<i>truncatum</i> Loew, 1864					3	
	<b>Schoenophilus</b> Mik, 1878		<b>Thinophilus</b> Wahlberg, 1844		1	2	
	<i>versutus</i> (Haliday, 1851) [ <i>Thinophilus</i> ]					2	
	<b>Sciapus</b> Zeller, 1842				1	73	
	<i>rectus</i> (Wiedemann, 1830) [ <i>Psilopus</i> ]					73	
	<b>Sphyrotarsus</b> Mik, 1874				1	17	
	<i>argyrostomus</i> Mik, 1874					17	
	<b>Sybistroma</b> Meigen, 1824				2	2	
	<i>nodicornis</i> Wiedemann, 1824					1	
	<i>setosa</i> Schiner, 1861					1	
	<b>Sympycnus</b> Loew, 1857				10	41	
	<i>aeneicoxa</i> (Meigen, 1824) [ <i>Porphyrops</i> ]					5	
	<i>annulipes</i> Meigen, 1824		<i>Sympycnus pulicarius</i> (Fallen, 1823) [ <i>Dolichopus</i> ]			5	
	<i>cirripes</i> (Haliday, 1851) [ <i>Porphyrops</i> ]					7	
*	<i>cuprinus</i> Wheeler, 1899					4	
	<i>lineatus</i> Loew, 1861					6	
	<i>pugil</i> Wheeler, 1899					1	
*	<i>pugiopes</i> Becker, 1908					2	
	<i>pullatus</i> Kowarz, 1889		<i>Sympycnus cirripes</i> (Haliday, 1851) [ <i>Porphyrops</i> ]			8	

## Dolichopodidae

## Sympycnus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
*	<i>simplicipes</i> Becker, 1908 <i>sp.</i>					2 1
<b>Syntormon</b> Loew, 1857					11	122
*	<i>affine</i> (Wheeler, 1899) [ <i>Synarthrus</i> ] <i>denticulatus</i> Zetterstedt, 1843		<i>Syntormon pumilus</i> (Meigen, 1824) [ <i>Rhaphium</i> ]			1 21
	<i>metathesis</i> (Loew, 1850) [ <i>Rhaphium</i> ]					14
	<i>monilis</i> (Haliday, 1851) [ <i>Rhaphium</i> ]					4
	<i>pallipes</i> (Fabricius, 1794) [ <i>Musca</i> ]					41
	<i>pumilus</i> (Meigen, 1824) [ <i>Rhaphium</i> ]					14
	<i>spicatus</i> Loew, 1857		<i>Syntormon fuscipes</i> (Roser, 1840) [ <i>Porphyrops</i> ]			3
	<i>sulcipes</i> (Meigen, 1824) [ <i>Rhaphium</i> ]					5
	<i>tarsatum</i> (Fallen, 1823) [ <i>Hydrochus</i> ]					5
	<i>uncitarsis</i> Becker, 1902		<i>Syntormon pseudospicatus</i> Strobl, 1899			7
	<i>zelleri</i> (Loew, 1850) [ <i>Rhaphium</i> ]					7
<b>Tachytrechus</b> Stannius, 1831					13	79
	<i>ammobates</i> (Haliday, 1851) [ <i>Dolichopus</i> ]					2
	<i>angustipennis</i> Loew, 1862					3
	<i>consobrinus</i> (Haliday, 1851) [ <i>Dolichopus</i> ]					1
	<i>eucerus</i> (Loew, 1861) [ <i>Haltericerus</i> ]		<i>Sybistroma eucerus</i> (Loew, 1861) [ <i>Haltericerus</i> ]			33
	<i>flabellifer</i> (Osten Sacken, 1877) [ <i>Polymedon</i> ]					2
	<i>insignis</i> (Stannius, 1831) [ <i>Dolichopus</i> ]					1
	<i>kowarzii</i> Mik, 1864					2
	<i>moechus</i> Loew, 1861					2
	<i>notatus</i> (Stannius, 1831) [ <i>Dolichopus</i> ]					11
	<i>obscuripes</i> Gerstaecker, 1864					12
	<i>planitarsis</i> Becker, 1907					2
	<i>ripicola</i> Loew, 1857					4
	<i>salinarius</i> Becker, 1902		<i>Tachytrechus tessellatus</i> (Macquart, 1842) [ <i>Dolichopus</i> ]			4
<b>Teneriffa</b> Becker, 1908					1	6
*	<i>spicata</i> Becker, 1908					6
<b>Teuchophorus</b> Loew, 1857					4	35
	<i>calcaratus</i> (Macquart, 1827) [ <i>Medeterus</i> ]					4
	<i>monacanthus</i> Loew, 1859					4
	<i>pectinifer</i> Kowarz, 1868		<i>Teuchophorus nigricosta</i> Roser, 1840			5
	<i>spinigerellus</i> (Zetterstedt, 1843) [ <i>Dolichopus</i> ]					22
<b>Thinophilus</b> Wahlberg, 1844					5	24
	<i>achilleus</i> Mik, 1900					1
	<i>flavipalpis</i> (Zetterstedt, 1843) [ <i>Rhaphium</i> ]					8
	<i>indigenus</i> Becker, 1902					5

## Dolichopodidae

Thinophilus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>mirandus</i> Becker, 1907					3
	<i>ruficornis</i> (Haliday, 1838) [ <i>Medeterus</i> ]					7
	<b><i>Thrypticus</i></b> Gerstaecker, 1864				1	7
	<i>smaragdinus</i> Gerstaecker, 1864					7
	<b><i>Trigonocera</i></b> Becker, 1902				1	1
	<i>rivosa</i> Becker, 1902					1
	<i>Trypticus</i> Strobl, 1898		<b><i>Thrypticus</i></b> Gerstaecker, 1864		1	5
	<i>bellus</i> (Loew, 1869) [ <i>Thrypticus</i> ]		<i>Thrypticus bellus</i> Loew, 1869			5
	<b><i>Xanthochlorus</i></b> Loew, 1857				3	34
	<i>helvinus</i> Loew, 1861					1
	<i>ornatus</i> (Haliday, 1832) [ <i>Leptopus</i> ]					21
	<i>tenellus</i> (Wiedemann, 1817) [ <i>Dolichopus</i> ]					12
	<b><i>Xiphandrium</i></b> Loew, 1857		<b><i>Rhaphium</i></b> Meigen, 1803		8	38
	<i>appendiculatum</i> (Zetterstedt, 1849) [ <i>Rhaphium</i> ]		<i>Rhaphium appendiculatum</i> Zetterstedt, 1849			2
	<i>caliginosum</i> (Meigen, 1824) [ <i>Rhaphium</i> ]		<i>Rhaphium caliginosum</i> Meigen, 1824			4
	<i>dissectum</i> (Loew, 1850) [ <i>Rhaphium</i> ]		<i>Rhaphium dissectum</i> Loew, 1850			1
	<i>fasciatum</i> (Meigen, 1824) [ <i>Rhaphium</i> ]		<i>Rhaphium fasciatum</i> Meigen, 1824			13
	<i>fissum</i> (Loew, 1850) [ <i>Rhaphium</i> ]		<i>Rhaphium fissum</i> Loew, 1850			2
	<i>monotrichum</i> (Loew, 1850) [ <i>Rhaphium</i> ]		<i>Rhaphium monotrichum</i> Loew, 1850			6
	<i>quadrifilatum</i> (Loew, 1857) [ <i>Rhaphium</i> ]		<i>Rhaphium quadrifilatum</i> Loew, 1857			6
*	<i>umbripenne</i> Frey, 1915		<i>Rhaphium umbripenne</i> (Frey, 1915) [ <i>Xiphandrium</i> ]			4

## Drosophilidae

## Acletoxenus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Drosophilidae</b>				16	101	576
	<b>Acletoxenus</b> Frauenfeld, 1868				1	5
	<i>formosus</i> Loew, 1854					5
	<b>Amiota</b> Loew, 1862				2	2
*	<i>albodorsata</i> Sturtevant, 1927		<i>Phortica albodorsata</i> (Sturtevant, 1927) [ <i>Amiota</i> ]			1
	<i>leucophengoides</i> Sturtevant, 1927		<i>Cacoxenus leucophengoides</i> (Sturtevant, 1927) [ <i>Amiota</i> ]			1
	<b>Cacoxenus</b> Loew, 1858				1	10
	<i>indagator</i> Loew, 1858					10
	<b>Chymomyza</b> Czerny, 1903				6	23
	<i>amoena</i> (Loew, 1862) [ <i>Drosophila</i> ]					5
	<i>caudatula</i> Oldenberg, 1914					7
	<i>costata</i> (Zetterstedt, 1838) [ <i>Drosophila</i> ]					1
	<i>distincta</i> (Egger, 1862) [ <i>Drosophila</i> ]					5
	<i>fuscimana</i> (Zetterstedt, 1838) [ <i>Drosophila</i> ]					4
	<i>procnemis</i> (Williston, 1896) [ <i>Drosophila</i> ]					1
	<b>Domomyza</b> Rondani, 1856		<b>Cacoxenus</b> Loew, 1858		2	9
	<i>ambigua</i> (Fallen, 1823) [ <i>Agromyza</i> ]	Agromyzidae	<i>Agromyza ambigua</i> Fallen, 1823			4
	<i>mobilis</i> (Meigen, 1830) [ <i>Agromyza</i> ]	Agromyzidae	<i>Agromyza mobilis</i> Meigen, 1830			5
	<b>Drosophila</b> Fallen, 1823				58	299
*	<i>acuta</i> Sturtevant, 1927		<i>Scaptodrosophila acuta</i> (Sturtevant, 1927) [ <i>Drosophila</i> ]			1
*	<i>affinis</i> Sturtevant, 1916					1
*	<i>alfari</i> Sturtevant, 1921					1
	<i>andalusiaca</i> Strobl, 1906		<i>Lordiphosa andalusiaca</i> (Strobl, 1906) [ <i>Drosophila</i> ]			18
	<i>annulimana</i> Duda, 1927					1
*	<i>balneorum</i> Sturtevant, 1927					2
*	<i>bicolor punctipennis</i> Duda					1
	<i>bifasciata</i> Pomini, 1940					2
*	<i>bilimbata</i> Bezzi, 1928		<i>Drosophila sulfurigaster</i> (Duda, 1923) [ <i>Spinulophila</i> ]			2
	<i>busckii</i> Coquillett, 1901					14
	<i>cameraria</i> Haliday, 1833		<i>Hirtodrosophila cameraria</i> (Haliday, 1833) [ <i>Drosophila</i> ]			12
	<i>cardini</i> Sturtevant, 1916					1
*	<i>caribea</i> Sturtevant, 1916		<i>Drosophila ananassae</i> Doleschall, 1858			1
	<i>confusa</i> Staeger, 1844		<i>Hirtodrosophila confusa</i> (Staeger, 1844) [ <i>Drosophila</i> ]			1
	<i>fenestrarum</i> Fallen, 1823		<i>Lordiphosa fenestrarum</i> (Fallen, 1823) [ <i>Drosophila</i> ]			6
*	<i>finitima</i> var. <i>gracilipes</i> Duda, 1940		<i>Scaptodrosophila latifasciaeformis</i> (Duda, 1940) [ <i>Drosophila</i> ]			1
	<i>flexa</i> Loew, 1866					4
*	<i>florae</i> Sturtevant, 1916					1

## Drosophilidae

## Drosophila

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>funebris</i> (Fabricius, 1787) [ <i>Musca</i> ]					40
	<i>histrion</i> Meigen, 1830					6
*	<i>hydei</i> Sturtevant, 1921					2
*	<i>immigrans</i> Sturtevant, 1921					12
*	<i>immigrans</i> var. <i>formosana</i> Sturtevant, 1927		<i>Drosophila formosana</i> Sturtevant, 1927			1
*	<i>inornata</i> Malloch, 1923		<i>Scaptodrosophila inornata</i> (Malloch, 1923) [ <i>Drosophila</i> ]			1
	<i>inversa</i> Walker, 1861		<i>Cladochaeta inversa</i> (Walker, 1861) [ <i>Drosophila</i> ]			3
	<i>kuntzei</i> Duda, 1924					1
*	<i>latevittata</i> Malloch					2
	<i>limbata</i> Roser, 1840					3
	<i>longecrinita</i> Duda, 1924		<i>Hirtodrosophila longecrinita</i> (Duda, 1924) [ <i>Drosophila</i> ]			1
*	<i>lutzii</i> Sturtevant, 1916					2
*	<i>melanica</i> Sturtevant, 1916					1
*	<i>melanissima</i> Sturtevant, 1916					1
	<i>melanogaster</i> Meigen, 1830					39
	<i>monochaeta</i> Sturtevant, 1927					1
*	<i>mulleri</i> Sturtevant, 1921					1
*	<i>nebulosa</i> Sturtevant, 1916					1
	<i>obscura</i> Fallen, 1823					2
	<i>phalerata</i> Meigen, 1830					3
*	<i>plagiata</i> Bezzi, 1908					13
	<i>plurilineata</i> Villeneuve, 1911		<i>Drosophila busckii</i> Coquillett, 1901			6
*	<i>putrida</i> Sturtevant, 1916					1
	<i>quadrilineata</i> Meijere, 1911					1
	<i>quadrimaculata</i> Adams, 1905		<i>Drosophila adamsi</i> Wheeler, 1959			3
	<i>quinaria</i> Loew, 1866					1
	<i>repleta</i> Wollaston, 1856					48
*	<i>robusta</i> Sturtevant, 1916					1
*	<i>rubra</i> Sturtevant, 1927					1
	<i>rufifrons</i> Loew, 1873		<i>Scaptodrosophila rufifrons</i> (Loew, 1873) [ <i>Drosophila</i> ]			9
*	<i>sexilineata</i>					1
	<i>sigmoides</i> Loew, 1872					1
*	<i>simulans</i> Sturtevant, 1919					5
	<i>takahashi</i> Sturtevant, 1927					1
	<i>testacea</i> Roser, 1840					1
	<i>transversa</i> Fallen, 1823					8
	<i>tripunctata</i> Loew, 1962					1
	<i>trivittata</i> Strobl, 1893		<i>Hirtodrosophila trivittata</i> (Strobl, 1893) [ <i>Drosophila</i> ]			2
*	<i>virilis</i> Sturtevant, 1916					1
*	<i>willistoni</i> Sturtevant, 1916					1
	<b>Gitona</b> Meigen, 1830				2	4
*	<i>beckeri</i> Duda, 1924					1

## Drosophilidae

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b><i>distigma</i></b> Meigen, 1830					3
	<b><i>Gitonides</i></b> Knab, 1914		<b><i>Cacoxenus</i></b> Loew, 1858		1	3
	<i>perspicax</i> Knab, 1914		<i>Cacoxenus perspicax</i> (Knab, 1914) [ <i>Gitonides</i> ]			3
	<b><i>Leucophenga</i></b> Mik, 1886				6	33
	<i>albicincta</i> (Meijere, 1908) [ <i>Drosophila</i> ]		<i>Leucophenga albofasciata</i> (Macquart, 1851) [ <i>Drosophila</i> ]			28
*	<i>bezzii</i> Sturtevant, 1927					1
	<i>cuthbertsoni</i> Malloch, 1929					1
	<i>flavipalpis</i> Duda, 1939		<i>Leucophenga mutabilis</i> Adams, 1905			1
	<i>maculosa</i> Coquillett, 1895					1
*	<i>munroi</i> Duda, 1939					1
	<b><i>Mycodrosophila</i></b> Oldenberg, 1914				3	9
	<i>dimidiata</i> (Loew, 1862) [ <i>Drosophila</i> ]					2
	<i>gratiosa</i> (Meijere, 1911) [ <i>Drosophila</i> ]					5
	<i>poecilogastra</i> (Loew, 1874) [ <i>Amiota</i> ]					2
	<b><i>Phortica</i></b> Schiner, 1862				4	17
	<i>alboguttata</i> (Wahlberg, 1839) [ <i>Drosophila</i> ]		<i>Amiota alboguttata</i> (Wahlberg, 1839) [ <i>Drosophila</i> ]			3
	<i>leucostoma</i> (Loew, 1862) [ <i>Amiota</i> ]		<i>Amiota leucostoma</i> Loew, 1862			1
	<i>modesta</i> Coquillett					4
	<i>variegata</i> (Fallen, 1823) [ <i>Drosophila</i> ]					9
	<b><i>Scaptomyza</i></b> Hardy, 1850				6	114
	<i>adusta</i> (Loew, 1862) [ <i>Drosophila</i> ]					5
	<i>apicata</i> (Thomson, 1869) [ <i>Drosophila</i> ]					4
	<i>flava</i> (Fallen, 1823) [ <i>Drosophila</i> ]					10
	<i>graminum</i> (Fallen, 1823) [ <i>Drosophila</i> ]					79
	<i>terminalis</i> (Loew, 1863) [ <i>Drosophila</i> ]					1
	<i>tetrasticha</i> Becker, 1908		<i>Scaptomyza graminum</i> (Fallen, 1823) [ <i>Drosophila</i> ]			15
	<b><i>Sinophthalmus</i></b> Coquillett, 1904		<b><i>Phortica</i></b> Schiner, 1862		1	22
	<i>pictus</i> Coquillett, 1904		<i>Phortica picta</i> (Coquillett, 1904) [ <i>Sinophthalmus</i> ]			22
	<b><i>Stegana</i></b> Meigen, 1830				4	10
	<i>bakeri</i> Sturtevant, 1927		<i>Leucophenga bakeri</i> (Sturtevant, 1927) [ <i>Stegana</i> ]			1
	<i>coleoprata</i> (Scopoli, 1763) [ <i>Musca</i> ]					4
	<i>curvipennis</i> (Fallen, 1823) [ <i>Drosophila</i> ]		<i>Stegana furta</i> (Linnaeus, 1767) [ <i>Musca</i> ]			4
	<i>nigrifrons</i> Meijere, 1911					1
	<b><i>Zaprionus</i></b> Coquillett, 1901				3	12
	<i>bakeri</i> Sturtevant, 1927		<i>Phorticella bakeri</i> (Sturtevant, 1927) [ <i>Zaprionus</i> ]			1
	<i>multistriata</i> Sturtevant, 1927		<i>Zaprionus bogoriensis</i> (Mainx, 1958) [ <i>Drosophila</i> ]			1



## Drosophilidae

## Zaprionus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>vittiger</b> Coquillett, 1901					10
	<b>Zygotricha</b> Agassiz, 1846		<b>Zygothrica</b> Wiedemann, 1830		1	4
	<i>dispar</i> (Wiedemann, 1830) [ <i>Achias</i> ]		<b>Zygothrica dispar</b> (Wiedemann, 1830) [ <i>Achias</i> ]			4

## Dryomyzidae

## Dryomyza

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Dryomyzidae</b>			2	5	124
	<b>Dryomyza</b> Fallen, 1820				3	80
	<i>decrepita</i> Zetterstedt, 1838		<b>Dryope decrepita</b> (Zetterstedt, 1838) [ <i>Dryomyza</i> ]			4
	<i>flaveola</i> (Fabricius, 1794) [ <i>Musca</i> ]		<b>Dryope flaveola</b> (Fabricius, 1794) [ <i>Musca</i> ]			58
	<i>zawadskii</i> Schummel, 1834		<b>Dryope flaveola</b> (Fabricius, 1794) [ <i>Musca</i> ]			18
	<b>Neuroctena</b> Rondani, 1868		<b>Dryomyza</b> Fallen, 1820		2	44
	<i>anilis</i> (Fallen, 1820) [ <i>Dryomyza</i> ]		<b>Dryomyza anilis</b> Fallen, 1820			41
	<i>maculipennis</i> (Macquart, 1851) [ <i>Dryomyza</i> ]		<b>Dryomyza formosa</b> (Wiedemann, 1830) [ <i>Scatophaga</i> ]			3

## Empididae

## Amictoides

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Empididae</b>				32	483	5724
	<b>Amictoides</b> Bezzi, 1909				1	1
	<i>breviventris</i> Philippi, 1865					1
	<b>Atrichopleura</b> Bezzi, 1909				2	6
	<i>nitida</i> Bezzi, 1909					1
	<i>schnusei</i> Bezzi, 1909		<i>Atrichopleura schinusei</i> Bezzi, 1909			5
	<b>Bergenstammia</b> Mik, 1881				2	34
	<i>multisetata</i> Strobl, 1893		<i>Clinocera multisetata</i> (Strobl, 1893) [ <i>Bergenstammia</i> ]			10
	<i>nudipes</i> (Loew, 1858) [ <i>Clinocera</i> ]		<i>Clinocera nudipes</i> Loew, 1858			24
	<b>Camelopsis</b> Engel, 1918		<b>Wiedemannia</b> Zetterstedt, 1838		2	21
	<i>armata</i> (Engel, 1918) [ <i>Atalanta</i> ]		<i>Wiedemannia armata</i> (Engel, 1918) [ <i>Atalanta</i> ]			8
	<i>phantasma</i> (Mik, 1880) [ <i>Clinocera</i> ]		<i>Wiedemannia phantasma</i> (Mik, 1880) [ <i>Clinocera</i> ]			13
	<b>Chamaedipsia</b> Mik, 1881		<b>Wiedemannia</b> Zetterstedt, 1838		5	139
	<i>alpina</i> (Engel, 1918) [ <i>Clinocera</i> ]		<i>Wiedemannia alpina</i> (Engel, 1918) [ <i>Clinocera</i> ]			9
	<i>beckeri</i> Mik, 1889		<i>Wiedemannia beckeri</i> (Mik, 1889) [ <i>Chamaedipsia</i> ]			113
*	<i>hamifera</i> (Melander, 1928) [ <i>Wiedemannia</i> ]		<i>Trichoclinocera hamifera</i> (Melander, 1928) [ <i>Wiedemannia</i> ]			1
*	<i>longicornis</i> Mik, 1887		<i>Wiedemannia longicornis</i> (Mik, 1887) [ <i>Chamaedipsia</i> ]			14
	<i>mikiana</i> Bezzi, 1899		<i>Wiedemannia mikiana</i> (Bezzi, 1899) [ <i>Chamaedipsia</i> ]			2
	<b>Chelipoda</b> Macquart, 1823				1	5
	<i>melanocephala</i> Fabricius, 1794		<i>Phylodromia melanocephala</i> Fabricius, 1794			5
	<b>Cladodromia</b> Bezzi, 1905				2	2
*	<i>fuscimana</i> Bezzi, 1909					1
*	<i>plurivittata</i> Bezzi, 1909					1
	<b>Clinocera</b> Meigen, 1803				4	129
	<i>appendiculata</i> (Zetterstedt, 1838) [ <i>Wiedemannia</i> ]					48
	<i>nigra</i> Meigen, 1804					35
*	<i>rufipes</i> Bezzi, 1899		<i>Clinocera nigra</i> Meigen, 1804			28
	<i>storchi</i> Mik, 1880					18
	<b>Clinocerella</b> Engel, 1918				2	3
*	<i>oldenbergi</i> (Engel, 1918) [ <i>Atalanta</i> ]		<i>Wiedemannia oldenbergi</i> (Engel, 1918) [ <i>Atalanta</i> ]			2
*	<i>sorex</i> (Engel, 1918) [ <i>Atalanta</i> ]		<i>Wiedemannia sorex</i> (Engel, 1918) [ <i>Atalanta</i> ]			1
	<b>Dolichocephala</b> Macquart, 1823				3	16
	<i>guttata</i> Haliday, 1833					8

## Empididae

## Dolichocephala

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>irrorata</i> Fallen, 1816					7
	<i>ocellata</i> Costa, 1854					1
	<b>Empis</b> Linnaeus, 1758				200	2752
	<i>abbreviata</i> Loew, 1869					1
*	<i>acrosticha</i> Bezzi					12
	<i>adusta</i> Loew, 1869					1
	<i>aemula</i> Loew, 1873					10
	<i>aequalis</i> Loew, 1867					25
	<i>aestiva</i> Loew, 1867					35
	<i>affinis</i> Egger, 1860					3
	<i>alampra</i> Loew, 1873					21
	<i>albicans</i> Meigen, 1822					4
	<i>albidiseta</i> Becker, 1907					2
	<i>albifrons</i> Bezzi, 1909					20
	<i>albinervis</i> Meigen, 1822					10
*	<i>aldrichi</i> Melander, 1902					13
	<i>algira</i> Macquart, 1838					1
	<i>alpicola</i> Strobl, 1893					12
	<i>angustipennis</i> Bezzi, 1909					2
*	<i>anthrax</i> Bezzi					14
	<i>apfelbecki</i> Strobl, 1898					9
*	<i>basilaris</i> Becker, 1908					2
*	<i>beckeri</i> Bezzi					4
*	<i>beckeriana</i> Bezzi					9
	<i>bilineata</i> Loew, 1867		<i>Empis diagramma</i> Meigen, 1835			22
*	<i>biroi</i> Bezzi					6
	<i>bistortae</i> Meigen, 1822					26
	<i>borealis</i> Linnaeus, 1758					21
	<i>brevicornis</i> Loew, 1869		<i>Empis picipes</i> Meigen, 1804			11
	<i>brunnipennis</i> Meigen, 1822					32
*	<i>calcarata</i> Bezzi, 1899					62
*	<i>carmelitana</i> Bezzi					3
	<i>caudatula</i> Loew, 1867					26
	<i>chioptera</i> Meigen, 1804					26
	<i>ciliata</i> Fabricius, 1787					32
	<i>ciliatopennata</i> Strobl, 1893					16
	<i>cinnatula</i> Loew, 1867					10
*	<i>clauda</i> Coquillett, 1900		<i>Empis delumbis</i> Melander, 1965			8
	<i>clausa</i> Coquillett, 1895					10
	<i>cognata</i> Egger, 1860					30
	<i>concolor</i> Verrall, 1872					1
*	<i>confluens</i> Becker, 1907					4

## Empididae

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>confusa</i> Loew, 1865					85
*	<i>coracina</i> Bezzi, 1909					2
*	<i>corcyrica</i> Bezzi, 1909					2
	<i>corvina</i> Loew, 1869					5
	<i>cothurnata</i> Brulle, 1833					7
	<i>crassa</i> Nowicki, 1868					33
*	<i>cuneipennis</i> Bezzi, 1899					5
	<i>curta</i> Loew, 1869					1
	<i>curvipes</i> Loew, 1868					6
*	<i>cyrenaica</i> Bezzi, 1925					18
*	<i>dalmatica</i> Oldenberg, 1925					9
*	<i>damascena</i> Bezzi					4
	<i>dasyprocta</i> Loew, 1867					40
	<i>decora</i> Meigen, 1822					17
	<i>decoripes</i> Roder, 1894		<i>Empis lugubris</i> Loew, 1869			2
	<i>dedecor</i> Loew, 1869					5
	<i>dimidiata</i> Loew, 1867		<i>Empis loewiana</i> Bezzi, 1909			12
	<i>discolor</i> Loew, 1856					22
	<i>dispar</i> Scholz, 1851					3
	<i>divergens</i> Loew, 1869		<i>Empis haemorrhonica</i> Loew, 1869			4
	<i>erberi</i> Nowicki, 1873		<i>Empis tumida</i> Meigen, 1822			26
	<i>erosa</i> Loew, 1869					8
*	<i>erythrura</i> Bezzi					3
*	<i>escheri</i> Bezzi					20
*	<i>eumelaena</i> Bezzi					1
	<i>eumera</i> Loew, 1868					13
	<i>exotica</i> Wiedemann, 1824					1
	<i>fallax</i> Egger, 1860					25
	<i>fasciculata</i> Strobl, 1901					12
	<i>femorata</i> Fabricius, 1798					23
	<i>filata</i> Loew, 1873					6
*	<i>fiorii</i> Bezzi, 1910					2
	<i>florisomna</i> Loew, 1856					6
	<i>fraterna</i> Loew, 1865		<i>Empis tessellata</i> Fabricius, 1794			18
	<i>genualis</i> Strobl, 1893					65
*	<i>ghigiana</i> Bezzi, 1924					20
	<i>gravipes</i> Loew, 1856					3
	<i>grisea</i> Fallen, 1816					9
*	<i>gymnopoda</i> Bezzi, 1908					8
	<i>haemi</i> Loew, 1862					1
*	<i>haifonsi</i> Bezzi					4
	<i>helophila</i> Loew, 1867					41
	<i>hispanica</i> Loew, 1856		<i>Empis morio</i> Fabricius, 1794			10

## Empididae

*Empis*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
*	<i>homoptera</i> Bezzi					17
	<b><i>hyalipennis</i></b> Fallen, 1816					6
*	<b><i>hyalogyne</i></b> Bezzi, 1912					10
	<b><i>hystrix</i></b> Loew, 1867					6
*	<i>insecta</i> Bezzi					4
*	<i>interrupta</i> Bezzi					1
*	<i>ithypallica</i> Bezzi					12
	<b><i>laeta</i></b> Loew, 1869					6
	<i>lamellicornis</i> Becker, 1887		<i>Empis simulium</i> Nowicki, 1868			26
	<b><i>laniventris</i></b> Eschscholtz, 1822					5
*	<i>lepidophora</i> Bezzi					2
	<b><i>lepidopus</i></b> Meigen, 1822					11
*	<b><i>leptomorion</i></b> Bezzi, 1909					3
	<b><i>leucopeza</i></b> Loew, 1873					2
*	<i>leucotricha</i> Bezzi					4
	<b><i>livida</i></b> Linnaeus, 1758					32
	<b><i>loewiana</i></b> Bezzi, 1909					13
*	<i>longifila</i> Bezzi					13
	<b><i>lucida</i></b> Zetterstedt, 1838					5
	<b><i>lutea</i></b> Meigen, 1804					23
*	<i>luteicosta</i> Bezzi					6
	<b><i>macquarti</i></b> Becker, 1907					4
	<b><i>macra</i></b> Loew, 1867					3
	<b><i>macropalpa</i></b> Egger, 1860					3
	<b><i>maculata</i></b> Fabricius, 1781					11
	<b><i>malleola</i></b> Becker, 1887					9
*	<b><i>mediocris</i></b> Becker, 1907					1
	<b><i>mediterranea</i></b> (Loew, 1864) [ <i>Pachymeria</i> ]					2
*	<i>melaena</i> Bezzi					3
*	<i>melanochira</i> Bezzi					1
	<b><i>melanotricha</i></b> Loew, 1873					33
	<b><i>meridionalis</i></b> Meigen, 1822					16
	<b><i>mesogramma</i></b> Loew, 1867					2
*	<b><i>metapleuralis</i></b> Bezzi, 1909					1
	<b><i>micropyga</i></b> Bezzi, 1905					5
*	<i>micrura</i> Bezzi					5
	<b><i>monticola</i></b> Loew, 1868					2
	<b><i>morio</i></b> Fabricius, 1794					9
	<i>morio</i> var. <i>tipuloides</i> Loew					35
*	<i>nematophora</i> Bezzi					2
	<i>nepticula</i> Loew, 1869		<i>Empis sericans</i> Brulle, 1833			31
	<b><i>nigricans</i></b> Meigen, 1804					7
	<b><i>nigricoma</i></b> Loew, 1867					54

## Empididae

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>nigritarsis</i> Meigen, 1804					7
	<i>nigritibialis</i> Strobl, 1898					19
	<i>nitida</i> Meigen, 1804					9
	<i>nitidissima</i> Strobl, 1893					18
	<i>nitidiventris</i> Loew, 1873					16
*	<i>nuditibia</i> Bezzi					2
	<i>obscuripes</i> (Loew, 1873) [ <i>Pachymeria</i> ]					15
	<i>opaca</i> Fabricius, 1805					16
	<i>opaca</i> var. <i>apteropa</i> Bezzi					19
*	<i>opacula</i> Bezzi					2
	<i>otiosa</i> Coquillett, 1895					10
	<i>palparis</i> Egger, 1860		<i>Empis scotica</i> Curtis, 1835			50
	<i>parvula</i> Egger, 1860		<i>Empis albifrons</i> Bezzi, 1909			3
*	<i>patagiata</i> Bezzi, 1914					3
*	<i>pavesii</i> Bezzi, 1895					6
*	<i>pectinata</i> Bezzi					39
	<i>pennaria</i> Fallen, 1816		<i>Empis nigripes</i> Fabricius, 1794			15
	<i>pennipes</i> Linnaeus, 1758					49
	<i>phaenomeris</i> Loew, 1868					6
*	<i>phaeostigma</i> Bezzi					15
*	<i>picena</i> Bezzi, 1899					49
	<i>pilimana</i> Loew, 1859					7
	<i>pilosa</i> Loew, 1867					11
	<i>plebeja</i> Loew, 1873					23
	<i>plumipes</i> Zetterstedt, 1842		<i>Empis syrovatkai</i> Chvala, 1985			31
	<i>poecila</i> Philippi, 1865		<i>Allochrotus poecilus</i> (Philippi, 1865) [ <i>Empis</i> ]			2
	<i>polita</i> Macquart, 1838					6
	<i>poplitea</i> Loew, 1863					10
	<i>procera</i> Loew, 1873					8
	<i>prodromus</i> Loew, 1867					13
	<i>pseudodecora</i> Strobl, 1898					12
	<i>pseudomalleola</i> Strobl, 1893					10
	<i>ptilopoda</i> Wiedemann, 1822					10
	<i>punctata</i> Meigen, 1804					15
	<i>pusio</i> Egger, 1860					7
*	<i>raptoria</i> Bezzi, 1912					1
*	<i>ravida</i> Coquillett, 1895		<i>Empis obesa</i> Loew, 1861			2
	<i>rubida</i> (Wheeler & Melander, 1901) [ <i>Opeatocerata</i> ]		<i>Opeatocerata rubida</i> Wheeler & Melander, 1901			4
	<i>rufiventris</i> Meigen, 1838					23
*	<i>sardoa</i> Bezzi					2
*	<i>sauteriana</i> Bezzi, 1914					5
	<i>scaura</i> Loew, 1867					26
	<i>scopulifera</i> Bezzi, 1912					3

## Empididae

## Empis

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>scutellariae</i> Bezzi, 1908		<i>Empis dimidiata</i> Meigen, 1835			36
	<i>semicinerea</i> Loew, 1867					54
	<i>serena</i> Pokorný, 1887		<i>Empis alpina</i> Loew, 1867			43
	<i>serotina</i> Loew, 1867					11
	<i>setosa</i> Loew, 1867					21
*	<i>sibillina</i> Bezzi, 1899					0
*	<i>similis</i> Becker, 1908					8
	<i>simplicipes</i> Loew, 1867		<i>Empis pusio</i> Egger, 1860			19
	<i>sp?</i>					1
*	<i>spiralis</i> Bezzi					4
	<i>stenoptera</i> Loew, 1964					7
	<i>stercorea</i> Linnaeus, 1761					34
	<i>strigata</i> Loew, 1867					2
	<i>styriaca</i> Strobl, 1893					2
	<i>tanysphyra</i> Loew, 1873					93
	<i>tessellata</i> Fabricius, 1794					48
	<i>tessellata</i> var. <i>atripes</i> Strobl, 1893		<i>Empis tessellata</i> Fabricius, 1794			7
	<i>testacea</i> Fabricius, 1805					5
	<i>testiculata</i> Bezzi, 1909					2
	<i>thalhammeri</i> Strobl, 1898					3
	<i>trigramma</i> Wiedemann, 1822					23
	<i>unistriata</i> Becker, 1887					17
	<i>univittata</i> Loew, 1867					3
*	<i>ursina</i> Bezzi					7
	<i>variegata</i> Meigen, 1804					12
*	<i>velutina</i> Bezzi, 1912					1
*	<i>velutina</i> var. <i>cineraria</i> Bezzi, 1914		<i>Empis cineraria</i> Bezzi, 1914			5
	<i>vernalis</i> Meigen, 1822		<i>Empis nigripes</i> Fabricius, 1794			46
*	<i>villeneuvei</i> Bezzi					1
*	<i>virgata</i> Coquillett, 1895					6
	<i>vitripennis</i> Meigen, 1822					18
*	<i>volitans</i> Bezzi					5
<b>Eucelidia</b> Mik, 1881			<b>Wiedemannia</b> Zetterstedt, 1838		3	18
	<i>escheri</i> (Zetterstedt, 1838) [ <i>Brachystoma</i> ]		<i>Wiedemannia escheri</i> (Zetterstedt, 1838) [ <i>Brachystoma</i> ]			4
	<i>pirata</i> (Mik, 1880) [ <i>Clinocera</i> ]		<i>Clinocera pirata</i> Mik, 1880			10
	<i>zetterstedti</i> (Fallen, 1826) [ <i>Empis</i> ]		<i>Wiedemannia zetterstedti</i> (Fallen, 1826) [ <i>Empis</i> ]			4
<b>Haplomera</b> Agassiz, 1846					2	20
	<i>chilensis</i> Bezzi, 1909		<i>Haplomera chilensis</i> (Bezzi, 1909) [ <i>Haplomera</i> ]			3
*	<i>schrottkyi</i> Bezzi, 1909		<i>Haplomera schrottkyi</i> (Bezzi, 1909) [ <i>Haplomera</i> ]			17
<b>Hemerodromia</b> Meigen, 1822					9	73



## Empididae

## Hemerodromia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>frigellii</i> Zetterstedt, 1838		<i>Chelifera frigellii</i> (Zetterstedt, 1838) [ <i>Helophilus</i> ]			2
	<i>melanocephala</i> var. <i>flavella</i> Zetterstedt, 1838		<i>Chelifera flavella</i> (Zetterstedt, 1838) [ <i>Hemerodromia</i> ]			12
	<i>melanocephala</i> var. <i>trapezina</i> Zetterstedt, 1838		<i>Chelifera trapezina</i> (Zetterstedt, 1838) [ <i>Hemerodromia</i> ]			13
	<i>monostigma</i> Meigen, 1822		<i>Chelifera monostigma</i> (Meigen, 1822) [ <i>Hemerodromia</i> ]			6
	<i>oratoria</i> Fallen, 1816					11
	<i>palloris</i> Coquillett, 1895		<i>Chelifera palloris</i> (Coquillett, 1895) [ <i>Mantipeza</i> ]			1
	<i>praecatoria</i> (Fallen, 1815) [ <i>Tachydromia</i> ]		<i>Chelifera praecatoria</i> (Fallen, 1815) [ <i>Tachydromia</i> ]			21
	<i>raptoria</i> Meigen, 1830					3
	<i>unilineata</i> Zetterstedt, 1842					4
	<b><i>Hesperempis</i></b> Melander, 1906				1	2
*	<i>mabelae</i> (Melander, 1902) [ <i>Rhagas</i> ]					2
	<b><i>Hilara</i></b> Meigen, 1822				77	789
	<i>abdominalis</i> Zetterstedt, 1838					13
	<i>aeronetha</i> Mik, 1892					16
	<i>andermattensis</i> Strobl, 1892					2
*	<i>anglodanica</i> Lundbeck, 1913					5
	<i>anomala</i> Loew, 1840		<i>Hilara pilipes</i> Zetterstedt, 1838			13
*	<i>apta</i> Collin, 1927					2
	<i>beckeri</i> Strobl, 1892					5
	<i>bivittata</i> Strobl, 1892		<i>Hilara longivittata</i> Zetterstedt, 1842			17
	<i>canescens</i> Zetterstedt, 1849					16
	<i>chorica</i> (Fallen, 1816) [ <i>Empis</i> ]					8
	<i>cilipes</i> Meigen, 1822					10
	<i>cinereomicans</i> Strobl, 1892					10
	<i>cingulata</i> Dahlbom, 1850					10
	<i>clypeata</i> Meigen, 1822					2
	<i>cornicula</i> Loew, 1873					24
	<i>cuneata</i> Loew, 1873					8
*	<i>dentipes</i> Oldenberg					4
	<i>dimidiata</i> Strobl, 1892					41
*	<i>discoidalis</i> Oldenberg					2
	<i>discolor</i> Strobl, 1892					10
	<i>diversipes</i> Strobl, 1892					6
*	<i>fasciventris</i> Oldenberg					8
	<i>femorata</i> Loew, 1862					3
	<i>femorella</i> Zetterstedt, 1842					24
	<i>flava</i> Schiner, 1860		<i>Hilara thoracica</i> Macquart, 1827			22
	<i>flavipes</i> Meigen, 1822					7
	<i>fuscipes</i> Fabricius, 1794					23
*	<i>fuscula</i> Oldenberg					3
	<i>gallica</i> (Meigen, 1804) [ <i>Empis</i> ]					17

## Empididae

				<i>Hilara</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
*	<i>griseifrons</i> Collin, 1927		<i>Hilara ternovensis</i> Strobl, 1898			8
*	<i>griseithorax</i> Oldenberg					6
	<i>griseola</i> Zetterstedt, 1838					10
	<i>heterogastra</i> Nowicki, 1868					11
	<i>hirta</i> Strobl, 1892					4
	<i>hystrix</i> Strobl, 1892					14
	<i>infans</i> Zetterstedt, 1842					3
	<i>interstincta</i> (Fallen, 1816) [ <i>Empis</i> ]					16
*	<i>irritans</i> Bezzi, 1909					3
	<i>leandrina</i> Strobl, 1910					2
	<i>litorea</i> (Fallen, 1816) [ <i>Empis</i> ]					28
	<i>longicornis</i> Strobl, 1894					4
	<i>longivittata</i> Zetterstedt, 1842					14
*	<i>lugubrina</i> Oldenberg					2
	<i>lugubris</i> (Zetterstedt, 1819) [ <i>Empis</i> ]					9
	<i>lurida</i> (Fallen, 1816) [ <i>Empis</i> ]					11
	<i>manicata</i> Meigen, 1822					2
	<i>matrona</i> Haliday, 1833		<i>Hilara clavipes</i> (Harris, 1776) [ <i>Empis</i> ]			20
	<i>matroniformis</i> Strobl, 1892					15
	<i>maura</i> (Fabricius, 1777) [ <i>Empis</i> ]					30
*	<i>mesogramma</i> Oldenberg					2
*	<i>monedula</i> Collin, 1927					4
	<i>mutabilis</i> Loew, 1862					2
	<i>nigrina</i> (Fallen, 1816) [ <i>Empis</i> ]					11
	<i>niveipennis</i> Zetterstedt, 1842		<i>Hilara albitarsis</i> Roser, 1840			23
*	<i>perturbans</i> Bezzi, 1909					4
	<i>pilipes</i> Zetterstedt, 1838					2
	<i>pinetorum</i> Zetterstedt, 1849		<i>Hilara clypeata</i> Meigen, 1822			12
	<i>pruinosa</i> Wiedemann, 1822					28
	<i>pseudocornicula</i> Strobl, 1909					5
	<i>pubipes</i> Loew, 1873		<i>Hilara intermedia</i> (Fallen, 1816) [ <i>Empis</i> ]			9
*	<i>quadriseta</i> Collin, 1927					4
	<i>quadrivittata</i> Meigen, 1822					14
	<i>sartor</i> Becker, 1888					19
	<i>scrobicula</i> Loew, 1873					15
*	<i>setimana</i> Oldenberg					6
	<i>spimana</i> Zetterstedt, 1838		<i>Hilara clavipes</i> (Harris, 1776) [ <i>Empis</i> ]			11
*	<i>strobliana</i> Bezzi, 1899					18
	<i>sulcitaris</i> Strobl, 1892					8
*	<i>tanythrix</i> Frey, 1913					1
	<i>tenella</i> (Fallen, 1816) [ <i>Empis</i> ]					13
	<i>tenuinervis</i> Zetterstedt, 1838					2
	<i>tetragramma</i> Loew, 1873					19

## Empididae

				<i>Hilara</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
*	<i>tridentina</i> Oldenberg					2
	<b><i>tristis</i></b> Loew, 1864					3
	<b><i>trivittata</i></b> Loew, 1862					3
*	<b><i>tyrolensis</i></b> Strobl, 1892					5
*	<b><i>uncicauda</i></b> Bezzi, 1914					1
<b><i>Hilarempis</i></b> Bezzi, 1905					6	13
	<i>barbatula</i> Bezzi, 1909					3
	<i>bicingulata</i> Bezzi, 1909					4
	<i>carinata</i> Bezzi, 1909					1
	<i>nudifacies</i> Bezzi, 1905					2
	<i>spinosa</i> Bezzi, 1909					1
	<i>spinulosa</i> Philippi, 1865		<i>Aplomera spinulosa</i> Philippi, 1865			2
<b><i>Hormopeza</i></b> Zetterstedt, 1838					1	6
	<i>brevicornis</i> Loew, 1864					6
<b><i>Kowarzia</i></b> Mik, 1882				<b><i>Clinocera</i></b> Meigen, 1803	5	97
	<i>barbatula</i> (Mik, 1880) [ <i>Clinocera</i> ]		<i>Clinocera barbatula</i> Mik, 1880			39
	<i>bipunctata</i> (Haliday, 1833) [ <i>Heleodromia</i> ]		<i>Clinocera bipunctata</i> (Haliday, 1833) [ <i>Heleodromia</i> ]			6
*	<i>emp</i> Becker, 1908		<i>Clinocera amarantha</i> (Becker, 1908) [ <i>Kowarzia</i> ]			2
	<i>plectrum</i> (Mik, 1880) [ <i>Clinocera</i> ]		<i>Clinocera plectrum</i> Mik, 1880			3
	<i>tibiella</i> (Mik, 1880) [ <i>Clinocera</i> ]		<i>Clinocera tibiella</i> Mik, 1880			47
<b><i>Lamprempis</i></b> Wheeler & Melander, 1901					2	6
	<i>calopoda</i> Bezzi, 1905					1
	<i>suavis</i> (Loew, 1869) [ <i>Empis</i> ]					5
<b><i>Microdromia</i></b> Kertész, 1909				<b><i>Hemerodromia</i></b> Meigen, 1822	1	2
*	<i>xiphias</i> (Bezzi) [ <i>Hemerodromia</i> ]		<i>Hemerodromia xiphias</i> Bezzi, 1914			2
<b><i>Neoplasta</i></b> Coquillett, 1895					1	3
	<i>scapularis</i> Loew, 1862					3
<b><i>Oreothalia</i></b> Melander, 1902					1	1
*	<i>pelops</i> Melander, 1902					1
<b><i>Phaeobalia</i></b> Mik, 1881					5	41
	<i>dimidiata</i> (Loew, 1869) [ <i>Clinocera</i> ]		<i>Clinocera dimidiata</i> Loew, 1869			4
	<i>inermis</i> (Loew, 1861) [ <i>Clinocera</i> ]		<i>Clinocera inermis</i> Loew, 1861			10
	<i>penicissa</i> Becker, 1889		<i>Clinocera penicissa</i> (Becker, 1889) [ <i>Phaeobalia</i> ]			2
	<i>pokorny</i> Mik, 1886		<i>Clinocera pokorny</i> (Mik, 1886) [ <i>Phaeobalia</i> ]			17
	<i>varipennis</i> (Nowicki, 1868) [ <i>Clinocera</i> ]		<i>Clinocera varipennis</i> Nowicki, 1868			8

## Empididae

## Philolutra

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Philolutra</b> Mik, 1881		<b>Wiedemannia</b> Zetterstedt, 1838		4	198
	<i>aquilex</i> (Loew, 1869) [ <i>Clinocera</i> ]		<i>Wiedemannia aquilex</i> (Loew, 1869) [ <i>Clinocera</i> ]			5
	<i>bohemani</i> (Zetterstedt, 1838) [ <i>Brachystoma</i> ]		<i>Wiedemannia bohemani</i> (Zetterstedt, 1838) [ <i>Brachystoma</i> ]			20
	<i>fallaciosa</i> (Loew, 1873) [ <i>Clinocera</i> ]		<i>Clinocera fallaciosa</i> Loew, 1873			44
	<i>hygrobia</i> (Loew, 1858) [ <i>Clinocera</i> ]		<i>Wiedemannia hygrobia</i> (Loew, 1858) [ <i>Clinocera</i> ]			129
	<b>Phleboctena</b> Bezzi, 1909		<b>Deuteragonista</b> Philippi, 1865		1	2
*	<i>lutea</i> Bezzi, 1909		<i>Deuteragonista lutea</i> (Bezzi, 1909) [ <i>Phleboctena</i> ]			2
	<b>Phyllodromia</b> Zetterstedt, 1837				5	24
	<i>albisetia</i> (Zetterstedt, 1838) [ <i>Hemerodromia</i> ]		<i>Chelipoda albisetia</i> (Zetterstedt, 1838) [ <i>Hemerodromia</i> ]			9
*	<i>elongata</i> (Melander, 1902) [ <i>Litanomyia</i> ]		<i>Chelipoda elongata</i> Melander, 1902			2
*	<i>fuscicornis</i> (Bezzi, 1912) [ <i>Chelipoda</i> ]		<i>Chelipoda fuscicornis</i> Bezzi, 1912			4
*	<i>fusciseta</i> (Bezzi, 1912) [ <i>Chelipoda</i> ]		<i>Chelipoda fusciseta</i> Bezzi, 1912			6
	<i>vocatoria</i> (Fallen, 1815) [ <i>Tachydromia</i> ]		<i>Chelipoda vocatoria</i> (Fallen, 1815) [ <i>Tachydromia</i> ]			3
	<b>Rhagas</b> Agassiz, 1845		<b>Ragas</b> Walker, 1837		2	6
*	<i>setosa</i> Bezzi, 1925	Iteaphila group	<i>Iteaphila setosa</i> (Bezzi, 1925) [ <i>Rhagas</i> ]			1
	<i>unica</i> (Walker, 1837) [ <i>Ragas</i> ]		<i>Ragas unica</i> Walker, 1837			5
	<b>Rhamphomyia</b> Meigen, 1822				122	1227
	<i>albipennis</i> (Fallen, 1816) [ <i>Empis</i> ]					2
	<i>albissima</i> Frey, 1913					3
	<i>albosegmentata</i> Zetterstedt, 1838					14
	<i>alpina</i> Zetterstedt, 1838					6
	<i>amoena</i> Loew, 1840					2
*	<i>anfractuosa</i> Bezzi, 1904					37
	<i>angulifera</i> Frey, 1913					1
*	<i>anomala</i> Oldenberg, 1915					2
	<i>anomalina</i> Zetterstedt, 1838					5
	<i>anomalipennis</i> Meigen, 1822					2
	<i>anthracina</i> Meigen, 1822					55
	<i>aperta</i> Zetterstedt, 1859					9
	<i>arcucineta</i> Bezzi, 1909		<i>Macrostomus arcucineta</i> (Bezzi, 1909) [ <i>Rhamphomyia</i> ]			10
	<i>argentata</i> Roder, 1887					3
	<i>atra</i> Meigen, 1822					30
*	<i>attenuata</i> Frey, 1913		<i>Rhamphomyia ignobilis</i> Zetterstedt, 1859			8
*	<i>bezzii</i> Frey, 1922		<i>Rhamphomyia armimana</i> Oldenberg, 1910			1
*	<i>biroi</i> Bezzi, 1908					1
*	<i>brevipila</i> Oldenberg, 1922					9
	<i>candicans</i> Loew, 1864					1
	<i>caudata</i> Zetterstedt, 1838					2
*	<i>chionopectera</i> Bezzi		<i>Rhamphomyia chionopectera</i> Bezzi, 1904			8

## Empididae

*Rhamphomyia*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>cinerascens</i> (Meigen, 1804) [ <i>Empis</i> ]					9
	<i>conformis</i> Kowarz, 1867		<i>Rhamphomyia laevipes</i> (Fallen, 1816) [ <i>Empis</i> ]			22
	<i>coracina</i> Zetterstedt, 1849					4
	<i>crassicauda</i> Strobl, 1893					9
	<i>crinita</i> Becker, 1887					1
	<i>culicina</i> (Fallen, 1816) [ <i>Empis</i> ]					10
	<i>curvinervis</i> Oldenberg, 1915					3
*	<i>curvipes</i> Coquillett, 1904					8
*	<i>curvula</i> Frey, 1913					4
*	<i>dentata</i> Oldenberg, 1910					6
	<i>dentipes</i> Zetterstedt, 1842		<i>Rhamphomyia transversipyga</i> Frey, 1950			2
	<i>discoidalis</i> Becker, 1889					19
	<i>dispar</i> Zetterstedt, 1838		<i>Rhamphomyia griseola</i> Zetterstedt, 1838			6
	<i>dolichoptera</i> Bezzi, 1909		<i>Macrostomus dolichopterus</i> (Bezzi, 1909) [ <i>Rhamphomyia</i> ]			1
	<i>erythrophthalmia</i> Meigen, 1830					1
	<i>eupterota</i> Loew, 1873					5
	<i>filata</i> Zetterstedt, 1842		<i>Rhamphomyia caesia</i> Meigen, 1822			5
	<i>flava</i> (Fallen, 1816) [ <i>Empis</i> ]					26
	<i>flaviventris</i> Macquart, 1827					34
	<i>fumosa</i> Loew, 1861					3
	<i>galactoptera</i> Strobl, 1893					44
	<i>gibba</i> (Fallen, 1816) [ <i>Empis</i> ]					21
	<i>grallatrix</i> Bezzi, 1909		<i>Macrostomus grallatrix</i> (Bezzi, 1909) [ <i>Rhamphomyia</i> ]			1
	<i>heterochroma</i> Bezzi, 1898					24
	<i>hirsuta</i> Oldenberg, 1922		<i>Rhamphomyia crassimana</i> Strobl, 1898			2
*	<i>hirtimana</i> Oldenberg, 1922					10
	<i>hirtula</i> Zetterstedt, 1842					1
	<i>hybotina</i> Zetterstedt, 1838					50
	<i>intermedia</i> Frey, 1922		<i>Rhamphomyia pilifer</i> Meigen, 1838			3
	<i>irregularis</i> Loew, 1864		<i>Rhamphomyia hirtipes</i> Loew, 1864			28
*	<i>kamtschatica</i> Frey, 1922					1
	<i>laevipes</i> (Fallen, 1816) [ <i>Empis</i> ]					6
	<i>leptopa</i> Loew, 1873					1
*	<i>limbipennis</i> Bezzi, 1909		<i>Macrostomus limbipennis</i> (Bezzi, 1909) [ <i>Rhamphomyia</i> ]			2
	<i>longicauda</i> Loew, 1861					6
	<i>longipes</i> (Meigen, 1804) [ <i>Empis</i> ]					9
	<i>macilenta</i> Loew, 1864					4
*	<i>magellensis</i> Frey, 1922					6
	<i>melania</i> Becker, 1887					24
	<i>micrargyra</i> Bezzi, 1909					1
*	<i>minor</i> Oldenberg, 1922					2
	<i>modesta</i> Wahlberg, 1844					1
*	<i>montana</i> Oldenberg, 1915					15

## Empididae

*Rhamphomyia*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>morio</i> Zetterstedt, 1838					3
	<i>nigricans</i> Loew, 1864					4
	<i>nigripennis</i> (Fabricius, 1794) [ <i>Empis</i> ]					21
	<i>nigripes</i> (Fabricius, 1794) [ <i>Empis</i> ]		<i>Empis nigripes</i> Fabricius, 1794			20
*	<i>nitidicollis</i> Frey, 1913		<i>Rhamphomyia obscuripennis</i> Meigen, 1830			4
	<i>nitidula</i> Zetterstedt, 1842					2
	<i>niveipennis</i> Zetterstedt, 1838					3
	<i>nodipes</i> Fallen, 1816					6
*	<i>nox</i> Oldenberg, 1917					2
*	<i>nubigena</i> Bezzi, 1904					12
	<i>obscura</i> Zetterstedt, 1838					4
*	<i>oldenbergi</i> Frey, 1922		<i>Rhamphomyia tibialis</i> Meigen, 1822			2
	<i>pallidiventris</i> Fallen, 1816		<i>Rhamphomyia variabilis</i> (Fallen, 1816) [ <i>Empis</i> ]			6
	<i>paradoxa</i> Wahlberg, 1844					2
	<i>pennata</i> Macquart, 1827		<i>Rhamphomyia barbata</i> (Macquart, 1823) [ <i>Empis</i> ]			3
	<i>platyptera</i> Panzer, 1794		<i>Rhamphomyia marginata</i> (Fabricius, 1787) [ <i>Empis</i> ]			8
	<i>plumifera</i> Zetterstedt, 1838					2
	<i>plumipes</i> (Meigen, 1804) [ <i>Empis</i> ]					12
*	<i>pokorny</i> Bezzi, 1904					6
	<i>poplitea</i> Wahlberg, 1844					1
	<i>praestans</i> Frey, 1913					1
	<i>propinqua</i> Meijere, 1918		<i>Rhamphomyia sulcata</i> (Meigen, 1804) [ <i>Empis</i> ]			11
	<i>pulchra</i> Loew, 1861		<i>Rhamphomyia formosula</i> Melander, 1965			2
	<i>pulchriventris</i> Bezzi, 1905		<i>Macrostomus pulchriventris</i> (Bezzi, 1905) [ <i>Rhamphomyia</i> ]			1
	<i>pulla</i> Loew, 1861					4
	<i>pusilla</i> Zetterstedt, 1838					2
	<i>rostrifera</i> Bezzi, 1912					2
	<i>rufipes</i> Zetterstedt, 1838		<i>Rhamphomyia lapponica</i> Frey, 1955			2
	<i>rustica</i> Loew, 1864					5
	<i>sanctimauritii</i> Becker, 1887					53
	<i>sauteri</i> Bezzi, 1912					8
*	<i>scitula</i> Frey, 1922					5
	<i>serpentata</i> Loew, 1856					85
	<i>siebecki</i> Strobl, 1898					5
	<i>simplex</i> Zetterstedt, 1849					2
	<i>sociabilis</i> (Williston, 1893) [ <i>Empis</i> ]					8
	<i>sp?</i>					4
	<i>sphenoptera</i> Loew, 1873					2
	<i>spinipes</i> (Fallen, 1816) [ <i>Empis</i> ]					8
	<i>stigmosa</i> Macquart, 1827					39
*	<i>subsultans</i> Frey, 1922					1
	<i>sudigeronis</i> Coquillett, 1895					16
	<i>sulcata</i> (Meigen, 1804) [ <i>Empis</i> ]					40

## Empididae

*Rhamphomyia*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>tarsata</i> Meigen, 1822					2
	<i>tephraea</i> Meigen, 1822		<i>Rhamphomyia laevipes</i> (Fallen, 1816) [ <i>Empis</i> ]			12
	<i>tibialis</i> Meigen, 1822					24
	<i>tibiella</i> Zetterstedt, 1842					2
	<i>tipularia</i> Fallen, 1816					5
	<i>trilineata</i> Zetterstedt, 1859					29
	<i>umbilicata</i> Loew, 1861					11
	<i>umbripennis</i> Meigen, 1822					9
	<i>umbripes</i> Becker, 1887					14
*	<i>unguiculata</i> Frey, 1913					1
	<i>variabilis</i> (Fallen, 1816) [ <i>Empis</i> ]					14
	<i>vesiculosa</i> (Fallen, 1916) [ <i>Empis</i> ]					2
	<i>villosa</i> Zetterstedt, 1838		<i>Rhamphomyia morio</i> Zetterstedt, 1838			21
	<i>villosipes</i> Bezzi, 1905					1
	<b>Roederella</b> Engel, 1918		<b>Trichoclinocera</b> Collin, 1941		2	31
*	<i>czernyi</i> (Bezzi, 1905) [ <i>Clinocera</i> ]		<i>Wiedemannia czernyi</i> Bezzi, 1905			27
*	<i>czernyi</i> var. <i>rufipes</i> Oldenberg, 1915		<i>Wiedemannia rufipes</i> (Oldenberg, 1915) [ <i>Roederia</i> ]			4
	<b>Synamphotera</b> Loew, 1858		<b>Dryodromya</b> Rondani, 1856		1	2
	<i>pallida</i> Loew, 1858		<i>Dryodromya testacea</i> Rondani, 1856			2
	<b>Wiedemannia</b> Zetterstedt, 1838				8	55
*	<i>bilobata</i> Oldenberg, 1910					4
	<i>braueri</i> (Mik, 1880) [ <i>Clinocera</i> ]					2
	<i>distigma</i>					10
	<i>lamellata</i> (Loew, 1869) [ <i>Clinocera</i> ]					10
*	<i>microstigma</i> (Bezzi, 1904) [ <i>Clinocera</i> ]					2
*	<i>oxystoma</i> (Bezzi, 1905) [ <i>Clinocera</i> ]					3
	<i>rhynchops</i> (Nowicki, 1888) [ <i>Clinocera</i> ]					15
*	<i>tricuspadata</i> (Bezzi, 1905) [ <i>Clinocera</i> ]					9

## Ephydridae

Actoecetor

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Ephydridae</b>				42	223	1379
	<i>Actoecetor</i>		<b>Actocetor</b> Becker, 1903		1	11
	<i>margaritatus</i> (Wiedemann, 1830) [ <i>Ephydra</i> ]					11
	<b>Allotrichoma</b> Becker, 1896				3	18
	<i>bezzii</i> Becker, 1896					2
	<i>filiforme</i> Becker, 1896					1
	<i>laterale</i> (Loew, 1860) [ <i>Hecamede</i> ]					15
	<b>Athyroglossa</b> Loew, 1860				2	51
	<i>glabra</i> (Meigen, 1830) [ <i>Notiphila</i> ]					43
	<i>ordinata</i> Becker, 1896					8
	<b>Atissa</b> Haliday, 1837				5	14
	<i>durrenbergensis</i> Loew, 1864		<i>Schema durrenbergensis</i> (Loew, 1864) [ <i>Atissa</i> ]			5
	<i>hepaticoloris</i> Becker, 1903					1
	<i>kairensis</i> Becker, 1903					3
	<i>litoralis</i> (Cole, 1912) [ <i>Allotrichoma</i> ]					1
	<i>pygmaea</i> (Haliday, 1833) [ <i>Ephydra</i> ]					4
	<b>Axysta</b> Haliday, 1839				1	3
	<i>cesta</i> (Haliday, 1833) [ <i>Ephydra</i> ]					3
	<b>Brachydeutera</b> Loew, 1862				1	14
	<i>argentata</i> (Walker, 1853) [ <i>Notiphila</i> ]					14
	<b>Caenia</b> Walker, 1853		<b>Coenia</b> Robineau-Desvoidy, 1830		4	16
*	<i>beckeri</i> Kuntze, 1897		<i>Paracoenia beckeri</i> (Kuntze, 1897) [ <i>Caenia</i> ]			6
	<i>fumosa</i> (Stenhammar, 1844) [ <i>Ephydra</i> ]		<i>Paracoenia fumosa</i> (Stenhammar, 1844) [ <i>Ephydra</i> ]			3
	<i>palustris</i> (Fallen, 1823) [ <i>Ephydra</i> ]		<i>Coenia palustris</i> (Fallen, 1823) [ <i>Ephydra</i> ]			1
	<i>spinosa</i> Loew, 1864		<i>Dimecoenia spinosa</i> (Loew, 1864) [ <i>Caenia</i> ]			6
	<b>Clanoneurum</b> Becker, 1903				1	4
	<i>cimiciforme</i> (Haliday, 1855) [ <i>Discomyza</i> ]					4
	<b>Dichoeta</b> Macquart, 1835		<b>Notiphila</b> Fallen, 1810		1	8
	<i>caudata</i> (Fallen, 1813) [ <i>Notiphila</i> ]		<i>Notiphila caudata</i> Fallen, 1813			8
	<b>Diclasioipa</b> Hendel, 1917				2	33
*	<i>lacteipennis</i> (Loew, 1862) [ <i>Discocerina</i> ]					32
	<i>niveipennis</i> (Becker, 1896) [ <i>Clasiopa</i> ]					1



## Ephydridae

## Discocerina

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Discocerina</b> Macquart, 1835				26	98
	<i>albifrons</i> (Meigen, 1830) [ <i>Notiphila</i> ]		<i>Ditrichophora albifrons</i> (Meigen, 1830) [ <i>Notiphila</i> ]			11
	<i>aliena</i> Cresson, 1922		<i>Ditrichophora argyrostoma</i> (Cresson, 1916) [ <i>Discocerina</i> ]			1
	<i>atrata</i>					1
	<i>aurifacies</i> (Strobl, 1893) [ <i>Clasiopa</i> ]		<i>Ditrichophora aurifacies</i> (Strobl, 1893) [ <i>Clasiopa</i> ]			3
*	<i>bezzii</i> Canzonieri & Meneghini, 1973		<i>Ditrichophora bezzii</i> (Canzonieri & Meneghini, 1973) [ <i>Discocerina</i> ]			1
	<i>calceata</i> (Meigen, 1830) [ <i>Notiphila</i> ]		<i>Ditrichophora calceata</i> (Meigen, 1830) [ <i>Notiphila</i> ]			3
	<i>costata</i> (Loew, 1860) [ <i>Hecamede</i> ]		<i>Hecamedoides costatus</i> (Loew, 1860) [ <i>Hecamede</i> ]			1
*	<i>dimidiatipennis</i> (Strobl, 1893) [ <i>Clasiopa</i> ]		<i>Ditrichophora dimidiatipennis</i> (Strobl, 1893) [ <i>Clasiopa</i> ]			4
*	<i>exigua</i> (Cresson, 1924) [ <i>Ditrichophora</i> ]		<i>Ditrichophora exigua</i> Cresson, 1924			1
*	<i>fulgida</i>					1
	<i>fuscella</i> (Stenhammar, 1844) [ <i>Psilopa</i> ]		<i>Ditrichophora fuscella</i> (Stenhammar, 1844) [ <i>Psilopa</i> ]			2
	<i>glaucella</i> (Stenhammar, 1844) [ <i>Psilopa</i> ]		<i>Hecamedoides glaucella</i> (Stenhammar, 1844) [ <i>Psilopa</i> ]			8
	<i>griseifacies</i> Canzonieri, 1976		<i>Ditrichophora griseifacies</i> (Canzonieri, 1976) [ <i>Discocerina</i> ]			2
	<i>incisa</i> Coquillett, 1902		<i>Hydrochasma incisum</i> (Coquillett, 1902) [ <i>Discocerina</i> ]			1
	<i>lacteipennis</i> Loew, 1862		<i>Diclasioipa lacteipennis</i> (Loew, 1862) [ <i>Discocerina</i> ]			2
	<i>leucoprocta</i> Loew, 1861		<i>Hydrochasma leucoproctum</i> (Loew, 1861) [ <i>Discocerina</i> ]			1
*	<i>nigerrima</i> (Strobl, 1893) [ <i>Clasiopa</i> ]		<i>Ditrichophora nigerrima</i> (Strobl, 1893) [ <i>Clasiopa</i> ]			1
*	<i>nitidiventris</i> Cresson					0
	<i>nivea</i> (Becker, 1896) [ <i>Clasiopa</i> ]		<i>Ditrichophora nivea</i> (Becker, 1896) [ <i>Clasiopa</i> ]			15
	<i>obscurella</i> (Fallen, 1813) [ <i>Notiphila</i> ]					11
	<i>parva</i> Loew, 1862		<i>Discocerina obscurella</i> (Fallen, 1813) [ <i>Notiphila</i> ]			4
	<i>plumosa</i> (Fallen, 1823) [ <i>Notiphila</i> ]		<i>Ditrichophora plumosa</i> (Fallen, 1823) [ <i>Notiphila</i> ]			16
	<i>pulicaria</i> (Haliday, 1839) [ <i>Notiphila</i> ]		<i>Psilopa pulicaria</i> (Haliday, 1839) [ <i>Notiphila</i> ]			0
*	<i>quadripectinata</i> (Becker, 1903) [ <i>Clasiopa</i> ]		<i>Allotrichoma quadripectinata</i> (Becker, 1903) [ <i>Clasiopa</i> ]			2
	<i>sp.</i>					5
	<i>xanthocera</i> (Loew, 1869) [ <i>Hecamede</i> ]		<i>Diclasioipa lacteipennis</i> (Loew, 1862) [ <i>Discocerina</i> ]			1
	<b>Discomyza</b> Meigen, 1830				2	54
	<i>incurva</i> (Fallen, 1823) [ <i>Psilopa</i> ]					43
	<i>maculipennis</i> (Wiedemann, 1824) [ <i>Notiphila</i> ]					11
	<b>Ditrichophora</b> Cresson, 1924				1	1
	<i>cinerella</i> (Stenhammar, 1844) [ <i>Psilopa</i> ]					1
	<b>Domina</b> Hutton, 1901		<b>Psilopa</b> Fallen, 1823		1	1
	<i>metallica</i> Hutton, 1901		<i>Psilopa metallica</i> (Hutton, 1901) [ <i>Domina</i> ]			1
	<b>Dryxo</b> Robineau-Desvoidy, 1830				4	18
	<i>digna</i> Osten Sacken, 1882					5
	<i>fasciata</i> (Jaenicke, 1867) [ <i>Cyphops</i> ]					1
	<i>lispoidea</i> Robineau-Desvoidy, 1830					6
	<i>longipes</i> (Loew, 1862) [ <i>Corythophora</i> ]		<i>Dryxo ornata</i> (Macquart, 1843) [ <i>Blepharitarsis</i> ]			6

## Ephydriidae

## Elephantinosoma

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Elephantinosoma</b> Becker, 1903				2	7
*	<i>chnumi</i> Becker, 1903					4
*	<i>perspicendum</i> Becker, 1903		<i>Eremotrichoma perspicendum</i> (Becker, 1903) [ <i>Elephantinosoma</i> ]			3
	<b>Ephydra</b> Fallen, 1810				14	135
*	<i>albiceps</i> Cresson					2
	<i>atrovirens</i> Loew, 1862		<i>Setacera atrovirens</i> (Loew, 1862) [ <i>Ephydra</i> ]			1
	<i>aurata</i> (Jones, 1906) [ <i>Parydra</i> ]		<i>Parydra aurata</i> Jones, 1906			3
	<i>bivittata</i> Loew, 1860					27
	<i>breviventris</i> Loew, 1860		<i>Setacera breviventris</i> (Loew, 1860) [ <i>Ephydra</i> ]			17
	<i>crassimana</i> Loew, 1866		<i>Ephydra hians</i> Say, 1830			4
	<i>gracilis</i> Packard, 1871					2
	<i>hians</i> Say, 1830					7
	<i>laeta</i> Hendel, 1913		<i>Setacera breviventris</i> (Loew, 1860) [ <i>Ephydra</i> ]			4
	<i>macellaria</i> Egger, 1862					25
	<i>micans</i> Haliday, 1833		<i>Setacera micans</i> (Haliday, 1833) [ <i>Ephydra</i> ]			15
	<i>quadriguttata</i> Meigen, 1830		<i>Scatophila quadriguttata</i> (Meigen, 1830) [ <i>Ephydra</i> ]			4
	<i>riparia</i> Fallen, 1813					23
	<i>subopaca</i> Loew, 1864					1
	<b>Glenanthe</b> Haliday, 1839				2	2
	<i>fuscinervis</i> Becker, 1896					1
	<i>ripicola</i> Haliday, 1839					1
	<b>Gymnopa</b> Fallen, 1820		<b>Mosillus</b> Latreille, 1804		4	59
	<i>albipennis</i> Loew, 1848		<i>Chlorichaeta albipennis</i> (Loew, 1848) [ <i>Gymnopa</i> ]			31
*	<i>beckeri</i> Cresson, 1925		<i>Mosillus beckeri</i> (Cresson, 1925) [ <i>Gymnopa</i> ]			1
	<i>bracteata</i> (Schiner, 1868) [ <i>Mosillus</i> ]		<i>Mosillus bracteatus</i> Schiner, 1868			1
	<i>subsultans</i> Fabricius, 1794		<i>Mosillus subsultans</i> (Fabricius, 1794) [ <i>Syrphus</i> ]			26
	<b>Halmopota</b> Haliday, 1856				1	5
	<i>salinaria</i> (Bouche, 1834) [ <i>Ephydra</i> ]					5
	<b>Hecamede</b> Haliday, 1837				1	13
	<i>albicans</i> (Meigen, 1830) [ <i>Notiphila</i> ]					13
	<b>Hydrellia</b> Robineau-Desvoidy, 1830				17	139
	<i>albilabris</i> (Meigen, 1830) [ <i>Notiphila</i> ]					4
*	<i>argyrogenia</i> Becker, 1896					4
	<i>chrysostoma</i> (Meigen, 1830) [ <i>Notiphila</i> ]		<i>Hydrellia griseola</i> (Fallen, 1813) [ <i>Notiphila</i> ]			7
	<i>discolor</i> (Stenhammar, 1844) [ <i>Notiphila</i> ]		<i>Hydrellia obscura</i> (Meigen, 1830) [ <i>Notiphila</i> ]			6
	<i>flavicornis</i> (Fallen, 1823) [ <i>Notiphila</i> ]					2
	<i>flavilabris</i> (Stenhammar, 1844) [ <i>Notiphila</i> ]		<i>Hydrellia cardamines</i> Haliday, 1839			2

## Ephydriidae

								<i>Hydrellia</i>
type	name on label	current family, if changed	valid name, if changed	genera	species	specimens		
flag				#	#	#		#
	<i>formosa</i> Loew, 1861							2
	<i>geniculata</i> (Stenhammar, 1844) [ <i>Notiphila</i> ]							3
	<i>grisea</i> (Stenhammar, 1844) [ <i>Notiphila</i> ]		<i>Hydrellia fascitibia</i> (Roser, 1840) [ <i>Notiphila</i> ]					5
	<i>griseola</i> (Fallen, 1813) [ <i>Notiphila</i> ]							70
	<i>hypoleuca</i> Loew, 1862		<i>Hydrellia griseola</i> (Fallen, 1813) [ <i>Notiphila</i> ]					5
	<i>lapponica</i> (Stenhammar, 1844) [ <i>Notiphila</i> ]							1
	<i>pilitarsis</i> (Stenhammar, 1844) [ <i>Notiphila</i> ]							2
*	<i>proclinata</i> Cresson, 1915							2
	<i>ranunculi</i> Haliday, 1839							8
	<i>scapularis</i> Loew, 1862		<i>Hydrellia griseola</i> (Fallen, 1813) [ <i>Notiphila</i> ]					13
	<i>valida</i> Loew, 1862							3
<b><i>Hydrina</i> Robineau-Desvoidy, 1830</b>			<b><i>Hyadina</i> Haliday, 1837</b>		3			6
	<i>guttata</i> (Fallen, 1813) [ <i>Notiphila</i> ]		<i>Hyadina guttata</i> (Fallen, 1813) [ <i>Notiphila</i> ]					4
	<i>nitida</i> (Macquart, 1835) [ <i>Ephydra</i> ]		<i>Hyadina nitida</i> (Macquart, 1835) [ <i>Ephydra</i> ]					1
	<i>sexmaculata</i> (Becker, 1896) [ <i>Philygria</i> ]		<i>Philygria sexmaculata</i> Becker, 1896					1
<b><i>Ilythea</i> Haliday, 1837</b>					3			7
*	<i>caniceps</i> Cresson, 1918							1
	<i>flavipes</i> Williston, 1896		<i>Zeros flavipes</i> (Williston, 1896) [ <i>Ilythea</i> ]					1
	<i>spilota</i> (Curtis, 1832) [ <i>Ephydra</i> ]							5
<b><i>Lipochaeta</i> Coquillett, 1896</b>					1			2
	<i>slossonae</i> Coquillett, 1896							2
<b><i>Lytogaster</i> Becker, 1896</b>					3			4
*	<i>granulosus</i> Cresson, 1914							1
*	<i>pallipes</i> Cresson, 1914							1
	<i>willistoni</i> Cresson, 1916		<i>Lytogaster gravida</i> (Loew, 1863) [ <i>Hyadina</i> ]					2
<b><i>Notiphila</i> Fallen, 1810</b>					16			84
	<i>annulipes</i> Stenhammar, 1844							1
	<i>australis</i> Loew, 1860							4
	<i>chamaeleon</i> Becker, 1896		<i>Notiphila brunnipes</i> (Robineau-Desvoidy, 1830) [ <i>Keratocera</i> ]					3
	<i>cinerea</i> Fallen, 1813							6
	<i>dorsopunctata</i> Wiedemann, 1824							1
	<i>erythrocerata</i> Loew, 1878							11
	<i>maculata</i> Stenhammar, 1844							1
	<i>nigricornis</i> Stenhammar, 1844							5
	<i>obscuricornis</i> Loew, 1862							7
	<i>riparia</i> Meigen, 1830							1
	<i>scalaris</i> Loew, 1862							6
	<i>setigera</i> Becker, 1903							2
*	<i>spinosa</i> Cresson, 1948							6

## Ephydridae

## Notiphila

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>sternalis</i> Thomson, 1869					23
	<i>unicolor</i> Loew, 1862					4
	<i>venusta</i> Loew, 1856					3
	<b>Ochthera</b> Latreille, 1802				13	35
*	<i>angustitarsis</i> Becker, 1903					2
*	<i>circularis</i> Cresson, 1926					1
	<i>cuprilineata</i> Williston, 1896					5
	<i>exsculpta</i> Loew, 1862					4
	<i>humilis</i> Williston, 1896					4
	<i>innotata</i> Walker, 1860					3
	<i>mantis</i> (De Geer, 1776) [ <i>Musca</i> ]					6
	<i>mantispa</i> Loew, 1847					2
	<i>pilimana</i> Becker, 1903					1
	<i>regalis</i> Williston, 1897					1
	<i>subtilis</i> Adams, 1905					4
*	<i>triornata</i> Cresson, 1926					1
	<i>tuberculata</i> Loew, 1862					1
	<b>Oedenops</b> Becker, 1903		<b>Paralimna</b> Loew, 1862		1	2
	<i>isis</i> Becker, 1903		<i>Paralimna isis</i> (Becker, 1903) [ <i>Oedenops</i> ]			2
	<b>Paralimna</b> Loew, 1862				17	85
	<i>appendiculata</i> Loew, 1862		<i>Paralimna punctipennis</i> (Wiedemann, 1830) [ <i>Notiphila</i> ]			6
*	<i>argyrostoma</i> Cresson, 1916					1
*	<i>brunneiceps</i> Cresson, 1916					1
*	<i>dasycera</i> Bezzi, 1908					1
	<i>decipiens</i> Loew, 1878					2
*	<i>hirticornis</i> Meijere, 1913					14
	<i>lineata</i> Meijere, 1908					1
*	<i>meridionalis</i> Cresson, 1916					21
	<i>multipunctata</i> Williston, 1896					5
	<i>nigripes</i> Adams, 1905					5
*	<i>nubifer</i> Cresson, 1929					5
*	<i>ornata</i> Canzonieri & Meneghini, 1969					3
	<i>picta</i> Kertész, 1901					2
	<i>propedeutica</i>					2
	<i>punctata</i> Meijere, 1908		<i>Paralimna quadrifascia</i> (Walker, 1860) [ <i>Notiphila</i> ]			4
	<i>puncticollis</i> Becker, 1922					2
	<i>sinensis</i> (Schiner, 1868) [ <i>Notiphila</i> ]					10
	<b>Parydra</b> Stenhammar, 1844				15	111
	<i>appendiculata</i> Loew, 1878					1

## Ephydriidae

## Parydra

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>aquila</i> (Fallen, 1813) [ <i>Ephydra</i> ]					4
	<i>bituberculata</i> Loew, 1862					12
	<i>breviceps</i> Loew, 1862					3
	<i>coarctata</i> (Fallen, 1813) [ <i>Ephydra</i> ]					18
	<i>fossarum</i> (Haliday, 1833) [ <i>Ephydra</i> ]					15
	<i>littoralis</i> (Meigen, 1830) [ <i>Ephydra</i> ]					35
	<i>nigritarsis</i> Strobl, 1893					6
*	<i>nitida</i> Cresson, 1915		<i>Parydra aquila</i> (Fallen, 1813) [ <i>Ephydra</i> ]			1
*	<i>nubecula</i> Becker, 1896					0
*	<i>obliqua</i> Becker, 1896		<i>Parydra hecate</i> (Haliday, 1833) [ <i>Ephydra</i> ]			1
	<i>pubera</i> Loew, 1860					1
	<i>pusilla</i> (Meigen, 1830) [ <i>Ephydra</i> ]					6
	<i>quadripunctata</i> (Meigen, 1830) [ <i>Ephydra</i> ]					3
	<i>quadrituberculata</i> Loew, 1862					5
	<b><i>Pelina</i></b> Haliday, 1837				2	4
	<i>aenea</i> (Fallen, 1813) [ <i>Notiphila</i> ]					1
	<i>truncatula</i> Loew, 1878					3
	<i>Phaiosterna</i> Cresson, 1916		<b><i>Paralimna</i></b> Loew, 1862		2	6
*	<i>aequalis</i> Cresson, 1929		<i>Paralimna lineata</i> Meijere, 1908			1
	<i>obscura</i> (Williston, 1896) [ <i>Paralimna</i> ]		<i>Paralimna obscura</i> Williston, 1896			5
	<b><i>Philotelma</i></b> Becker, 1896				1	9
	<i>nigripenne</i> (Meigen, 1830) [ <i>Notiphila</i> ]					9
	<b><i>Philygria</i></b> Stenhammar, 1844				9	23
	<i>femorata</i> (Stenhammar, 1844) [ <i>Notiphila</i> ]					2
	<i>flavipes</i> (Fallen, 1823) [ <i>Notiphila</i> ]					2
	<i>interrupta</i> (Haliday, 1833) [ <i>Ephydra</i> ]					3
	<i>nigricauda</i> (Stenhammar, 1844) [ <i>Notiphila</i> ]					1
	<i>obtecta</i> Becker, 1896					4
	<i>picta</i> (Fallen, 1813) [ <i>Notiphila</i> ]		<i>Nostima picta</i> (Fallen, 1813) [ <i>Notiphila</i> ]			3
	<i>punctatonervosa</i> (Fallen, 1813) [ <i>Notiphila</i> ]					2
	<i>stictica</i> (Meigen, 1830) [ <i>Ephydra</i> ]					3
	<i>trilineata</i> Meijere, 1907					3
	<b><i>Polytrichophora</i></b> Cresson, 1924				1	2
	<i>duplosetosa</i> (Becker, 1896) [ <i>Clasiopa</i> ]					2
	<b><i>Psilopa</i></b> Fallen, 1823				16	102
	<i>aciculata</i> Loew, 1862		<i>Cressonomyia aciculata</i> (Loew, 1862) [ <i>Psilopa</i> ]			11
	<i>apicalis</i> Perris, 1847					6
	<i>atrimana</i> Loew, 1878		<i>Leptopsilopa atrimana</i> (Loew, 1878) [ <i>Psilopa</i> ]			6

## Ephydriidae

## Psilopa

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>composita</i> (Becker, 1903) [ <i>Ephygrobia</i> ]					1
	<i>compta</i> (Meigen, 1830) [ <i>Notiphila</i> ]					7
	<i>electa</i> (Becker, 1903) [ <i>Ephygrobia</i> ]		<i>Typopsilopa electa</i> (Becker, 1903) [ <i>Ephygrobia</i> ]			3
	<i>leucostoma</i> (Meigen, 1830) [ <i>Notiphila</i> ]					6
	<i>maritima</i> (Perris, 1847) [ <i>Hydrellia</i> ]					1
	<i>nigritella</i> Stenhammar, 1844					9
	<i>nilotica</i> (Becker, 1903) [ <i>Ephygrobia</i> ]					3
	<i>nitidula</i> (Fallen, 1813) [ <i>Notiphila</i> ]					5
	<i>obscuripes</i> Loew, 1860					1
	<i>polita</i> (Macquart, 1835) [ <i>Hydrellia</i> ]					33
	<i>roederii</i> Girschner, 1889					7
	<i>rufipes</i> Hendel, 1913					1
	<i>singaporensis</i> (Kertész, 1901) [ <i>Ephygrobia</i> ]					2
	<b>Scatella</b> Robineau-Desvoidy, 1830				16	144
*	<i>callosicosta</i> Bezzi, 1895					1
*	<i>cupriviridis</i> Cresson					2
	<i>dichaeta</i> Loew, 1860		<i>Haloscatella dichaeta</i> (Loew, 1860) [ <i>Scatella</i> ]			5
*	<i>intermedia</i> Cresson, 1915		<i>Scatella setosa</i> Coquillett, 1900			2
	<i>lugens</i> Loew, 1862		<i>Scatella picea</i> (Walker, 1849) [ <i>Ephydra</i> ]			3
	<i>lutosa</i> (Haliday, 1833) [ <i>Ephydra</i> ]					3
	<i>obscura</i> Williston, 1896					1
	<i>obsoleta</i> Loew, 1861					2
	<i>paludum</i> (Meigen, 1830) [ <i>Ephydra</i> ]					66
	<i>quadrata</i> (Fallen, 1813) [ <i>Notiphila</i> ]		<i>Limnellia quadrata</i> (Fallen, 1813) [ <i>Notiphila</i> ]			0
*	<i>quadrisetosa</i> Becker, 1896		<i>Lamproscatella quadrisetosa</i> (Becker, 1896) [ <i>Scatella</i> ]			2
	<i>silacea</i> Loew, 1860					6
	<i>stagnalis</i> (Fallen, 1813) [ <i>Ephydra</i> ]					38
	<i>stenhammari</i> (Zetterstedt, 1846) [ <i>Ephydra</i> ]		<i>Limnellia stenhammari</i> (Zetterstedt, 1846) [ <i>Ephydra</i> ]			4
	<i>subguttata</i> (Meigen, 1830) [ <i>Ephydra</i> ]					8
	<i>triseta</i> Coquillett, 1902					1
	<b>Scatophila</b> Becker, 1896				5	27
	<i>caviceps</i> (Stenhammar, 1844) [ <i>Ephydra</i> ]					8
	<i>laevigata</i> (Loew, 1860) [ <i>Scatella</i> ]		<i>Scatophila noctula</i> (Meigen, 1830) [ <i>Ephydra</i> ]			4
	<i>signata</i> (Loew, 1860) [ <i>Scatella</i> ]					6
*	<i>unicornis</i> Czerny, 1900					3
	<i>variegata</i> (Loew, 1860) [ <i>Scatella</i> ]		<i>Scatophila quadriguttata</i> (Meigen, 1830) [ <i>Ephydra</i> ]			6
	<b>Tichomyza</b> Agassiz, 1846		<b>Scatella</b> Robineau-Desvoidy, 1830		1	3
	<i>fusca</i> Macquart, 1835		<i>Scatella fusca</i> (Macquart, 1835) [ <i>Teichomyza</i> ]			3
	<b>Trimerina</b> Macquart, 1835				1	16

## Ephydridae

Trimerina

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>madizans</i> (Fallen, 1813) [ <i>Notiphila</i> ]					16
	<i>Tunisia</i> Becker, 1907		<i>Homalometopus</i> Becker, 1903		1	3
*	<i>platycephala</i> Becker, 1907		<i>Homalometopus platycephalus</i> (Becker, 1907) [ <i>Tunisia</i> ]			3

Fanniidae				<i>Coelomyia</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Fanniidae</b>				5	48	571
	<i>Coelomyia</i> Haliday, 1840		<b><i>Fannia</i></b> Robineau-Desvoidy, 1830		2	8
	<i>spathulata</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]		<b><i>Fannia mollissima</i></b> (Haliday, 1840) [ <i>Coelomyia</i> ]			2
	<i>subpellucens</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]		<b><i>Fannia subpellucens</i></b> (Zetterstedt, 1845) [ <i>Aricia</i> ]			6
	<b><i>Euryomma</i></b> Stein, 1899				1	5
	<i>peregrinum</i> (Meigen, 1826) [ <i>Anthomyia</i> ]					5
	<b><i>Fannia</i></b> Robineau-Desvoidy, 1830				43	548
	<i>aerea</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]		<b><i>Fannia rondanii</i></b> (Strobl, 1893) [ <i>Homalomyia</i> ]			15
	<b><i>antennata</i></b> Stein, 1911					1
	<b><i>armata</i></b> (Meigen, 1826) [ <i>Anthomyia</i> ]					23
	<i>brevis</i> (Rondani, 1866) [ <i>Homalomyia</i> ]		<b><i>Fannia leucosticta</i></b> (Meigen, 1838) [ <i>Anthomyia</i> ]			17
	<b><i>canicularis</i></b> (Linnaeus, 1761) [ <i>Musca</i> ]					55
	<b><i>carbonaria</i></b> (Meigen, 1826) [ <i>Anthomyia</i> ]					9
	<i>ciliata</i> (Stein, 1895) [ <i>Homalomyia</i> ]		<b><i>Fannia melania</i></b> (Dufour, 1839) [ <i>Anthomyia</i> ]			2
	<b><i>coracina</i></b> (Loew, 1873) [ <i>Homalomyia</i> ]					4
	<b><i>corvina</i></b> (Verrall, 1892) [ <i>Homalomyia</i> ]					2
	<b><i>cothurnata</i></b> (Loew, 1873) [ <i>Homalomyia</i> ]					5
	<i>femorata</i> (Loew, 1861) [ <i>Homalomyia</i> ]		<b><i>Fannia pusio</i></b> (Wiedemann, 1830) [ <i>Anthomyia</i> ]			2
	<b><i>flavibasis</i></b> (Stein, 1898) [ <i>Homalomyia</i> ]					1
	<b><i>fuscula</i></b> (Fallen, 1825) [ <i>Musca</i> ]					23
	<b><i>genualis</i></b> (Stein, 1895) [ <i>Homalomyia</i> ]					10
*	<i>glabella</i> (Bezzi, 1928) [ <i>Homalomyia</i> ]		<b><i>Fannia pusio</i></b> (Wiedemann, 1830) [ <i>Anthomyia</i> ]			1
	<b><i>glaucescens</i></b> (Zetterstedt, 1845) [ <i>Aricia</i> ]					3
*	<i>grisea</i> (Stein, 1895) [ <i>Anthomyia</i> ]		<b><i>Fannia pruinosa</i></b> (Meigen, 1826) [ <i>Anthomyia</i> ]			2
	<i>hamata</i> (Macquart, 1835) [ <i>Limnophora</i> ]		<b><i>Fannia lustrator</i></b> (Harris, 1780) [ <i>Musca</i> ]			13
	<b><i>heydenii</i></b> (Wiedemann, 1830) [ <i>Anthomyia</i> ]					4
	<b><i>incisurata</i></b> (Zetterstedt, 1838) [ <i>Anthomyia</i> ]					51
	<i>insignis</i> (Stein, 1895) [ <i>Homalomyia</i> ]		<b><i>Fannia vesparia</i></b> (Meade, 1891) [ <i>Homalomyia</i> ]			2
	<i>kowarzi</i> (Verrall, 1892) [ <i>Homalomyia</i> ]		<b><i>Fannia metallipennis</i></b> (Zetterstedt, 1838) [ <i>Anthomyia</i> ]			16
	<b><i>manicata</i></b> (Meigen, 1826) [ <i>Anthomyia</i> ]					20
*	<b><i>minutipalpis</i></b> (Stein, 1895) [ <i>Homalomyia</i> ]					8
	<b><i>monilis</i></b> (Haliday, 1838) [ <i>Anthomyia</i> ]					5
	<i>mutica</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]		<b><i>Fannia lepida</i></b> (Wiedemann, 1817) [ <i>Anthomyia</i> ]			14
*	<i>nigra</i> Stein, 1920		<b><i>Fannia immaculata</i></b> Malloch, 1924			9
	<b><i>obscurinervis</i></b> (Stein, 1900) [ <i>Homalomyia</i> ]					7
	<b><i>ornata</i></b> (Meigen, 1826) [ <i>Anthomyia</i> ]					8
	<b><i>pallitibia</i></b> (Rondani, 1866) [ <i>Homalomyia</i> ]					1
	<b><i>parva</i></b> (Stein, 1895) [ <i>Homalomyia</i> ]					23
*	<b><i>perpulchra</i></b> Bezzi, 1908					4
*	<b><i>polychaeta</i></b> (Stein, 1895) [ <i>Homalomyia</i> ]					32



## Fanniidae

Fanniidae							<i>Fannia</i>
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #	
	<i>pretiosa</i> (Schiner, 1861) [ <i>Homalomyia</i> ]		<b><i>Fannia posticata</i></b> (Meigen, 1826) [ <i>Anthomyia</i> ]			8	
	<b><i>pusio</i></b> (Wiedemann, 1830) [ <i>Anthomyia</i> ]					2	
	<b><i>rufitibia</i></b> Stein, 1911					2	
	<b><i>scalaris</i></b> (Fabricius, 1794) [ <i>Musca</i> ]					28	
	<b><i>serena</i></b> (Fallen, 1825) [ <i>Musca</i> ]					38	
*	<b><i>similis</i></b> (Stein, 1895) [ <i>Homalomyia</i> ]					13	
	<b><i>sociella</i></b> (Zetterstedt, 1845) [ <i>Aricia</i> ]					58	
	<i>stroblii</i> (Stein, 1895) [ <i>Homalomyia</i> ]		<b><i>Fannia postica</i></b> (Stein, 1895) [ <i>Homalomyia</i> ]			3	
	<b><i>tuberculata</i></b> (Zetterstedt, 1849) [ <i>Aricia</i> ]					2	
	<b><i>tumidifemur</i></b> Stein, 1911					2	
	<b><i>Piezura</i></b> Rondani, 1866				1	2	
	<i>pardalina</i> Rondani, 1866					2	
	<b><i>Platycoenosia</i></b> Strobl, 1894		<b><i>Piezura</i></b> Rondani, 1866		1	8	
	<i>mikii</i> Strobl, 1894		<b><i>Piezura graminicola</i></b> (Zetterstedt, 1846) [ <i>Anthomyza</i> ]			8	

Glossinidae				<i>Glossina</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Glossinidae</b>				1	13	95
	<b><i>Glossina</i></b> Wiedemann, 1830				13	95
	<i>brevipalpis</i> Newstead, 1910					1
	<i>fusca</i> (Walker, 1849) [ <i>Stomoxys</i> ]					2
	<i>fusca congolensis</i> Newstead, 1921		<b><i>Glossina fusca</i></b> (Walker, 1849) [ <i>Stomoxys</i> ]			9
	<i>fuscipleuralis</i> Austen, 1911					1
	<i>morsitans</i> Westwood, 1851					7
	<i>morsitans submorsitan</i> Newstead, 1910		<b><i>Glossina morsitans</i></b> Westwood, 1851			6
	<i>pallidipes</i> Austen, 1903					22
	<i>palpalis</i> (Robineau-Desvoidy, 1830) [ <i>Nemorhina</i> ]					20
	<i>palpalis fuscipes</i> Newstead, 1910		<b><i>Glossina fuscipes</i></b> Newstead, 1910			10
	<i>palpalis palpalis</i> Robineau-Desvoidy, 1830		<b><i>Glossina palpalis</i></b> (Robineau-Desvoidy, 1830) [ <i>Nemorhina</i> ]			2
	<i>swynnertoni</i> Austen, 1923					4
	<i>tabaniformis</i> Westwood, 1851					1
	<i>tachinoides</i> Westwood, 1851					10

## Gobryidae

*Syritomyia*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Gobryidae</b>			1	2	7
	<i>Syritomyia</i> Hendel, 1913		<b>Gobrya</b> Walker, 1860		2	7
*	<i>bakeri</i>					4
	<i>syrphoides</i> Hendel, 1913		<b>Gobrya <i>syrphoides</i></b> (Hendel, 1913) [ <i>Syritomyia</i> ]			3

Helcomyzidae

*Actora*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Helcomyzidae</b>			1	1	6
	<i>Actora</i> Meigen, 1826		<b><i>Helcomyza</i></b> Curtis, 1825		1	6
	<i>aestuum</i> Meigen, 1826		<b><i>Helcomyza ustulata</i></b> Curtis, 1825			6

Heleomyzidae

Acantholeria

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Heleomyzidae</b>				20	88	870
	<b>Acantholeria</b> Garrett, 1921				1	2
*	<i>oedimus</i> Garrett, 1921		<i>Acantholeria armipes</i> (Loew, 1862) [ <i>Blepharoptera</i> ]			2
	<b>Allophyla</b> Loew, 1862		<b>Suillia</b> Robineau-Desvoidy, 1830		2	20
	<i>atricornis</i> (Meigen, 1830) [ <i>Helomyza</i> ]		<i>Suillia atricornis</i> (Meigen, 1830) [ <i>Helomyza</i> ]			19
	<i>laevis</i> Loew, 1862		<i>Suillia laevis</i> (Loew, 1862) [ <i>Allophyla</i> ]			1
	<b>Anorostoma</b> Loew, 1862				1	4
	<i>marginatum</i> Loew, 1862					4
	<b>Blepharoptera</b> Agassiz, 1846		<b>Heleomyza</b> Fallen, 1810		2	2
	<i>inscripta</i> (Meigen, 1830) [ <i>Helomyia</i> ]		<i>Neoleria inscripta</i> (Meigen, 1830) [ <i>Helomyza</i> ]			1
	<i>serrata</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<i>Heleomyza serrata</i> (Linnaeus, 1758) [ <i>Musca</i> ]			1
	<b>Crymobia</b> Loew, 1862		<b>Orbellia</b> Robineau-Desvoidy, 1830		2	8
	<i>cuniculorum</i> (Robineau-Desvoidy, 1830) [ <i>Leria</i> ]		<i>Orbellia cuniculorum</i> (Robineau-Desvoidy, 1830) [ <i>Leria</i> ]			2
	<i>hiemalis</i> Loew, 1862		<i>Orbellia hiemalis</i> (Loew, 1862) [ <i>Crymobia</i> ]			6
	<b>Dichromyia</b> Macquart, 1843		<b>Dichromya</b> Robineau-Desvoidy, 1830		1	3
	<i>sanguiniceps</i> (Wiedemann, 1830) [ <i>Tetanops</i> ]		<i>Dichromya sanguiniceps</i> (Wiedemann, 1830) [ <i>Tetanops</i> ]			3
	<b>Dolichoptera</b>		<b>Oldenbergiella</b> Czerny, 1924		1	3
	<i>brumalis</i> Czerny, 1924		<i>Oldenbergiella brumalis</i> Czerny, 1924			3
	<b>Eccoptomera</b> Loew, 1862				6	19
	<i>emarginata</i> Loew, 1862					4
	<i>excisa</i> Loew, 1862		<i>Eccoptomera obscura</i> (Meigen, 1830) [ <i>Helomyza</i> ]			2
	<i>longiseta</i> (Meigen, 1830) [ <i>Helomyza</i> ]					1
	<i>ornata</i> Loew, 1862					5
	<i>pallescens</i> (Meigen, 1830) [ <i>Helomyza</i> ]					6
	<i>simplex</i> Coquillett, 1904					1
	<b>Gymnomus</b> Loew, 1863		<b>Scoliocentra</b> Loew, 1862		1	2
	<i>troglodytes</i> Loew, 1863		<i>Scoliocentra troglodytes</i> (Loew, 1863) [ <i>Gymnomus</i> ]			2
	<b>Heleomyza</b> Fallen, 1810				19	131
	<i>brachypterna</i> (Loew, 1873) [ <i>Blepharoptera</i> ]		<i>Scoliocentra brachypterna</i> (Loew, 1873) [ <i>Blepharoptera</i> ]			3
	<i>caesia</i> (Meigen, 1830) [ <i>Helomyza</i> ]		<i>Scoliocentra caesia</i> (Meigen, 1830) [ <i>Helomyza</i> ]			5
	<i>cineraria</i> (Loew, 1862) [ <i>Blepharoptera</i> ]		<i>Acantholeria cineraria</i> (Loew, 1862) [ <i>Blepharoptera</i> ]			9
	<i>confusa</i> (Wahlgren, 1918) [ <i>Helomyza</i> ]		<i>Scoliocentra confusa</i> (Wahlgren, 1918) [ <i>Helomyza</i> ]			2
	<i>flavotestacea</i> (Zetterstedt, 1838) [ <i>Helomyza</i> ]		<i>Scoliocentra flavotestacea</i> (Zetterstedt, 1838) [ <i>Helomyza</i> ]			2

Heleomyzidae

Heleomyza

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>iners</i> (Meigen, 1830) [ <i>Helomyza</i> ]		<i>Schroederella iners</i> (Meigen, 1830) [ <i>Helomyza</i> ]			3
	<i>inscripta</i> (Meigen, 1830) [ <i>Helomyza</i> ]		<i>Neoleria inscripta</i> (Meigen, 1830) [ <i>Helomyza</i> ]			4
	<i>latens</i> (Aldrich, 1897) [ <i>Blepharoptera</i> ]		<i>Scoliocentra brachypterna</i> (Loew, 1873) [ <i>Blepharoptera</i> ]			4
*	<i>maritima</i> (Villeneuve, 1921) [ <i>Leria</i> ]		<i>Neoleria maritima</i> (Villeneuve, 1921) [ <i>Leria</i> ]			3
	<b><i>modesta</i></b> (Meigen, 1835) [ <i>Helomyza</i> ]					11
	<i>pectinata</i> (Loew, 1872) [ <i>Blepharoptera</i> ]		<i>Pseudoleria pectinata</i> (Loew, 1872) [ <i>Blepharoptera</i> ]			1
	<i>pubescens</i> (Loew, 1862) [ <i>Blepharoptera</i> ]		<i>Scoliocentra tincta</i> (Walker, 1849) [ <i>Helomyza</i> ]			1
	<i>pusilla</i> (Loew, 1862) [ <i>Blepharoptera</i> ]		<i>Scoliocentra tincta</i> (Walker, 1849) [ <i>Helomyza</i> ]			5
	<i>ruficauda</i> (Zetterstedt, 1847) [ <i>Helomyza</i> ]		<i>Neoleria ruficauda</i> (Zetterstedt, 1847) [ <i>Helomyza</i> ]			2
	<i>ruficeps</i> (Zetterstedt, 1838) [ <i>Helomyza</i> ]		<i>Neoleria ruficeps</i> (Zetterstedt, 1838) [ <i>Helomyza</i> ]			1
	<i>ruficornis</i> (Meigen, 1830) [ <i>Helomyza</i> ]		<i>Morpholeria ruficornis</i> (Meigen, 1830) [ <i>Helomyza</i> ]			5
	<b><i>serrata</i></b> (Linnaeus, 1758) [ <i>Musca</i> ]					52
	<i>spectabilis</i> (Loew, 1862) [ <i>Blepharoptera</i> ]		<i>Scoliocentra spectabilis</i> (Loew, 1862) [ <i>Blepharoptera</i> ]			2
	<i>variabilis</i> (Loew, 1862) [ <i>Blepharoptera</i> ]		<i>Morpholeria variabilis</i> (Loew, 1862) [ <i>Blepharoptera</i> ]			16
	<b><i>Morpholeria</i></b> Garrett, 1921				1	2
*	<i>melaneura</i> Garrett, 1921		<i>Morpholeria tristis</i> (Loew, 1862) [ <i>Blepharoptera</i> ]			2
	<b><i>Oecothea</i></b> Haliday, 1837				1	9
	<i>fenestralis</i> (Fallen, 1820) [ <i>Helomyza</i> ]					9
	<b><i>Orbellia</i></b> Robineau-Desvoidy, 1830				2	4
	<i>myiopiiformis</i> Robineau-Desvoidy, 1830					2
	<i>ornithivora</i> Robineau-Desvoidy, 1830		<i>Orbellia cuniculorum</i> (Robineau-Desvoidy, 1830) [ <i>Leria</i> ]			2
	<b><i>Rhinotora</i></b> Schiner, 1868				1	4
	<i>pluricellata</i> Schiner, 1868					4
	<b><i>Scoliocentra</i></b> Loew, 1862				3	13
	<i>helvola</i> Loew, 1862					3
	<i>scutellaris</i> (Zetterstedt, 1838) [ <i>Helomyza</i> ]					4
	<i>villosa</i> (Meigen, 1830) [ <i>Helomyza</i> ]					6
	<b><i>Suillia</i></b> Robineau-Desvoidy, 1830				31	506
	<i>affinis</i> (Meigen, 1830) [ <i>Helomyza</i> ]					76
	<i>bicolor</i> (Zetterstedt, 1838) [ <i>Heteromyza</i> ]					43
	<i>bistrigata</i> (Meigen, 1830) [ <i>Helomyza</i> ]					2
	<i>crinimana</i> (Czerny, 1904) [ <i>Helomyza</i> ]					22
	<i>distigma</i> (Wulp, 1897) [ <i>Heleomyza</i> ]					1
	<i>flava</i> (Meigen, 1830) [ <i>Helomyza</i> ]					7
	<i>flavifrons</i> (Zetterstedt, 1838) [ <i>Helomyza</i> ]					5
	<i>fuscicornis</i> (Zetterstedt, 1847) [ <i>Helomyza</i> ]					57
	<i>gigantea</i> (Meigen, 1830) [ <i>Helomyza</i> ]					4
	<i>humilis</i> (Meigen, 1830) [ <i>Helomyza</i> ]					8

Heleomyzidae

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>inornata</i> (Loew, 1862) [ <i>Helomyza</i> ]					3
	<i>longipennis</i> (Loew, 1862) [ <i>Helomyza</i> ]					3
	<i>lurida</i> (Meigen, 1830) [ <i>Helomyza</i> ]					24
	<i>mikii</i> (Pokorny, 1886) [ <i>Helomyza</i> ]					2
	<i>nemorum</i> (Meigen, 1830) [ <i>Helomyza</i> ]					6
	<i>notata</i> (Meigen, 1830) [ <i>Helomyza</i> ]					57
	<i>oldenbergii</i> (Czerny, 1904) [ <i>Helomyza</i> ]					1
	<i>oxyphora</i> (Mik, 1900) [ <i>Helomyza</i> ]					4
	<i>pallida</i> (Fallen, 1820) [ <i>Helomyza</i> ]					33
	<i>picta</i> (Wiedemann, 1830) [ <i>Helomyza</i> ]					6
	<i>pilimana</i> (Loew, 1862) [ <i>Helomyza</i> ]					23
	<i>punctulata</i> (Wulp, 1897) [ <i>Helomyza</i> ]					1
	<i>quinquepunctata</i> (Say, 1823) [ <i>Helomyza</i> ]					2
	<i>rufa</i> (Fallen, 1820) [ <i>Helomyza</i> ]		<i>Suillia laevifrons</i> (Loew, 1862) [ <i>Helomyza</i> ]			70
*	<i>setitarsis</i> (Czerny, 1904) [ <i>Helomyza</i> ]					1
	<i>stroblii</i> (Czerny, 1904) [ <i>Helomyza</i> ]		<i>Suillia lineitergum</i> (Pandellé, 1901) [ <i>Helomyia</i> ]			3
	<i>tigrina</i> (Fallen, 1820) [ <i>Helomyza</i> ]	Clusiidae	<i>Clusia tigrina</i> (Fallen, 1820) [ <i>Helomyza</i> ]			13
	<i>tincta</i> (Walker, 1849) [ <i>Helomyza</i> ]		<i>Scoliocentra tincta</i> (Walker, 1849) [ <i>Helomyza</i> ]			2
	<i>tuberiperda</i> (Rondani, 1867) [ <i>Helomyza</i> ]					6
	<i>ustulata</i> (Meigen, 1830) [ <i>Helomyza</i> ]					9
	<i>variegata</i> (Loew, 1862) [ <i>Helomyia</i> ]					12
<b>Tapeigaster</b> Macquart, 1847					2	7
	<i>annulipes</i> Macquart, 1848					4
*	<i>marginifrons</i> Bezzi, 1923		<i>Tapeigaster nigricornis</i> (Macquart, 1851) [ <i>Sciomyza</i> ]			3
<b>Tephrochlamys</b> Loew, 1862					3	59
	<i>canescens</i> (Meigen, 1830) [ <i>Helomyza</i> ]		<i>Tephrochlamys rufiventris</i> (Meigen, 1830) [ <i>Helomyza</i> ]			37
	<i>flavipes</i> (Zetterstedt, 1838) [ <i>Heteromyza</i> ]					4
	<i>tarsalis</i> (Zetterstedt, 1847) [ <i>Heteromyza</i> ]					18
<b>Trixoscelis</b> Rondani, 1856					7	68
	<i>approximata</i> (Loew, 1865) [ <i>Geomyza</i> ]					12
*	<i>baliogaster</i> (Czerny, 1919) [ <i>Geomyza</i> ]					4
	<i>canescens</i> (Loew, 1865) [ <i>Geomyza</i> ]					8
	<i>frontalis</i> (Fallen, 1823) [ <i>Anthomyza</i> ]					11
	<i>marginella</i> (Fallen, 1823) [ <i>Geomyza</i> ]					7
	<i>obscorella</i> (Fallen, 1823) [ <i>Geomyza</i> ]					8
	<i>pedestris</i> (Loew, 1865) [ <i>Geomyza</i> ]					18
<b>Zagonia</b> Coquillett, 1904					1	4
	<i>flava</i> Coquillett, 1904					4

## Heterocheilidae

*Heterochila*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Heterocheilidae</b>			1	2	7
	<i>Heterochila</i> Hendel, 1935		<b><i>Heterocheila</i></b> Rondani, 1857		2	7
	<i>buccata</i> (Fallen, 1820) [ <i>Heteromyza</i> ]		<b><i>Heterocheila buccata</i></b> (Fallen, 1820) [ <i>Heteromyza</i> ]			3
	<i>glauca</i> (Coquillett, 1900) [ <i>Oedoparea</i> ]	Dryomyzidae	<b><i>Oedoparena glauca</i></b> (Coquillett, 1900) [ <i>Oedoparea</i> ]			4



## Heteromyzidae

*Heteromyiella*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Heteromyzidae</b>			1	2	24
	<i>Heteromyiella</i> Hendel, 1910		<b><i>Heteromyza</i></b> Fallen, 1820		2	24
	<i>atricornis</i> (Meigen, 1830) [ <i>Helomyza</i> ]	Heleomyzidae	<b><i>Suillia atricornis</i></b> (Meigen, 1830) [ <i>Helomyza</i> ]			18
	<i>commixta</i> (Collin, 1901) [ <i>Heteromyza</i> ]		<b><i>Heteromyza commixta</i></b> Collin, 1901			6

## Hilarimorphidae

*Hilarimorpha*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Hilarimorphidae</b>			1	1	3
	<i>Hilarimorpha</i> Schiner, 1860				1	3
	<i>singularis</i> Schiner, 1860					3

## Hippoboscidae

## Ascodipteron

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Hippoboscidae</b>				23	47	557
	<b>Ascodipteron</b> Adensamer, 1896				1	1
*	<i>speiserianum</i> Muir, 1912					1
	<b>Brachytarsina</b> Macquart, 1851				2	12
	<i>amboinensis</i> Rondani, 1878					2
	<i>flavipennis</i> Macquart, 1851					10
	<b>Crataerrhina</b> Bezzi, 1905		<b>Crataerina</b> Olfers, 1816		1	9
	<i>pallida</i> (Latreille, 1811) [ <i>Ornithomya</i> ]		<i>Crataerina pallida</i> (Latreille, 1811) [ <i>Ornithomya</i> ]			9
	<b>Cyclopodia</b> Kolenati, 1863				3	99
	<i>albertisii</i> Rondani, 1878					1
	<i>horsfieldi</i> Meijere, 1899					94
	<i>sykesi</i> (Westwood, 1834) [ <i>Nycteribia</i> ]					4
	<b>Echestypus</b> Speiser, 1907		<b>Liptoptena</b> Nitzsch, 1818		1	4
	<i>sepiaceus</i> (Speiser, 1905) [ <i>Liptoptena</i> ]		<i>Liptoptena sepiacea</i> Speiser, 1905			4
	<b>Hippobosca</b> Linnaeus, 1758				6	204
	<i>camelina</i> Leach, 1817					30
	<i>equina</i> Linnaeus, 1758					92
	<i>longipennis</i> Fabricius, 1805					41
	<i>rufipes</i> Olfers, 1816					12
	<i>struthionis</i> Janson, 1889		<i>Struthiobosca struthionis</i> (Janson, 1889) [ <i>Hippobosca</i> ]			1
	<i>variegata</i> Megerle, 1803					28
	<b>Icosta</b> Speiser, 1905		<b>Lynchia</b> Weyenbergh, 1881		4	10
	<i>angustifrons</i> (Wulp, 1903) [ <i>Olfersia</i> ]		<i>Lynchia angustifrons</i> (Wulp, 1903) [ <i>Olfersia</i> ]			2
	<i>ardeae</i> (Macquart, 1835) [ <i>Olfersia</i> ]		<i>Lynchia ardeae</i> (Macquart, 1835) [ <i>Olfersia</i> ]			2
	<i>fusca</i> (Macquart, 1846) [ <i>Olfersia</i> ]		<i>Lynchia americana</i> (Leach, 1817) [ <i>Feronia</i> ]			5
	<i>minor</i> (Bigot, 1858) [ <i>Olfersia</i> ]		<i>Lynchia minor</i> (Bigot, 1858) [ <i>Olfersia</i> ]			1
	<b>Liptoptena</b> Nitzsch, 1818				2	20
	<i>cervi</i> (Linnaeus, 1758) [ <i>Pediculus</i> ]					13
	<i>cervi</i> var <i>alcis</i> Schnabl, 1881		<i>Liptoptena cervi</i> (Linnaeus, 1758) [ <i>Pediculus</i> ]			7
	<b>Melophagus</b> Latreille, 1802				1	1
	<i>ovinus</i> (Linnaeus, 1758) [ <i>Hippobosca</i> ]					1
	<b>Myiophthiria</b> Ferris, 1930		<b>Myophthiria</b> Rondani, 1875		1	2
	<i>reduvioides</i> (Rondani, 1875) [ <i>Myophthiria</i> ]		<i>Myophthiria reduvioides</i> Rondani, 1875			2

## Hippoboscidae

				<i>Nycteribia</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b><i>Nycteribia</i></b> Latreille, 1797				4	46
	<i>biarticulata</i> (Hermann, 1804) [ <i>Phthiridium</i> ]		<i>Phthiridium biarticulatum</i> Hermann, 1804			13
	<i>blasii</i> Kolenati, 1856		<i>Nycteribia schmidlii</i> Schiner, 1853			5
	<b><i>pedicularia</i></b> Latreille, 1805					18
	<i>vexata</i> Westwood, 1835					10
	<b><i>Ornithoctona</i></b> Speiser, 1902				2	4
	<i>erythrocephala</i> (Leach, 1817) [ <i>Ornithomyia</i> ]					2
	<i>plicata</i> (Olfers, 1816) [ <i>Ornithomyia</i> ]					2
	<b><i>Ornithoica</i></b> Rondani, 1878				1	1
*	<i>stipituri</i> (Schiner, 1868) [ <i>Ornithomya</i> ]					1
	<b><i>Ornithomya</i></b> Latreille, 1802				4	4
	<i>avicularia</i> (Linnaeus, 1758) [ <i>Hippobosca</i> ]					1
	<i>biloba</i> (Dufour, 1827) [ <i>Ornithomyia</i> ]					1
	<i>chloropus</i> (Bergroth, 1901) [ <i>Ornithomyia</i> ]					1
	<i>roubaudi</i> Seguy, 1938					1
	<b><i>Ornithomyia</i></b> Latreille, 1805		<b><i>Ornithomya</i></b> Latreille, 1802		2	1
	<i>avicularia</i> (Linnaeus, 1758) [ <i>Hippobosca</i> ]		<i>Ornithomya avicularia</i> (Linnaeus, 1758) [ <i>Hippobosca</i> ]			1
	<i>fringillina</i> Curtis, 1836		<i>Ornithomya fringillina</i> (Curtis, 1836) [ <i>Ornithomyia</i> ]			0
	<b><i>Ornithophila</i></b> Rondani, 1879				1	5
	<i>metallica</i> (Schiner, 1864) [ <i>Ornithomya</i> ]					5
	<b><i>Penicillidia</i></b> Kolenati, 1863				2	70
	<i>dufour</i> (Westwood, 1834) [ <i>Nycteribia</i> ]					65
	<i>nattere</i> (Kolenati, 1857) [ <i>Listropodia</i> ]					5
	<b><i>Pseudolynchia</i></b> Bequaert, 1926				2	37
	<i>canariensis</i> (Macquart, 1840) [ <i>Olfersia</i> ]					36
	<i>garzettae</i> (Rondani, 1879) [ <i>Olfersia</i> ]					1
	<b><i>Pterellipsis</i></b> Coquillett, 1899		<b><i>Penicillidia</i></b> Kolenati, 1863		1	5
*	<i>aranea</i> Coquillett, 1899		<i>Megistopoda aranea</i> (Coquillett, 1899) [ <i>Pterellipsis</i> ]			5
	<b><i>Raymondia</i></b> Frauenfeld, 1855				1	1
	<i>huberi</i> Frauenfeld, 1856					1
	<b><i>Stenepteryx</i></b> Leach, 1817		<b><i>Crataerina</i></b> Olfers, 1816		1	1
	<i>hirundinis</i> (Linnaeus, 1758) [ <i>Hippobosca</i> ]		<i>Crataerina hirundinis</i> (Linnaeus, 1758) [ <i>Hippobosca</i> ]			1

## Hippoboscidae

				<i>Strebla</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b><i>Strebla</i></b> Wiedemann, 1824				1	1
	<i>vespertilionis</i> Fabricius, 1805		<b><i>Strebla wiedemanni</i></b> Kolenati, 1856			1
	<b><i>Trichobius</i></b> Gervais, 1844				3	19
*	<b><i>major</i></b> Coquillett, 1899					3
	<b><i>parasiticus</i></b> Gervais, 1844					5
	<i>s.l.</i>					11

## Homalocnemiidae

*Fraudator*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Homalocnemiidae</b>			1	1	1
	<i>Fraudator</i> Hutton, 1901		<b><i>Homalocnemis</i></b> Philippi, 1865		1	1
	<i>perspicuus</i> Hutton, 1901		<b><i>Homalocnemis perspicus</i></b> (Hutton, 1901) [ <i>Fraudator</i> ]			1

## Hybotidae

## Acarterus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Hybotidae</b>				30	214	1585
	<b>Acarterus</b> Loew, 1858				1	1
*	<i>pallipes</i> Bezzi, 1904		<i>Parahybos pallipes</i> (Bezzi, 1904) [Acarterus]			1
	<b>Anthalia</b> Zetterstedt, 1838				6	14
*	<i>bulbosa</i> Melander, 1902					1
*	<i>interrupta</i> Melander, 1928					3
*	<i>lacteipennis</i> Melander, 1928					4
*	<i>mandalota</i> Melander, 1928					1
*	<i>petiolata</i> Melander, 1928					1
*	<i>scutellaris</i> Melander, 1928					4
	<b>Ariasella</b> Gil Collado, 1923				1	1
*	<i>semiaptera</i> Gil Collado, 1923					1
	<b>Bicellaria</b> Macquart, 1823				6	161
	<i>alpina</i> Bezzi, 1918					40
	<i>intermedia</i> Lundbeck, 1910					15
	<i>longipes</i> (Loew, 1862) [Cyrtoma]					5
	<i>nigra</i> (Meigen, 1824) [Cyrtoma]					40
	<i>pilipes</i> (Loew, 1862) [Cyrtoma]					4
	<i>spuria</i> (Fallen, 1816) [Empis]					57
	<b>Chersodromia</b> Walker, 1849				5	22
	<i>cursitans</i> Zetterstedt, 1819					1
	<i>hirta</i> Walker, 1835					5
*	<i>houghii</i> Melander, 1902					5
	<i>incana</i> Walker, 1851					5
	<i>speculifera</i> Walker, 1851					6
	<b>Coloboneura</b> Melander, 1902		<b>Chersodromia</b> Walker, 1849		1	3
	<i>inusitata</i> Melander, 1902		<i>Chersodromia inusitata</i> Melander, 1902			3
	<b>Coryneta</b> Meigen, 1800		<b>Tachydromia</b> Meigen, 1803		1	2
*	<i>candidiseta</i> Bezzi, 1912		<i>Platypalpus candidiseta</i> (Bezzi, 1912) [Coryneta]			2
	<b>Drapetis</b> Meigen, 1822				24	118
	<i>aenescens</i> Wiedemann, 1830					26
*	<i>alitenigra</i> Melander, 1918					1
*	<i>armata</i> Melander, 1918		<i>Crossopalpus armata</i> (Melander, 1918) [Drapetis]			2
	<i>divergens</i> Loew, 1872					4
*	<i>dividua</i> Melander, 1902					4

## Hybotidae

Hybotidae							<i>Drapetis</i>
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #	
	<i>exilis</i> Meigen, 1822						2
	<i>flavida</i> Williston, 1896						1
	<i>flavipes</i> Macquart, 1834						14
	<i>flexuosa</i> Loew, 1840		<i>Crossopalpus flexuosus</i> Loew, 1840				6
*	<i>humilis</i> Frey, 1913		<i>Crossopalpus humilis</i> Frey, 1913				3
*	<i>luteicollis</i> Melander, 1918						1
*	<i>medetera</i> Melander, 1902		<i>Crossopalpus medetera</i> (Melander, 1902) [ <i>Drapetis</i> ]				1
*	<i>naica</i> Melander, 1918						1
	<i>nervosus</i> Loew, 1859		<i>Crossopalpus nigrifellus</i> (Zetterstedt, 1842) [ <i>Tachydromia</i> ]				14
*	<i>nuda</i> Melander, 1918						4
	<i>pilipes</i> Loew, 1859		<i>Crossopalpus pilipes</i> Loew, 1859				1
*	<i>pubicornis</i> Bezzi, 1912						10
	<i>pusilla</i> Loew, 1859						5
	<i>setigera</i> Loew, 1859		<i>Crossopalpus setiger</i> Loew, 1859				5
*	<i>spectabilis</i> Melander, 1902		<i>Crossopalpus spectabilis</i> (Melander, 1902) [ <i>Drapetis</i> ]				1
*	<i>spinipes</i> Melander, 1918						4
	<i>unipila unipila</i> Loew, 1872		<i>Crossopalpus unipila</i> Loew, 1872				4
	<i>xanthopoda</i> Williston, 1896						1
*	<i>xanthopyga</i> Bezzi, 1904						3
<b><i>Elaphropeza</i> Macquart, 1827</b>						9	43
	<i>calcarifera</i> Bezzi, 1907		<i>Drapetis calcarifera</i> (Bezzi, 1907) [ <i>Elaphropeza</i> ]				6
	<i>ephippiata</i> (Fallen, 1815) [ <i>Tachydromia</i> ]		<i>Drapetis ephippiata</i> Fallen, 1815				3
*	<i>formosae</i> Bezzi, 1907		<i>Drapetis formosae</i> (Bezzi, 1907) [ <i>Elaphropeza</i> ]				4
*	<i>kerteszi</i> Bezzi, 1912		<i>Drapetis kerteszi</i> (Bezzi, 1912) [ <i>Elaphropeza</i> ]				2
*	<i>lanuginosa</i> Bezzi						4
*	<i>marginalis</i> Bezzi, 1912		<i>Drapetis marginalis</i> Bezzi, 1912				1
*	<i>melanura</i> Bezzi, 1912		<i>Drapetis melanura</i> (Bezzi, 1912) [ <i>Elaphropeza</i> ]				6
*	<i>pictithorax</i> Bezzi, 1912		<i>Drapetis pictithorax</i> (Bezzi, 1912) [ <i>Elaphropeza</i> ]				2
*	<i>scutellaris</i> Bezzi, 1912		<i>Drapetis scutellaris</i> (Bezzi, 1912) [ <i>Elaphropeza</i> ]				15
<b><i>Euhybus</i> Coquillett, 1895</b>						4	12
*	<i>metatarsalis</i> Melander, 1928						1
*	<i>nigripes</i> Melander, 1928						1
	<i>subjectus</i> (Walker, 1849) [ <i>Hybos</i> ]						1
	<i>triplex</i> (Walker, 1849) [ <i>Hybos</i> ]						9
<b><i>Euthyneura</i> Macquart, 1836</b>						6	22
*	<i>buccinator</i> Melander		<i>Euthyneura buccinator</i> Melander, 1902				2
	<i>gyllenhali</i> (Zetterstedt, 1838) [ <i>Anthalia</i> ]						4
	<i>myrtilli</i> Macquart, 1836						2
	<i>schoenherri</i> (Zetterstedt, 1838) [ <i>Anthalia</i> ]		<i>Anthalia schoenherri</i> Zetterstedt, 1838				2
*	<i>spinipes</i> Melander, 1928						4



## Hybotidae

## Euthyneura

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
*	<i>stigmalis</i> Coquillett, 1903		<i>Anthalia stigmalis</i> Coquillett, 1903			8
<b>Hybos</b> Meigen, 1803					12	135
*	<i>bisetosus</i> Bezzi, 1904					5
	<i>culiciformis</i> (Fabricius, 1775) [ <i>Asilus</i> ]					60
	<i>eurypterus</i> Bezzi, 1909		<i>Euhybus eurypterus</i> Bezzi, 1909			1
	<i>femoratus</i> (Muller, 1776) [ <i>Asilus</i> ]					34
	<i>grossipes</i> (Linnaeus, 1767) [ <i>Musca</i> ]					16
	<i>latipennis</i> Bezzi, 1909		<i>Euhybus latipennis</i> Bezzi, 1909			1
*	<i>major</i> (Bezzi, 1912) [ <i>Noeza</i> ]					4
*	<i>papuanus</i> Kertesz, 1899					5
	<i>pilipes</i> Meigen, 1820		<i>Hybos grossipes</i> (Linnaeus, 1767) [ <i>Musca</i> ]			2
*	<i>pollinosus</i> Bezzi, 1904					2
	<i>reversus</i> Walker, 1849					1
*	<i>slossonae</i> Coquillett, 1895					4
<b>Lactistomyia</b> Melander, 1902					1	1
	<i>serrata</i> Bezzi, 1909					1
<b>Leptopeza</b> Macquart, 1834					7	32
	<i>borealis</i> Zetterstedt, 1842					4
	<i>compta</i> Coquillett, 1895					4
*	<i>disparilis</i> Melander, 1902					4
	<i>flavipes</i> (Meigen, 1820) [ <i>Ocydromia</i> ]		<i>Leptopeza ruficollis</i> (Meigen, 1820) [ <i>Ocydromia</i> ]			7
	<i>ruficollis</i> (Meigen, 1820) [ <i>Ocydromia</i> ]					6
	<i>setigera</i> Bezzi, 1900					2
	<i>sphenoptera</i> Loew, 1873		<i>Oropezella sphenoptera</i> Loew, 1873			5
<b>Noeza</b> Meigen, 1800					3	7
	<i>geniculata</i> Wulp, 1897		<i>Hybos geniculatus</i> Wulp, 1897			2
*	<i>plumicornis</i> Bezzi, 1914		<i>Hybos plumicornis</i> (Bezzi, 1914) [ <i>Noeza</i> ]			3
*	<i>tibialis</i> Bezzi, 1912		<i>Hybos tibialis</i> (Bezzi, 1912) [ <i>Noeza</i> ]			2
<b>Ocydromia</b> Meigen, 1820					3	95
	<i>glabricula</i> (Fallen, 1816) [ <i>Empis</i> ]					20
	<i>melanopleura</i> Loew, 1840					51
	<i>scutellata</i> Meigen, 1820		<i>Ocydromia glabricula</i> (Fallen, 1816) [ <i>Empis</i> ]			24
<b>Oedalea</b> Meigen, 1820					6	44
	<i>flavipes</i> Zetterstedt, 1842					2
	<i>holmgreni</i> Zetterstedt, 1852					5
	<i>hybotina</i> (Fallen, 1816) [ <i>Empis</i> ]					13
*	<i>lanceolata</i> Melander, 1928					9
	<i>stigmatella</i> Zetterstedt, 1842					7

## Hybotidae

## Oedalea

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>tristis</i> Scholz, 1851					8
	<b>Parahybos</b> Kertész, 1899				3	29
	<i>chaetoproctus</i> Bezzi, 1907					2
*	<i>chiragra</i> Bezzi, 1912					8
*	<i>sauteri</i> Bezzi, 1912					19
	<b>Pieltainia</b> Arias, 1919				1	3
	<i>iberica</i> Arias, 1919					3
	<b>Scelolabes</b> Philippi, 1865				1	1
	<i>bivittatus</i> Philippi, 1865					1
	<b>Stilpon</b> Loew, 1859				2	8
	<i>graminum</i> (Fallen, 1815) [ <i>Tachydromia</i> ]					7
	<i>lunata</i> (Walker, 1851) [ <i>Drapetis</i> ]					1
	<b>Symballophthalmus</b> Becker, 1889				2	12
	<i>cyanophthalmus</i> Strobl, 1880		<i>Symballophthalmus fuscitarsis</i> (Zetterstedt, 1859) [ <i>Tachydromia</i> ]			6
	<i>dissimilis</i> (Fallen, 1815) [ <i>Tachydromia</i> ]					6
	<b>Syndyas</b> Loew, 1857				2	10
	<i>nigripes</i> (Zetterstedt, 1842) [ <i>Ocydromia</i> ]					9
	<i>polita</i> Loew, 1861					1
	<b>Syneches</b> Walker, 1852				13	68
	<i>armatus</i> Melander, 1928					3
	<i>bicolor</i> (Walker, 1859) [ <i>Hybos</i> ]					1
*	<i>dichaetophorus</i> Bezzi, 1904					2
*	<i>luctifer</i> Bezzi, 1912					1
	<i>muscarius</i> (Fabricius, 1794) [ <i>Asilus</i> ]					15
	<i>obeliscus</i> Bezzi, 1909					1
*	<i>praestans</i> Bezzi, 1912					1
*	<i>pullus</i> Bezzi, 1912					10
	<i>pusillus</i> Loew, 1861					4
	<i>pyramidatus</i> Bezzi, 1905					9
	<i>simplex</i> Walker, 1852					7
	<i>stigmatalis</i> Bezzi, 1909					5
	<i>thoracicus</i> (Say, 1823) [ <i>Hybos</i> ]					9
	<b>Tachista</b> Loew, 1864		<b>Tachydromia</b> Meigen, 1803		16	88
	<i>annulimana</i> Meigen, 1822		<i>Tachydromia annulimana</i> Meigen, 1822			18
	<i>arrogans</i> Linnaeus, 1761		<i>Tachydromia arrogans</i> (Linnaeus, 1761) [ <i>Musca</i> ]			16
*	<i>barbata</i> Oldenberg, 1920		<i>Tachydromia styriaca</i> (Strobl, 1893) [ <i>Tachista</i> ]			2

## Hybotidae

## Tachista

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
*	<i>bistigma</i> Bezzi, 1912		<i>Tachydromia bistigma</i> (Bezzi, 1912) [ <i>Tachista</i> ]			1
	<i>calcanea</i> Meigen, 1838		<i>Tachydromia calcanea</i> (Meigen, 1838) [ <i>Tachista</i> ]			2
	<i>connexa</i> Meigen, 1822		<i>Tachydromia connexa</i> Meigen, 1822			9
	<i>interrupta</i> Loew, 1864		<i>Tachydromia interrupta</i> (Loew, 1854) [ <i>Tachista</i> ]			11
	<i>longipennis</i> Loew, 1864		<i>Tachydromia calcanea</i> (Meigen, 1838) [ <i>Tachista</i> ]			1
	<i>microptera</i> Loew, 1864		<i>Tachydromia microptera</i> (Loew, 1864) [ <i>Tachista</i> ]			1
*	<i>n.sp.</i>					2
	<i>ornatipes</i> Becker, 1890		<i>Tachydromia ornatipes</i> (Becker, 1890) [ <i>Tachista</i> ]			6
	<i>sabulosa</i> Meigen, 1830		<i>Tachydromia sabulosa</i> Meigen, 1830			9
	<i>schwarzii</i> Coquillett, 1895		<i>Tachydromia schwarzii</i> Coquillett, 1895			3
	<i>styriaca</i> Strobl, 1893		<i>Tachydromia styriaca</i> (Strobl, 1893) [ <i>Tachista</i> ]			4
	<i>terricola</i> Zetterstedt, 1819		<i>Tachydromia terricola</i> Zetterstedt, 1819			1
	<i>undulata</i> Strobl, 1906		<i>Tachydromia undulata</i> (Strobl, 1906) [ <i>Tachista</i> ]			2
<b>Tachydromia</b> Meigen, 1803					67	599
	<i>aeneicollis</i> Zetterstedt, 1849		<i>Platypalpus aeneus</i> (Macquart, 1823) [ <i>Tachydromia</i> ]			1
	<i>aequalis</i> Loew, 1864		<i>Platypalpus aequalis</i> Loew, 1864			4
	<i>agilis</i> Meigen, 1822		<i>Platypalpus agilis</i> (Meigen, 1822) [ <i>Tachydromia</i> ]			3
	<i>albisetia</i> Meigen, 1806	Bombyliidae	<i>Anastoechus innocuus</i> Bezzi, 1921			13
	<i>albocapillata</i> Fallen, 1815		<i>Platypalpus albocapillatus</i> (Fallen, 1815) [ <i>Tachydromia</i> ]			8
*	<i>albomicans</i> Bezzi, 1892		<i>Platypalpus albomicans</i> (Bezzi, 1892) [ <i>Tachydromia</i> ]			4
	<i>alpigena</i> Strobl, 1893		<i>Platypalpus alpigenus</i> (Strobl, 1893) [ <i>Tachydromia</i> ]			10
	<i>annulata</i> Fallen, 1815		<i>Platypalpus annulatus</i> (Fallen, 1816) [ <i>Tachydromia</i> ]			16
	<i>annulipes</i> Meigen, 1822		<i>Platypalpus annulipes</i> (Meigen, 1822) [ <i>Tachydromia</i> ]			1
*	<i>apenninica</i> Bezzi					6
*	<i>armillata</i> Melander, 1928		<i>Platypalpus armillatus</i> Melander, 1928			1
	<i>articulata</i> (Macquart, 1827) [ <i>Platypalpus</i> ]		<i>Platypalpus articulatus</i> Macquart, 1827			9
	<i>baldensis</i> Strobl, 1899		<i>Platypalpus baldensis</i> (Strobl, 1899) [ <i>Tachydromia</i> ]			25
	<i>beckeri</i> Mik, 1894		<i>Platypalpus stigmatellus</i> (Zetterstedt, 1842) [ <i>Tachydromia</i> ]			2
	<i>bicolor</i> Meigen, 1804		<i>Platypalpus cursitans</i> (Fabricius, 1775) [ <i>Musca</i> ]			23
*	<i>brachystyla</i> Bezzi, 1892		<i>Platypalpus brachystylus</i> (Bezzi, 1892) [ <i>Tachydromia</i> ]			10
	<i>calceata</i> Meigen, 1822		<i>Platypalpus calceatus</i> (Meigen, 1822) [ <i>Tachydromia</i> ]			22
	<i>candicans</i> Fallen, 1815		<i>Platypalpus candicans</i> (Fallen, 1815) [ <i>Tachydromia</i> ]			19
	<i>chilensis</i> (Philippi, 1865) [ <i>Platypalpus</i> ]		<i>Platypalpus chilensis</i> Philippi, 1865			2
	<i>ciliaris</i> Fallen, 1816		<i>Platypalpus ciliaris</i> (Fallen, 1816) [ <i>Tachydromia</i> ]			11
	<i>cothurnata</i> (Macquart, 1827) [ <i>Platypalpus</i> ]		<i>Platypalpus cothurnatus</i> Macquart, 1827			15
	<i>crassifemoris</i> (Fitch, 1856) [ <i>Oscinis</i> ]		<i>Platypalpus crassifemoris</i> (Fitch, 1856) [ <i>Oscinis</i> ]			2
	<i>cursitans</i> Fabricius, 1775		<i>Platypalpus cursitans</i> (Fabricius, 1775) [ <i>Musca</i> ]			22
*	<i>dilutior</i> (Melander, 1928) [ <i>Platypalpus</i> ]		<i>Platypalpus dilutior</i> Melander, 1928			9
	<i>engadinica</i> Mik, 1896		<i>Platypalpus engadinicus</i> (Mik, 1896) [ <i>Tachydromia</i> ]			1
	<i>eumelaena</i> Mik, 1884		<i>Platypalpus eumelaenus</i> (Mik, 1884) [ <i>Tachydromia</i> ]			8
	<i>exigua</i> Meigen, 1822		<i>Platypalpus minutus</i> (Meigen, 1804) [ <i>Tachydromia</i> ]			22
	<i>exilis</i> Meigen, 1822		<i>Platypalpus exilis</i> (Meigen, 1822) [ <i>Tachydromia</i> ]			8

## Hybotidae

## Tachydromia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>fasciata</i> Meigen, 1822		<i>Platypalpus fasciatus</i> (Meigen, 1822) [ <i>Tachydromia</i> ]			38
	<i>fascipes</i> Meigen, 1822		<i>Platypalpus annulatus</i> (Fallen, 1816) [ <i>Tachydromia</i> ]			9
	<i>fascipes</i> var. <i>melanochaeta</i> Bezzi, 1899		<i>Platypalpus melanochaeta</i> (Bezzi, 1899) [ <i>Tachydromia</i> ]			7
*	<i>fiorii</i> Bezzi					3
	<i>flavicornis</i> Meigen, 1822		<i>Platypalpus flavicornis</i> (Meigen, 1822) [ <i>Tachydromia</i> ]			2
	<i>flavipalpis</i> Meigen, 1822		<i>Platypalpus pallipes</i> (Fallen, 1815) [ <i>Tachydromia</i> ]			4
	<i>flavipes</i> Fabricius, 1794		<i>Platypalpus pallidiventris</i> Meigen, 1822			22
	<i>fuscicornis</i> Zetterstedt, 1842		<i>Platypalpus fuscicornis</i> (Zetterstedt, 1842) [ <i>Tachydromia</i> ]			5
	<i>gilvipes</i> Meigen, 1822		<i>Platypalpus pectoralis</i> (Fallen, 1815) [ <i>Tachydromia</i> ]			7
*	<i>gravidia</i> (Melander, 1902) [ <i>Platypalpus</i> ]		<i>Platypalpus gravidus</i> Melander, 1902			1
*	<i>inferialis</i> (Melander, 1828) [ <i>Platypalpus</i> ]		<i>Platypalpus inferialis</i> Melander, 1928			1
	<i>lateralis</i> (Loew, 1864) [ <i>Platypalpus</i> ]		<i>Platypalpus lateralis</i> Loew, 1864			1
	<i>leucochoeta</i> Becker, 1889		<i>Platypalpus obscurus</i> (Roser, 1840) [ <i>Tachypeza</i> ]			6
	<i>lutea</i> Meigen, 1804		<i>Platypalpus luteus</i> (Meigen, 1804) [ <i>Tachydromia</i> ]			5
	<i>maculipes</i> Meigen, 1822		<i>Platypalpus maculipes</i> (Meigen, 1822) [ <i>Tachydromia</i> ]			3
	<i>minuta</i> Meigen, 1804		<i>Platypalpus minutus</i> (Meigen, 1804) [ <i>Tachydromia</i> ]			27
	<i>montana</i> Becker, 1887		<i>Platypalpus nigrinus</i> (Meigen, 1822) [ <i>Tachydromia</i> ]			20
	<b>morio</b> (Zetterstedt, 1838) [ <i>Tachypeza</i> ]					14
*	<i>multisetosa</i> Bezzi, 1899		<i>Platypalpus multisetosus</i> (Bezzi, 1899) [ <i>Tachydromia</i> ]			3
	<i>nigrina</i> Meigen, 1822		<i>Platypalpus nigrinus</i> (Meigen, 1822) [ <i>Tachydromia</i> ]			40
	<i>nigritarsis</i> Fallen, 1816		<i>Platypalpus nigritarsis</i> (Fallen, 1816) [ <i>Tachydromia</i> ]			10
	<i>nigrosetosa</i> Strobl, 1893		<i>Platypalpus nigrosetosus</i> (Strobl, 1893) [ <i>Tachydromia</i> ]			8
	<i>notata</i> Meigen, 1822		<i>Platypalpus notatus</i> (Meigen, 1822) [ <i>Tachydromia</i> ]			25
*	<i>ochracea</i> Bezzi, 1892		<i>Platypalpus ochraceus</i> (Bezzi, 1892) [ <i>Tachydromia</i> ]			1
	<i>oedicnema</i> Strobl, 1898		<i>Platypalpus candicans</i> (Fallen, 1815) [ <i>Tachydromia</i> ]			6
	<i>pallida</i> Meigen, 1822		<i>Platypalpus luteus</i> (Meigen, 1804) [ <i>Tachydromia</i> ]			4
	<i>pallidiventris</i> Meigen, 1822		<i>Platypalpus pallidiventris</i> Meigen, 1822			10
	<i>pallipes</i> Fallen, 1815		<i>Platypalpus pallipes</i> (Fallen, 1815) [ <i>Tachydromia</i> ]			4
*	<i>pectinator</i> (Melander, 1824) [ <i>Platypalpus</i> ]		<i>Platypalpus pectinator</i> Melander, 1924			1
	<i>pectoralis</i> Fallen, 1815		<i>Platypalpus pectoralis</i> (Fallen, 1815) [ <i>Tachydromia</i> ]			5
*	<i>pluto</i> (Melander, 1802) [ <i>Platypalpus</i> ]		<i>Platypalpus pluto</i> Melander, 1802			3
*	<i>proserpina</i> Bezzi, 1909		<i>Platypalpus proserpinus</i> Bezzi, 1909			2
	<i>pubicornis</i> Zetterstedt, 1838		<i>Platypalpus longicornis</i> (Meigen, 1822) [ <i>Tachydromia</i> ]			4
*	<i>puerina</i> (Melander, 1928) [ <i>Platypalpus</i> ]		<i>Platypalpus puerinus</i> Melander, 1928			1
	<i>stigmatella</i> Zetterstedt, 1842		<i>Platypalpus stigmatellus</i> (Zetterstedt, 1842) [ <i>Tachydromia</i> ]			1
	<i>trivialis</i> (Loew, 1864) [ <i>Platypalpus</i> ]		<i>Platypalpus trivialis</i> Loew, 1864			6
	<i>unguiculata</i> Zetterstedt, 1838		<i>Platypalpus unguiculatus</i> (Zetterstedt, 1838) [ <i>Tachydromia</i> ]			1
	<i>varia</i> (Walker, 1851) [ <i>Platypalpus</i> ]		<i>Platypalpus candicans</i> (Fallen, 1815) [ <i>Tachydromia</i> ]			11
	<i>venatica</i> (Melander, 1928) [ <i>Platypalpus</i> ]		<i>Platypalpus venaticus</i> Melander, 1928			1
	<b>Tachyempis</b> Melander, 1928				1	1
	<b>agens</b> Melander, 1910					1

## Hybotidae

## Tachypeza

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Tachypeza</b> Meigen, 1830				4	19
*	<i>corticalis</i> (Melander, 1902) [ <i>Tachydromia</i> ]					1
*	<i>discifera</i> Melander, 1928					2
	<i>nubila</i> (Meigen, 1804) [ <i>Tachydromia</i> ]					12
	<i>winthemi</i> Zetterstedt, 1838					4
	<b>Thinodromia</b> Melander, 1906		<b>Chersodromia</b> Walker, 1849		2	2
*	<i>inchoata</i> Melander, 1906		<i>Chersodromia inchoata</i> Melander, 1906			1
*	<i>parallela</i> Melander, 1928		<i>Chersodromia parallela</i> Melander, 1928			1
	<b>Trichina</b> Meigen, 1830				4	32
	<i>clavipes</i> Meigen, 1830					9
	<i>flavipes</i> Meigen, 1830					2
*	<i>lissonota</i> Bezzi, 1899		<i>Trichina clavipes</i> Meigen, 1830			18
	<i>opaca</i> Loew, 1864					3

## Ironomyiidae

*Ironomyia*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Ironomyiidae</b>			1	1	1
	<i>Ironomyia</i> White, 1916				1	1
	<i>nigromaculata</i> White, 1916					1

## Iteaphila group

*Anthepiscopus*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Iteaphila group</b>			2	6	18
	<b><i>Anthepiscopus</i></b> Becker, 1891				4	8
*	<i>mormon</i> Melander					1
*	<i>nuptus</i> Melander, 1928					5
	<i>oedalinus</i> (Zetterstedt, 1838) [ <i>Rhamphomyza</i> ]					1
*	<i>ribesii</i> Becker, 1891					1
	<b><i>Iteaphila</i></b> Zetterstedt, 1838				2	10
	<i>macquarti</i> Zetterstedt, 1838					5
*	<i>triangula</i> (Coquillett, 1900) [ <i>Empis</i> ]					5

Keroplastidae				<i>Asindulum</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Keroplastidae</b>				4	25	89
	<b><i>Asindulum</i></b> Latreille, 1805				2	5
	<i>femorale</i> Meigen, 1818		<i>Asindulum nigrum</i> Latreille, 1805			2
	<i>flavum</i> Winnertz, 1846		<i>Macrorrhyncha winnertzi</i> Tarwid, 1936			3
	<b><i>Ceroplatus</i></b> Fabricius, 1798		<b><i>Keroplatus</i></b> Bosc, 1792		4	6
	<i>lineatus</i> Fabricius, 1775		<i>Cerotelion lineatus</i> Fabricius, 1775			2
	<i>sesioides</i> Wahlberg, 1839		<i>Keroplatus sesioides</i> Wahlberg, 1839			1
	<i>testaceus</i> Dalman, 1818		<i>Keroplatus testaceus</i> Dalman, 1818			1
	<i>tipuloides</i> Bosc, 1792		<i>Keroplatus tipuloides</i> Bosc, 1792			2
	<b><i>Macrocera</i></b> Meigen, 1803				9	48
	<i>angulata</i> Meigen, 1818					2
	<i>centralis</i> Meigen, 1818					5
	<i>fasciata</i> Meigen, 1804					11
	<i>grandis</i> Lundstrom, 1912					2
	<i>lutea</i> Meigen, 1804					6
	<i>maculata</i> Meigen, 1818					1
	<i>phalerata</i> Meigen, 1818					8
	<i>pusilla</i> Meigen, 1830		<i>Macrocera zetterstedti</i> Lundstrom, 1914			1
	<i>stigma</i> Curtis, 1837					12
	<b><i>Zelmira</i></b> Meigen, 1800		<b><i>Orfelia</i></b> Costa, 1857		10	30
	<i>atrata</i> Fabricius, 1805		<i>Platyura marginata</i> Meigen, 1804			1
	<i>basalis</i> Winnertz, 1863		<i>Orfelia basalis</i> Winnertz, 1863			3
	<i>cincta</i> (Winnertz, 1863) [ <i>Platyura</i> ]		<i>Orfelia nemoralis</i> Meigen, 1818			10
	<i>discoloria</i> Meigen, 1818		<i>Orfelia discoloria</i> Meigen, 1818			1
	<i>fasciata</i> Meigen, 1804		<i>Orfelia fasciata</i> Meigen, 1804			2
	<i>flava</i> Macquart, 1826		<i>Neoplatyura flava</i> Macquart, 1826			1
	<i>marginata</i> Meigen, 1804		<i>Platyura marginata</i> Meigen, 1804			2
	<i>modesta</i> Winnertz, 1893		<i>Neoplatyura modesta</i> Winnertz, 1863			3
	<i>nemoralis</i> Meigen, 1818		<i>Orfelia nemoralis</i> Meigen, 1818			4
	<i>ochracea</i> Meigen, 1818		<i>Orfelia ochracea</i> Meigen, 1818			3



Lauxaniidae				<i>Amphicyphus</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Lauxaniidae</b>				17	135	1809
	<i>Amphicyphus</i> Meijere, 1908		<i>Drepanephora</i> Loew, 1869		1	6
	<i>reticulatus</i> (Doleschall, 1856) [ <i>Ensina</i> ]		<i>Drepanephora reticulata</i> (Doleschall, 1856) [ <i>Ensina</i> ]			6
	<i>Calliope</i> Westwood, 1840		<i>Calliopum</i> Strand, 1928		13	231
	<i>aenea</i> (Fallen, 1820) [ <i>Lauxania</i> ]		<i>Calliopum aeneum</i> (Fallen, 1820) [ <i>Lauxania</i> ]			63
	<i>elisae</i> (Meigen, 1826) [ <i>Lauxania</i> ]	Anthomyiidae	<i>Fucellia tergina</i> (Zetterstedt, 1845) [ <i>Anthomyza</i> ]			13
	<i>flaviceps</i> (Loew, 1866) [ <i>Lauxania</i> ]		<i>Pseudocalliope flaviceps</i> (Loew, 1866) [ <i>Lauxania</i> ]			8
*	<i>flavipes</i> (Bezzi, 1908) [ <i>Lauxania</i> ]		<i>Lauxania flavipes</i> Bezzi, 1908			57
	<i>gracilipes</i> (Loew, 1861) [ <i>Lauxania</i> ]		<i>Melanomyza gracilipes</i> (Loew, 1861) [ <i>Lauxania</i> ]			4
	<i>hispanica</i> (Mik, 1881) [ <i>Lauxania</i> ]		<i>Calliopum hispanicum</i> (Mik, 1881) [ <i>Lauxania</i> ]			10
	<i>hyalinata</i> (Meigen, 1826) [ <i>Lauxania</i> ]		<i>Sapromyza hyalinata</i> (Meigen, 1826) [ <i>Lauxania</i> ]			19
	<i>indecora</i> (Loew, 1862) [ <i>Lauxania</i> ]		<i>Calliopum indecorum</i> (Loew, 1862) [ <i>Lauxania</i> ]			10
*	<i>intermedia</i> (Malloch, 1923) [ <i>Deceia</i> ]		<i>Melanomyza intermedia</i> (Malloch, 1923) [ <i>Deceia</i> ]			2
	<i>muscaria</i> (Loew, 1861) [ <i>Lauxania</i> ]		<i>Xenochaetina flavipennis</i> (Fabricius, 1805) [ <i>Scatophaga</i> ]			33
	<i>nigra</i> (Williston, 1896) [ <i>Physegenua</i> ]		<i>Physegenua nigra</i> Williston, 1896			5
	<i>quadrisetosa</i> Thomson, 1869		<i>Calliopum quadrisetosum</i> (Thomson, 1869) [ <i>Calliopum</i> ]			5
*	<i>scutellata</i> (Malloch, 1923) [ <i>Deceia</i> ]		<i>Melanomyza scutellata</i> (Malloch, 1923) [ <i>Deceia</i> ]			2
	<i>Camptoprosopella</i> Hendel, 1907				3	53
	<i>dolorosa</i> (Williston, 1903) [ <i>Pachycerina</i> ]					10
	<i>verticalis</i> (Loew, 1861) [ <i>Pachycerina</i> ]					2
	<i>vulgaris</i> (Fitch, 1856) [ <i>Chlorops</i> ]					41
	<i>Cestrotus</i> Loew, 1862				4	16
	<i>himalayensis</i>					1
	<i>megacephalus</i> Loew, 1862					4
*	<i>tibialis</i> Bezzi, 1908					6
	<i>variegatus</i> Loew, 1862					5
	<i>Cnemacantha</i> Macquart, 1835				2	16
	<i>muscaria</i> (Fallen, 1823) [ <i>Heteroneura</i> ]					13
	<i>styriaca</i> (Strobl, 1892) [ <i>Sapromyza</i> ]		<i>Minettia styriaca</i> (Strobl, 1892) [ <i>Sapromyza</i> ]			3
	<i>Lauxania</i> Latreille, 1804				2	33
	<i>cylindricornis</i> (Fabricius, 1794) [ <i>Musca</i> ]					22
	<i>trivittata</i> Loew, 1861		<i>Steganolauxania trivittata</i> (Loew, 1861) [ <i>Lauxania</i> ]			11
	<i>Minettia</i> Robineau-Desvoidy, 1830				21	313
	<i>abbreviata</i> (Becker, 1895) [ <i>Sapromyza</i> ]		<i>Minettia plumicornis</i> (Fallen, 1820) [ <i>Sapromyza</i> ]			19
	<i>annulata</i> Melander, 1913		<i>Poecilolycia annulata</i> (Melander, 1913) [ <i>Minettia</i> ]			10
	<i>cineracea</i> (Coquillett, 1902) [ <i>Lauxania</i> ]		<i>Neodeceia cineracea</i> (Coquillett, 1902) [ <i>Lauxania</i> ]			1

## Lauxaniidae

## Minettia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>crevecoeuri</i> (Coquillett, 1898) [ <i>Sapromyza</i> ]		<i>Deceia crevecoeuri</i> (Coquillett, 1898) [ <i>Sapromyza</i> ]			1
	<i>fasciata</i> (Fallen, 1826) [ <i>Lauxania</i> ]					12
	<i>flaveola</i> (Coquillett, 1898) [ <i>Sapromyza</i> ]					13
	<i>flavipalpis</i> (Loew, 1847) [ <i>Sapromyza</i> ]					12
	<i>flaviventris</i> (Costa, 1844) [ <i>Sapromyza</i> ]					19
	<i>inusta</i> (Meigen, 1826) [ <i>Sapromyza</i> ]					10
	<i>longipennis</i> (Fabricius, 1794) [ <i>Musca</i> ]					33
	<i>longiseta</i> (Loew, 1847) [ <i>Sapromyza</i> ]					3
	<i>lupulina</i> (Fabricius, 1787) [ <i>Musca</i> ]					58
	<i>macula</i> (Loew, 1872) [ <i>Sapromyza</i> ]		<i>Poecilominettia macula</i> (Loew, 1872) [ <i>Sapromyza</i> ]			1
	<i>magna</i> (Coquillett, 1898) [ <i>Sapromyza</i> ]					4
	<i>obscura</i> (Loew, 1861) [ <i>Lauxania</i> ]					15
	<i>plumichaeta</i> (Rondani, 1868) [ <i>Sapromyza</i> ]		<i>Minettia plumicheta</i> (Rondani, 1868) [ <i>Sapromyza</i> ]			5
	<i>plumicornis</i> (Fallen, 1820) [ <i>Sapromyza</i> ]					9
	<i>punctifrons</i> (Rondani, 1868) [ <i>Sapromyza</i> ]		<i>Minettia inusta</i> (Meigen, 1826) [ <i>Sapromyza</i> ]			25
	<i>quadrilineata</i> (Loew, 1861) [ <i>Sapromyza</i> ]		<i>Poecilolycia quadrilineata</i> (Loew, 1861) [ <i>Sapromyza</i> ]			8
	<i>subvittata</i> (Loew, 1847) [ <i>Sapromyza</i> ]					45
	<i>trispina</i> (Rondani, 1868) [ <i>Sapromyza</i> ]		<i>Minettia tubifer</i> (Meigen, 1826) [ <i>Sapromyza</i> ]			10
	<b>Pachycerina</b> Macquart, 1835				5	31
*	<i>apicalis</i> Bezzi, 1914		<i>Steganopsis convergens</i> Hendel, 1913			5
	<i>decemlineata</i> Meijere, 1914					1
	<i>javana</i> (Macquart, 1851) [ <i>Sapromyza</i> ]					5
	<i>seticornis</i> (Fallen, 1820) [ <i>Lauxania</i> ]					6
	<i>vaga</i> Adams, 1905					14
	<b>Paralauxania</b> Hendel, 1908				1	3
	<i>albiceps</i> (Fallen, 1820) [ <i>Sapromyza</i> ]					3
	<b>Paroecus</b> Becker, 1895		<b>Neoparoecus</b> Ozidikmen & Merz, 2006		1	8
	<i>signatipes</i> (Loew, 1856) [ <i>Pachycerina</i> ]		<i>Neoparoecus signatipes</i> (Loew, 1856) [ <i>Pachycerina</i> ]			8
	<b>Peplomyza</b> Haliday, 1837				2	21
	<i>litura</i> (Meigen, 1826) [ <i>Sapromyza</i> ]					19
	<i>tridens</i> (Bosc, 1792) [ <i>Musca</i> ]					2
	<b>Physogenia</b> Loew, 1862		<b>Physegenua</b> Macquart, 1848		2	15
	<i>fascialis</i> (Wiedemann, 1830) [ <i>Sciomyza</i> ]	Sciomyzidae	<i>Sciomyza fascialis</i> Wiedemann, 1830			11
	<i>vittata</i> (Macquart, 1848) [ <i>Physegenua</i> ]		<i>Physegenua vittata</i> Macquart, 1848			4
	<b>Prosopomyia</b> Loew, 1856				1	3
	<i>pallida</i> Loew, 1856					3
	<b>Sapromyza</b> Fallen, 1810				70	1024

## Lauxaniidae

## Sapromyza

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>affinis</i> Zetterstedt, 1847		<i>Meiosimyza affinis</i> (Zetterstedt, 1847) [ <i>Sapromyza</i> ]			15
	<i>africana</i> Adams, 1905		<i>Homoneura africana</i> (Adams, 1905) [ <i>Sapromyza</i> ]			11
	<b><i>antennata</i></b> Becker, 1895					11
	<b><i>apicalis</i></b> Loew, 1847					7
*	<i>argyrochila</i> Bezzi					1
	<i>atechna</i> Becker, 1895		<i>Sapromyza sexpunctata</i> Meigen, 1826			1
	<b><i>basalis</i></b> Zetterstedt, 1847					10
	<i>biguttata</i> Macquart, 1843		<i>Homoneura biguttata</i> (Macquart, 1843) [ <i>Sapromyza</i> ]			35
	<b><i>bipunctata</i></b> Say, 1829					5
	<i>bipunctella</i> Hendel, 1908		<i>Sapromyza quadricincta</i> Becker, 1895			24
	<b><i>brachysoma</i></b> Coquillett, 1898					11
	<i>brunnescens</i> Becker, 1895					1
*	<i>caniventre</i> Bezzi, 1928		<i>Trypetisoma caniventre</i> (Bezzi, 1928) [ <i>Sapromyza</i> ]			2
*	<i>cirrhicauda</i> Bezzi, 1928		<i>Trypetisoma cirrhicauda</i> (Bezzi, 1928) [ <i>Sapromyza</i> ]			2
	<i>compedita</i> Loew, 1861		<i>Homoneura americana</i> (Wiedemann, 1830) [ <i>Sapromyza</i> ]			9
	<i>conjugata</i> Becker, 1895		<i>Meiosimyza conjugata</i> (Becker, 1895) [ <i>Sapromyza</i> ]			1
	<i>connexa</i> Say, 1829					8
	<i>decempunctata</i> Fallen, 1820		<i>Meiosimyza decempunctata</i> (Fallen, 1820) [ <i>Sapromyza</i> ]			39
	<i>decipiens</i> Loew, 1847		<i>Meiosimyza decipiens</i> (Loew, 1847) [ <i>Sapromyza</i> ]			20
	<i>dedecor</i> Loew, 1873		<i>Minettia dedecor</i> (Loew, 1873) [ <i>Sapromyza</i> ]			5
	<i>disjuncta</i> Johnson, 1914		<i>Homoneura disjuncta</i> (Johnson, 1914) [ <i>Sapromyza</i> ]			8
	<i>emarginata</i> Becker, 1895		<i>Meiosimyza emarginata</i> (Becker, 1895) [ <i>Sapromyza</i> ]			1
	<i>euaresta</i> Coquillett, 1898		<i>Homoneura euaresta</i> (Coquillett, 1898) [ <i>Sapromyza</i> ]			1
	<i>fraterna</i> Loew, 1861		<i>Homoneura fraterna</i> (Loew, 1861) [ <i>Sapromyza</i> ]			4
	<i>grata</i> Wiedemann, 1830		<i>Poecilominettia grata</i> (Wiedemann, 1830) [ <i>Sapromyza</i> ]			28
	<b><i>guttulata</i></b> Macquart, 1846					4
*	<i>hemixantha</i> (Bezzi, 1928) [ <i>Homoneura</i> ]		<i>Homoneura hemixantha</i> Bezzi, 1928			1
	<i>illota</i> Loew, 1847		<i>Meiosimyza illota</i> (Loew, 1847) [ <i>Sapromyza</i> ]			34
*	<i>incerta</i> Malloch, 1914		<i>Homoneura incerta</i> (Malloch, 1914) [ <i>Sapromyza</i> ]			1
	<b><i>innuba</i></b> Giglio-Tos, 1893					4
	<i>interstincta</i> Fallen, 1820		<i>Homoneura interstincta</i> (Fallen, 1820) [ <i>Sapromyza</i> ]			6
	<b><i>intonsa</i></b> Loew, 1847					26
	<i>laeta</i> Zetterstedt, 1838		<i>Meiosimyza laeta</i> (Zetterstedt, 1838) [ <i>Sapromyza</i> ]			69
	<b><i>latelimbata</i></b> Macquart, 1855					7
*	<i>leucosticta</i> Bezzi, 1928		<i>Trypetisoma leucostictum</i> (Bezzi, 1928) [ <i>Sapromyza</i> ]			1
	<i>levis</i> Wiedemann, 1830		<i>Homoneura levis</i> (Wiedemann, 1830) [ <i>Sapromyza</i> ]			2
	<i>limnea</i> Becker, 1895		<i>Homoneura limnea</i> (Becker, 1895) [ <i>Sapromyza</i> ]			3
	<i>loewii</i> Schiner, 1864		<i>Minettia loewi</i> (Schiner, 1864) [ <i>Sapromyza</i> ]			6
	<i>lucida</i> (Meijere, 1910) [ <i>Lauxania</i> ]		<i>Homoneura lucida</i> (Meijere, 1910) [ <i>Lauxania</i> ]			15
	<i>minor</i> Becker, 1895		<i>Homoneura minor</i> (Becker, 1895) [ <i>Sapromyza</i> ]			8
*	<i>mochiana</i> Bezzi					1
*	<b><i>monticola</i></b> Melander, 1913					3
	<i>multipunctata</i> Fallen, 1820		<i>Eusapromyza multipunctata</i> (Fallen, 1820) [ <i>Sapromyza</i> ]			7

## Lauxaniidae

## Sapromyza

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
*	<i>munroana</i> Bezzi					7
	<i>notata</i> Fallen, 1820		<i>Homoneura notata</i> (Fallen, 1820) [ <i>Sapromyza</i> ]			20
	<b><i>obscuripennis</i></b> Loew, 1847					18
	<b><i>opaca</i></b> Becker, 1895					25
	<i>orientalis</i> (Wiedemann, 1830) [ <i>Sciomyza</i> ]		<i>Homoneura orientalis</i> (Wiedemann, 1830) [ <i>Sciomyza</i> ]			1
	<i>ornatipennis</i> (Meijere, 1910) [ <i>Lauxania</i> ]		<i>Homoneura ornatipennis</i> (Meijere, 1910) [ <i>Lauxania</i> ]			9
	<i>pallidiventris</i> Fallen, 1820		<i>Meiosimyza pallidiventris</i> (Fallen, 1820) [ <i>Sapromyza</i> ]			32
	<i>patelliformis</i> Becker, 1895		<i>Homoneura patelliformis</i> (Becker, 1895) [ <i>Sapromyza</i> ]			9
	<i>pellucida</i> Becker, 1895		<i>Sapromyza sexpunctata</i> Meigen, 1826			1
	<i>philadelphica</i> Macquart, 1843		<i>Homoneura philadelphica</i> (Macquart, 1843) [ <i>Sapromyza</i> ]			8
	<i>platycephala</i> Loew, 1847		<i>Meiosimyza platycephala</i> (Loew, 1847) [ <i>Sapromyza</i> ]			22
	<i>poeciloptera</i> Loew, 1873		<i>Eusapromyza poeciloptera</i> (Loew, 1873) [ <i>Sapromyza</i> ]			2
	<i>praeusta</i> Fallen, 1820		<i>Tricholauxania praeusta</i> (Fallen, 1820) [ <i>Sapromyza</i> ]			45
	<i>punctipennis</i> Meijere, 1908		<i>Homoneura punctipennis</i> (Meijere, 1908) [ <i>Sapromyza</i> ]			68
	<i>punctiventris</i> Rondani, 1868		<i>Minettia punctiventris</i> (Rondani, 1868) [ <i>Sapromyza</i> ]			6
	<b><i>quadrinicta</i></b> Becker, 1895					1
	<b><i>quadripunctata</i></b> (Linnaeus, 1767) [ <i>Musca</i> ]					12
*	<i>reptans</i> Bezzi, 1928		<i>Homoneura reptans</i> (Bezzi, 1928) [ <i>Sapromyza</i> ]			1
	<i>rorida</i> Fallen, 1820		<i>Meiosimyza rorida</i> (Fallen, 1820) [ <i>Sapromyza</i> ]			223
	<b><i>sexpunctata</i></b> Meigen, 1826					23
	<i>simplex</i> Loew, 1847		<i>Sapromyza simplicior</i> Hendel, 1908			1
	<b><i>sonax</i></b> Giglio-Tos, 1893					4
*	<i>squalida</i> Smith, 1876		<i>Homoneura squalida</i> (Smith, 1876) [ <i>Sapromyza</i> ]			1
	<i>terminalis</i> Loew, 1862		<i>Homoneura terminalis</i> (Loew, 1862) [ <i>Sapromyza</i> ]			7
	<i>trinotata</i> Loew, 1862		<i>Homoneura trinotata</i> (Loew, 1862) [ <i>Sapromyza</i> ]			17
	<b><i>tuberculosa</i></b> Becker, 1895					2
	<i>umbrosa</i> Loew, 1863		<i>Oncodometopus umbrosa</i> (Loew, 1863) [ <i>Sapromyza</i> ]			1
	<b><i>Steganopsis</i></b> Meijere, 1909				2	7
*	<b><i>bakeri</i></b> Bezzi, 1914					6
	<i>latipennis</i> (Coquillett, 1898) [ <i>Lauxania</i> ]		<i>Steganolauxania latipennis</i> (Coquillett, 1898) [ <i>Lauxania</i> ]			1
	<b><i>Trigonometopus</i></b> Macquart, 1835				4	17
*	<b><i>albiseti</i></b> Bezzi, 1913					6
*	<b><i>bakeri</i></b> Bezzi, 1913		<i>Luzonomyza bakeri</i> (Bezzi, 1913) [ <i>Trigonometopus</i> ]			2
	<b><i>brevicornis</i></b> Meijere, 1911					1
	<i>frontalis</i> (Meigen, 1830) [ <i>Tetanocera</i> ]		<i>Sciasminettia frontalis</i> (Meigen, 1830) [ <i>Tetanocera</i> ]			8
	<b><i>Xangelina</i></b> Walker, 1856				1	12
	<b><i>submetallica</i></b> (Loew, 1862) [ <i>Physogenia</i> ]					12

## Limoniidae

*Eriocera*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Limoniidae</b>			8	12	17
	<i>Eriocera</i> Macquart, 1838		<b><i>Hexatoma</i></b> Latreille, 1809		4	9
*	<i>crassipes</i> Bezzi, 1916		<b><i>Hexatoma crassipes</i></b> (Bezzi, 1916) [ <i>Eriocera</i> ]			3
	<i>mansueta</i> Osten Sacken, 1882		<b><i>Hexatoma mansueta</i></b> (Osten Sacken, 1882) [ <i>Eriocera</i> ]			3
	<i>perennis</i> Osten Sacken, 1882		<b><i>Hexatoma perennis</i></b> (Osten Sacken, 1882) [ <i>Eriocera</i> ]			2
	<i>verticalis</i> (Wiedemann, 1828) [ <i>Megistocera</i> ]		<b><i>Hexatoma verticalis</i></b> (Wiedemann, 1828) [ <i>Megistopoda</i> ]			1
	<b><i>Geranomyia</i></b> Haliday, 1833				1	1
	<i>argentifera</i> (Meijere, 1911) [ <i>Limonia</i> ]					1
	<b><i>Libnotes</i></b> Westwood, 1876				2	2
*	<i>marginalis</i> Bezzi, 1916					1
*	<i>opaca</i> Bezzi, 1916					1
	<b><i>Molophilus</i></b> Curtis, 1833				1	1
	<i>corniger</i> Meijere, 1920					1
	<b><i>Mongoma</i></b> Westwood, 1881		<b><i>Trentepohlia</i></b> Bigot, 1854		1	1
	<i>pennipes</i> Osten Sacken, 1888		<b><i>Trentepohlia pennipes</i></b> (Osten Sacken, 1888) [ <i>Mongoma</i> ]			1
	<b><i>Rhypholophus</i></b> Lederer & Miller, 1860		<b><i>Ormosia</i></b> Rondani, 1856		1	1
	<i>pseudosimilis</i> Lundstrom, 1912		<b><i>Ormosia pseudosimilis</i></b> (Lundstrom, 1912) [ <i>Rhypholophus</i> ]			1
	<b><i>Thaumastoptera</i></b> Mik, 1866				1	1
	<i>calceata</i> Mik, 1866					1
	<b><i>Trentepohlia</i></b> Bigot, 1854				1	1
*	<i>pictipennis</i> Bezzi, 1916					1

## Lonchaeidae

## Lonchaea

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Lonchaeidae</b>			2	47	349
	<b>Lonchaea</b> Fallen, 1820				46	348
*	<i>aculeata</i> Bezzi, 1910					10
	<i>albitarsis</i> Zetterstedt, 1838					6
	<i>aristella</i> Becker, 1902		<i>Silba virescens</i> Macquart, 1851			6
	<i>atratura</i> Walker, 1860		<i>Silba atratura</i> (Walker, 1860) [Lonchaea]			6
	<i>aurea</i> Macquart, 1851		<i>Lamprolonchaea smaragdi</i> (Walker, 1849) [Notiphila]			10
*	<i>barbiellini</i> Bezzi, 1910		<i>Dasiops barbiellini</i> (Bezzi, 1910) [Lonchaea]			1
*	<i>bisulcata</i> Bezzi, 1920		<i>Silba bisulcata</i> (Bezzi, 1920) [Lonchaea]			31
	<i>brevicornis</i> Williston, 1896		<i>Dasiops brevicornis</i> (Williston, 1896) [Lonchaea]			2
*	<i>calva</i> Bezzi, 1913		<i>Silba calva</i> (Bezzi, 1913) [Lonchaea]			3
	<i>chalybea</i> Wiedemann, 1830					3
	<i>chorea</i> (Fabricius, 1781) [Musca]					32
*	<i>choreoides</i> Bezzi, 1923					3
*	<i>citricola</i> Bezzi, 1913		<i>Silba citricola</i> (Bezzi, 1913) [Lonchaea]			3
*	<i>continentalis</i> Bezzi, 1920					2
	<i>dasiops</i> Meigen, 1826		<i>Chaetolonchaea dasyops</i> (Meigen, 1926) [Lonchaea]			2
	<i>deutschii</i> Zetterstedt, 1838					1
	<i>discrepans</i> Walker, 1861					5
	<i>excisa</i> Kertesz, 1901		<i>Silba excisa</i> (Kertesz, 1901) [Lonchaea]			16
*	<i>ficiperda</i> Bezzi, 1913		<i>Silba ficiperda</i> (Bezzi, 1913) [Lonchaea]			5
*	<i>filifera</i> Bezzi, 1913		<i>Silba perplexa</i> (Walker, 1862) [Lauxania]			10
	<i>fugax</i> Becker, 1895					2
	<i>fumosa</i> Egger, 1862		<i>Setisquamalonchaea fumosa</i> (Egger, 1862) [Lonchaea]			11
	<i>gibbosa</i> Meijere, 1910		<i>Silba gibbosa</i> (Meijere, 1910) [Lonchaea]			1
*	<i>laevis</i> Bezzi, 1920		<i>Silba laevis</i> (Bezzi, 1920) [Lonchaea]			5
	<i>lasiophthalma</i> (Macquart, 1835) [Chortophila]		<i>Dasiops latifrons</i> (Meigen, 1826) [Lonchaea]			26
	<i>laticornis</i> Meigen, 1826					5
	<i>longicornis</i> Williston, 1896					11
	<i>lucens</i> Meijere, 1910		<i>Silba lucens</i> (Meijere, 1910) [Lonchaea]			4
	<i>lucidiventris</i> Becker, 1895		<i>Lonchaea sylvatica</i> Beling, 1873			8
	<i>minuta</i> Meijere, 1910					1
*	<i>mochii</i> Bezzi, 1919		<i>Dasiops mochii</i> (Bezzi, 1919) [Lonchaea]			16
	<i>nigra</i> Meigen, 1826		<i>Protearomyia nigra</i> (Meigen, 1826) [Lonchaea]			7
*	<i>ophyroides</i> Bezzi, 1920		<i>Silba ophyroides</i> (Bezzi, 1920) [Lonchaea]			5
*	<i>pallicarpa</i> Bezzi, 1920		<i>Silba pallicarpa</i> (Bezzi, 1920) [Lonchaea]			1
	<i>palposa</i> Zetterstedt, 1847					2
*	<i>paulistana</i> Bezzi, 1910		<i>Dasiops paulistana</i> (Bezzi, 1910) [Lonchaea]			1
*	<i>pendula</i> Bezzi, 1919		<i>Neosilba pendula</i> (Bezzi, 1919) [Lonchaea]			26
*	<i>phaeolepis</i> Bezzi, 1920		<i>Dasiops phaeolepis</i> (Bezzi, 1920) [Lonchaea]			2
*	<i>plumosissima</i> Bezzi, 1919		<i>Silba plumosissima</i> (Bezzi, 1919) [Lonchaea]			14
	<i>polita</i> Say, 1830					3

## Lonchaeidae

					<i>Lonchaea</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #	
*	<i>rugosifrons</i> Bezzi, 1923		<i>Lamprolonchaea brouniana</i> (Bezzi, 1919) [ <i>Lonchaea</i> ]			2	
	<i>scutellaris</i> Rondani, 1874					4	
	<i>setifera</i> Meijere, 1910		<i>Silba setifera</i> (Meijere, 1910) [ <i>Lonchaea</i> ]			14	
	<i>tarsata</i> Fallen, 1820					8	
	<i>viridiana</i> Meigen, 1826		<i>Earomyia viridana</i> (Meigen, 1826) [ <i>Lonchaea</i> ]			10	
	<i>zetterstedti</i> Becker, 1902					2	
	<b><i>Neosilba</i></b> McAlpine, 1962				1	1	
*	<i>oaxacana</i> McAlpine & Steyskal, 1982					1	

## Lonchopteridae

## Lonchoptera

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Lonchopteridae</b>			1	12	152
	<b>Lonchoptera</b> Meigen, 1803				12	152
	<i>fallax</i> Meijere, 1906					7
	<i>furcata</i> Fallen, 1823		<i>Lonchoptera bifurcata</i> Fallen, 1810			28
	<i>furcata</i> var. <i>cinerella</i> Zetterstedt, 1838		<i>Lonchoptera bifurcata</i> Fallen, 1810			8
	<i>furcata</i> var. <i>rivalis</i> Meigen, 1824		<i>Lonchoptera bifurcata</i> Fallen, 1810			4
	<i>lutea</i> Meigen, 1809					1
	<i>lutea</i> var. <i>cinerea</i> Meijere, 1906		<i>Lonchoptera lutea</i> Meigen, 1809			10
	<i>lutea</i> var. <i>flavicauda</i> Meigen, 1824		<i>Lonchoptera lutea</i> Meigen, 1809			3
	<i>lutea</i> var. <i>palustris</i> Meigen, 1824		<i>Lonchoptera lutea</i> Meigen, 1809			5
	<i>lutea</i> var. <i>trilineata</i> Zetterstedt, 1848		<i>Lonchoptera lutea</i> Meigen, 1809			23
	<i>pictipennis</i> Bezzi, 1899					22
	<i>strobli</i> Meijere, 1906					11
	<i>tristis</i> Meigen, 1824					30



## Megamerinidae

*Megamerina*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Megamerinidae</b>			1	1	3
	<i>Megamerina</i> Rondani, 1861				1	3
	<i>annulifera</i> Bigot, 1886		<i>Texara annulifera</i> (Bigot, 1886) [ <i>Megamerina</i> ]			3

## Micropezidae

## Calobata

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Micropezidae</b>				12	43	261
	<b>Calobata</b> Meigen, 1803				7	78
	<i>adusta</i> Loew, 1870		<i>Cnodacophora sellata</i> (Meigen, 1826) [Calobata]			2
	<i>cibaria</i> (Linnaeus, 1758) [Musca]		<i>Compsobata cibaria</i> (Linnaeus, 1758) [Musca]			41
	<i>ephippium</i> (Fabricius, 1794) [Musca]		<i>Neria ephippium</i> (Fabricius, 1794) [Musca]			7
	<i>obscuripes</i> Meijere, 1914		<i>Grammicomyia obscuripes</i> (Meijere, 1914) [Calobata]			3
	<i>pallipes</i> (Say, 1823) [Calobata]		<i>Compsobata pallipes</i> (Say, 1823) [Calobata]			12
	<i>petronella</i> (Linnaeus, 1758) [Musca]		<i>Calobatella petronella</i> (Linnaeus, 1758) [Musca]			3
	<i>univitta</i> Walker, 1849		<i>Compsobata univitta</i> (Walker, 1849) [Calobata]			10
	<b>Cliopeza</b> Enderlein, 1922		<b>Micropeza</b> Meigen, 1803		2	6
*	<i>armipennis</i> Bezzi, 1924		<i>Micropeza armipennis</i> (Bezzi, 1924) [Cliopeza]			1
	<i>sp</i>					5
	<b>Eurybata</b> Osten Sacken, 1882				2	10
	<i>hexapla</i> Osten Sacken, 1882					5
	<i>semilauta</i> Osten Sacken, 1882					5
	<b>Grallomyia</b> Rondani, 1856		<b>Taeniptera</b> Macquart, 1835		4	16
	<i>angulata</i> (Loew, 1866) [Calobata]		<i>Taeniptera angulata</i> (Loew, 1866) [Calobata]			2
	<i>annulata</i> (Fabricius, 1787) [Musca]		<i>Taeniptera annulata</i> (Fabricius, 1787) [Musca]			11
	<i>tarsata</i> (Wiedemann, 1830) [Calobata]		<i>Taeniptera tarsata</i> (Wiedemann, 1830) [Calobata]			1
	<i>testacea</i> (Fabricius, 1805) [Calobata]		<i>Poecilotylus testaceus</i> (Fabricius, 1805) [Calobata]			2
	<b>Grallopoda</b> Rondani, 1850		<b>Taeniptera</b> Macquart, 1835		2	24
	<i>albimana</i> (Macquart, 1843) [Calobata]		<i>Taeniptera albimana</i> (Macquart, 1843) [Calobata]			8
	<i>lasciva</i> (Fabricius, 1798) [Musca]		<i>Taeniptera lasciva</i> (Fabricius, 1798) [Musca]			16
	<b>Metopobrachia</b> Enderlein, 1922		<b>Micropeza</b> Meigen, 1803		2	4
	<i>obscura</i> (Bigot, 1886) [Micropeza]		<i>Micropeza obscura</i> Bigot, 1886			1
*	<i>rufa</i>					3
	<b>Micropeza</b> Meigen, 1803				6	47
*	<i>atripes</i> Bezzi, 1895					1
	<i>corrigiolata</i> (Linnaeus, 1767) [Musca]					33
	<i>gallatrix</i> Loew, 1868					4
	<i>lateralis</i> Meigen, 1826					2
*	<i>parva</i>					6
	<i>turcana</i> Townsend, 1893					1
	<b>Plocoscelus</b> Enderlein, 1922				1	1
	<i>punctipennis</i> (Macquart, 1843) [Calobata]					1

## Micropezidae

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	<i>Rhoecius</i> specimens #
	<b><i>Rhoecius</i> Enderlein, 1922</b>		<b><i>Plocoscelus</i> Enderlein, 1922</b>		1	1
	<i>platycnema</i> (Loew, 1866) [ <i>Calobata</i> ]		<i>Taeniptera platycnema</i> (Loew, 1866) [ <i>Calobata</i> ]			1
	<b><i>Scipopus</i> Enderlein, 1922</b>				6	10
	<i>diversus</i> (Schiner, 1868) [ <i>Calobata</i> ]					3
	<i>guttipennis</i> (Wiedemann, 1830) [ <i>Calobata</i> ]		<i>Cliobata guttipennis</i> (Wiedemann, 1830) [ <i>Calobata</i> ]			3
	<b><i>limbativertex</i> Enderlein, 1922</b>					1
*	<i>niger</i>					1
*	<i>raptimanus</i> Bezzi, 1924		<i>Cliobata raptimanus</i> (Bezzi, 1924) [ <i>Scipopus</i> ]			1
	<b><i>rufilabris</i> Enderlein, 1922</b>					1
	<b><i>Taeniptera</i> Macquart, 1835</b>				9	61
	<i>albitarsis</i> (Wiedemann, 1819) [ <i>Calobata</i> ]		<i>Mimegralla albitarsis</i> (Wiedemann, 1819) [ <i>Calobata</i> ]			9
	<i>antennipennis</i> (Say, 1823) [ <i>Calobata</i> ]		<i>Rainieria antennaepes</i> (Say, 1923) [ <i>Calobata</i> ]			6
	<i>calceata</i> (Fallen, 1820) [ <i>Calobata</i> ]		<i>Rainieria calceata</i> (Fallen, 1820) [ <i>Calobata</i> ]			3
*	<i>divaricata</i> Cresson, 1914		<i>Taeniptera trivittata</i> Macquart, 1835			1
	<i>galbula</i> Osten Sacken, 1882		<i>Mimegralla galbula</i> (Osten Sacken, 1882) [ <i>Calobata</i> ]			4
	<i>nigripes</i> (Wulp, 1861) [ <i>Calobata</i> ]		<i>Mimegralla confinis</i> (Walker, 1856) [ <i>Calobata</i> ]			9
	<i>respondens</i> (Walker, 1849) [ <i>Calobata</i> ]		<i>Mimegralla respondens</i> (Walker, 1849) [ <i>Calobata</i> ]			22
	<i>territa</i> (Osten Sacken, 1882) [ <i>Calobata</i> ]		<i>Trepidarioides territus</i> (Osten Sacken, 1882) [ <i>Calobata</i> ]			3
	<i>trifasciata</i> (Bigot, 1858) [ <i>Calobata</i> ]		<i>Mimegralla tessmanni</i> (Enderlein, 1922) [ <i>Hybobata</i> ]			4
	<b><i>Tanypoda</i> Schiner, 1863</b>		<b><i>Rainieria</i> Rondani, 1843</b>		1	3
	<i>fasciata</i> (Fabricius, 1775) [ <i>Musca</i> ]		<i>Hoplocheiloma fabricii</i> Steyskal, 1968			3

## Milichiidae

## Aldrichiella

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Milichiidae</b>				11	28	187
	<i>Aldrichiella</i> Hendel, 1911		<i>Aldrichiomyza</i> Hendel, 1914		1	1
	<i>agromyzina</i> Hendel, 1911		<i>Aldrichiomyza agromyzina</i> (Hendel, 1911) [ <i>Aldrichiella</i> ]			1
	<b><i>Desmometopa</i></b> Loew, 1866				4	79
	<i>m-nigrum</i> (Zetterstedt, 1848) [ <i>Agromyza</i> ]					48
	<i>palpalis</i> Meijere, 1914		<i>Desmometopa singaporensis</i> Kertesz, 1899			1
	<i>sordidum</i> (Fallen, 1820) [ <i>Madiza</i> ]					22
	<i>tarsale</i> Loew, 1866					8
	<b><i>Eusiphona</i></b> Coquillett, 1897				1	1
	<i>mira</i> Coquillett, 1897					1
	<b><i>Hypaspistomyia</i></b> Hendel, 1907		<b><i>Leptometopa</i></b> Becker, 1903		2	12
	<i>latipes</i> (Meigen, 1830) [ <i>Agromyza</i> ]		<i>Leptometopa latipes</i> (Meigen, 1830) [ <i>Agromyza</i> ]			6
	<i>niveipennis</i> (Strobl, 1898) [ <i>Siphonella</i> ]		<i>Leptometopa niveipennis</i> (Strobl, 1898) [ <i>Siphonella</i> ]			6
	<b><i>Leptometopa</i></b> Becker, 1903				1	2
	<i>rufifrons</i> Becker, 1903					2
	<b><i>Mallochiella</i></b> Melander, 1913		<b><i>Leptometopa</i></b> Becker, 1903		3	42
	<i>glabra</i> (Fallen, 1820) [ <i>Madiza</i> ]	Chloropidae	<i>Madiza glabra</i> Fallen, 1820			34
	<i>halteralis</i> (Coquillett, 1900) [ <i>Desmometopa</i> ]		<i>Leptometopa halteralis</i> (Coquillett, 1900) [ <i>Desmometopa</i> ]			4
	<i>rufitarsis</i> Meigen, 1838	Chloropidae	<i>Madiza glabra</i> Fallen, 1820			4
	<b><i>Milichia</i></b> Meigen, 1830				5	11
*	<i>angustifrons</i> Bezzi, 1928					1
	<i>ludens</i> (Wahlberg, 1847) [ <i>Lobioptera</i> ]					1
	<i>pubescens</i> Becker, 1907					1
	<i>speciosa</i> Meigen, 1830					4
*	<i>speciosa</i> var <i>canariensis</i> Becker, 1907		<i>Milichia canariensis</i> Becker, 1907			4
	<b><i>Milichiella</i></b> Giglio-Tos, 1895				5	18
	<i>arcuata</i> (Loew, 1876) [ <i>Lobioptera</i> ]					2
	<i>argentea</i> (Fabricius, 1805) [ <i>Tephritis</i> ]					1
	<i>lacteipennis</i> (Loew, 1866) [ <i>Lobioptera</i> ]					13
	<i>lucidula</i> Becker, 1907					1
	<i>tosi</i> Becker, 1907		<i>Milichiella melaleuca</i> (Loew, 1863) [ <i>Argyrites</i> ]			1
	<b><i>Paramyia</i></b> Williston, 1897				1	5
	<i>nitens</i> (Loew, 1869) [ <i>Phyllomyza</i> ]					5

## Milichiidae

*Pholeomyia*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b><i>Pholeomyia</i></b> Bilimek, 1867				4	12
	<i>indecora</i> (Loew, 1869) [ <i>Lobioptera</i> ]					1
	<i>leucogastra</i> (Loew, 1861) [ <i>Milichia</i> ]					5
	<i>leucogastra</i> var <i>dispar</i> Becker, 1907		<i>Pholeomyia dispar</i> (Becker, 1907) [ <i>Rhynchomilichia</i> ]			2
	<i>pseudodecora</i> (Becker, 1907) [ <i>Rhynchomilichia</i> ]					4
	<b><i>Phyllomyza</i></b> Fallen, 1810				1	4
	<i>securicornis</i> Fallen, 1823					4

## Muscidae

## Acanthiptera

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Muscidae</b>				85	517	8018
	<i>Acanthiptera</i> Lioy, 1864		<i>Acanthiptera</i> Rondani, 1856		1	6
	<i>inanis</i> (Fallen, 1825) [ <i>Musca</i> ]		<i>Acanthiptera rohrelliformis</i> (Robineau-Desvoidy, 1830) [ <i>Phyllis</i> ]			6
	<i>Alloeostylus</i> Schnabl, 1888		<i>Thricops</i> Rondani, 1856		3	45
	<i>diaphanus</i> (Wiedemann, 1817) [ <i>Anthomyia</i> ]		<i>Thricops diaphanus</i> (Wiedemann, 1817) [ <i>Anthomyia</i> ]			11
	<i>simplex</i> (Wiedemann, 1817) [ <i>Anthomyia</i> ]		<i>Thricops simplex</i> (Wiedemann, 1817) [ <i>Anthomyia</i> ]			24
	<i>sudeticus</i> Schnabl, 1888		<i>Thricops sudeticus</i> (Schnabl, 1888) [ <i>Alloeostylus</i> ]			10
	<i>Allognota</i> Pokorny, 1893		<i>Coenosia</i> Meigen, 1826		2	21
	<i>agromyzina</i> (Fallen, 1825) [ <i>Musca</i> ]		<i>Coenosia agromyzina</i> (Fallen, 1825) [ <i>Musca</i> ]			14
	<i>semivitta</i> Malloch, 1918		<i>Coenosia semivitta</i> (Malloch, 1918) [ <i>Allognota</i> ]			7
	<i>Alluadinella</i> Giglio-Tos, 1895				2	6
	<i>evanescens</i> (Stein, 1906) [ <i>Spilogaster</i> ]					3
	<i>gigas</i> (Stein, 1906) [ <i>Spilogaster</i> ]		<i>Aethiopomyia gigas</i> (Stein, 1906) [ <i>Spilogaster</i> ]			3
	<i>Anaclysta</i> Brauer & Bergenstamm, 1895		<i>Gymnodia</i> Robineau-Desvoidy, 1863		1	4
	<i>multipunctata</i> Stein, 1903		<i>Gymnodia eremophila</i> (Brauer & Bergenstamm, 1894) [ <i>Anaclysta</i> ]			4
	<i>Anaphalantus</i> Loew, 1857				1	21
	<i>pennatus</i> Loew, 1857		<i>Anaphalantus longicornis</i> (Macquart, 1843) [ <i>Cleigaster</i> ]			21
	<i>Aricia</i> Robineau-Desvoidy, 1830		<i>Helina</i> Robineau-Desvoidy, 1830		12	85
*	<i>austriaca</i> Czerny, 1900		<i>Phaonia vivida</i> (Rondani, 1871) [ <i>Yetodesia</i> ]			7
	<i>boleticola</i> (Rondani, 1866) [ <i>Yetodesia</i> ]		<i>Phaonia boleticola</i> (Rondani, 1866) [ <i>Yetodesia</i> ]			2
	<i>laeta</i> (Fallen, 1823) [ <i>Musca</i> ]		<i>Phaonia laeta</i> (Fallen, 1823) [ <i>Musca</i> ]			13
	<i>pura</i> Loew, 1873		<i>Phaonia pura</i> (Loew, 1873) [ <i>Aricia</i> ]			3
	<i>rufipalpis</i> Macquart, 1835		<i>Phaonia rufipalpis</i> (Macquart, 1835) [ <i>Aricia</i> ]			12
*	<i>rufitibia</i> Stein, 1898		<i>Helina rufitibia</i> (Stein, 1898) [ <i>Aricia</i> ]			4
	<i>signata</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Phaonia tuguriorum</i> (Scopoli, 1763) [ <i>Musca</i> ]			28
	<i>stolata</i> (Rondani, 1866) [ <i>Yetodesia</i> ]		<i>Phaonia rufiventris</i> (Scopoli, 1763) [ <i>Musca</i> ]			1
	<i>tinctipennis</i> (Rondani, 1866) [ <i>Yetodesia</i> ]		<i>Phaonia errans</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			10
	<i>vagans</i> (Fallen, 1825) [ <i>Musca</i> ]		<i>Phaonia falleni</i> Michelsen, 1977			2
	<i>vivida</i> (Rondani, 1871) [ <i>Yetodesia</i> ]		<i>Phaonia vivida</i> (Rondani, 1871) [ <i>Yetodesia</i> ]			2
	<i>zugmayeriae</i> Schnabl, 1888		<i>Phaonia zugmayeriae</i> (Schnabl, 1888) [ <i>Aricia</i> ]			1
	<i>Atherigona</i> Rondani, 1856				5	34
	<i>excisa</i> (Thomson, 1869) [ <i>Coenosia</i> ]		<i>Atherigona orientalis</i> Schiner, 1868			14
*	<i>poecilopoda</i> Bezzi, 1928					1
*	<i>splendens</i> Bezzi, 1928					1
	<i>trilineata</i> Stein, 1900		<i>Atherigona orientalis</i> Schiner, 1868			9

## Muscidae

## Atherigona

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>varia</b> (Meigen, 1826) [ <i>Anthomyia</i> ]					9
	<b>Australophyra</b> Malloch, 1923		<b>Hydrotaea</b> Robineau-Desvoidy, 1830		1	3
	<i>analis</i> (Macquart, 1846) [ <i>Ophyra</i> ]		<b>Hydrotaea rostrata</b> (Robineau-Desvoidy, 1830) [ <i>Peronia</i> ]			3
	<b>Azelia</b> Robineau-Desvoidy, 1830				6	74
	<i>aterrima</i> (Meigen, 1826) [ <i>Anthalia</i> ]					10
	<i>cilipes</i> (Haliday, 1838) [ <i>Anthomyia</i> ]					10
	<i>gibbera</i> (Meigen, 1826) [ <i>Anthomyia</i> ]					1
	<i>macquarti</i> (Staeger, 1843) [ <i>Atomogaster</i> ]		<b>Azelia nebulosa</b> (Robineau-Desvoidy, 1839) [ <i>Hydrotaea</i> ]			22
	<i>triquetra</i> (Wiedemann, 1817) [ <i>Anthomyia</i> ]					23
	<i>zetterstedtii</i> Rondani, 1866					8
	<b>Biomyia</b> Bezzi		<b>Musca</b> Linnaeus, 1758		2	28
*	<i>tempestatum</i> Bezzi, 1908		<b>Musca tempestatum</b> Bezzi, 1908			17
	<i>tempesta</i> (Fallen, 1817) [ <i>Musca</i> ]		<b>Musca tempesta</b> Fallen, 1817			11
	<b>Bithoracochaeta</b> Stein, 1911				1	4
	<i>leucoprocta</i> Wiedemann, 1830					4
	<b>Brontea</b> Schnabl, 1911		<b>Gymnodia</b> Robineau-Desvoidy, 1863		2	27
	<i>tonitru</i> (Wiedemann, 1824) [ <i>Anthomyia</i> ]		<b>Gymnodia tonitru</b> (Wiedemann, 1824) [ <i>Anthomyia</i> ]			7
	<i>variegata</i> (Stein, 1903) [ <i>Limnophora</i> ]		<b>Gymnodia tonitru</b> (Wiedemann, 1824) [ <i>Anthomyia</i> ]			20
	<b>Caricea</b> Robineau-Desvoidy, 1830				1	6
	<i>insignis</i> Stein, 1898		<b>Bithoracochaeta leucoprocta</b> Wiedemann, 1830			6
	<b>Coenosia</b> Meigen, 1826				42	373
	<i>albatella</i> (Zetterstedt, 1849) [ <i>Anthomyza</i> ]		<b>Coenosia flavimana</b> (Zetterstedt, 1845) [ <i>Anthomyza</i> ]			17
	<i>albicornis</i> Meigen, 1826					2
	<i>atra</i> Meigen, 1830					8
	<i>bilineella</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]					36
	<i>calopyga</i> Loew, 1872		<b>Neodexiopsis calopyga</b> (Loew, 1872) [ <i>Coenosia</i> ]			4
	<i>cingulipes</i> (Zetterstedt, 1849) [ <i>Anthomyza</i> ]					1
*	<i>corsica</i> Schnabl, 1911		<b>Coenosia villipes</b> Rondani, 1866			2
	<i>decipiens</i> Meigen, 1826		<b>Coenosia pedella</b> (Fallen, 1825) [ <i>Musca</i> ]			3
	<i>dorsalis</i> Roser, 1840		<b>Spanochaeta dorsalis</b> (Roser, 1840) [ <i>Coenosia</i> ]			1
	<i>flavicoxa</i> Stein, 1898		<b>Coenosia incisurata</b> Wulp, 1869			2
	<i>geniculata</i> (Fallen, 1825) [ <i>Musca</i> ]		<b>Coenosia femoralis</b> (Robineau-Desvoidy, 1830) [ <i>Palusia</i> ]			14
*	<i>gracilis</i> Stein, 1916					4
	<i>humilis</i> Meigen, 1826					14
	<i>hypopygialis</i> Stein, 1898		<b>Coenosia lata</b> Walker, 1853			4
	<i>intermedia</i> (Fallen, 1825) [ <i>Musca</i> ]					9
	<i>lata</i> Walker, 1853					2

## Muscidae

Muscidae								<i>Coenosia</i>
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #		
	<i>macrocera</i> Wulp, 1896		<i>Neodexiopsis macrocera</i> (Wulp, 1896) [ <i>Coenosia</i> ]			2		
	<b><i>means</i></b> Meigen, 1826					33		
*	<i>microlepis</i> Bezzi, 1928		<i>Parvisquama dolichocera</i> (Bezzi, 1928) [ <i>Coenosia</i> ]			1		
	<b><i>modesta</i></b> Loew, 1872					1		
*	<i>nigrescens</i> Stein, 1920		<i>Coenosia transiens</i> Stein, 1901			15		
	<b><i>nigridigita</i></b> (Rondani, 1866) [ <i>Caenosia</i> ]					15		
	<b><i>octosignata</i></b> Rondani, 1866					10		
	<i>oscillans</i> Wulp, 1896		<i>Neodexiopsis oscillans</i> (Wulp, 1896) [ <i>Coenosia</i> ]			5		
	<i>ovata</i> Stein, 1898		<i>Neodexiopsis ovata</i> (Stein, 1898) [ <i>Coenosia</i> ]			3		
	<b><i>pallipes</i></b> Stein, 1898					15		
	<b><i>perpusilla</i></b> Meigen, 1826					3		
	<b><i>pumila</i></b> (Fallen, 1825) [ <i>Musca</i> ]					11		
	<i>punctulata</i> Wulp, 1896		<i>Neodexiopsis punctulata</i> (Wulp, 1896) [ <i>Coenosia</i> ]			2		
	<b><i>pygmaea</i></b> (Zetterstedt, 1845) [ <i>Anthomyza</i> ]					10		
	<b><i>rufipalpis</i></b> Meigen, 1826					14		
	<i>salinarum</i> Stein, 1897		<i>Coenosia antennata</i> (Zetterstedt, 1849) [ <i>Anthomyza</i> ]			5		
	<i>sexnotata</i> Meigen, 1826		<i>Coenosia campestris</i> (Robineau-Desvoidy, 1830) [ <i>Limosia</i> ]			4		
	<b><i>sexpustulata</i></b> Rondani, 1866					3		
	<i>sp.</i>					2		
	<b><i>strigipes</i></b> Stein, 1916					9		
	<i>tarsella</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]		<i>Coenosia bilineella</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]			4		
	<b><i>tigrina</i></b> (Fabricius, 1775) [ <i>Musca</i> ]					53		
	<i>tricolor</i> (Zetterstedt, 1846) [ <i>Anthomyza</i> ]		<i>Coenosia testacea</i> (Robineau-Desvoidy, 1830) [ <i>Palusia</i> ]			16		
	<b><i>trilineella</i></b> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]					1		
	<i>triseta</i> Stein, 1898		<i>Coenosia imperator</i> (Walker, 1849) [ <i>Cordylura</i> ]			11		
	<b><i>villipes</i></b> Rondani, 1866					2		
<b><i>Cyrtoneuria</i></b>			<b><i>Cyrtoneurina</i></b> Giglio-Tos, 1893		3	13		
*	<i>mellina</i> (Stein, 1918) [ <i>Cyrtoneurina</i> ]		<i>Cyrtoneurina mellina</i> Stein, 1918			1		
	<i>multomaculata</i> (Stein, 1904) [ <i>Spilogaster</i> ]		<i>Cyrtoneurina multomaculata</i> (Stein, 1904) [ <i>Spilogaster</i> ]			9		
	<i>veniseta</i> (Stein, 1904) [ <i>Spilogaster</i> ]		<i>Cyrtoneurina veniseta</i> (Stein, 1904) [ <i>Spilogaster</i> ]			3		
<b><i>Cyrtoneurina</i></b> Giglio-Tos, 1893					9	147		
	<b><i>armipes</i></b> (Stein, 1911) [ <i>Mydaea</i> ]					35		
	<b><i>geminata</i></b> (Stein, 1904) [ <i>Spilogaster</i> ]					9		
*	<i>inflexa</i> Stein, 1918		<i>Neomuscina inflexa</i> (Stein, 1918) [ <i>Cyrtoneurina</i> ]			18		
	<b><i>inuber</i></b> Giglio-Tos, 1893					5		
*	<i>limbisquama</i> Stein, 1918		<i>Cyrtoneurina gluta</i> Giglio-Tos, 1893			14		
	<i>perspicua</i> Stein, 1911		<i>Cyrtoneurina uber</i> Giglio-Tos, 1893			17		
	<b><i>polystigma</i></b> (Wulp, 1896) [ <i>Clinopera</i> ]					3		
	<b><i>rescita</i></b> (Walker, 1861) [ <i>Aricia</i> ]					42		
	<i>sp. 2</i>					4		



## Muscidae

## Dasyphora

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Dasyphora</b> Robineau-Desvoidy, 1830				5	78
	<i>cyanella</i> (Meigen, 1826) [ <i>Musca</i> ]		<i>Eudasyphora cyanella</i> (Meigen, 1826) [ <i>Musca</i> ]			6
	<i>eriphthalma</i> (Macquart, 1834) [ <i>Lucilia</i> ]		<i>Eudasyphora cyanella</i> (Meigen, 1826) [ <i>Musca</i> ]			16
	<b>pratorum</b> (Meigen, 1826) [ <i>Musca</i> ]					21
	<i>saltuum</i> Rondani, 1862		<i>Dasyphora albofasciata</i> (Macquart, 1839) [ <i>Lucilia</i> ]			19
	<i>versicolor</i> (Meigen, 1826) [ <i>Musca</i> ]		<i>Dasyphora penicillata</i> (Egger, 1865) [ <i>Cyrtoneura</i> ]			16
	<b>Dexiopsis</b> Pokorný, 1893		<b>Coenosia</b> Meigen, 1826		2	21
	<i>litoralis</i> (Zetterstedt, 1846) [ <i>Anthomyza</i> ]		<i>Coenosia ruficornis</i> Macquart, 1835			12
	<i>minutalis</i> (Zetterstedt, 1860) [ <i>Anthomyza</i> ]		<i>Coenosia minutalis</i> (Zetterstedt, 1860) [ <i>Anthomyza</i> ]			9
	<b>Dialyta</b> Meigen, 1826		<b>Phaonia</b> Robineau-Desvoidy, 1830		5	25
	<i>alpina</i> Pokorný, 1889					11
	<i>atriceps</i> Loew, 1858		<i>Phaonia atriceps</i> (Loew, 1858) [ <i>Dialyta</i> ]			1
	<i>erinacea</i> (Fallen, 1824) [ <i>Musca</i> ]		<i>Phaonia angulicornis</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]			1
	<i>halterata</i> (Stein, 1898) [ <i>Spilogaster</i> ]		<i>Phaonia halterata</i> (Stein, 1898) [ <i>Spilogaster</i> ]			7
	<i>steinii</i> Strobl, 1898		<i>Phaonia steinii</i> (Strobl, 1898) [ <i>Dialyta</i> ]			5
	<b>Dichaetomyia</b> Malloch, 1921				5	54
*	<b>bisetosa</b> Malloch, 1925					38
	<b>dubia</b> Malloch, 1925					9
*	<b>flavocaudata</b> Malloch, 1925					4
*	<i>prodigiosa</i> Bezzi, 1928		<i>Dichaetomyia distincta</i> (Stein, 1918) [ <i>Mydaea</i> ]			2
*	<i>rufa</i> var <i>personata</i> Bezzi, 1928		<i>Dichaetomyia vicaria</i> (Walker, 1859) [ <i>Aricia</i> ]			1
	<b>Drymia</b> Agassiz, 1846		<b>Drymeia</b> Meigen, 1826		1	47
	<i>hamata</i> (Fallen, 1823) [ <i>Musca</i> ]		<i>Drymeia hamata</i> (Fallen, 1823) [ <i>Musca</i> ]			47
	<b>Eginia</b> Robineau-Desvoidy, 1830				1	2
	<b>ocypterata</b> (Meigen, 1826) [ <i>Anthomyia</i> ]					2
	<b>Enoplopteryx</b> Hendel, 1902		<b>Helina</b> Robineau-Desvoidy, 1830		6	59
	<i>anceps</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]		<i>Helina confinis</i> (Fallen, 1825) [ <i>Musca</i> ]			22
	<i>ciliatocosta</i> (Zetterstedt, 1845) [ <i>Anthomyza</i> ]		<i>Helina ciliatocosta</i> (Zetterstedt, 1845) [ <i>Anthomyza</i> ]			11
	<i>flagripes</i> (Rondani, 1866) [ <i>Spilogaster</i> ]		<i>Helina tetrastigma</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			10
	<i>obtusipennis</i> (Fallen, 1823) [ <i>Musca</i> ]		<i>Helina obtusipennis</i> (Fallen, 1823) [ <i>Musca</i> ]			14
	<i>setigera</i> (Pokorný, 1887) [ <i>Caricea</i> ]		<i>Helina setigera</i> (Pokorný, 1887) [ <i>Caricea</i> ]			1
	<i>spinicosta</i> (Zetterstedt, 1845) [ <i>Anthomyza</i> ]		<i>Helina spinicosta</i> (Zetterstedt, 1845) [ <i>Anthomyza</i> ]			1
	<b>Eriphia</b> Meigen, 1826		<b>Drymeia</b> Meigen, 1826		1	16
	<i>cinerea</i> Meigen, 1826		<i>Drymeia cinerea</i> (Meigen, 1826) [ <i>Eriphia</i> ]			16
	<b>Eumusca</b> Townsend, 1911		<b>Musca</b> Linnaeus, 1758		1	55

## Muscidae

## Eumusca

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>autumnalis</i> De Geer, 1776		<i>Musca autumnalis</i> De Geer, 1776			55
	<b>Euphemia</b> Robineau-Desvoidy, 1830		<b>Phaonia</b> Robineau-Desvoidy, 1830		1	2
	<i>hilariformis</i> (Stein, 1898) [ <i>Spilogaster</i> ]		<i>Potamia scabra</i> Giglio-Tos, 1893			2
	<b>Graphomuscina</b> Townsend, 1918		<b>Graphomya</b> Robineau-Desvoidy, 1830		1	2
	<i>africana</i> Townsend, 1918		<i>Graphomya eustolia</i> (Walker, 1849) [ <i>Musca</i> ]			2
	<b>Graphomyia</b> Agassiz, 1846		<b>Graphomya</b> Robineau-Desvoidy, 1830		3	33
	<i>amputatofasciata</i> Karsch, 1886					1
	<i>leucomelas</i> (Wiedemann, 1824) [ <i>Musca</i> ]					1
	<i>maculata</i> (Scopoli, 1763) [ <i>Musca</i> ]					31
	<b>Haematobia</b> Lepeltier & Serville, 1828				12	255
*	<i>atripalpis</i> Bezzi, 1895		<i>Haematobosca atripalpis</i> (Bezzi, 1895) [ <i>Haematobia</i> ]			3
	<i>exigua</i> Meijere, 1903					27
*	<i>irritans</i> var <i>meridionalis</i> Bezzi, 1911		<i>Haematobia irritans</i> (Linnaeus, 1758) [ <i>Conops</i> ]			43
*	<i>irritans</i> var <i>rufifrons</i> Bezzi, 1911		<i>Haematobia irritans</i> (Linnaeus, 1758) [ <i>Conops</i> ]			70
*	<i>irritans</i> var <i>weissi</i> Bezzi, 1911		<i>Haematobia irritans</i> (Linnaeus, 1758) [ <i>Conops</i> ]			15
*	<i>minuta</i> (Bezzi, 1892) [ <i>Lyperosia</i> ]					18
*	<i>perturbans</i> (Bezzi, 1907) [ <i>Siphona</i> ]		<i>Haematobosca atripalpis</i> (Bezzi, 1895) [ <i>Haematobia</i> ]			4
	<i>sanguisugens</i> Austen, 1909		<i>Haematobosca stimulans</i> (Meigen, 1824) [ <i>Stomoxys</i> ]			16
	<i>stimulans</i> (Meigen, 1824) [ <i>Stomoxys</i> ]		<i>Haematobosca stimulans</i> (Meigen, 1824) [ <i>Stomoxys</i> ]			34
	<i>thirouxi</i> (Roubaud, 1906) [ <i>Lyperosia</i> ]					11
*	<i>titillans</i> (Bezzi, 1907) [ <i>Lyperosia</i> ]					13
	<i>uniseriatus</i> (Malloch, 1932) [ <i>Bdellolarynx</i> ]		<i>Haematobosca uniseriata</i> (Malloch, 1932) [ <i>Bdellolarynx</i> ]			1
	<b>Hebecnema</b> Schnabl, 1889				6	142
	<i>affinis</i> Malloch, 1921		<i>Hebecnema vespertina</i> (Fallen, 1823) [ <i>Musca</i> ]			38
	<i>fumosa</i> (Meigen, 1826) [ <i>Anthomyia</i> ]					22
	<i>nigricolor</i> (Fallen, 1825) [ <i>Musca</i> ]					23
	<i>nigrithorax</i> (Stein, 1900) [ <i>Spilogaster</i> ]					1
	<i>umbratica</i> (Meigen, 1826) [ <i>Anthomyia</i> ]					44
	<i>vespertina</i> (Fallen, 1823) [ <i>Musca</i> ]					14
	<b>Helina</b> Robineau-Desvoidy, 1830				1	3
	<i>regina</i> Malloch, 1922					3
	<b>Hemichlora</b> Wulp, 1896				1	3
	<i>vittigera</i> Bigot, 1888		<i>Hemichlora scordalus</i> (Walker, 1861) [ <i>Pyrellia</i> ]			3
	<b>Hera</b> Schnabl, 1888		<b>Thricops</b> Rondani, 1856		2	117
	<i>longipes</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]		<i>Thricops longipes</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]			67
	<i>variabilis</i> (Falcoz, 1823) [ <i>Musca</i> ]		<i>Thricops nigrifrons</i> (Robineau-Desvoidy, 1830) [ <i>Fellaea</i> ]			50

## Muscidae

Hera

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Hoplogaster</b> Rondani, 1871		<b>Coenosia</b> Meigen, 1826		1	119
	<i>mollicula</i> (Fallen, 1825) [ <i>Musca</i> ]		<i>Coenosia mollicula</i> (Fallen, 1825) [ <i>Musca</i> ]			119
	<b>Hydrotaea</b> Robineau-Desvoidy, 1830				20	350
	<i>albipuncta</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]					1
	<i>armipes</i> (Fallen, 1825) [ <i>Musca</i> ]					10
*	<i>bezzii</i> Stein, 1899		<i>Hydrotaea hirticeps</i> (Fallen, 1824) [ <i>Musca</i> ]			10
	<i>bispinosa</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]		<i>Hydrotaea anxia</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]			9
	<i>ciliata</i> (Fabricius, 1794) [ <i>Musca</i> ]		<i>Hydrotaea diabolus</i> (Harris, 1780) [ <i>Musca</i> ]			10
	<i>cinerea</i> Robineau-Desvoidy, 1830					1
	<i>curvipes</i> (Fallen, 1825) [ <i>Musca</i> ]		<i>Hydrotaea meridionalis</i> Portschinsky, 1882			1
	<i>cyrtoneurina</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]					11
	<i>dentipes</i> (Fabricius, 1805) [ <i>Musca</i> ]					61
	<i>irritans</i> (Fallen, 1823) [ <i>Musca</i> ]					87
	<i>meteorica</i> (Linnaeus, 1758) [ <i>Musca</i> ]					31
	<i>militaris</i> (Meigen, 1826) [ <i>Anthomyia</i> ]					12
	<i>occulta</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Hydrotaea armipes</i> (Fallen, 1825) [ <i>Musca</i> ]			14
	<i>palaestrica</i> (Meigen, 1826) [ <i>Anthomyia</i> ]					10
	<i>pandellei</i> Stein, 1899					5
	<i>pellucens</i> Portschinsky, 1879					12
	<i>penicillata</i> (Rondani, 1866) [ <i>Onodontha</i> ]					25
	<i>similis</i> Meade, 1887					9
	<i>tuberculata</i> Rondani, 1866					7
	<i>velutina</i> Robineau-Desvoidy, 1830					24
	<b>Hypodermodes</b> Townsend, 1912		<b>Mesembrina</b> Meigen, 1826		1	19
	<i>mystacea</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<i>Mesembrina mystacea</i> (Linnaeus, 1758) [ <i>Musca</i> ]			19
	<b>Lasiops</b> Meigen, 1836		<b>Hydrotaea</b> Robineau-Desvoidy, 1830		4	106
	<i>ctenocnema</i> Kowarz, 1880	Anthomyiidae	<i>Lasiomma strigilatum</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]			12
	<i>eriphthalma</i> (Zetterstedt, 1860) [ <i>Aricia</i> ]	Anthomyiidae	<i>Lasiomma strigilatum</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]			10
	<i>roederii</i> Kowarz, 1880	Anthomyiidae	<i>Lasiomma strigilatum</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]			6
	<i>semicinereus</i> (Wiedemann, 1817) [ <i>Anthomyia</i> ]		<i>Thricops semicinereus</i> (Wiedemann, 1817) [ <i>Anthomyia</i> ]			78
	<b>Limnophora</b> Robineau-Desvoidy, 1830				26	201
	<i>aequifrons</i> Stein, 1898		<i>Lispoides aequifrons</i> (Stein, 1898) [ <i>Limnophora</i> ]			2
	<i>aerea</i> (Fallen, 1825) [ <i>Musca</i> ]		<i>Spilogona aerea</i> (Fallen, 1825) [ <i>Musca</i> ]			6
	<i>arcuata</i> Stein, 1898		<i>Gymnodia arcuata</i> (Stein, 1898) [ <i>Limnophora</i> ]			5
	<i>caduca</i> Stein, 1909					1
	<i>contractifrons</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]		<i>Spilogona contractifrons</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]			1
	<i>corvina</i> (Giglio-Tos, 1893) [ <i>Leucomelina</i> ]					21
	<i>discreta</i> Stein, 1898					4
	<i>exsurda</i> (Pandellé, 1899) [ <i>Aricia</i> ]		<i>Spilogona zaitzevi</i> (Schnabl, 1915) [ <i>Limnophora</i> ]			37

## Muscidae

## Limnophora

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
*	<i>frigida</i> Ringdahl, 1920		<i>Spilogona dorsata</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]			1
	<i>gracilitarsis</i> Stein, 1911		<i>Syllimnophora gracilitarsis</i> (Stein, 1911) [ <i>Limnophora</i> ]			1
	<i>humilis</i> (Zetterstedt, 1860) [ <i>Aricia</i> ]		<i>Gymnodia humilis</i> (Zetterstedt, 1860) [ <i>Aricia</i> ]			4
	<b><i>limbata</i></b> Bigot, 1885					6
	<b><i>maculosa</i></b> (Meigen, 1826) [ <i>Anthomyia</i> ]					15
	<i>marginalis</i> (Fallen, 1824) [ <i>Musca</i> ]		<i>Spilogona marginifera</i> Hennig, 1959			11
	<i>megastoma</i> (Boheman, 1865) [ <i>Aricia</i> ]		<i>Spilogona megastoma</i> (Boheman, 1865) [ <i>Aricia</i> ]			1
	<i>mervinia</i> (Walker, 1849) [ <i>Anthomyia</i> ]		<i>Gymnodia mervinia</i> (Walker, 1849) [ <i>Anthomyia</i> ]			23
	<i>narina</i> (Walker, 1849) [ <i>Anthomyia</i> ]		<i>Spilogona narina</i> (Walker, 1849) [ <i>Anthomyia</i> ]			8
	<b><i>narona</i></b> (Walker, 1849) [ <i>Anthomyia</i> ]					3
	<b><i>normata</i></b> Bigot, 1885					10
	<i>notata</i> (Fallen, 1823) [ <i>Musca</i> ]		<i>Limnophora tigrina</i> (Am Stein, 1860) [ <i>Anthomyia</i> ]			13
	<i>ostensackeni</i> (Jaenicke, 1867) [ <i>Spilogaster</i> ]		<i>Limnophora obsignata</i> (Rondani, 1866) [ <i>Spilogaster</i> ]			17
*	<i>rufitibia</i> Stein, 1920		<i>Spilogona limnophorina</i> (Stein, 1898) [ <i>Spilogaster</i> ]			1
	<i>triangulifera</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]		<i>Spilogona triangulifera</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]			1
	<i>trichops</i> Stein, 1911		<i>Spilogona trichops</i> (Stein, 1911) [ <i>Limnophora</i> ]			7
	<b><i>uniseta</i></b> Stein, 1916					1
	<i>veterina</i> Zetterstedt		<i>Spilogona veterrima</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]			1
<b><i>Limnospila</i> Schnabl, 1902</b>					1	6
	<b><i>albifrons</i></b> (Zetterstedt, 1849) [ <i>Aricia</i> ]					6
<b><i>Lispa</i> Fallen, 1810</b>				<b><i>Lispe</i> Latreille, 1797</b>		36
	<i>albitarsis</i> Stein, 1898		<i>Lispe albitarsis</i> (Stein, 1898) [ <i>Lispa</i> ]			7
*	<i>antennata</i> Aldrich, 1913		<i>Lispe antennata</i> (Aldrich, 1913) [ <i>Lispa</i> ]			5
	<i>apicalis</i> Mik, 1869		<i>Lispe apicalis</i> (Mik, 1869) [ <i>Lispa</i> ]			6
	<i>armipes</i> Becker, 1903		<i>Lispe bengalensis</i> (Robineau-Desvoidy, 1830) [ <i>Limnophora</i> ]			1
	<i>assimilis</i> (Wiedemann, 1824) [ <i>Lispe</i> ]		<i>Lispe assimilis</i> Wiedemann, 1824			16
	<i>caesia</i> (Meigen, 1826) [ <i>Lispe</i> ]		<i>Lispe caesia</i> Meigen, 1826			17
	<i>candicans</i> (Kowarz, 1892) [ <i>Lispe</i> ]		<i>Lispe candicans</i> Kowarz, 1892			9
	<i>consanguinea</i> (Loew, 1858) [ <i>Lispe</i> ]		<i>Lispe consanguinea</i> Loew, 1858			7
	<i>dilatata</i> (Wiedemann, 1824) [ <i>Lispe</i> ]		<i>Lispe glabra</i> Wiedemann, 1824			8
	<i>dissimilis</i> (Macquart, 1851) [ <i>Lispe</i> ]		<i>Lispe nuba</i> Wiedemann, 1830			14
	<i>flavicincta</i> (Loew, 1847) [ <i>Lispe</i> ]		<i>Lispe flavicincta</i> Loew, 1847			5
	<i>glabra</i> (Wiedemann, 1824) [ <i>Lispe</i> ]		<i>Lispe glabra</i> Wiedemann, 1824			11
	<i>grandis</i> (Thomson, 1869) [ <i>Lispe</i> ]		<i>Lispe glabra</i> Wiedemann, 1824			10
	<i>hydromyzina</i> Fallen, 1825		<i>Lispe hydromyzina</i> (Fallen, 1825) [ <i>Lispa</i> ]			8
*	<i>kowarzi</i> (Becker, 1903) [ <i>Lispe</i> ]		<i>Lispe kowarzi</i> Becker, 1903			5
	<i>lineata</i> (Macquart, 1839) [ <i>Lispe</i> ]		<i>Lispe nivalis</i> Wiedemann, 1830			12
	<i>litorea</i> Fallen, 1825		<i>Lispe litorea</i> (Fallen, 1825) [ <i>Lispa</i> ]			5
	<i>longicollis</i> (Meigen, 1826) [ <i>Lispe</i> ]		<i>Lispe longicollis</i> Meigen, 1826			9
	<i>melaleuca</i> (Loew, 1847) [ <i>Lispe</i> ]		<i>Lispe melaleuca</i> Loew, 1847			5
	<i>nana</i> (Macquart, 1835) [ <i>Lispe</i> ]		<i>Lispe nana</i> Macquart, 1835			12

## Muscidae

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>nuba</i> (Wiedemann, 1830) [ <i>Lispe</i> ]		<i>Lispe nuba</i> Wiedemann, 1830			11
	<i>orientalis</i> (Wiedemann, 1824) [ <i>Lispe</i> ]		<i>Lispe orientalis</i> Wiedemann, 1824			17
	<i>pallitarsis</i> Stein, 1909		<i>Lispe kowarzi</i> Becker, 1903			2
	<i>palposa</i> (Walker, 1849) [ <i>Anthomyia</i> ]		<i>Lispe palposa</i> (Walker, 1849) [ <i>Anthomyia</i> ]			4
*	<i>pectinipes</i> (Becker, 1903) [ <i>Lispe</i> ]		<i>Lispe pectinipes</i> Becker, 1903			10
	<i>pilosa</i> Loew, 1862		<i>Lispe litorea</i> (Fallen, 1825) [ <i>Lispa</i> ]			7
	<i>pygmaea</i> Fallen, 1825		<i>Lispe pygmaea</i> (Fallen, 1825) [ <i>Lispa</i> ]			14
*	<i>rigida</i> Becker, 1903		<i>Lispe rigida</i> (Becker, 1903) [ <i>Lispa</i> ]			5
*	<i>salina</i> Aldrich, 1913		<i>Lispe salina</i> (Aldrich, 1913) [ <i>Lispa</i> ]			3
	<i>scalaris</i> (Loew, 1847) [ <i>Lispe</i> ]		<i>Lispe scalaris</i> Loew, 1847			5
	<i>sinensis</i> (Schiner, 1868) [ <i>Lispe</i> ]		<i>Lispe orientalis</i> Wiedemann, 1824			1
	<i>sociabilis</i> (Loew, 1862) [ <i>Lispe</i> ]		<i>Lispe sociabilis</i> Loew, 1862			5
*	<i>sordida</i> Aldrich, 1913		<i>Lispe sordida</i> (Aldrich, 1913) [ <i>Lispa</i> ]			4
	<i>superciliosa</i> (Loew, 1961) [ <i>Lispe</i> ]		<i>Lispe superciliosa</i> Loew, 1861			5
	<i>tentaculata</i> (De Geer, 1776) [ <i>Musca</i> ]		<i>Lispe tentaculata</i> (De Geer, 1776) [ <i>Musca</i> ]			73
	<i>uliginosa</i> Fallen, 1825		<i>Lispe uliginosa</i> (Fallen, 1825) [ <i>Lispa</i> ]			6
<b><i>Lispocephala</i> Pokorný, 1893</b>					6	43
	<i>alma</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Caricea alma</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			9
	<i>brachialis</i> (Rondani, 1877) [ <i>Coenosia</i> ]		<i>Caricea brachialis</i> (Rondani, 1877) [ <i>Coenosia</i> ]			10
	<i>erythrocer</i> a (Robineau-Desvoidy, 1830) [ <i>Caricea</i> ]		<i>Caricea erythrocer</i> a Robineau-Desvoidy, 1830			10
	<i>mikii</i> (Strobl, 1893) [ <i>Coenosia</i> ]					8
	<i>sp.</i>					2
	<i>verna</i> (Fabricius, 1794) [ <i>Musca</i> ]		<i>Caricea verna</i> (Fabricius, 1794) [ <i>Musca</i> ]			4
<b><i>Macrorchis</i> Rondani, 1877</b>					2	41
	<i>ausoba</i> (Walker, 1849) [ <i>Anthomyia</i> ]					28
	<i>meditata</i> (Fallen, 1825) [ <i>Musca</i> ]					13
<b><i>Melanochelia</i> Rondani, 1866</b>				<b><i>Limnophora</i> Robineau-Desvoidy, 1830</b>	3	22
	<i>exuta</i> (Kowarz, 1893) [ <i>Calliophrys</i> ]		<i>Limnophora exuta</i> (Kowarz, 1893) [ <i>Calliophrys</i> ]			4
*	<i>nitidithorax</i> (Stein, 1908) [ <i>Calliophrys</i> ]		<i>Limnophora nitidithorax</i> (Stein, 1908) [ <i>Calliophrys</i> ]			10
	<i>riparia</i> (Fallen, 1824) [ <i>Musca</i> ]		<i>Limnophora riparia</i> (Fallen, 1824) [ <i>Musca</i> ]			8
<b><i>Mesembrina</i> Meigen, 1826</b>					3	46
	<i>latreillei</i> Robineau-Desvoidy, 1830					3
	<i>meridiana</i> (Linnaeus, 1758) [ <i>Musca</i> ]					41
	<i>resplendens</i> Wahlberg, 1844					2
<b><i>Metopomyia</i> Malloch, 1922</b>					1	3
	<i>atropunctipes</i> Malloch, 1922					3
<b><i>Morellia</i> Robineau-Desvoidy, 1830</b>					18	223
	<i>aenescens</i> Robineau-Desvoidy, 1830					4

## Muscidae

## Morellia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>affixa</i> (Walker, 1856) [ <i>Musca</i> ]					4
	<i>bipuncta</i> (Wiedemann, 1830) [ <i>Musca</i> ]		<i>Biopyrellia bipuncta</i> (Wiedemann, 1830) [ <i>Musca</i> ]			3
	<i>brevis</i> Schiner, 1868		<i>Morellia flavicornis</i> (Macquart, 1848) [ <i>Pyrellia</i> ]			1
	<i>calyptrata</i> Stein, 1913					4
	<i>hortensia</i> (Wiedemann, 1824) [ <i>Musca</i> ]					2
	<i>hortorum</i> (Fallen, 1817) [ <i>Musca</i> ]					51
	<i>humeralis</i> (Stein, 1918) [ <i>Pyrellia</i> ]					4
	<i>micans</i> (Macquart, 1855) [ <i>Cyrtoneura</i> ]					33
	<i>nigricosta</i> Hough, 1900					2
	<i>nilotica</i> (Loew, 1856) [ <i>Cyrtoneura</i> ]					2
	<i>nitida</i> Stein, 1918		<i>Morellia nigricosta</i> Hough, 1900			1
	<i>ochricornis</i> (Wiedemann, 1830) [ <i>Musca</i> ]					4
	<i>podagrira</i> (Loew, 1857) [ <i>Cyrtoneura</i> ]					42
	<i>prolectata</i> (Walker, 1861) [ <i>Anthomyia</i> ]					2
	<i>sarcophagina</i> Wulp, 1896		<i>Sarcopromusca sarcophagina</i> (Wulp, 1896) [ <i>Morellia</i> ]			28
	<i>scapulata</i> (Bigot, 1878) [ <i>Pyrellia</i> ]		<i>Morellia basalis</i> (Walker, 1853) [ <i>Musca</i> ]			4
	<i>simplex</i> (Loew, 1857) [ <i>Cyrtoneura</i> ]					32
	<b>Musca</b> Linnaeus, 1758				24	648
	<i>albomaculata</i> Macquart, 1843		<i>Musca xanthomelas</i> Wiedemann, 1824			9
	<i>angustifrons</i> Thompson, 1869		<i>Musca vetustissima</i> Walker, 1849			30
*	<i>bakeri</i> Patton, 1923					27
	<i>biseta</i> Hough, 1898					3
	<i>convexifrons</i> Thomson, 1869					21
*	<i>craggi</i> Patton, 1922					18
	<i>dasyops</i> Stein, 1913					14
	<i>domestica</i> Linnaeus, 1758					300
*	<i>gibsoni</i> Patton & Cragg, 1913		<i>Musca convexifrons</i> Thomson, 1869			7
	<i>gymnosomea</i> Rondani, 1862		<i>Musca curviforceps</i> Sacca & Rivosecchi, 1956			8
	<i>humilis</i> Wiedemann, 1830		<i>Musca sorbens</i> Wiedemann, 1830			62
*	<i>incerta</i> Patton, 1922		<i>Musca pattoni</i> Austen, 1910			4
	<i>lusoria</i> Wiedemann, 1824					5
*	<i>mesopotamiensis</i> Patton, 1920		<i>Musca larvipara</i> Portschinsky, 1910			11
	<i>nebulo</i> Fabricius, 1794		<i>Musca curviforceps</i> Sacca & Rivosecchi, 1956			24
	<i>pattoni</i> Austen, 1910					18
*	<i>prashadii</i> Patton, 1922		<i>Musca autumnalis</i> De Geer, 1776			3
	<i>senegalensis</i> Macquart, 1843		<i>Musca curviforceps</i> Sacca & Rivosecchi, 1956			22
*	<i>seniorwhitei</i> Patton, 1922					2
	<i>spectanda</i> Wiedemann, 1830		<i>Musca sorbens</i> Wiedemann, 1830			7
	<i>spinohumera</i> Awati, 1916		<i>Musca lusoria</i> Wiedemann, 1824			27
*	<i>transvaalensis</i> Villeneuve		<i>Musca gabonensis</i> Macquart, 1855			1
	<i>ventrosa</i> Wiedemann, 1830					15
	<i>vetustissima</i> Walker, 1849					10

## Muscidae

## Muscina

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Muscina</b> Robineau-Desvoidy, 1830				4	140
	<i>assimilis</i> (Fallen, 1823) [ <i>Musca</i> ]		<i>Muscina levida</i> (Harris, 1780) [ <i>Musca</i> ]			22
	<i>pabulorum</i> Fallen, 1817		<i>Muscina prolapsa</i> (Harris, 1780) [ <i>Musca</i> ]			20
	<b>pascuorum</b> (Meigen, 1826) [ <i>Musca</i> ]					22
	<b>stabulans</b> (Fallen, 1817) [ <i>Musca</i> ]					76
	<b>Mydaea</b> Robineau-Desvoidy, 1830				28	282
	<i>abdominalis</i> (Zetterstedt, 1846) [ <i>Anthomyza</i> ]		<i>Helina abdominalis</i> (Zetterstedt, 1846) [ <i>Anthomyza</i> ]			8
	<b>ancilla</b> (Meigen, 1826) [ <i>Anthomyia</i> ]					16
*	<i>brevipectinata</i> Stein, 1918		<i>Chortinus brevipectinatus</i> (Stein, 1918) [ <i>Mydaea</i> ]			1
	<i>copiosa</i> (Wulp, 1896) [ <i>Spilogaster</i> ]		<i>Helina copiosa</i> (Wulp, 1896) [ <i>Spilogaster</i> ]			4
	<i>deleta</i> Stein, 1914		<i>Helina deleta</i> (Stein, 1914) [ <i>Mydaea</i> ]			2
	<i>depuncta</i> (Fallen, 1825) [ <i>Musca</i> ]		<i>Helina depuncta</i> (Fallen, 1825) [ <i>Musca</i> ]			9
*	<i>dorsipuncta</i> Stein, 1918		<i>Neomuscina dorsipuncta</i> (Stein, 1918) [ <i>Mydaea</i> ]			3
	<i>impuncta</i> (Fallen, 1825) [ <i>Musca</i> ]		<i>Helina impuncta</i> (Fallen, 1825) [ <i>Musca</i> ]			43
	<b>lateritia</b> (Rondani, 1866) [ <i>Yetodesia</i> ]					9
*	<i>latipalpis</i> Stein, 1918		<i>Pseudoptilepis latipalpis</i> (Stein, 1918) [ <i>Mydaea</i> ]			1
*	<i>longipila</i> Stein, 1918		<i>Helina longipila</i> (Stein, 1918) [ <i>Mydaea</i> ]			3
*	<i>maculipes</i> Stein, 1916		<i>Helina maculipes</i> (Stein, 1916) [ <i>Mydaea</i> ]			1
	<i>mulcata</i> (Giglio-Tos, 1893) [ <i>Hyetodesia</i> ]		<i>Helina mulcata</i> (Giglio-Tos, 1893) [ <i>Hyetodesia</i> ]			2
*	<b>nebulosa</b> Stein, 1893					4
	<i>nigripennis</i> (Walker, 1849) [ <i>Anthomyia</i> ]		<i>Helina nigripennis</i> (Walker, 1849) [ <i>Anthalia</i> ]			1
	<i>pagana</i> (Fabricius, 1794) [ <i>Musca</i> ]		<i>Mydaea corni</i> (Scopoli, 1763) [ <i>Musca</i> ]			21
	<b>pedella</b> (Wiedemann, 1830) [ <i>Anthomyia</i> ]					1
	<i>separata</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Helina separata</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			7
	<i>signatipennis</i> Wulp, 1896		<i>Helina signatipennis</i> (Wulp, 1896) [ <i>Spilogaster</i> ]			4
	<i>sparsiplumata</i> Stein, 1918		<i>Neomuscina sparsiplumata</i> (Stein, 1918) [ <i>Mydaea</i> ]			1
*	<i>tarsalis</i> Stein, 1918		<i>Helina tarsalis</i> (Stein, 1918) [ <i>Mydaea</i> ]			50
	<i>tincta</i> (Zetterstedt, 1845) [ <i>Anthomyza</i> ]		<i>Mydaea humeralis</i> Robineau-Desvoidy, 1830			15
*	<i>tinctinervis</i> Stein, 1918		<i>Neomuscina tinctinervis</i> (Stein, 1918) [ <i>Mydaea</i> ]			2
	<i>tinctipennis</i> Stein, 1916		<i>Helina laxifrons</i> (Zetterstedt, 1860) [ <i>Aricia</i> ]			2
*	<i>trichops</i> Stein, 1918		<i>Helina trichops</i> (Stein, 1918) [ <i>Mydaea</i> ]			1
	<i>ungulata</i> Stein, 1909		<i>Myospila bina</i> (Wiedemann, 1830) [ <i>Anthomyia</i> ]			2
	<b>urbana</b> (Meigen, 1826) [ <i>Anthomyia</i> ]					68
	<i>xanthoceras</i> (Walker, 1859) [ <i>Spilogaster</i> ]		<i>Pictia xanthoceras</i> (Walker, 1859) [ <i>Spilogaster</i> ]			1
	<b>Myiospila</b>		<b>Myiospila</b> Rondani, 1856		2	112
	<b>meditabunda</b> (Fabricius, 1781) [ <i>Musca</i> ]					44
	<i>meditabunda var alpina</i> Hendel, 1901		<i>Myiospila alpina</i> Hendel, 1901			68
	<b>Neolimnophora</b> Schnabl, 1902				3	7
*	<i>candicans</i> (Villeneuve, 1906) [ <i>Limnophora</i> ]		<i>Neolimnophora maritima</i> (Roder, 1887) [ <i>Melanocheilia</i> ]			2
	<b>maritima</b> (Roder, 1887) [ <i>Melanocheilia</i> ]					3

## Muscidae

## Neolimnophora

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
*	<i>signata</i> (Stein, 1914) [ <i>Limnophora</i> ]		<i>Spilogona scutulata</i> (Schnabl & Dziedzicki, 1911) [ <i>Limnophora</i> ]			2
	<b>Neomusca</b> Malloch, 1921		<b>Philornis</b> Meinert, 1890		1	47
	<i>obscura</i> (Wulp, 1896) [ <i>Mydaea</i> ]		<i>Philornis obscura</i> (Wulp, 1896) [ <i>Mydaea</i> ]			47
	<b>Ophyra</b> Robineau-Desvoidy, 1830				6	108
	<i>aenescens</i> (Wiedemann, 1830) [ <i>Anthomyia</i> ]		<i>Hydrotaea aenescens</i> (Wiedemann, 1830) [ <i>Anthomyia</i> ]			5
	<i>anthrax</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Ophyra capensis</i> (Wiedemann, 1818) [ <i>Anthomyia</i> ]			20
	<i>chalcogaster</i> (Wiedemann, 1824) [ <i>Anthomyia</i> ]		<i>Hydrotaea chalcogaster</i> (Wiedemann, 1824) [ <i>Anthomyia</i> ]			23
	<i>leucostoma</i> (Wiedemann, 1817) [ <i>Anthomyia</i> ]		<i>Hydrotaea ignava</i> (Harris, 1780) [ <i>Musca</i> ]			53
	<i>minima</i> Rondani, 1871		<i>Hydrotaea glabricula</i> (Fallen, 1825) [ <i>Musca</i> ]			3
	<i>nigra</i> (Wiedemann, 1830) [ <i>Anthomyia</i> ]		<i>Hydrotaea chalcogaster</i> (Wiedemann, 1824) [ <i>Anthomyia</i> ]			4
	<b>Orchisia</b> Rondani, 1877				1	11
	<i>costata</i> (Meigen, 1826) [ <i>Sapromyza</i> ]					11
	<b>Orthellia</b> Robineau-Desvoidy, 1863		<b>Neomyia</b> Walker, 1859		5	174
	<i>caesarion</i> (Meigen, 1826) [ <i>Musca</i> ]		<i>Neomyia cornicina</i> (Fabricius, 1781) [ <i>Musca</i> ]			124
	<i>claripennis</i> Malloch, 1923		<i>Neomyia claripennis</i> (Malloch, 1923) [ <i>Orthellia</i> ]			16
	<i>cornicina</i> (Fabricius, 1781) [ <i>Musca</i> ]		<i>Neomyia cornicina</i> (Fabricius, 1781) [ <i>Musca</i> ]			31
*	<i>scatophaga</i> (Malloch, 1924) [ <i>Musca</i> ]		<i>Neomyia scatophaga</i> (Malloch, 1924) [ <i>Musca</i> ]			2
*	<i>simmondsi</i> Bezzi, 1928		<i>Neomyia simmondsi</i> (Bezzi, 1928) [ <i>Orthellia</i> ]			1
	<b>Passeromyia</b> Rodhain & Villeneuve, 1915				2	13
*	<i>heterochaeta</i> (Villeneuve, 1915) [ <i>Muscina</i> ]					10
	<i>longipennis</i> (Macquart, 1851) [ <i>Cyrtoneura</i> ]					3
	<b>Phaonia</b> Robineau-Desvoidy, 1830				39	642
	<i>alpicola</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]					20
	<i>apicalis</i> Stein, 1914					1
	<i>basalis</i> (Zetterstedt) [ <i>Anthomyza</i> ]		<i>Helina flavisquama</i> (Zetterstedt, 1849) [ <i>Aricia</i> ]			46
	<i>consobrina</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]					7
	<i>deleta</i> (Stein, 1898) [ <i>Aricia</i> ]					3
*	<i>dulcis</i> Stein, 1920		<i>Phaonia pallidula</i> Coquillett, 1902			2
	<i>errans</i> (Meigen, 1826) [ <i>Anthomyia</i> ]					11
	<i>erratica</i> (Fallen, 1825) [ <i>Musca</i> ]		<i>Phaonia errans</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			15
	<i>flava</i> Stein, 1920					2
	<i>flavithorax</i> (Stein, 1904) [ <i>Aricia</i> ]		<i>Polietina flavithorax</i> (Stein, 1904) [ <i>Aricia</i> ]			20
	<i>fusca</i> (Meade, 1897) [ <i>Hydrophoria</i> ]					2
	<i>fuscata</i> (Fallen, 1825) [ <i>Musca</i> ]					51
	<i>goberti</i> (Mik, 1881) [ <i>Aricia</i> ]					4
	<i>houghii</i> (Stein, 1898) [ <i>Aricia</i> ]					4
	<i>incana</i> (Wiedemann, 1817) [ <i>Anthomyia</i> ]					6
*	<i>limbinervis</i> Stein, 1918					2



## Muscidae

## Phaonia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>lugubris</i> (Meigen, 1826) [ <i>Anthomyia</i> ]					12
*	<i>marginata</i> Stein, 1918					1
	<i>marinellii</i> Bezzi, 1918		<i>Phaonia chalinata</i> (Pandellé, 1899) [ <i>Aricia</i> ]			46
	<i>morio</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]		<i>Phaonia lugubris</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			47
	<i>mystica</i> (Meigen, 1826) [ <i>Anthalia</i> ]					24
	<i>nervosa</i> Stein, 1920		<i>Phaonia nigricans</i> Johanssen, 1916			1
*	<i>nigrocincta</i> Stein, 1918					1
	<i>nitida</i> (Macquart, 1851) [ <i>Aricia</i> ]		<i>Helina nitida</i> (Macquart, 1851) [ <i>Aricia</i> ]			11
	<i>orbitaseta</i> (Stein, 1898) [ <i>Aricia</i> ]		<i>Helina orbitaseta</i> (Stein, 1898) [ <i>Aricia</i> ]			4
	<i>orichalcea</i> (Stein, 1898) [ <i>Aricia</i> ]		<i>Polietes orichalceoides</i> (Huckett, 1965) [ <i>Pseudophaonia</i> ]			1
	<i>pallida</i> (Fabricius, 1787) [ <i>Musca</i> ]					51
	<i>pallidula</i> Coquillett, 1902					1
	<i>perdita</i> (Meigen, 1830) [ <i>Anthomyia</i> ]					6
	<i>plumbea</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Phaonia incana</i> (Wiedemann, 1817) [ <i>Anthomyia</i> ]			2
*	<i>pterospila</i> Stein, 1918					2
	<i>querceti</i> (Bouche, 1834) [ <i>Anthomyia</i> ]		<i>Potamia littoralis</i> Robineau-Desvoidy, 1830			20
	<i>rufiseta</i> (Zetterstedt, 1860) [ <i>Anthomyia</i> ]		<i>Phaonia amabilis</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			5
	<i>scutellaris</i> (Fallen, 1825) [ <i>Musca</i> ]		<i>Phaonia rufiventris</i> (Scopoli, 1763) [ <i>Musca</i> ]			29
	<i>serva</i> (Meigen, 1826) [ <i>Anthomyia</i> ]					135
*	<i>subfusca</i> Malloch, 1923					1
	<i>tenuiseta</i> (Pokorny, 1893) [ <i>Aricia</i> ]					9
	<i>trimaculata</i> (Bouche, 1834) [ <i>Anthomyia</i> ]					17
	<i>variegata</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Phaonia subventa</i> (Harris, 1780) [ <i>Musca</i> ]			20
<b>Philhaematomyia</b>			<b>Musca</b> Linnaeus, 1758		3	128
*	<i>conducens</i> (Walker, 1859) [ <i>Musca</i> ]		<i>Musca conducens</i> Walker, 1859			44
	<i>crassirostris</i> (Stein, 1903) [ <i>Musca</i> ]		<i>Musca crassirostris</i> Stein, 1903			74
	<i>planiceps</i> (Wiedemann, 1824) [ <i>Musca</i> ]		<i>Musca planiceps</i> Wiedemann, 1824			10
<b>Placomomyia</b> Agassiz, 1846			<b>Musca</b> Linnaeus, 1758		4	70
	<i>albina</i> (Wiedemann, 1830) [ <i>Musca</i> ]		<i>Musca albina</i> Wiedemann, 1830			5
	<i>lasiophthalma</i> (Thomson, 1869) [ <i>Musca</i> ]		<i>Musca lasiophthalma</i> Thomson, 1869			6
	<i>lucidula</i> (Loew, 1856) [ <i>Cyrtoneura</i> ]		<i>Musca lucidula</i> (Loew, 1856) [ <i>Cyrtoneura</i> ]			11
	<i>vitripennis</i> (Meigen, 1826) [ <i>Musca</i> ]		<i>Musca vitripennis</i> Meigen, 1826			48
<b>Pogonomyia</b> Rondani, 1871			<b>Drymeia</b> Meigen, 1826		6	93
	<i>alpicola</i> Rondani, 1871		<i>Drymeia alpicola</i> (Rondani, 1871) [ <i>Pogonomyia</i> ]			25
	<i>aterrima</i> Wulp, 1896		<i>Drymeia aterrima</i> (Wulp, 1896) [ <i>Pogonomyia</i> ]			2
	<i>meadei</i> Pokorny, 1893		<i>Drymeia brumalis</i> (Rondani, 1866) [ <i>Aspilia</i> ]			48
	<i>minor</i> Malloch, 1918		<i>Drymeia minor</i> (Malloch, 1918) [ <i>Pogonomyia</i> ]			3
	<i>nitens</i> (Stein, 1898) [ <i>Spilogaster</i> ]		<i>Drymeia flavinervis</i> (Malloch, 1915) [ <i>Pogonomyia</i> ]			3
	<i>tetra</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Drymeia tetra</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			12

## Muscidae

## Polietes

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Polietes</b> Rondani, 1866				2	59
	<i>albolineata</i> (Fallen, 1823) [ <i>Musca</i> ]					7
	<i>lardaria</i> (Fabricius, 1781) [ <i>Musca</i> ]					52
	<b>Pseudolimnophora</b> Strobl, 1893		<b>Limnophora</b> Robineau-Desvoidy, 1830		3	63
	<i>albifrons</i> (Zetterstedt, 1849) [ <i>Aricia</i> ]		<i>Limnospila albifrons</i> (Zetterstedt, 1849) [ <i>Aricia</i> ]			19
*	<i>mesolissa</i> (Bezzi, 1928) [ <i>Limnophora</i> ]		<i>Limnophora mesolissa</i> Bezzi, 1928			4
	<i>triangula</i> (Fallen, 1825) [ <i>Musca</i> ]		<i>Limnophora triangula</i> (Fallen, 1825) [ <i>Musca</i> ]			40
	<b>Pseudopyrellia</b> Girschner, 1894		<b>Neomyia</b> Walker, 1859		3	61
	<i>lauta</i> (Wiedemann, 1830) [ <i>Musca</i> ]		<i>Neomyia lauta</i> (Wiedemann, 1830) [ <i>Musca</i> ]			30
	<i>obscuripes</i> (Stein, 1918) [ <i>Cryptolucilia</i> ]		<i>Neomyia indica</i> (Robineau-Desvoidy, 1830) [ <i>Lucilia</i> ]			25
	<i>viola</i> (Bigot, 1878) [ <i>Pyrellia</i> ]		<i>Neomyia viola</i> (Bigot, 1878) [ <i>Pyrellia</i> ]			6
	<b>Psilochaeta</b> Stein, 1911				1	3
	<i>chlorogaster</i> (Wiedemann, 1830) [ <i>Anthomyia</i> ]					3
	<b>Pterocanthus</b> Malloch, 1921		<b>Thricops</b> Rondani, 1856		1	12
	<i>sundewalli</i> (Zetterstedt, 1845) [ <i>Anthomyza</i> ]		<i>Thricops genarum</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]			12
	<b>Ptilolepis</b> Bezzi, 1921		<b>Musca</b> Linnaeus, 1758		1	36
	<i>inferior</i> (Stein, 1903) [ <i>Musca</i> ]		<i>Musca inferior</i> Stein, 1909			36
	<b>Pygophora</b> Schiner, 1868				3	30
	<i>apicalis</i> Schiner, 1868					2
*	<i>ctenophora</i> Bezzi, 1928					16
	<i>lobata</i> (Stein, 1900) [ <i>Coenosia</i> ]		<i>Pygophora respondens</i> (Walker, 1859) [ <i>Coenosia</i> ]			12
	<b>Pyrellia</b> Robineau-Desvoidy, 1830				16	194
	<i>aenea</i> Zetterstedt, 1845		<i>Pyrellia ignita</i> Robineau-Desvoidy, 1830			27
	<i>aethiopsis</i> Corti, 1895		<i>Curransia spekei</i> (Jaenicke, 1867) [ <i>Lucilia</i> ]			3
	<i>albigena</i> Stein, 1913		<i>Neomyia albigena</i> (Stein, 1913) [ <i>Pyrellia</i> ]			13
*	<i>albocuprea</i> Villeneuve, 1914					2
	<i>aurantiaca</i> (Villeneuve, 1916) [ <i>Orthellia</i> ]		<i>Neomyia aurantiaca</i> (Villeneuve, 1916) [ <i>Orthellia</i> ]			2
	<i>cadaverina</i> (Linnaeus, 1758) [ <i>Musca</i> ]					14
	<i>chalybea</i> (Wiedemann, 1830) [ <i>Musca</i> ]		<i>Neomyia gavisa</i> (Walker, 1859) [ <i>Musca</i> ]			8
	<i>cyanea</i> Roder, 1893		<i>Neomyia timorensis</i> (Robineau-Desvoidy, 1830) [ <i>Lucilia</i> ]			6
	<i>diffidens</i> (Walker, 1856) [ <i>Musca</i> ]		<i>Neomyia diffidens</i> (Walker, 1856) [ <i>Musca</i> ]			38
	<i>hemichlora</i> (Bigot, 1878) [ <i>Ochromyia</i> ]		<i>Pyrellina inventrix</i> (Walker, 1861) [ <i>Lucilia</i> ]			14
	<i>inventrix</i> (Walker, 1861) [ <i>Lucilia</i> ]		<i>Pyrellina inventrix</i> (Walker, 1861) [ <i>Lucilia</i> ]			7
	<i>nudissima</i> Loew, 1852		<i>Neomyia nudissima</i> (Loew, 1852) [ <i>Pyrellia</i> ]			13
	<i>philippensis</i> (Macquart, 1843) [ <i>Lucilia</i> ]		<i>Neomyia timorensis</i> (Robineau-Desvoidy, 1830) [ <i>Lucilia</i> ]			11
*	<i>rhingiaeformis</i> Villeneuve, 1914		<i>Neomyia rhingiaeformis</i> (Villeneuve, 1914) [ <i>Pyrellia</i> ]			5

## Muscidae

## Pyrellia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>serena</i> (Meigen, 1826) [ <i>Musca</i> ]		<i>Pyrellia rapax</i> (Harris, 1780) [ <i>Musca</i> ]			25
	<i>splendida</i> (Adams, 1905) [ <i>Paracompsomyia</i> ]		<i>Neomyia splendida</i> (Adams, 1905) [ <i>Paracompsomyia</i> ]			6
	<b>Reinwardtia</b> Brauer & Bergenstamm, 1889				1	2
	<i>tachinina</i> Brauer & Bergenstamm, 1889					2
	<b>Rhynchocoenops</b> Bezzi, 1918		<b>Coenosia</b> Meigen, 1826		1	58
	<i>obscuricula</i> (Rondani, 1871) [ <i>Hoplogaster</i> ]		<i>Coenosia obscuricula</i> (Rondani, 1871) [ <i>Hoplogaster</i> ]			58
	<b>Rhynchopsilops</b> Hendel, 1903		<b>Thricops</b> Rondani, 1856		1	52
	<i>villosus</i> Hendel, 1903		<i>Thricops villosus</i> (Hendel, 1903) [ <i>Rhynchopsilops</i> ]			52
	<b>Rhynchotrichops</b> Schnabl, 1889		<b>Thricops</b> Rondani, 1856		3	159
	<i>aculeipes</i> (Zetterstedt, 1838) [ <i>Anthomyia</i> ]		<i>Thricops aculeipes</i> (Zetterstedt, 1838) [ <i>Anthomyia</i> ]			30
	<i>rostratus</i> (Meade, 1882) [ <i>Thrichophthicus</i> ]		<i>Thricops rostratus</i> (Meade, 1882) [ <i>Thrichophthicus</i> ]			43
	<i>subrostratus</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]		<i>Thricops hirtulus</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]			86
	<b>Schoenomyza</b> Haliday, 1833				3	51
	<i>chrysostoma</i> Loew, 1870					2
	<i>dorsalis</i> Loew, 1872					10
	<i>litorella</i> (Fallen, 1823) [ <i>Ochtiphila</i> ]					39
	<b>Spilaria</b> Schnabl, 1911		<b>Helina</b> Robineau-Desvoidy, 1830		16	202
	<i>fulvisquama</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]		<i>Helina fulvisquama</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]			1
	<i>lasiophthalma</i> (Macquart, 1835) [ <i>Spilogaster</i> ]		<i>Helina lasiophthalma</i> (Macquart, 1835) [ <i>Spilogaster</i> ]			3
	<i>lucorum</i> (Fallen, 1823) [ <i>Musca</i> ]		<i>Helina evecta</i> (Harris, 1780) [ <i>Musca</i> ]			67
	<i>marmorata</i> (Zetterstedt, 1860) [ <i>Aricia</i> ]		<i>Phaonia consobrina</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]			2
	<i>multisetosa</i> (Strobl, 1898) [ <i>Aricia</i> ]		<i>Helina annosa</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]			4
	<i>nivalis</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]		<i>Helina evecta</i> (Harris, 1780) [ <i>Musca</i> ]			50
	<i>obscurata</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Helina obscurata</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			17
	<i>obscuratoides</i> (Schnabl, 1887) [ <i>Aricia</i> ]		<i>Helina obscuratoides</i> (Schnabl, 1887) [ <i>Aricia</i> ]			4
	<i>obscuripes</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]		<i>Helina maculipennis</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]			2
	<i>orichalcea</i> (Zetterstedt, 1849) [ <i>Aricia</i> ]		<i>Opsolasia orichalcea</i> (Zetterstedt, 1849) [ <i>Aricia</i> ]			1
*	<i>pubescens</i> (Stein, 1893) [ <i>Spilogaster</i> ]		<i>Helina pubescens</i> (Stein, 1893) [ <i>Spilogaster</i> ]			14
	<i>quadrimaculata</i> (Fallen, 1823) [ <i>Musca</i> ]		<i>Helina celsa</i> (Harris, 1780) [ <i>Musca</i> ]			5
	<i>quadrinotata</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Helina quadrinotata</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			10
	<i>rufinervis</i> (Pokorny, 1889) [ <i>Spilogaster</i> ]		<i>Mydaea rufinervis</i> (Pokorny, 1889) [ <i>Spilogaster</i> ]			4
	<i>rufitibia</i> (Stein, 1898) [ <i>Aricia</i> ]		<i>Helina rufitibia</i> (Stein, 1898) [ <i>Aricia</i> ]			2
	<i>vanderwulpi</i> (Schnabl, 1888) [ <i>Aricia</i> ]		<i>Helina cinerella</i> (Wulp, 1867) [ <i>Aricia</i> ]			16
	<b>Spilogaster</b> Macquart, 1835		<b>Helina</b> Robineau-Desvoidy, 1830		17	391
	<i>allotalla</i> (Meigen, 1830) [ <i>Anthomyia</i> ]		<i>Helina allotalla</i> (Meigen, 1830) [ <i>Anthomyia</i> ]			12
	<i>atripes</i> Meade, 1889		<i>Helina trivittata</i> (Zetterstedt, 1860) [ <i>Anthomyza</i> ]			31
	<i>calceata</i> Rondani, 1866		<i>Helina calceata</i> (Rondani, 1866) [ <i>Spilogaster</i> ]			18

## Muscidae

## Spilogaster

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>clara</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Helina clara</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			12
*	<i>concolor</i> Czerny, 1900		<i>Helina concolor</i> (Czerny, 1900) [ <i>Spilogaster</i> ]			9
	<i>consimilis</i> (Fallen, 1825) [ <i>Musca</i> ]		<i>Helina consimilis</i> (Fallen, 1825) [ <i>Musca</i> ]			21
	<i>duplicata</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Helina reversio</i> (Harris, 1780) [ <i>Musca</i> ]			183
	<i>fasciata</i> Jaennicke, 1867		<i>Helina fasciata</i> (Jaennicke, 1867) [ <i>Spilogaster</i> ]			10
	<i>fratercula</i> (Zetterstedt, 1845) [ <i>Anthomyza</i> ]		<i>Helina fratercula</i> (Zetterstedt, 1845) [ <i>Anthomyza</i> ]			28
	<i>maculipennis</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]		<i>Helina maculipennis</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]			8
	<i>montana</i> Rondani, 1866		<i>Helina montana</i> (Rondani, 1866) [ <i>Spilogaster</i> ]			6
	<i>obscurinervis</i> Stein, 1898		<i>Helina obscurinervis</i> (Stein, 1898) [ <i>Spilogaster</i> ]			4
	<i>pertusa</i> (Meigen, 1826) [ <i>Anthomyia</i> ]		<i>Helina pertusa</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			8
	<i>protuberans</i> (Zetterstedt, 1845) [ <i>Anthomyza</i> ]		<i>Helina protuberans</i> (Zetterstedt, 1845) [ <i>Anthomyza</i> ]			14
	<i>quadrum</i> (Fabricius, 1805) [ <i>Musca</i> ]		<i>Helina quadrum</i> (Fabricius, 1805) [ <i>Musca</i> ]			19
*	<i>trigonospila</i> Czerny, 1901		<i>Phaonia mystica</i> (Meigen, 1826) [ <i>Anthalia</i> ]			1
	<i>uliginosa</i> (Fallen, 1825) [ <i>Musca</i> ]		<i>Helina sexmaculata</i> (Preyssl, 1791) [ <i>Musca</i> ]			7
<b>Spilogona Schnabl, 1911</b>					17	270
	<i>aequifrons</i> (Stein, 1898) [ <i>Limnophora</i> ]		<i>Lispoides aequifrons</i> (Stein, 1898) [ <i>Limnophora</i> ]			4
	<i>brunneisquama</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]					9
	<i>caliginosa</i> (Stein, 1916) [ <i>Limnophora</i> ]					7
	<i>carbonella</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]					18
	<i>compuncta</i> (Wiedemann, 1817) [ <i>Anthomyia</i> ]					3
	<i>denigrata</i> (Meigen, 1826) [ <i>Anthomyia</i> ]					24
	<i>depressiuscula</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]					2
	<i>dispar</i> (Fallen, 1823) [ <i>Musca</i> ]					54
	<i>fumipennis</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]		<i>Spilogona contractifrons</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]			1
	<i>grandis</i> (Stein, 1814) [ <i>Limnophora</i> ]		<i>Spilogona atricans</i> (Pandellé, 1899) [ <i>Aricia</i> ]			27
	<i>latifrons</i> (Stein, 1916) [ <i>Limnophora</i> ]		<i>Spilogona alpica</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]			13
	<i>litorea</i> (Fallen, 1823) [ <i>Musca</i> ]					11
	<i>quinquelineata</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]					2
	<i>septemnotata</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]					8
	<i>solitaria</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]		<i>Pseudocoenosia solitaria</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]			43
	<i>surda</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]					22
	<i>trianguligera</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]					22
<b>Stomoxys Geoffroy, 1762</b>					14	249
	<i>bengalensis</i> Picard, 1908					2
	<i>bilineata</i> Grunberg, 1906					2
*	<i>boueti</i> Roubaud, 1911					2
	<i>brunnipes</i> Grunberg, 1906		<i>Stomoxys taeniata</i> Bigot, 1888			3
	<i>calcitrans</i> (Linnaeus, 1758) [ <i>Conops</i> ]					184
	<i>dubitalis</i> Malloch, 1932		<i>Stomoxys sitiens</i> Rondani, 1873			3
	<i>indica</i> Picard, 1908					6
	<i>limbata</i> Austen, 1909		<i>Stomoxys indica</i> Picard, 1908			1

## Muscidae

## Stomoxys

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>nigra</i> Macquart, 1851					26
*	<i>pallida</i> Roubaud, 1911					2
*	<i>pratti</i> Summers, 1911		<i>Stomoxys indica</i> Picard, 1908			1
*	<i>sexvittata</i> Roubaud, 1911		<i>Stomoxys nigra</i> Macquart, 1851			2
	<i>taeniata</i> Bigot, 1888					8
*	<i>varipes</i> Bezzi, 1907					7
<b><i>Stygeromyia</i> Austen, 1907</b>						10
	<i>maculosa</i> Austen, 1907				1	10
<b><i>Syllegopterula</i> Pokorny, 1893</b>						7
	<i>beckeri</i> Pokorny, 1893		<i>Thricops</i> Rondani, 1856		1	7
			<i>Thricops beckeri</i> (Pokorny, 1893) [ <i>Syllegopterula</i> ]			7
<b><i>Synthesiomyia</i> Brauer &amp; Bergenstamm, 1893</b>						12
	<i>nudiseta</i> (Wulp, 1883) [ <i>Cyrtoneura</i> ]				1	12
<b><i>Trichopticus</i> Bezzi &amp; Stein, 1907</b>						227
			<i>Thricops</i> Rondani, 1856		9	227
*	<i>curvipes</i> Stein, 1920		<i>Phaonia curvipes</i> (Stein, 1920) [ <i>Trichopticus</i> ]			1
	<i>decolor</i> (Fallen, 1824) [ <i>Musca</i> ]		<i>Drymeia vicana</i> (Harris, 1780) [ <i>Musca</i> ]			10
*	<i>furcatus</i> Stein, 1916		<i>Thricops furcatus</i> (Stein, 1916) [ <i>Trichopticus</i> ]			34
	<i>hirsutululus</i> (Zetterstedt, 1838) [ <i>Anthomyia</i> ]		<i>Thricops cunctans</i> (Meigen, 1826) [ <i>Anthomyia</i> ]			41
	<i>innocuus</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]		<i>Thricops innocuus</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]			24
	<i>lividiventris</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]		<i>Thricops lividiventris</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]			13
	<i>nigritellus</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]		<i>Thricops nigritellus</i> (Zetterstedt, 1838) [ <i>Anthomyza</i> ]			98
	<i>ordinatus</i> Hutton, 1901		<i>Spilogona ordinata</i> (Hutton, 1901) [ <i>Trichopticus</i> ]			1
	<i>separ</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]		<i>Thricops separ</i> (Zetterstedt, 1845) [ <i>Aricia</i> ]			5
<b><i>Villeneuveia</i> Schnabl &amp; Dziedzicki, 1911</b>						8
	<i>aestuum</i> (Villeneuve, 1902) [ <i>Limnophora</i> ]				1	8
<b><i>Viviparomusca</i> Townsend, 1915</b>						51
			<i>Musca</i> Linnaeus, 1758		2	51
*	<i>bezzii</i> (Patton & Cragg, 1913) [ <i>Musca</i> ]		<i>Musca bezzii</i> Patton & Cragg, 1913			15
	<i>larvipara</i> Portschninsky, 1910		<i>Musca larvipara</i> Portschninsky, 1910			36
<b><i>Xenocoenosia</i> Malloch, 1920</b>						2
	<i>calopyga</i> (Loew, 1872) [ <i>Coenosia</i> ]		<i>Neodexiopsis</i> Malloch, 1920		1	2
			<i>Neodexiopsis calopyga</i> (Loew, 1872) [ <i>Coenosia</i> ]			2

## Mycetophilidae

## Acnemia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Mycetophilidae</b>				33	145	766
	<b>Acnemia</b> Winnertz, 1863				1	2
	<i>amoena</i> Winnertz, 1863					2
	<b>Allactoneura</b> Meijere, 1907				1	3
	<i>cincta</i> Meijere, 1907					3
	<b>Allodia</b> Winnertz, 1863				4	71
	<i>barbipes</i> Winnertz, 1863		<i>Pseudobrachypeza helvetica</i> (Walker, 1856) [ <i>Boletina</i> ]			2
	<i>crassicornis</i> (Stannius, 1831) [ <i>Mycetophila</i> ]		<i>Stigmatomeria crassicorne</i> (Stannius, 1831) [ <i>Mycetophila</i> ]			33
	<i>lugens</i> (Wiedemann, 1817) [ <i>Mycetophila</i> ]					30
	<i>obscura</i> Winnertz, 1863		<i>Stigmatomeria obscurum</i> (Winnertz, 1863) [ <i>Allodia</i> ]			6
	<b>Anaclinia</b> Winnertz, 1863		<b>Neuratelia</b> Rondani, 1856		1	8
	<i>nemoralis</i> (Meigen, 1818) [ <i>Mycetophila</i> ]		<i>Neuratelia nemoralis</i> (Meigen, 1818) [ <i>Mycetophila</i> ]			8
	<b>Anatella</b> Winnertz, 1863				1	1
	<i>gibba</i> Winnertz, 1863					1
	<b>Apolephthisa</b> Grzegorzek, 1885				1	5
	<i>subincana</i> (Curtis, 1837) [ <i>Sciophila</i> ]					5
	<b>Azana</b> Walker, 1856				1	8
	<i>nigricoxa</i> Strobl, 1898		<i>Azana anomala</i> (Staeger, 1840) [ <i>Boletina</i> ]			8
	<b>Boletina</b> Staeger, 1840				9	60
	<i>alpina</i> Strobl, 1910		<i>Boletina basalis</i> (Meigen, 1818) [ <i>Leia</i> ]			5
	<i>analís</i> (Meigen, 1818) [ <i>Leia</i> ]		<i>Boletina dubia</i> (Meigen, 1804) [ <i>Mycetophila</i> ]			2
	<i>basalis</i> (Meigen, 1818) [ <i>Leia</i> ]					6
	<i>borealis</i> Zetterstedt, 1852					9
	<i>gripha</i> Dziedzicki, 1885					2
	<i>inermis</i> Lundstrom, 1912		<i>Boletina dubia</i> (Meigen, 1804) [ <i>Mycetophila</i> ]			4
	<i>sciarina</i> Staeger, 1840					21
	<i>trivittata</i> (Meigen, 1818) [ <i>Leia</i> ]					8
	<i>villosa</i> Landrock, 1912					3
	<b>Brachycampta</b> Winnertz, 1863		<b>Allodia</b> Winnertz, 1863		6	36
	<i>alternans</i> (Zetterstedt, 1838) [ <i>Mycetophila</i> ]		<i>Allodia alternans</i> (Zetterstedt, 1838) [ <i>Mycetophila</i> ]			1
	<i>amoena</i> Winnertz, 1863		<i>Brevicornu sericoma</i> (Meigen, 1830) [ <i>Mycetophila</i> ]			15
	<i>bicolor</i> (Macquart, 1834) [ <i>Mycetophila</i> ]		<i>Brevicornu fuscipenne</i> (Staeger, 1840) [ <i>Mycetophila</i> ]			2
	<i>brachycera</i> (Zetterstedt, 1852) [ <i>Mycetophila</i> ]		<i>Allodiopsis cristata</i> (Staeger, 1840) [ <i>Mycetophila</i> ]			6
	<i>caudata</i> Winnertz, 1863		<i>Brevicornu griseicolle</i> (Staeger, 1840) [ <i>Mycetophila</i> ]			2

## Mycetophilidae

## Brachycampta

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>griseicollis</i> (Staeger, 1840) [ <i>Mycetophila</i> ]		<b><i>Brevicornu griseicolle</i></b> (Staeger, 1840) [ <i>Mycetophila</i> ]			10
	<b><i>Brachypeza</i></b> Winnertz, 1863				1	2
	<i>radiata</i> Jenkinson, 1908					2
	<b><i>Coelosia</i></b> Winnertz, 1863				3	4
	<i>flava</i> (Staeger, 1840) [ <i>Boletina</i> ]					2
	<i>flavicauda</i> Winnertz, 1863		<b><i>Coelosia tenella</i></b> (Zetterstedt, 1852) [ <i>Boletina</i> ]			1
*	<i>fusca</i> Bezzi, 1892					1
	<b><i>Cordyla</i></b> Meigen, 1803				4	14
	<i>brevicornis</i> (Staeger, 1840) [ <i>Pachypalpus</i> ]					2
	<i>crassicornis</i> Meigen, 1818					4
	<i>flaviceps</i> (Staeger, 1840) [ <i>Pachypalpus</i> ]					2
	<i>fusca</i> Meigen, 1804					6
	<b><i>Docosia</i></b> Winnertz, 1863				2	9
	<i>sciarina</i> (Meigen, 1830) [ <i>Mycetophila</i> ]					3
	<i>valida</i> Winnertz, 1863		<b><i>Docosia sciarina</i></b> (Meigen, 1830) [ <i>Mycetophila</i> ]			6
	<b><i>Dynatosoma</i></b> Winnertz, 1863				2	6
	<i>fuscicorne</i> (Meigen, 1818) [ <i>Mycetophila</i> ]					5
	<i>thoracicum</i> (Zetterstedt, 1838) [ <i>Mycetophila</i> ]					1
	<b><i>Dziedzickia</i></b> Johanssen, 1909				1	3
	<i>griseipennis</i> (Strobl, 1910) [ <i>Neoempheria</i> ]		<b><i>Neoempheria griseipennis</i></b> Strobl, 1910			3
	<b><i>Epicypsa</i></b> Winnertz, 1863				2	3
	<i>punctum</i> (Stannius, 1831) [ <i>Mycetophila</i> ]					1
	<i>trinotata</i> (Staeger, 1840) [ <i>Mycetophila</i> ]		<b><i>Mycetophila trinotata</i></b> Staeger, 1840			2
	<b><i>Exechia</i></b> Winnertz, 1863				12	74
	<i>contaminata</i> Winnertz, 1863					2
	<i>dorsalis</i> (Staeger, 1840) [ <i>Mycetophila</i> ]					2
	<i>festiva</i> Winnertz, 1863					2
	<i>fungorum</i> (De Geer, 1776) [ <i>Tipula</i> ]		<b><i>Mycetophila fungorum</i></b> (De Geer, 1776) [ <i>Tipula</i> ]			24
	<i>interrupta</i> (Zetterstedt, 1852) [ <i>Mycetophila</i> ]		<b><i>Exechia bicincta</i></b> (Staeger, 1840) [ <i>Mycetophila</i> ]			9
	<i>lateralis</i> (Meigen, 1818) [ <i>Mycetophila</i> ]		<b><i>Exechia fusca</i></b> (Meigen, 1804) [ <i>Mycetophila</i> ]			6
	<i>nigroscutellata</i> Landrock, 1912					2
	<i>pallida</i> (Stannius, 1831) [ <i>Mycetophila</i> ]		<b><i>Exechia seriata</i></b> (Meigen, 1830) [ <i>Mycetophila</i> ]			14
	<i>separata</i> Lundstrom, 1912					2
	<i>subulata</i> Winnertz, 1863					5
	<i>tenuicornis</i> (Wulp, 1858) [ <i>Mycetophila</i> ]		<b><i>Exechia indecisa</i></b> (Walker, 1856) [ <i>Mycetophila</i> ]			3
	<i>trivittata</i> (Staeger, 1840) [ <i>Mycetophila</i> ]		<b><i>Pseudexechia trivittata</i></b> (Staeger, 1840) [ <i>Mycetophila</i> ]			3

## Mycetophilidae

## Exechia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Fungivora</b> Meigen, 1800		<b>Mycetophila</b> Meigen, 1803		26	210
	<i>adumbrata</i> Mik, 1884		<i>Mycetophila adumbrata</i> Mik, 1884			3
	<i>bimaculata</i> (Fabricius, 1805) [ <i>Sciara</i> ]		<i>Mycetophila pictula</i> Meigen, 1830			1
	<i>biusta</i> Meigen, 1818		<i>Mycetophila biusta</i> Meigen, 1818			3
	<i>blanda</i> Winnertz, 1863		<i>Mycetophila blanda</i> Winnertz, 1863			2
	<i>cingulum</i> Meigen, 1830		<i>Mycetophila cingulum</i> Meigen, 1830			1
	<i>dimidiata</i> Staeger, 1840		<i>Mycetophila ocellus</i> Walker, 1848			12
	<i>forcipata</i> Lundstrom, 1913		<i>Mycetophila forcipata</i> Lundstrom, 1913			2
	<i>formosa</i> Lundstrom, 1911		<i>Mycetophila formosa</i> Lundstrom, 1911			4
	<i>fulva</i> (Winnertz, 1863) [ <i>Mycetophila</i> ]		<i>Mycetophila fulva</i> Winnertz, 1863			1
	<i>guttata</i> Dziedzicki, 1884		<i>Mycetophila guttata</i> Dziedzicki, 1884			4
	<i>lineola</i> Meigen, 1818		<i>Mycetophila lineola</i> Meigen, 1818			35
	<i>luctuosa</i> Meigen, 1830		<i>Mycetophila luctuosa</i> Meigen, 1830			6
	<i>lunata</i> Meigen, 1804		<i>Mycetophila lunata</i> Meigen, 1804			6
	<i>marginata</i> Winnertz, 1863		<i>Mycetophila marginata</i> Winnertz, 1863			2
	<i>pumila</i> Winnertz, 1863		<i>Mycetophila pumila</i> Winnertz, 1863			2
	<i>punctata</i> (Meigen, 1804) [ <i>Mycetophila</i> ]		<i>Mycetophila fungorum</i> (De Geer, 1776) [ <i>Tipula</i> ]			41
	<i>rufescens</i> Zetterstedt, 1838		<i>Dynatosoma rufescens</i> Zetterstedt, 1838			9
	<i>russata</i> Dziedzicki, 1884		<i>Mycetophila russata</i> Dziedzicki, 1884			5
	<i>signata</i> Meigen, 1830		<i>Mycetophila signata</i> Meigen, 1830			35
	<i>signatoides</i> Dziedzicki, 1884		<i>Mycetophila signatoides</i> Dziedzicki, 1884			2
	<i>spectabilis</i> Winnertz, 1863		<i>Mycetophila spectabilis</i> Winnertz, 1863			4
	<i>stolida</i> Walker, 1856		<i>Mycetophila stolida</i> Walker, 1856			4
	<i>tarsata</i> (Winnertz, 1863) [ <i>Mycetophila</i> ]		<i>Mycetophila occultans</i> Lundstrom, 1913			1
	<i>unicolor</i> (Stannius, 1831) [ <i>Mycetophila</i> ]		<i>Mycetophila unicolor</i> Stannius, 1831			10
	<i>unipunctata</i> Meigen, 1818		<i>Mycetophila unipunctata</i> Meigen, 1818			7
	<i>vittipes</i> Zetterstedt, 1852		<i>Mycetophila vittipes</i> Zetterstedt, 1852			8
	<b>Gnoriste</b> Meigen, 1818				1	2
	<i>bilineata</i> Zetterstedt, 1852					2
	<b>Lejomyia</b> Rondani, 1856		<b>Leia</b> Meigen, 1818		11	44
	<i>alternans</i> (Winnertz, 1863) [ <i>Glaphyroptera</i> ]		<i>Clastobasis alternans</i> Winnertz, 1863			7
	<i>bilineata</i> (Winnertz, 1863) [ <i>Glaphyroptera</i> ]		<i>Leia bilineata</i> (Winnertz, 1863) [ <i>Glaphyroptera</i> ]			1
	<i>bimaculata</i> (Meigen, 1804) [ <i>Mycetophila</i> ]		<i>Leia bimaculata</i> (Meigen, 1804) [ <i>Mycetophila</i> ]			5
	<i>borealis</i> (Winnertz, 1863) [ <i>Glaphyroptera</i> ]		<i>Greenomyia borealis</i> Winnertz, 1863			2
	<i>cylindrica</i> (Winnertz, 1863) [ <i>Glaphyroptera</i> ]		<i>Leia cylindrica</i> (Winnertz, 1863) [ <i>Glaphyroptera</i> ]			2
	<i>fascipennis</i> (Meigen, 1818) [ <i>Leia</i> ]		<i>Leia fascipennis</i> Meigen, 1818			7
	<i>flavoscutellata</i> (Lynch Arribalzaga, 1892) [ <i>Leia</i> ]		<i>Leia flavoscutellata</i> Lynch Arribalzaga, 1892			5
	<i>opima</i> (Loew, 1870) [ <i>Glaphyroptera</i> ]		<i>Leia opima</i> Loew, 1870			1
	<i>subfasciata</i> (Meigen, 1818) [ <i>Mycetophila</i> ]		<i>Leia subfasciata</i> Meigen, 1818			6
	<i>unicolor</i> (Winnertz, 1863) [ <i>Glaphyroptera</i> ]		<i>Clastobasis alternans</i> Winnertz, 1863			6



## Mycetophilidae

## Lejomysia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>winthemi</i> (Lehmann, 1822) [ <i>Leia</i> ]		<i>Leia winthemi</i> Lehmann, 1822			2
	<b>Leptomorphus</b> Curtis, 1831				1	1
	<i>walkeri</i> Curtis, 1831					1
	<b>Mycomysia</b> Edwards, 1913		<b>Mycomya</b> Rondani, 1856		15	45
	<i>alacris</i> (Winnertz, 1863) [ <i>Sciophila</i> ]		<i>Mycomya cinerascens</i> (Macquart, 1826) [ <i>Sciophila</i> ]			1
	<i>apicalis</i> (Winnertz, 1863) [ <i>Sciophila</i> ]		<i>Mycomya tenuis</i> (Walker, 1856) [ <i>Sciophila</i> ]			4
	<i>cinerascens</i> (Macquart, 1826) [ <i>Sciophila</i> ]		<i>Mycomya cinerascens</i> (Macquart, 1826) [ <i>Sciophila</i> ]			4
	<i>fasciata</i> (Zetterstedt, 1838) [ <i>Sciophila</i> ]		<i>Mycomya fasciata</i> (Zetterstedt, 1838) [ <i>Sciophila</i> ]			5
	<i>flava</i> (Winnertz, 1863) [ <i>Sciophila</i> ]		<i>Mycomya flava</i> (Winnertz, 1863) [ <i>Sciophila</i> ]			2
	<i>flavicollis</i> (Zetterstedt, 1852) [ <i>Sciophila</i> ]		<i>Mycomya flavicollis</i> (Zetterstedt, 1852) [ <i>Sciophila</i> ]			4
	<i>hyalinata</i> (Meigen, 1830) [ <i>Sciophila</i> ]		<i>Mycomya hyalinata</i> (Meigen, 1830) [ <i>Sciophila</i> ]			5
	<i>limbata</i> (Winnertz, 1863) [ <i>Sciophila</i> ]		<i>Mycomya marginata</i> (Meigen, 1818) [ <i>Sciophila</i> ]			3
	<i>lugubris</i> (Winnertz, 1863) [ <i>Sciophila</i> ]		<i>Mycomya maura</i> (Walker, 1856) [ <i>Sciophila</i> ]			2
	<i>marginata</i> (Meigen, 1818) [ <i>Sciophila</i> ]		<i>Mycomya marginata</i> (Meigen, 1818) [ <i>Sciophila</i> ]			2
	<i>melania</i> (Winnertz, 1863) [ <i>Sciophila</i> ]		<i>Mycomya melania</i> (Winnertz, 1863) [ <i>Sciophila</i> ]			3
	<i>ornata</i> (Meigen, 1818) [ <i>Sciophila</i> ]		<i>Mycomya ornata</i> (Meigen, 1818) [ <i>Sciophila</i> ]			2
	<i>trilineata</i> (Zetterstedt, 1838) [ <i>Sciophila</i> ]		<i>Mycomya trilineata</i> (Zetterstedt, 1838) [ <i>Sciophila</i> ]			2
	<i>tumida</i> (Winnertz, 1863) [ <i>Sciophila</i> ]		<i>Mycomya tumida</i> (Winnertz, 1863) [ <i>Sciophila</i> ]			3
	<i>wankowiczii</i> (Dziedzicki, 1885) [ <i>Sciophila</i> ]		<i>Mycomya wankowiczii</i> (Dziedzicki, 1885) [ <i>Sciophila</i> ]			3
	<b>Neoempheria</b> Osten Sacken, 1878				4	8
*	<i>andreinii</i> (Bezzi, 1906) [ <i>Sciophila</i> ]		<i>Mycomya andreinii</i> (Bezzi, 1906) [ <i>Sciophila</i> ]			2
	<i>lineola</i> (Meigen, 1818) [ <i>Mycetophila</i> ]					3
	<i>pictipennis</i> (Haliday, 1833) [ <i>Sciophila</i> ]					1
	<i>striata</i> (Meigen, 1818) [ <i>Sciophila</i> ]					2
	<b>Phronia</b> Winnertz, 1863				9	61
	<i>cinerascens</i> Winnertz, 1863					2
	<i>dubia</i> Dziedzicki, 1889		<i>Phronia nigricornis</i> (Zetterstedt, 1852) [ <i>Mycetophila</i> ]			2
	<i>flavipes</i> Winnertz, 1863					3
	<i>forcipula</i> Winnertz, 1863					3
	<i>rustica</i> Winnertz, 1863		<i>Phronia exigua</i> (Zetterstedt, 1852) [ <i>Mycetophila</i> ]			2
	<i>signata</i> Winnertz, 1863		<i>Phronia austriaca</i> Winnertz, 1863			24
	<i>strenua</i> Winnertz, 1863		<i>Phronia flavicollis</i> Winnertz, 1863			6
	<i>tenuis</i> Winnertz, 1863					18
	<i>vitiosa</i> Winnertz, 1863		<i>Phronia nitidiventris</i> (Wulp, 1858) [ <i>Mycetophila</i> ]			1
	<b>Phthinia</b> Winnertz, 1863				2	3
	<i>humilis</i> Winnertz, 1863					1
	<i>winnertzi</i> Mik, 1869					2
	<b>Polylepta</b> Winnertz, 1863				1	4

## Mycetophilidae

## Polylepta

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>undulata</i> Winnertz, 1863		<i>Polylepta guttiventris</i> (Zetterstedt, 1852) [ <i>Sciophila</i> ]			4
	<b>Rhymosia</b> Curran, 1934		<b>Rymosia</b> Winnertz, 1863		9	43
	<i>cristata</i> (Staeger, 1840) [ <i>Mycetophila</i> ]		<i>Allodiopsis cristata</i> (Staeger, 1840) [ <i>Mycetophila</i> ]			8
	<i>discoidea</i> (Meigen, 1818) [ <i>Mycetophila</i> ]		<i>Allodia discoidea</i> (Meigen, 1818) [ <i>Mycetophila</i> ]			4
	<i>domestica</i> (Meigen, 1830) [ <i>Mycetophila</i> ]		<i>Rymosia domestica</i> (Meigen, 1830) [ <i>Mycetophila</i> ]			7
	<i>fenestralis</i> (Meigen, 1818) [ <i>Mycetophila</i> ]		<i>Tarnania fenestralis</i> (Meigen, 1818) [ <i>Mycetophila</i> ]			5
	<i>gracilipes</i> Dziedzicki, 1910		<i>Rymosia affinis</i> Winnertz, 1863			2
	<i>placida</i> (Winnertz, 1863) [ <i>Rymosia</i> ]		<i>Rymosia placida</i> Winnertz, 1863			1
	<i>signatipes</i> (Wulp, 1859) [ <i>Mycetophila</i> ]		<i>Rhymosia signatipes</i> (Wulp, 1859) [ <i>Mycetophila</i> ]			9
	<i>spinipes</i> Winnertz, 1863		<i>Rymosia spinipes</i> Winnertz, 1863			4
	<i>truncata</i> Winnertz, 1863		<i>Rymosia signatipes</i> (Wulp, 1859) [ <i>Mycetophila</i> ]			3
	<b>Rondaniella</b> Johanssen, 1909				1	4
	<i>sororcula</i> (Loew, 1870) [ <i>Leia</i> ]		<i>Rondaniella dimidiata</i> (Meigen, 1804) [ <i>Mycetophila</i> ]			4
	<b>Sceptonia</b> Winnertz, 1863		<b>Opsion</b> Gistel, 1848		1	6
	<i>nigra</i> (Meigen, 1804) [ <i>Mycetophila</i> ]		<i>Opsion nigra</i> (Meigen, 1804) [ <i>Mycetophila</i> ]			6
	<b>Sciophila</b> Meigen, 1818				3	5
*	<i>fulvescens</i> Edwards					2
	<i>hirta</i> Meigen, 1818					1
	<i>lutea</i> Macquart, 1826					2
	<b>Tetragoneura</b> Winnertz, 1846				2	3
	<i>hirta</i> Winnertz, 1846		<i>Ectrepesthoneura hirta</i> (Winnertz, 1846) [ <i>Tetragoneura</i> ]			2
	<i>sylvatica</i> (Curtis, 1837) [ <i>Sciophila</i> ]					1
	<b>Trichonta</b> Winnertz, 1863				4	10
	<i>falcata</i> Lundstrom, 1911					1
	<i>hamata</i> Mik, 1880					5
	<i>obesa</i> Winnertz, 1863					3
	<i>terminalis</i> (Walker, 1856) [ <i>Mycetophila</i> ]					1
	<b>Zygomyia</b> Winnertz, 1863				3	8
	<i>notata</i> (Stannius, 1831) [ <i>Mycetophila</i> ]					2
	<i>valida</i> Winnertz, 1863					4
	<i>vara</i> (Staeger, 1840) [ <i>Mycetophila</i> ]					2

Mydidae								<i>Ectyphus</i>
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #		
	<b>Mydidae</b>			7	23	50		
	<b><i>Ectyphus</i></b> Gerstaecker, 1868				2	3		
	<i>pinguis</i> Gerstaecker, 1868					1		
*	<i>pretoriensis</i> Bezzi, 1924					2		
	<b><i>Leptomydas</i></b> Gerstaecker, 1868				7	16		
*	<i>bequaerti</i> Johnson, 1926		<i>Nemomydas bequaerti</i> (Johnson, 1926) [ <i>Leptomydas</i> ]			5		
*	<i>braunsi</i> Bezzi, 1924		<i>Afroleptomydas braunsi</i> (Bezzi, 1924) [ <i>Leptomydas</i> ]			2		
	<i>concinus</i> Coquillett, 1904		<i>Pseudonomoneura hirta</i> (Coquillett, 1904) [ <i>Leptomydas</i> ]			1		
	<i>lusitanicus</i> (Wiedemann, 1820) [ <i>Mydas</i> ]					1		
	<i>nivosus</i> Gerstaecker, 1868		<i>Afroleptomydas humeralis</i> (Gerstaecker, 1868) [ <i>Leptomydas</i> ]			1		
	<i>pantherinus</i> Gerstaecker, 1868		<i>Nemomydas pantherinus</i> (Gerstaecker, 1868) [ <i>Leptomydas</i> ]			1		
*	<i>phaeopterus</i> Bezzi					5		
	<b><i>Miltinus</i></b> Gerstaecker, 1868				1	2		
	<i>varipes</i> (Macquart, 1850) [ <i>Mydas</i> ]					2		
	<b><i>Mitrodetus</i></b> Gerstaecker, 1868				1	1		
	<i>dentitarsis</i> (Macquart, 1850) [ <i>Cephalocera</i> ]					1		
	<b><i>Mydas</i></b> Fabricius, 1794				6	20		
	<i>abdominalis</i> Adams, 1904		<i>Mydas ventralis</i> Gerstaecker, 1868			3		
	<i>clavatus</i> (Drury, 1773) [ <i>Musca</i> ]					4		
	<i>fruhstorferi</i> Wulp, 1896		<i>Cacatuopyga fruhstorferi</i> (Wulp, 1896) [ <i>Mydas</i> ]			3		
	<i>luteipennis</i> Loew, 1866					2		
	<i>militaris</i> Gerstaecker, 1868					3		
	<i>praegrans</i> Austen, 1909		<i>Gauromydas hero</i> (Perty, 1833) [ <i>Mydas</i> ]			5		
	<b><i>Perissocerus</i></b> Gerstaecker, 1868				1	0		
*	<i>surcoufi</i> Bezzi, 1921					0		
	<b><i>Syllegomydas</i></b> Becker, 1906				5	8		
	<i>algiricus</i> (Gerstaecker, 1868) [ <i>Rhopalia</i> ]					2		
	<i>bezzii</i> Arias, 1914					1		
	<i>bueni</i> var <i>bivittatus</i> Bezzi, 1926		<i>Syllegomydas bueni</i> Arias, 1914			2		
*	<i>efflatouni</i> Bezzi, 1924					1		
*	<i>merceti</i> Arias, 1914					2		

## Mythicomyiidae

Cyrtosia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Mythicomyiidae</b>			4	5	16
	<b>Cyrtosia</b> Perris, 1839				2	4
	<i>flavorufa</i> Strobl, 1909					4
*	<i>scutellaris</i> Bezzi, 1926		<i>Cephalodromia scutellaris</i> (Bezzi, 1926) [ <i>Cyrtosia</i> ]			0
	<b>Empidideicus</b> Becker, 1907				1	3
*	<i>nubilus</i> Bezzi, 1925		<i>Cyrtosia nubila</i> (Bezzi, 1925) [ <i>Empidideicus</i> ]			3
	<b>Mythicomyia</b> Coquillett, 1893				1	2
	<i>scutellata</i> Coquillett, 1902					2
	<b>Platypygus</b> Loew, 1844				1	7
	<i>melleus</i> Loew, 1856		<i>Cyrtisopsis melleus</i> (Loew, 1856) [ <i>Platypygus</i> ]			7

## Nemestrinidae

Atriadops

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Nemestrinidae</b>				10	33	69
	<b>Atriadops</b> Wandolleck, 1897				1	2
	<i>vespertilio</i> (Loew, 1858) [ <i>Colax</i> ]					2
	<b>Fallenia</b> Meigen, 1820				1	4
	<i>fasciata</i> (Fabricius, 1805) [ <i>Cytherea</i> ]					4
	<b>Hermoneura</b> Philippi, 1865		<b>Hirmoneura</b> Meigen, 1820		6	6
	<i>bellula</i> Philippi, 1865		<i>Hirmoneura bellula</i> (Philippi, 1865) [ <i>Hermoneura</i> ]			1
	<i>bradleyi</i> (Bequaert, 1920) [ <i>Hirmoneura</i> ]		<i>Hirmoneura bradleyi</i> Bequaert, 1920			1
	<i>maculipennis</i> (Macquart, 1850) [ <i>Hirmoneura</i> ]		<i>Hirmoneura maculipennis</i> Macquart, 1850			1
	<i>obscura</i> (Wiedemann, 1820) [ <i>Hirmoneura</i> ]		<i>Hirmoneura obscura</i> Wiedemann, 1820			1
	<i>texana</i> (Cockerell, 1908) [ <i>Hirmoneura</i> ]		<i>Hirmoneura texana</i> Cockerell, 1908			1
	<i>villosula</i> (Loew, 1873) [ <i>Hirmoneura</i> ]		<i>Hirmoneura villosula</i> Loew, 1873			1
	<b>Nemestrinus</b> Latreille, 1802				14	31
	<i>aegyptiacus</i> Wiedemann, 1828					3
*	<i>amoenus</i> Lichtwardt, 1907					1
*	<i>ariasi</i> Lichtwardt, 1912					1
	<i>ater</i> Olivier, 1810					1
	<i>capito</i> Loew, 1873					1
	<i>caucasicus</i> (Fischer, 1806) [ <i>Rhynchocephalus</i> ]					3
	<i>exalbidus</i> Lichtwardt, 1907					1
	<i>fasciatus</i> Olivier, 1811					3
	<i>fascifrons</i> Bigot, 1888					3
*	<i>hirtus</i> Lichtwardt, 1909					2
	<i>ruficornis</i> Macquart, 1840					2
	<i>rufipes</i> Olivier, 1810					6
	<i>simplex</i> Loew, 1873					2
	<i>var. tripolitanus</i> Lichtwardt, 1907		<i>Nemestrinus aegyptiacus</i> Wiedemann, 1828			2
	<b>Neorhynchocephalus</b> Lichtwardt, 1909				2	12
	<i>sackeni</i> (Williston, 1880) [ <i>Rhynchocephalus</i> ]					6
	<i>volaticus</i> (Williston, 1883) [ <i>Rhynchocephalus</i> ]					6
	<b>Prosoeca</b> Schiner, 1867				4	8
	<i>atra</i> (Macquart, 1846) [ <i>Hirmoneura</i> ]					2
	<i>beckeri</i> Lichtwardt, 1920					4
	<i>longipennis</i> (Loew, 1858) [ <i>Nemestrinus</i> ]					1
	<i>ornata</i> Lichtwardt, 1910					1
	<b>Stenobasipteron</b> Lichtwardt, 1910				1	2

## Nemestrinidae

## Stenobasipteron

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>wiedemanni</i> Lichtwardt, 1910					2
	<b><i>Stenopteromyia</i></b> Lichtwardt, 1909				1	1
	<i>bolivari</i> (Strobl, 1906) [ <i>Nemestrinus</i> ]					1
	<i>Symmictus</i> Loew, 1858		<b><i>Trichopsidea</i></b> Westwood, 1839		1	1
	<i>costatus</i> Loew, 1858		<i>Trichopsidea costata</i> (Loew, 1858) [ <i>Symmictus</i> ]			1
	<b><i>Trichophthalma</i></b> Westwood, 1835				2	2
	<i>barbarossa</i> (Bigot, 1857) [ <i>Hirmoneura</i> ]					1
	<i>funesta</i> Walker, 1849		<i>Trichophthalma novaehollandiae</i> (Macquart, 1840) [ <i>Hirmoneura</i> ]			1

## Neriidae

## Chaetonerius

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Neriidae</b>			6	9	37
	<b>Chaetonerius</b> Hendel, 1903				1	6
	<i>latifemur</i> Enderlein, 1922					6
	<b>Gymnonerius</b> Hendel, 1913				1	6
	<i>fuscus</i> (Wiedemann, 1821) [ <i>Nerius</i> ]					6
	<b>Longina</b> Wiedemann, 1830				1	6
	<i>abdominalis</i> Wiedemann, 1830					6
	<b>Nerius</b> Fabricius, 1805				1	1
	<i>flavifrons</i> Bigot, 1886		<b>Glyphidops flavifrons</b> (Bigot, 1886) [ <i>Nerius</i> ]			1
	<b>Telostylinus</b> Enderlein, 1922				1	5
	<i>lineolatus</i> (Wiedemann, 1830) [ <i>Nerius</i> ]					5
	<b>Telostylus</b> Bigot, 1859				4	13
	<i>latibrachium</i> Enderlein, 1922					1
	<i>maccus</i> Osten Sacken, 1882					5
*	<i>niger</i> Bezzi, 1814					5
	<i>trilineatus</i> Meijere, 1910					2

## Nothybidae

*Nothybus*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Nothybidae</b>			1	2	12
	<b><i>Nothybus</i></b> Rondani, 1875				2	12
	<i>longithorax</i> Rondani, 1875		<b><i>Nothybus longicollis</i></b> (Walker, 1856) [ <i>Cardiacephala</i> ]			3
*	<b><i>triguttatus</i></b> Bezzi, 1916					9



## Odiniidae

*Neoalticomerus*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Odiniidae</b>			3	4	20
	<b><i>Neoalticomerus</i></b> Hendel, 1903				1	14
	<i>formosus</i> (Loew, 1844) [ <i>Milichia</i> ]					14
	<b><i>Odinia</i></b> Robineau-Desvoidy, 1830				2	5
	<i>boletina</i> (Zetterstedt, 1848) [ <i>Milichia</i> ]					3
	<i>maculata</i> (Meigen, 1830) [ <i>Milichia</i> ]					2
	<b><i>Traginops</i></b> Coquillett, 1900				1	1
	<i>irrorata</i> Coquillett, 1900					1

## Oestridae

## Cephalopsis

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Oestridae</b>				14	38	196
	<i>Cephalopsis</i> Townsend, 1912		<b><i>Cephalopina</i></b> Strand, 1928		1	23
	<i>titillator</i> (Clark, 1816) [ <i>Oestrus</i> ]		<b><i>Cephalopina titillator</i></b> (Clark, 1816) [ <i>Oestrus</i> ]			23
	<b><i>Cephenomyia</i></b> Agassiz, 1846		<b><i>Cephenemyia</i></b> Latreille, 1818		5	17
	<i>phobifer</i> (Clark, 1815) [ <i>Oestrus</i> ]		<b><i>Cephenemyia phobifer</i></b> (Clark, 1815) [ <i>Oestrus</i> ]			1
	<i>rufibarbis</i> (Meigen, 1824) [ <i>Oestrus</i> ]		<b><i>Cephenemyia auribarbis</i></b> (Meigen, 1824) [ <i>Oestrus</i> ]			3
	<i>stimulator</i> (Clark, 1815) [ <i>Oestrus</i> ]		<b><i>Cephenemyia stimulator</i></b> (Clark, 1815) [ <i>Oestrus</i> ]			8
	<i>trompe</i> (Modeer, 1786) [ <i>Oestrus</i> ]		<b><i>Cephenemyia trompe</i></b> (Modeer, 1786) [ <i>Oestrus</i> ]			2
	<i>ulrichii</i> Brauer, 1862		<b><i>Cephenemyia ulrichii</i></b> (Brauer, 1862) [ <i>Cephenomyia</i> ]			3
	<b><i>Cobboldia</i></b> Brauer, 1887				1	8
	<i>loxodontis</i> Brauer, 1896					8
	<b><i>Cuterebra</i></b> Clark, 1815				6	11
	<i>americana</i> (Fabricius, 1775) [ <i>Musca</i> ]					3
	<i>apicalis</i> Guerin-Meneville, 1835					3
	<i>cuniculi</i> (Clark, 1797) [ <i>Oestrus</i> ]					2
	<i>lepivora</i> Coquillett, 1898					1
	<i>megastoma</i> Brauer, 1863					1
	<i>tenebrosa</i> Coquillett, 1898					1
	<b><i>Dermatobia</i></b> Brauer, 1861				1	9
	<i>hominis</i> (Linnaeus, 1781) [ <i>Oestrus</i> ]					9
	<b><i>Gastrophilus</i></b> Agassiz, 1847		<b><i>Gasterophilus</i></b> Leach, 1817		9	77
	<i>affinis</i>					2
	<i>asininus</i> Brauer, 1863		<b><i>Gasterophilus intestinalis</i></b> (De Geer, 1776) [ <i>Oestrus</i> ]			4
	<i>flavipes</i> (Olivier, 1811) [ <i>Oestrus</i> ]		<b><i>Gasterophilus haemorrhoidalis</i></b> (Linnaeus, 1758) [ <i>Oestrus</i> ]			2
	<i>haemorrhoidalis</i> (Linnaeus, 1758) [ <i>Oestrus</i> ]		<b><i>Gasterophilus haemorrhoidalis</i></b> (Linnaeus, 1758) [ <i>Oestrus</i> ]			25
	<i>inermis</i> (Brauer, 1858) [ <i>Gastrus</i> ]		<b><i>Gasterophilus inermis</i></b> (Brauer, 1858) [ <i>Gastrus</i> ]			2
	<i>intestinalis</i> (De Geer, 1776) [ <i>Oestrus</i> ]		<b><i>Gasterophilus intestinalis</i></b> (De Geer, 1776) [ <i>Oestrus</i> ]			25
*	<i>magnicornis</i> Bezzi, 1916		<b><i>Gasterophilus intestinalis</i></b> (De Geer, 1776) [ <i>Oestrus</i> ]			4
	<i>nasalis</i> (Linnaeus, 1758) [ <i>Oestrus</i> ]		<b><i>Gasterophilus nasalis</i></b> (Linnaeus, 1758) [ <i>Oestrus</i> ]			4
	<i>pecorum</i> (Fabricius, 1794) [ <i>Oestrus</i> ]		<b><i>Gasterophilus pecorum</i></b> (Fabricius, 1794) [ <i>Oestrus</i> ]			9
	<b><i>Gyrostigma</i></b> Brauer, 1885				1	6
	<i>pavesii</i> (Corti, 1895) [ <i>Spathicera</i> ]		<b><i>Gyrostigma rhinocerontis</i></b> (Owen, 1830) [ <i>Oestrus</i> ]			6
	<b><i>Hypoderma</i></b> Latreille, 1818				5	9
	<i>actaeon</i> Brauer, 1858					1
	<i>bovis</i> (Linnaeus, 1758) [ <i>Oestrus</i> ]					1

## Oestridae

Oestridae					<i>Hypoderma</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #	
	<i>diana</i> Brauer, 1858					4	
	<i>lineatum</i> (Villers, 1789) [ <i>Oestrus</i> ]					1	
	<i>silenus</i> Brauer, 1858		<i>Przhevalskiana silenus</i> (Brauer, 1858) [ <i>Hypoderma</i> ]			2	
	<b><i>Oedemagena</i></b> Latreille, 1818		<b><i>Hypoderma</i></b> Latreille, 1818		1	5	
	<i>tarandi</i> (Linnaeus, 1758) [ <i>Oestrus</i> ]		<i>Hypoderma tarandi</i> (Linnaeus, 1758) [ <i>Oestrus</i> ]			5	
	<b><i>Oestromyia</i></b> Brauer, 1861				1	2	
	<i>satyrus</i> (Brauer, 1858) [ <i>Hypoderma</i> ]		<i>Oestromyia leporina</i> (Pallas, 1778) [ <i>Oestrus</i> ]			2	
	<b><i>Oestrus</i></b> Linnaeus, 1758				3	17	
*	<i>disjunctus</i> Gedoelst, 1915		<i>Oestrus variolosus</i> (Loew, 1863) [ <i>Cephalomyia</i> ]			4	
	<i>ovis</i> Linnaeus, 1758					12	
	<i>variolosus</i> (Loew, 1863) [ <i>Cephalomyia</i> ]					1	
	<b><i>Pseudogametes</i></b> Bischof, 1900		<b><i>Cuterebra</i></b> Clark, 1815		1	1	
	<i>semiatra</i> (Wiedemann, 1830) [ <i>Musca</i> ]		<i>Cuterebra semiatra</i> (Wiedemann, 1830) [ <i>Musca</i> ]			1	
	<b><i>Rhinoestrus</i></b> Brauer, 1886				2	6	
*	<i>nivarleti</i> Rodhain & Bequaert, 1912					1	
	<i>purpureus</i> Brauer, 1858					5	
	<b><i>Rodhainomyia</i></b> Bequaert, 1920		<b><i>Cobboldia</i></b> Brauer, 1887		1	5	
*	<i>chrysidiformis</i> (Rodhain & Bequaert, 1915) [ <i>Cobboldia</i> ]		<i>Cobboldia chrysidiformis</i> Rodhain, 1915			5	

## Opetiidae

*Opetia*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Opetiidae</b>			1	1	5
	<i>Opetia</i> Meigen, 1830				1	5
	<i>nigra</i> Meigen, 1830					5

## Opomyzidae

## Geomyza

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Opomyzidae</b>				2	12	242
<b>Geomyza</b> Fallen, 1810					7	94
	<i>bracata</i> Rondani, 1874		<b>Geomyza tripunctata</b> Fallen, 1823			1
	<i>calceata</i> Rondani, 1874		<b>Geomyza tripunctata</b> Fallen, 1823			12
	<b>combinata</b> (Linnaeus, 1767) [ <i>Musca</i> ]					14
*	<i>fusca</i> (Oldenberg, 1910) [ <i>Balioptera</i> ]		<b>Geomyza paganettii</b> (Strobl, 1909) [ <i>Balioptera</i> ]			6
	<i>pictipennis</i> Rondani, 1874		<b>Geomyza tripunctata</b> Fallen, 1823			24
	<b>tripunctata</b> Fallen, 1823					10
	<b>venusta</b> (Meigen, 1830) [ <i>Opomyza</i> ]					27
<b>Opomyza</b> Fallen, 1820					5	148
	<i>florum</i> (Fabricius, 1794) [ <i>Musca</i> ]					86
	<b>germinationis</b> (Linnaeus, 1758) [ <i>Musca</i> ]					47
	<b>lineatopunctata</b> Roser, 1842					8
	<b>punctella</b> Fallen, 1820					6
	<b>thalhammeri</b> Strobl, 1900					1

## Oreogetonidae

## Oreogeton

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Oreogetonidae</b>			1	3	26
	<b>Oreogeton</b> Schiner, 1860				3	26
	<i>basalis</i> (Loew, 1856) [ <i>Gloma</i> ]					23
	<i>mitrephorus</i> Melander, 1928					1
	<i>scopifer</i> (Coquillett, 1900) [ <i>Gloma</i> ]					2

Pallopteridae

*Paloptera*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Paloptera</b> Fallén, 1820			2	15	231
	<b><i>Paloptera</i></b> Fallén, 1820				14	229
	<i>ambusta</i> (Meigen, 1826) [ <i>Sapromyza</i> ]					11
	<i>arcuata</i> (Fabricius, 1781) [ <i>Musca</i> ]		<b><i>Paloptera quinquemaculata</i></b> (Macquart, 1835) [ <i>Ortalis</i> ]			16
	<i>jucunda</i> Loew, 1863		<b><i>Toxoneura jucunda</i></b> (Loew, 1863) [ <i>Paloptera</i> ]			4
	<b><i>modesta</i></b> (Meigen, 1830) [ <i>Opomyza</i> ]					2
	<b><i>pallens</i></b> Loew, 1873					16
	<i>parallela</i> Loew, 1858		<b><i>Paloptera modesta</i></b> (Meigen, 1830) [ <i>Opomyza</i> ]			6
	<b><i>saltuum</i></b> (Linnaeus, 1758) [ <i>Musca</i> ]					37
	<i>superba</i> Loew, 1861		<b><i>Toxoneura superba</i></b> (Loew & Loew, 1861) [ <i>Paloptera</i> ]			1
	<b><i>terminalis</i></b> Loew, 1863					2
	<b><i>trimacula</i></b> (Meigen, 1826) [ <i>Sapromyza</i> ]					60
	<b><i>umbellatarum</i></b> (Fabricius, 1775) [ <i>Musca</i> ]					9
	<b><i>usta</i></b> (Meigen, 1826) [ <i>Sapromyza</i> ]					4
	<b><i>ustulata</i></b> Fallén, 1820					58
	<b><i>venusta</i></b> Loew, 1858					3
	<b><i>Toxoneura</i></b> Westwood, 1840		<b><i>Toxonevra</i></b> Macquart, 1835		1	2
	<i>muliebris</i> (Harris, 1780) [ <i>Musca</i> ]					2

## Pantophthalmidae

## Acanthomera

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Pantophthalmidae</b>			3	4	4
	<i>Acanthomera</i> Wiedemann, 1821		<b><i>Pantophthalmus</i></b> Thunberg, 1819		1	1
	<i>picta</i> Wiedemann, 1821		<b><i>Pantophthalmus pictus</i></b> (Wiedemann, 1821) [ <i>Acanthomera</i> ]			1
	<i>Atopomyia</i> Austen, 1923		<b><i>Pantophthalmus</i></b> Thunberg, 1819		1	1
	<i>rothschildi</i> (Austen, 1909) [ <i>Rhaphiorhynchus</i> ]		<b><i>Pantophthalmus rothschildi</i></b> (Austen, 1909) [ <i>Rhaphiorhynchus</i> ]			1
	<b><i>Pantophthalmus</i></b> Thunberg, 1819				2	2
	<i>gigas</i> Enderlein, 1912		<b><i>Pantophthalmus tabaninus</i></b> Thunberg, 1819			1
	<i>vittatus</i> (Wiedemann, 1828) [ <i>Acanthomera</i> ]					1



Pelecorhynchidae

*Pelecorhynchus*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Pelecorhynchidae</b>			1	1	1
	<i>Pelecorhynchus</i> Macquart, 1850				1	1
	<i>fusciger</i> (Walker, 1848) [ <i>Silvius</i> ]					1

## Periscelididae

*Microperiscelis*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Periscelididae</b>			1	1	7
	<i>Microperiscelis</i> Oldenberg, 1914		<b><i>Periscelis</i></b> Loew, 1858		1	7
	<i>annulata</i> (Fallen, 1813) [ <i>Notiphila</i> ]	Ephydriidae	<b><i>Notiphila annulata</i></b> Fallen, 1813			7

## Phaeomyiidae

*Pelidnoptera*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Phaeomyiidae</b>			2	4	24
	<b><i>Pelidnoptera</i></b> Rondani, 1856				1	5
	<i>nigripennis</i> (Fabricius, 1794) [ <i>Musca</i> ]					5
	<b><i>Phaeomyia</i></b> Schiner, 1862		<b><i>Pelidnoptera</i></b> Rondani, 1856		3	19
	<i>fuscipennis</i> (Meigen, 1830) [ <i>Sciomyza</i> ]		<i>Pelidnoptera fuscipennis</i> (Meigen, 1830) [ <i>Sciomyza</i> ]			5
	<i>leptiformis</i> Schiner, 1862		<i>Pelidnoptera leptiformis</i> (Schiner, 1862) [ <i>Phaeomyia</i> ]			4
	<i>pictifrons</i> Becker, 1905		<i>Pelidnoptera fuscipennis</i> (Meigen, 1830) [ <i>Sciomyza</i> ]			10

Phoridae			<i>Aphiochaeta</i>			
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Phoridae</b>				17	84	391
	<i>Aphiochaeta</i> Brues, 1904		<i>Megaselia</i> Rondani, 1856		38	143
	<i>albicaudata</i> (Wood, 1910) [ <i>Phora</i> ]		<i>Megaselia albicaudata</i> (Wood, 1910) [ <i>Phora</i> ]			1
	<i>altifrons</i> (Wood, 1909) [ <i>Phora</i> ]		<i>Megaselia altifrons</i> (Wood, 1908) [ <i>Phora</i> ]			1
*	<i>annulipes</i> Schmitz, 1921		<i>Megaselia annulipes</i> (Schmitz, 1921) [ <i>Aphiochaeta</i> ]			1
	<i>atripes</i> Brues, 1915		<i>Megaselia pumila</i> (Meigen, 1830) [ <i>Phora</i> ]			1
	<i>berndseni</i> Schmitz, 1919		<i>Megaselia berndseni</i> (Schmitz, 1919) [ <i>Aphiochaeta</i> ]			1
	<i>brachyneura</i> (Egger, 1862) [ <i>Phora</i> ]		<i>Megaselia pygmaea</i> (Zetterstedt, 1848) [ <i>Trineura</i> ]			1
	<i>brunneicornis</i> Schmitz, 1926		<i>Megaselia brunneicornis</i> (Schmitz, 1920) [ <i>Aphiochaeta</i> ]			2
	<i>brunneipennis</i> Santos Abreu, 1921		<i>Megaselia brunneipennis</i> (Santos Abreu, 1921) [ <i>Aphiochaeta</i> ]			1
	<i>campestris</i> (Wood, 1908) [ <i>Phora</i> ]		<i>Megaselia campestris</i> (Wood, 1908) [ <i>Phora</i> ]			1
	<i>clavipes</i> (Wood, 1910) [ <i>Phora</i> ]		<i>Megaselia clavipes</i> (Wood, 1910) [ <i>Phora</i> ]			1
	<i>flava</i> (Fallen, 1823) [ <i>Trineura</i> ]		<i>Megaselia flava</i> (Fallen, 1823) [ <i>Trineura</i> ]			19
	<i>flavicoxa</i> (Zetterstedt, 1848) [ <i>Trineura</i> ]		<i>Megaselia flavicoxa</i> (Zetterstedt, 1848) [ <i>Trineura</i> ]			2
	<i>giraudii</i> (Egger, 1862) [ <i>Phora</i> ]		<i>Megaselia giraudii</i> (Egger, 1862) [ <i>Phora</i> ]			4
	<i>lata</i> (Wood, 1910) [ <i>Phora</i> ]		<i>Megaselia lata</i> (Wood, 1910) [ <i>Phora</i> ]			1
	<i>longiseta</i> (Wood, 1909) [ <i>Phora</i> ]		<i>Megaselia longiseta</i> (Wood, 1909) [ <i>Phora</i> ]			3
	<i>major</i> Wood, 1912		<i>Megaselia major</i> (Wood, 1912) [ <i>Aphiochaeta</i> ]			1
	<i>meigeni</i> (Becker, 1901) [ <i>Phora</i> ]		<i>Megaselia meigeni</i> (Becker, 1901) [ <i>Phora</i> ]			5
	<i>melanocephala</i> (Roser, 1840) [ <i>Phora</i> ]		<i>Megaselia melanocephala</i> (Roser, 1840) [ <i>Phora</i> ]			3
	<i>picta</i> (Lehmann, 1822) [ <i>Phora</i> ]		<i>Megaselia picta</i> (Lehmann, 1822) [ <i>Phora</i> ]			2
	<i>pleuralis</i> (Wood, 1909) [ <i>Phora</i> ]		<i>Megaselia pleuralis</i> (Wood, 1909) [ <i>Phora</i> ]			4
	<i>projecta</i> (Becker, 1901) [ <i>Phora</i> ]		<i>Megaselia nigriceps</i> (Loew, 1866) [ <i>Phora</i> ]			0
	<i>pseudociliata</i> Strobl, 1910		<i>Megaselia pseudociliata</i> (Strobl, 1910) [ <i>Aphiochaeta</i> ]			2
	<i>pseudogiraudi</i> Schmitz, 1920		<i>Megaselia pseudogiraudi</i> (Schmitz, 1920) [ <i>Aphiochaeta</i> ]			1
	<i>pulicaria</i> (Fallen, 1823) [ <i>Trineura</i> ]		<i>Megaselia pulicaria</i> (Fallen, 1823) [ <i>Trineura</i> ]			2
	<i>pygmaea</i> (Zetterstedt, 1848) [ <i>Trineura</i> ]		<i>Megaselia pygmaea</i> (Zetterstedt, 1848) [ <i>Trineura</i> ]			1
	<i>rata</i> (Collin, 1908) [ <i>Phora</i> ]		<i>Megaselia giraudii</i> (Egger, 1862) [ <i>Phora</i> ]			2
	<i>ruficornis</i> (Meigen, 1830) [ <i>Phora</i> ]		<i>Megaselia ruficornis</i> (Meigen, 1830) [ <i>Phora</i> ]			5
	<i>rufipes</i> (Meigen, 1804) [ <i>Trineura</i> ]		<i>Megaselia rufipes</i> (Meigen, 1804) [ <i>Trineura</i> ]			16
*	<i>scaura</i> Schmitz, 1921		<i>Megaselia sordida</i> (Zetterstedt, 1838) [ <i>Trineura</i> ]			2
	<i>scutellaris</i> (Wood, 1909) [ <i>Phora</i> ]		<i>Megaselia scutellaris</i> (Wood, 1908) [ <i>Phora</i> ]			5
	<i>simulans</i> Wood, 1912		<i>Megaselia simulans</i> (Wood, 1912) [ <i>Aphiochaeta</i> ]			1
	<i>sordida</i> (Zetterstedt, 1838) [ <i>Trineura</i> ]		<i>Megaselia sordida</i> (Zetterstedt, 1838) [ <i>Trineura</i> ]			1
	<i>spinicincta</i> (Wood, 1910) [ <i>Phora</i> ]		<i>Megaselia spinicincta</i> (Wood, 1910) [ <i>Phora</i> ]			2
	<i>subpleuralis</i> (Wood, 1909) [ <i>Phora</i> ]		<i>Megaselia subpleuralis</i> (Wood, 1909) [ <i>Phora</i> ]			1
	<i>sulphuripes</i> (Meigen, 1830) [ <i>Phora</i> ]		<i>Megaselia sulphuripes</i> (Meigen, 1830) [ <i>Phora</i> ]			9
	<i>variabilis</i> (Wood, 1909) [ <i>Phora</i> ]		<i>Megaselia fuscovariana</i> Schmitz, 1933			3
	<i>xanthina</i> Speiser, 1908		<i>Megaselia scalaris</i> (Loew, 1866) [ <i>Phora</i> ]			20
	<i>xanthozona</i> (Strobl, 1892) [ <i>Phora</i> ]		<i>Megaselia xanthozona</i> (Strobl, 1892) [ <i>Phora</i> ]			15
	<i>Aptinandria</i> Schmitz, 1921				1	1

## Phoridae

## Aptinandria

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
*	<i>effeminata</i> Schmitz, 1921					1
	<i>Capraephora</i> Bezzi, 1922		<i>Gymnophora</i> Macquart, 1835		1	0
*	<i>lapidicola</i> Bezzi, 1922		<i>Gymnophora lapidicola</i> (Bezzi, 1922) [ <i>Capraephora</i> ]			0
	<i>Chaetoneurophora</i> Malloch, 1912		<i>Anevrina</i> Lioy, 1864		2	6
	<i>caliginosa</i> (Meigen, 1830) [ <i>Phora</i> ]		<i>Anevrina urbana</i> (Meigen, 1830) [ <i>Phora</i> ]			3
	<i>curvinervis</i> (Becker, 1901) [ <i>Phora</i> ]		<i>Anevrina curvinervis</i> (Becker, 1901) [ <i>Phora</i> ]			3
	<i>Conicera</i> Meigen, 1830				2	3
	<i>pauxilla</i> Schmitz, 1920					2
	<i>similis</i> Haliday, 1833					1
	<i>Dohrniphora</i> Dahl, 1898				8	68
	<i>abbreviata</i> Roser, 1840					6
	<i>abdominalis</i> (Fallen, 1823) [ <i>Trineura</i> ]		<i>Diplonevra abdominalis</i> (Fallen, 1823) [ <i>Trineura</i> ]			3
	<i>chlorogastra</i> (Becker, 1901) [ <i>Phora</i> ]		<i>Dohrniphora cornuta</i> (Bigot, 1857) [ <i>Phora</i> ]			42
	<i>concinna</i> (Meigen, 1830) [ <i>Phora</i> ]		<i>Diplonevra concinna</i> (Meigen, 1830) [ <i>Phora</i> ]			4
	<i>crassicornis</i> (Meigen, 1830) [ <i>Phora</i> ]		<i>Diplonevra crassicornis</i> (Meigen, 1830) [ <i>Phora</i> ]			4
	<i>florea</i> (Fabricius, 1794) [ <i>Bibio</i> ]		<i>Diplonevra florea</i> (Fabricius, 1794) [ <i>Bibio</i> ]			5
	<i>florea var versicolor</i> (Schmitz, 1920) [ <i>Diplonevra</i> ]		<i>Diplonevra versicolor</i> Schmitz, 1920			3
	<i>venusta</i> (Coquillett, 1895) [ <i>Phora</i> ]		<i>Dohrniphora cornuta</i> (Bigot, 1857) [ <i>Phora</i> ]			1
	<i>Gymnophora</i> Macquart, 1835				3	16
	<i>arcuata</i> (Meigen, 1830) [ <i>Phora</i> ]					10
	<i>fuliginosa</i> Macquart, 1835					3
	<i>integralis</i> Schmitz, 1920					3
	<i>Hypocera</i> Lioy, 1864				7	35
	<i>agilis</i> (Meigen, 1830) [ <i>Phora</i> ]		<i>Borophaga agilis</i> (Meigen, 1830) [ <i>Phora</i> ]			1
	<i>bernuthi</i> (Egger, 1862) [ <i>Phora</i> ]		<i>Phora bernuthi</i> Egger, 1862			5
	<i>carinifrons</i> (Zetterstedt, 1848) [ <i>Phora</i> ]		<i>Borophaga carinifrons</i> Zetterstedt, 1848			3
	<i>flavimana</i> (Meigen, 1830) [ <i>Phora</i> ]		<i>Borophaga femorata</i> (Meigen, 1830) [ <i>Phora</i> ]			8
	<i>incrassata</i> (Meigen, 1830) [ <i>Phora</i> ]		<i>Borophaga incrassata</i> (Meigen, 1830) [ <i>Phora</i> ]			5
	<i>mordellaria</i> (Fallen, 1823) [ <i>Trineura</i> ]					1
	<i>vitripennis</i> (Meigen, 1830) [ <i>Phora</i> ]		<i>Gymnoptera vitripennis</i> (Meigen, 1830) [ <i>Phora</i> ]			12
	<i>Metopina</i> Macquart, 1835				1	7
	<i>galeata</i> (Haliday, 1833) [ <i>Phora</i> ]					7
	<i>Paraspiniphora</i> Malloch, 1912		<i>Spiniphora</i> Malloch, 1909		4	15
	<i>bergenstammi</i> (Mik, 1864) [ <i>Phora</i> ]		<i>Spiniphora bergenstammi</i> (Mik, 1864) [ <i>Phora</i> ]			5
	<i>bohemani</i> (Becker, 1901) [ <i>Chaetopleurophora</i> ]		<i>Chaetopleurophora bohemani</i> Becker, 1901			5
	<i>immaculata</i> (Strobl, 1894) [ <i>Phora</i> ]		<i>Spiniphora dorsalis</i> (Becker, 1901) [ <i>Phora</i> ]			3

## Phoridae

## Paraspiniphora

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>maculata</i> (Meigen, 1830) [ <i>Phora</i> ]		<i>Spiniphora maculata</i> (Meigen, 1830) [ <i>Phora</i> ]			2
	<b><i>Parastenophora</i></b> Malloch, 1910		<b><i>Triphleba</i></b> Rondani, 1856		2	9
	<i>antricola</i> (Schmitz, 1918) [ <i>Pseudostenophora</i> ]		<i>Triphleba antricola</i> (Schmitz, 1918) [ <i>Pseudostenophora</i> ]			7
	<i>unispinosa</i> (Zetterstedt, 1860) [ <i>Anevrina</i> ]		<i>Anevrina unispinosa</i> Zetterstedt, 1860			2
	<b><i>Phalacrotophora</i></b> Enderlein, 1912				1	12
	<i>fasciata</i> (Fallen, 1823) [ <i>Trineura</i> ]					12
	<b><i>Phora</i></b> Latreille, 1797				8	56
	<i>aptina</i> Schiner, 1853		<i>Triphleba aptina</i> (Schiner, 1853) [ <i>Phora</i> ]			13
	<b><i>aterrima</i></b> (Fabricius, 1794) [ <i>Musca</i> ]					11
	<b><i>holosericea</i></b> Schmitz, 1920					2
	<b><i>horrida</i></b> Schmitz, 1920					1
	<i>nitidifrons</i> Brues, 1904		<i>Diplonevra nitidifrons</i> (Brues, 1904) [ <i>Phora</i> ]			3
	<i>schineri</i> Becker, 1901		<i>Phora dubia</i> (Zetterstedt, 1848) [ <i>Trineura</i> ]			6
	<b><i>tincta</i></b> Schmitz, 1920					6
	<b><i>velutina</i></b> Meigen, 1830					14
	<b><i>Pseudostenophora</i></b> Malloch, 1912		<b><i>Anevrina</i></b> Lioy, 1864		1	1
	<i>bartholomei</i> (Schmitz, 1921) [ <i>Parastenophora</i> ]		<i>Triphleba antricola</i> (Schmitz, 1918) [ <i>Pseudostenophora</i> ]			1
	<b><i>Sciadocera</i></b> White, 1916				1	3
	<i>rufomaculata</i> White, 1916					3
	<b><i>Termitoxenia</i></b> Wasmann, 1901				1	4
*	<i>paradeniyae</i> Wasmann, 1913		<i>Clitelloxenia paradeniyae</i> (Wasmann, 1913) [ <i>Termitoxenia</i> ]			4
	<b><i>Trupheoneura</i></b> Malloch, 1919		<b><i>Triphleba</i></b> Rondani, 1856		3	12
	<i>lugubris</i> (Meigen, 1830) [ <i>Phora</i> ]		<i>Triphleba lugubris lugubris</i> (Meigen, 1830) [ <i>Phora</i> ]			4
	<i>opaca</i> (Meigen, 1830) [ <i>Phora</i> ]		<i>Triphleba opaca</i> (Meigen, 1830) [ <i>Phora</i> ]			5
	<i>trinervis</i> (Becker, 1901) [ <i>Phora</i> ]		<i>Triphleba trinervis</i> (Becker, 1901) [ <i>Phora</i> ]			3

## Piophilidae

## Amphipogon

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Piophilidae</b>			4	10	140
	<b>Amphipogon</b> Wahlberg, 1845				1	6
	<i>spectrum</i> Wahlberg, 1845		<b>Amphipogon flavum</b> (Zetterstedt, 1838) [ <i>Macrochira</i> ]			6
	<b>Mycetaulus</b> Loew, 1845		<b>Piophila</b> Fallen, 1810		1	8
	<i>bipunctatus</i> (Fallen, 1823) [ <i>Piophila</i> ]		<b>Piophila bipunctatus</b> Fallen, 1823			8
	<b>Piophila</b> Fallen, 1810				7	119
	<i>casei</i> (Linnaeus, 1758) [ <i>Musca</i> ]					82
	<i>contecta</i> Walker, 1860					3
	<i>latipes</i> Meigen, 1838					4
*	<i>nigriceps</i> Meigen, 1826					17
	<i>nigrimana</i> Meigen, 1826		<b>Prochyliza nigrimana</b> (Meigen, 1826) [ <i>Piophila</i> ]			3
	<i>varipes</i> Meigen, 1830		<b>Prochyliza varipes</b> (Meigen, 1830) [ <i>Piophila</i> ]			7
	<i>vulgaris</i> Fallen, 1820		<b>Allopiophila vulgaris</b> (Fallen, 1820) [ <i>Piophila</i> ]			3
	<b>Prochyliza</b> Walker, 1949		<b>Piophila</b> Fallen, 1810		1	7
	<i>xanthostoma</i> Walker, 1849					7

## Pipunculidae

## Cephalops

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Pipunculidae</b>				8	53	266
	<b>Cephalops</b> Fallen, 1810				1	1
	<i>signatus</i> (Becker, 1900) [ <i>Pipunculus</i> ]					1
	<b>Chalarus</b> Walker, 1834				1	12
	<i>spurius</i> (Fallen, 1816) [ <i>Cephalops</i> ]					12
	<b>Clistoabdominalis</b> Skevington, 2001				1	1
	<i>ruralis</i> (Meigen, 1824) [ <i>Pipunculus</i> ]					1
	<b>Eudorylas</b> Aczel, 1940				9	14
	<i>angustimembranus</i> Kozanek, 1991					1
	<i>blascoi</i> De Meyer, 1997					1
	<i>inferus</i> Collin, 1956					2
	<i>longifrons</i> Coe, 1966					1
	<i>obliquus</i> Coe, 1966					1
	<i>subfascipes</i> Collin, 1956					1
	<i>subterminalis</i> Collin, 1956					1
	<i>zermattensis</i> (Becker, 1898) [ <i>Pipunculus</i> ]					4
	<i>zonellus</i> Collin, 1956					2
	<b>Nephrocerus</b> Zetterstedt, 1838				1	22
	<i>scutellatus</i> (Macquart, 1834) [ <i>Pipunculus</i> ]					22
	<b>Pipunculus</b> Latreille, 1802				35	201
	<i>ater</i> Meigen, 1824		<i>Pipunculus campestris</i> Latreille, 1805			6
	<i>braueri</i> Strobl, 1880		<i>Cephalops aeneus</i> Fallen, 1816			6
	<i>calceatus</i> Roser, 1740					2
	<i>campestris</i> Latreille, 1805					10
	<i>cingulatus</i> Loew, 1866					4
*	<i>clavatus</i> Becker, 1898		<i>Claraeola clavata</i> (Becker, 1898) [ <i>Pipunculus</i> ]			1
	<i>disjunctus</i> Becker, 1900		<i>Tomosvaryella disjuncta</i> (Becker, 1900) [ <i>Pipunculus</i> ]			1
	<i>flavipes</i> Meigen, 1824		<i>Cephalops aeneus</i> Fallen, 1816			49
	<i>frontatus</i> Becker, 1898		<i>Tomosvaryella frontata</i> (Becker, 1898) [ <i>Pipunculus</i> ]			1
	<i>furcatus</i> Egger, 1860		<i>Cephalosphaera furcata</i> (Egger, 1860) [ <i>Pipunculus</i> ]			8
	<i>fuscipes</i> Zetterstedt, 1844		<i>Eudorylas fuscipes</i> (Zetterstedt, 1844) [ <i>Pipunculus</i> ]			15
	<i>geniculatus</i> Meigen, 1824		<i>Tomosvaryella geniculata</i> (Meigen, 1824) [ <i>Pipunculus</i> ]			6
	<i>haemorrhoidalis</i> Zetterstedt, 1838		<i>Dorylomorpha haemorrhoidalis</i> (Zetterstedt, 1838) [ <i>Pipunculus</i> ]			3
	<i>incognitus</i> Verrall, 1901		<i>Dorylomorpha incognita</i> (Verrall, 1901) [ <i>Pipunculus</i> ]			1
	<i>melanostolus</i> Becker, 1898		<i>Claraeola melanostola</i> (Becker, 1898) [ <i>Pipunculus</i> ]			2
	<i>minimus</i> Becker, 1898		<i>Tomosvaryella minima</i> (Becker, 1898) [ <i>Pipunculus</i> ]			2
	<i>mutatus</i> Becker, 1898		<i>Tomosvaryella mutata</i> (Becker, 1898) [ <i>Pipunculus</i> ]			2



## Pipunculidae

## Pipunculus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>nitidiventris</i> Loew, 1866		<i>Pipunculus fuscus</i> Loew, 1866			4
	<b><i>oldenbergi</i></b> Collin, 1956					3
	<i>pannonicus</i> Becker, 1898		<i>Eudorylas pannonicus</i> (Becker, 1898) [ <i>Pipunculus</i> ]			2
	<i>pilosiventris</i> Becker, 1900		<i>Tomosvaryella pilosiventris</i> (Becker, 1900) [ <i>Pipunculus</i> ]			5
	<i>rufipes</i> Meigen, 1824		<i>Dorylomorpha rufipes</i> (Meigen, 1824) [ <i>Pipunculus</i> ]			4
	<i>semifumosus</i> Kowarz, 1887		<i>Cephalops varipes</i> (Meigen, 1824) [ <i>Pipunculus</i> ]			1
	<i>seminitidus</i> Becker, 1898		<i>Cephalops seminitidus</i> (Becker, 1898) [ <i>Pipunculus</i> ]			1
*	<i>sericeus</i> Becker, 1898		<i>Dasydorylas sericeus</i> (Becker) [ <i>Pipunculus</i> ]			3
	<i>silvaticus</i> Meigen, 1824		<i>Tomosvaryella sylvatica</i> (Meigen, 1824) [ <i>Pipunculus</i> ]			8
*	<i>straminipes</i> Becker, 1900		<i>Cephalops straminipes</i> (Becker, 1900) [ <i>Pipunculus</i> ]			5
	<i>terminalis</i> Thomson, 1869		<i>Eudorylas terminalis</i> (Thomson, 1869) [ <i>Pipunculus</i> ]			12
	<i>thomsoni</i> Becker, 1898		<i>Pipunculus campestris</i> Latreille, 1805			8
	<i>ultimus</i> Becker, 1900		<i>Cephalops ultimus</i> (Becker, 1900) [ <i>Pipunculus</i> ]			7
	<i>unicolor</i> Zetterstedt, 1844		<i>Eudorylas unicolor</i> (Zetterstedt, 1844) [ <i>Pipunculus</i> ]			7
	<i>varipes</i> Meigen, 1824		<i>Cephalops varipes</i> (Meigen, 1824) [ <i>Pipunculus</i> ]			4
	<i>xanthocerus</i> Kowarz, 1887		<i>Dorylomorpha xanthocera</i> (Kowarz, 1887) [ <i>Pipunculus</i> ]			2
	<i>xanthopus</i> (Thomson, 1869) [ <i>Dorylas</i> ]		<i>Dorylomorpha xanthopus</i> (Thomson, 1869) [ <i>Dorylas</i> ]			1
	<i>zonatus</i> Zetterstedt, 1849		<i>Eudorylas zonatus</i> (Zetterstedt, 1849) [ <i>Pipunculus</i> ]			5
	<b><i>Tomosvaryella</i></b> Aczel, 1939				2	2
	<i>coquilletti</i> (Kertész, 1907) [ <i>Pipunculus</i> ]					1
	<i>freidbergi</i> De Meyer, 1995					1
	<b><i>Verrallia</i></b> Mik, 1899				3	13
	<i>aucta</i> (Fallen, 1817) [ <i>Cephalops</i> ]					2
	<i>pilosa</i> Zetterstedt, 1838		<i>Jassidophaga pilosa</i> (Zetterstedt, 1838) [ <i>Pipunculus</i> ]			3
	<i>villosa</i> Roser, 1840		<i>Jassidophaga villosa</i> (Roser, 1840) [ <i>Pipunculus</i> ]			8

## Platyezidae

## Agathomyia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Platyezidae</b>				4	24	131
	<b>Agathomyia</b> Verrall, 1901				6	26
	<i>antennata</i> (Zetterstedt, 1819) [ <i>Callomyza</i> ]					17
*	<i>aurantiaca</i> (Bezzi, 1893) [ <i>Callomyia</i> ]					1
	<i>boreella</i> (Zetterstedt, 1838) [ <i>Callomyia</i> ]		<i>Agathomyia elegantula</i> (Fallen, 1815) [ <i>Callomyza</i> ]			4
	<i>falleni</i> (Zetterstedt, 1819) [ <i>Callomyza</i> ]					2
*	<i>pulchella</i> (Johnson, 1908) [ <i>Callomyia</i> ]					1
	<i>wankowiczii</i> (Schnabl, 1884) [ <i>Callomyia</i> ]					1
	<b>Callomyia</b> Meigen, 1804				3	34
	<i>amoena</i> Meigen, 1824					5
	<i>leptiformis</i> (Fallen, 1810) [ <i>Heteroneura</i> ]		<i>Callomyia elegans</i> Meigen, 1804			1
	<i>speciosa</i> Meigen, 1824					28
	<b>Microsania</b> Zetterstedt, 1837				2	6
	<i>pectinipennis</i> (Zetterstedt, 1838) [ <i>Cyrtoma</i> ]					2
	<i>stigmatalis</i> (Zetterstedt, 1838) [ <i>Cyrtoma</i> ]		<i>Microsania pectinipennis</i> (Zetterstedt, 1838) [ <i>Cyrtoma</i> ]			4
	<b>Platypeza</b> Meigen, 1803				13	65
	<i>atra</i> Meigen, 1804		<i>Paraplatypeza atra</i> (Meigen, 1804) [ <i>Platypeza</i> ]			11
	<i>boletina</i> Fallen, 1815		<i>Polyporivora boletina</i> (Fallen, 1815) [ <i>Platypeza</i> ]			2
	<i>connexa</i> Boheman, 1858		<i>Platypezina connexa</i> (Boheman, 1858) [ <i>Platypeza</i> ]			3
	<i>consobrina</i> Zetterstedt, 1844					6
	<i>dorsalis</i> Meigen, 1804		<i>Lindneromyia dorsalis</i> (Meigen, 1804) [ <i>Platypeza</i> ]			9
	<i>fasciata</i> Meigen, 1804					2
	<i>furcata</i> Fallen, 1826		<i>Bolopus furcata</i> (Fallen, 1826) [ <i>Platypeza</i> ]			6
	<i>hirticeps</i> Verrall, 1901					11
	<i>infumata</i> Haliday, 1838		<i>Polyporivora ornata</i> (Meigen, 1838) [ <i>Platypeza</i> ]			4
	<i>modesta</i> Zetterstedt, 1844		<i>Protoclythia modesta</i> (Zetterstedt, 1844) [ <i>Platypeza</i> ]			3
	<i>rufa</i> Meigen, 1830		<i>Protoclythia rufa</i> (Meigen, 1830) [ <i>Platypeza</i> ]			6
	<i>taeniata</i> Snow, 1894					1
	<i>velutina</i> Loew, 1866		<i>Paraplatypeza velutina</i> (Loew, 1866) [ <i>Platypeza</i> ]			1

## Platystomatidae

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Platystomatidae</b>				44	128	657
	<b>Achias</b> Fabricius, 1805				2	2
	<i>brachyophthalmus</i> Walker, 1865					1
	<i>latividens</i> Walker, 1859					1
	<b>Amphicnephes</b> Loew, 1873				2	4
	<i>pullus</i> (Wiedemann, 1830) [ <i>Trypeta</i> ]					3
	<i>stellatus</i> Wulp, 1899					1
	<b>Angitula</b> Walker, 1859				1	1
	<i>cyanea</i> (Guerin-Meneville, 1831) [ <i>Neria</i> ]					1
	<b>Antineura</b> Osten Sacken, 1881				3	15
*	<i>n. sp.</i>					5
	<i>sericata</i> Osten Sacken, 1881					5
	<i>stolata</i> Osten Sacken, 1881					5
	<b>Asyntona</b> Osten Sacken, 1881				1	2
	<i>tetyroides</i> (Walker, 1859) [ <i>Lamprogaster</i> ]					2
	<b>Brea</b> Walker, 1859				1	3
	<i>contraria</i> Walker, 1859					3
	<b>Bromophila</b> Loew, 1873				1	2
	<i>caffra</i> (Macquart, 1846) [ <i>Dichromyia</i> ]					2
	<b>Cleitamia</b> Macquart, 1835				1	1
	<i>astrolabei</i> Macquart, 1835					1
	<b>Clitodoca</b> Loew, 1873				1	3
	<i>fenestralis</i> (Macquart, 1843) [ <i>Eniconevra</i> ]					3
	<b>Coelocephala</b> Karsch, 1888				2	21
*	<i>arcuata</i> Bezzi, 1914					2
	<i>stigma</i> Hendel, 1914		<i>Coelocephala arcuata</i> Bezzi, 1914			19
	<b>Conicipithea</b> Hendel, 1912				1	1
	<i>addens</i> (Walker, 1860) [ <i>Dacus</i> ]					1
	<b>Duomyia</b> Walker, 1849				1	3
*	<i>spinipes</i>					3

## Platystomatidae

				<i>Elassogaster</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b><i>Elassogaster</i></b> Bigot, 1860				2	23
	<i>brachialis</i> (Rondani, 1873) [ <i>Myiodella</i> ]					3
	<i>sepsoides</i> (Walker, 1860) [ <i>Dacus</i> ]		<b><i>Elassogaster linearis</i></b> (Walker, 1849) [ <i>Sepsis</i> ]			20
	<b><i>Euprosopia</i></b> Macquart, 1847				10	27
*	<i>gigas</i> Bezzi, 1916					1
	<i>latifrons</i> Hendel, 1914					4
*	<i>lepidophora</i> Bezzi, 1916					9
*	<i>longicornis</i> Bezzi, 1916					1
	<i>nigropunctata</i> Hendel, 1914					3
	<i>planiceps</i> Hendel, 1914					1
*	<i>punctifacies</i> Malloch, 1928					1
	<i>separata</i> Hendel, 1914					1
*	<i>trivittata</i> Bezzi, 1916					5
*	<i>valga</i>					1
	<b><i>Euthyplatys</i></b>		<b><i>Euthyplatystoma</i></b> Hendel, 1914		2	7
	<i>plumatum</i> (Hendel, 1914) [ <i>Euthyplatystoma</i> ]		<i>Euthyplatystoma plumatum</i> Hendel, 1914			5
	<i>rigidum</i> (Walker, 1856) [ <i>Platystoma</i> ]		<i>Euthyplatystoma rigidum</i> (Walker, 1856) [ <i>Platystoma</i> ]			2
	<b><i>Lamprogaster</i></b> Macquart, 1843				6	14
	<i>elongata</i> Wulp, 1885		<i>Lamprogaster violacea</i> (Macquart, 1843) [ <i>Cruphiocera</i> ]			2
	<i>lepida</i> Walker, 1858					2
	<i>macrocephala</i> Hendel, 1914					1
	<i>placida</i> Walker, 1849					5
*	<i>rufipes</i> Hendel, 1914					3
	<i>stenoparia</i> Hendel, 1914					1
	<b><i>Lamprophthalma</i></b> Portschinsky, 1892				1	6
*	<i>cavenda</i>					6
	<b><i>Loxoneura</i></b> Macquart, 1835				4	9
*	<i>bakeri</i> Bezzi, 1916		<i>Loxoneura decora</i> (Fabricius, 1805) [ <i>Dictya</i> ]			3
	<i>decora</i> (Fabricius, 1805) [ <i>Dictya</i> ]					3
	<i>facialis</i> Kertesz, 1897					1
	<i>formosae</i> Kertesz, 1909					2
	<b><i>Loxoneuroides</i></b> Hendel, 1914				1	1
	<i>variipennis</i> Hendel, 1914		<i>Loxoneuroides variipennis</i> Hendel, 1914			1
	<b><i>Lule</i></b> Speiser, 1910				1	4
*	<i>flavimana</i>		<i>Microlule flavimana</i> Steyskal, 1990			4

## Platystomatidae

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Naupoda</b> Osten Sacken, 1882				2	5
	<i>platessa</i> Osten Sacken, 1881					3
*	<i>unifasciata</i> Bezzi, 1916					2
	<b>Neopidesma</b> Hendel, 1914				1	2
	<i>fascipennis</i> (Macquart, 1846) [ <i>Heterogaster</i> ]		<i>Sphenoprosopa fascipennis</i> (Macquart, 1846) [ <i>Heterogaster</i> ]			2
	<b>Palpomyiella</b> Hendel, 1914				2	6
	<i>asphaltina</i> (Wiedemann, 1824) [ <i>Platystoma</i> ]		<i>Palpomyia asphaltina</i> (Wiedemann, 1824) [ <i>Platystoma</i> ]			3
	<i>ruficeps</i> (Enderlein, 1912) [ <i>Platystoma</i> ]		<i>Palpomyia ruficeps</i> (Enderlein, 1912) [ <i>Platystoma</i> ]			3
	<b>Paryphodes</b> Speiser, 1911				4	13
*	<i>modestus</i> Bezzi, 1914					3
	<i>omega</i> Speiser, 1911					1
	<i>pantherinus</i> (Bigot, 1891) [ <i>Palloptera</i> ]		<i>Paryphodes nepticula</i> (Loew, 1873) [ <i>Scholastes</i> ]			8
	<i>tigrinus</i> (Enderlein, 1812) [ <i>Simomesia</i> ]					1
	<b>Peltacanthina</b> Enderlein, 1912				2	5
*	<i>unilineata</i> Bezzi					3
	<i>verberiger</i> (Speiser, 1911) [ <i>Scholastes</i> ]					2
	<b>Phytalmodes</b> Bezzi, 1908				2	3
	<i>africana</i> Bezzi, 1908		<i>Phytalmodes africanus</i> Bezzi, 1908			2
	<i>africana</i> var <i>nigra</i> Bezzi, 1924		<i>Phytalmodes africanus</i> Bezzi, 1908			1
	<b>Plagiostenopterina</b> Hendel, 1912				7	33
	<i>aenea</i> (Wiedemann, 1819) [ <i>Dacus</i> ]					9
	<i>calcarata</i> (Macquart, 1843) [ <i>Herina</i> ]					5
	<i>enderleini</i> Hendel, 1914					4
*	<i>formosae</i> (Hendel, 1914) [ <i>Xenaspis</i> ]		<i>Xenaspis formosae</i> Hendel, 1914			2
*	<i>pseudoaenea</i>					1
	<i>submetallica</i> (Loew, 1852) [ <i>Stenopterina</i> ]					5
	<i>trivittata</i> (Walker, 1849) [ <i>Dacus</i> ]					7
	<b>Platystoma</b> Meigen, 1803				10	220
	<i>arcuata</i> Loew, 1856		<i>Platystoma arcuatum</i> Loew, 1856			10
*	<i>bezzii</i> Hendel, 1913					37
	<i>biseta</i> Loew, 1868		<i>Platystoma seminationis</i> (Fabricius, 1775) [ <i>Musca</i> ]			7
	<i>corticarum</i> (Rondani, 1869) [ <i>Megaglossa</i> ]					2
	<i>gemmationis</i> (Rondani, 1869) [ <i>Megaglossa</i> ]					93
	<i>insularum</i> (Rondani, 1869) [ <i>Megaglossa</i> ]					6
	<i>lugubre</i> (Robineau-Desvoidy, 1830) [ <i>Hesyquillia</i> ]					3
	<i>plantationis</i> (Rondani, 1869) [ <i>Megaglossa</i> ]					11

## Platystomatidae

					Platystoma		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #	
	<i>seminationis</i> (Fabricius, 1775) [ <i>Musca</i> ]					33	
	<i>tegularium</i> Loew, 1859					18	
	<b><i>Poecilotrappera</i></b> Hendel, 1914				1	10	
	<i>taeniata</i> (Macquart, 1843) [ <i>Urophora</i> ]					10	
	<b><i>Pogonortalis</i></b> Hendel, 1911				1	2	
	<i>barbifera</i> Hendel, 1914		<i>Pogonortalis doclea</i> (Walker, 1849) [ <i>Trypeta</i> ]			2	
	<b><i>Pseudepicausta</i></b> Hendel, 1912				3	12	
*	<i>andreinii</i> (Bezzi, 1908) [ <i>Epicausta</i> ]					1	
	<i>chalybaea</i> (Doleschall, 1858) [ <i>Herina</i> ]		<i>Pseudepicausta chalybea</i> (Doleschall, 1858) [ <i>Herina</i> ]			6	
	<i>exigens</i> (Walker, 1860) [ <i>Dacus</i> ]					5	
	<b><i>Pseudorichardia</i></b> Hendel, 1913				1	1	
	<i>flavitarsis</i> (Macquart, 1855) [ <i>Richardia</i> ]					1	
	<b><i>Pterogenia</i></b> Bigot, 1859				7	38	
*	<i>centralis</i> Bezzi, 1916					4	
	<i>hologaster</i> Hendel, 1914					1	
*	<i>laticeps</i> Bezzi, 1916					5	
*	<i>luteipennis</i> Bezzi, 1916					10	
*	<i>parva</i> Bezzi, 1916					5	
*	<i>tristis</i> Bezzi, 1916					6	
*	<i>valida</i> Bezzi, 1916					7	
	<b><i>Rivellia</i></b> Robineau-Desvoidy, 1830				21	77	
	<i>basilaris</i> (Wiedemann, 1830) [ <i>Trypeta</i> ]					9	
	<i>brevifasciata</i> Johnson, 1900					2	
	<i>conjuncta</i> Loew, 1873					4	
	<i>connata</i> (Thomson, 1869) [ <i>Herina</i> ]					1	
	<i>costalis</i> Hendel, 1914					1	
	<i>curvata</i> Hendel, 1914					2	
	<i>eximia</i> Wulp, 1897					1	
	<i>flavimana</i> Loew, 1873					12	
	<i>fusca</i> (Thomson, 1869) [ <i>Herina</i> ]					4	
*	<i>hendeliana</i> Bezzi, 1916					3	
	<i>impunctata</i> Hendel, 1914					2	
	<i>micans</i> Loew, 1873					5	
	<i>occulta</i> Wulp, 1898					2	
	<i>pallida</i> Loew, 1873					7	
*	<i>perspicillaris</i> Bezzi, 1928		<i>Rivellia basilaris</i> (Wiedemann, 1830) [ <i>Trypeta</i> ]			1	
	<i>quadrifasciata</i> (Macquart, 1835) [ <i>Herina</i> ]					3	
	<i>syngenesiae</i> (Fabricius, 1781) [ <i>Musca</i> ]					3	

## Platystomatidae

Rivellia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
*	<i>tayloriana</i>					2
*	<b><i>tomentosa</i></b> Hendel, 1914					2
	<b><i>viridulans</i></b> Robineau-Desvoidy, 1830					10
*	<b><i>wulpiana</i></b> Hendel, 1914					1
	<b><i>Scelacanthina</i></b> Enderlein, 1912		<b><i>Icteracantha</i></b> Hendel, 1912		2	7
	<i>chalybeiventris</i> (Wiedemann, 1830) [ <i>Trypeta</i> ]		<b><i>Icteracantha chalybeiventris</i></b> (Wiedemann, 1830) [ <i>Trypeta</i> ]			6
*	<i>ruficeps</i>					1
	<b><i>Scelostenopterina</i></b> Hendel, 1914				1	2
	<i>femorata</i> Hendel, 1914					2
	<b><i>Scholastes</i></b> Loew, 1873				3	13
	<i>bimaculatus</i> Hendel, 1914					1
	<i>cinctus</i> (Guerin-Meneville, 1831) [ <i>Platystoma</i> ]		<b><i>Plagiostenopterina cinctaria</i></b> Hendel, 1914			11
	<i>distigma</i> Hendel, 1914		<b><i>Scholastes sexvittatus</i></b> (Walker, 1861) [ <i>Lamprogaster</i> ]			1
	<b><i>Scotinosoma</i></b> Loew, 1873				1	2
*	<b><i>typicum</i></b> Bezzi, 1916					2
	<b><i>Sphenoprosopa</i></b> Loew, 1873				1	1
	<i>fascipennis</i> (Macquart, 1846) [ <i>Heterogaster</i> ]					1
	<b><i>Stenopterina</i></b> Loew, 1873		<b><i>Senopterina</i></b> Macquart, 1835		2	10
	<i>brevipes</i> (Fabricius, 1805) [ <i>Dacus</i> ]		<b><i>Senopterina brevipes</i></b> (Fabricius, 1805) [ <i>Dacus</i> ]			4
	<i>macularis</i> (Fabricius, 1805) [ <i>Dacus</i> ]		<b><i>Senopterina macularis</i></b> (Fabricius, 1805) [ <i>Dacus</i> ]			6
	<b><i>Tropidogastrella</i></b> Hendel, 1914		<b><i>Trigonosoma</i></b> Gray, 1832		2	9
	<i>cristiventris</i> (Gerstaecker, 1860) [ <i>Gorgopis</i> ]					6
*	<i>tropida</i> Hendel, 1914		<b><i>Trigonosoma tropida</i></b> (Hendel, 1914) [ <i>Tropidogastrella</i> ]			3
	<b><i>Valonia</i></b> Walker, 1856				1	3
	<i>complicata</i> Walker, 1856					3
	<b><i>Xenaspis</i></b> Osten Sacken, 1881				6	25
	<i>extranea</i> Bezzi, 1916					7
	<i>formosae</i> Hendel, 1914					6
	<i>homichlodes</i> Hendel, 1914					1
	<i>pictipennis</i> (Walker, 1849) [ <i>Oxycephala</i> ]					1
	<i>polistes</i> Osten Sacken, 1881					5
	<i>synnephes</i> Hendel, 1914					5
	<b><i>Zygaenula</i></b> Doleschall, 1858				1	9
	<i>paradoxa</i> Doleschall, 1858					9

Platystomatidae

*Zygaenula*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
--------------	---------------	----------------------------	------------------------	-------------	--------------	----------------



Psilidae								<i>Chyliza</i>
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #		
	<b>Psilidae</b>			6	38	395		
	<b><i>Chyliza</i> Fallen, 1820</b>				9	98		
	<i>annulipes</i> Macquart, 1835					7		
	<i>apicalis</i> Loew, 1860					1		
	<i>elegans</i> Hendel, 1913					2		
	<i>gracilis</i> Loew, 1854					1		
	<i>humeralis</i> Loew, 1874					12		
	<i>leptogaster</i> (Panzer, 1798) [ <i>Musca</i> ]					55		
	<i>notata</i> Loew, 1870					3		
	<i>obscuripennis</i> Loew, 1858		<i>Chyliza leptogaster</i> (Panzer, 1798) [ <i>Musca</i> ]			4		
	<i>vittata</i> Meigen, 1826					13		
	<b><i>Loxocera</i> Meigen, 1803</b>				7	49		
	<i>cylindrica</i> Say, 1823					11		
	<i>elongata</i> Meigen, 1826		<i>Loxocera aristata</i> (Panzer, 1801) [ <i>Musca</i> ]			14		
	<i>fulviventris</i> Meigen, 1826					2		
	<i>ichneumonea</i> (Linnaeus, 1758) [ <i>Musca</i> ]					9		
	<i>nigrifrons</i> Macquart, 1835					2		
	<i>pleuritica</i> Loew, 1869		<i>Loxocera cylindrica</i> Say, 1823			8		
	<i>rufa</i> Loew, 1874					3		
	<b><i>Megachoetum</i></b>		<b><i>Chyliza</i> Fallen, 1820</b>		1	6		
	<i>extenuatum</i> (Rossi, 1790) [ <i>Musca</i> ]		<i>Chyliza extenuata</i> (Rossi, 1790) [ <i>Musca</i> ]			6		
	<b><i>Platystyla</i> Macquart, 1835</b>		<b><i>Loxocera</i> Meigen, 1803</b>		1	3		
	<i>hoffmannseggi</i> (Meigen, 1826) [ <i>Loxocera</i> ]		<i>Loxocera hoffmannseggi</i> Meigen, 1826			3		
	<b><i>Psila</i> Meigen, 1803</b>				18	218		
	<i>abdominalis</i> Schummel, 1844		<i>Oxypsila abdominalis</i> (Schummel, 1844) [ <i>Psila</i> ]			3		
	<i>atra</i> Meigen, 1826					8		
	<i>bivittata</i> Loew, 1869					1		
	<i>collaris</i> Loew, 1869					4		
	<i>debilis</i> Egger, 1862		<i>Psila pallida</i> (Fallen, 1820) [ <i>Scatophaga</i> ]			10		
	<i>fimetaria</i> (Linnaeus, 1761) [ <i>Musca</i> ]					43		
	<i>frontalis</i> Coquillett, 1901					2		
	<i>gracilis</i> Meigen, 1826					12		
	<i>humeralis</i> (Zetterstedt, 1847) [ <i>Scatophaga</i> ]					26		
	<i>morio</i> (Zetterstedt, 1835) [ <i>Scatophaga</i> ]					13		
	<i>nigra</i> (Fallen, 1820) [ <i>Scatophaga</i> ]					5		
	<i>nigricornis</i> Meigen, 1826					50		
	<i>pallida</i> (Fallen, 1820) [ <i>Scatophaga</i> ]					5		
	<i>pallida</i> v. <i>unilineata</i> (Zetterstedt, 1847) [ <i>Scatophaga</i> ]		<i>Psila pallida</i> (Fallen, 1820) [ <i>Scatophaga</i> ]			6		

## Psilidae

*Psila*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>pectoralis</i> Meigen, 1826					5
	<i>rosae</i> (Fabricius, 1794) [ <i>Musca</i> ]		<i>Psila hennigi</i> (Thompson & Pont, 1994) [ <i>Chamaepsila</i> ]			8
	<i>rufa</i> Meigen, 1826					6
	<i>villosula</i> Meigen, 1826					11
	<b><i>Psilosoma</i></b> Zetterstedt, 1860				2	21
	<i>audouini</i> (Zetterstedt, 1835) [ <i>Scatophaga</i> ]					8
	<i>lefebvrei</i> (Zetterstedt, 1835) [ <i>Scatophaga</i> ]					13

## Ptychopteridae

*Parapterychoptera*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Ptychopteridae</b>			1	1	1
	<i>Parapterychoptera</i> Tonnoir, 1919		<b><i>Ptychoptera</i></b> Meigen, 1803		1	1
	<i>longicauda</i> Tonnoir, 1919		<b><i>Ptychoptera longicauda</i></b> (Tonnoir, 1919) [ <i>Parapterychoptera</i> ]			1

## Pyrgotidae

Adapsilia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Pyrgotidae</b>				4	11	38
	<b>Adapsilia</b> Waga, 1842				3	11
*	<i>angustifrons</i> Bezzi, 1914					1
*	<i>fortis</i>					9
	<i>scutellata</i> Hendel, 1914					1
	<b>Apyrgota</b> Hendel, 1909				1	2
	<i>pictiventris</i> Hendel, 1914		<i>Taeniomastix pictiventris</i> (Hendel, 1914) [ <i>Apyrgota</i> ]			2
	<b>Campylocera</b> Macquart, 1843				3	4
*	<i>curvinervis</i> Bezzi, 1929		<i>Korneyevia curvinervis</i> (Bezzi, 1929) [ <i>Campylocera</i> ]			2
	<i>ferruginea</i> Macquart, 1843					0
*	<i>thoracalis</i> var <i>rufina</i> Bezzi, 1916		<i>Campylocera rufina</i> Bezzi, 1916			2
	<b>Pyrgota</b> Wiedemann, 1830				4	21
	<i>chagnoni</i> Johnson, 1900		<i>Pyrgotella chagnoni</i> (Johnson, 1900) [ <i>Pyrgota</i> ]			1
	<i>filiola</i> Loew, 1876		<i>Pyrgota maculipennis</i> (Macquart, 1846) [ <i>Oxycephala</i> ]			1
	<i>undata</i> Wiedemann, 1830					10
	<i>valida</i> (Harris, 1841) [ <i>Sphecomyia</i> ]					9

## Rhagionidae

## Arthroteles

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Rhagionidae</b>				10	106	1079
	<b>Arthroteles</b> Bezzi, 1926				1	1
*	<b>bombyliiformis</b> Bezzi, 1926					1
	<b>Chrysopila</b> Macquart, 1826		<b>Chrysopilus</b> Macquart, 1826		18	345
	<i>alpicola</i> Pokorny, 1886		<i>Chrysopilus alpicola</i> (Pokorny, 1886) [ <i>Chrysopila</i> ]			14
	<i>aurata</i> (Fabricius, 1805) [ <i>Atherix</i> ]		<i>Chrysopilus auratus</i> (Fabricius, 1805) [ <i>Atherix</i> ]			104
	<i>aurea</i> (Meigen, 1804) [ <i>Rhagio</i> ]		<i>Chrysopilus aureus</i> (Meigen, 1804) [ <i>Rhagio</i> ]			30
*	<i>aurea var meridionalis</i> Bezzi, 1898		<i>Chrysopilus aureus</i> (Meigen, 1804) [ <i>Rhagio</i> ]			23
	<i>bicolor</i> Fabricius					2
	<i>erythrophthalma</i> Loew, 1840		<i>Chrysopilus erythrophthalmus</i> Loew, 1840			9
	<i>ferruginosa</i> (Wiedemann, 1819) [ <i>Leptis</i> ]		<i>Chrysopilus ferruginosus</i> (Wiedemann, 1819) [ <i>Leptis</i> ]			20
	<i>flaveola</i> (Meigen, 1820) [ <i>Leptis</i> ]		<i>Chrysopilus flaveolus</i> (Meigen, 1820) [ <i>Leptis</i> ]			15
	<i>helvola</i> (Meigen, 1820) [ <i>Leptis</i> ]		<i>Chrysopilus helvolus</i> (Meigen, 1820) [ <i>Leptis</i> ]			12
	<i>intermedia</i> Bezzi, 1895		<i>Chrysopilus intermedius</i> Bezzi, 1895			12
	<i>laeta</i> Zetterstedt, 1842		<i>Chrysopilus laetus</i> Zetterstedt, 1842			3
	<i>latifrons</i> Bezzi, 1898		<i>Chrysopilus latifrons</i> Bezzi, 1898			12
	<i>luteola</i> (Fallen, 1814) [ <i>Leptis</i> ]		<i>Chrysopilus luteolus</i> (Fallen, 1814) [ <i>Leptis</i> ]			2
	<i>maerens</i> Loew, 1873		<i>Chrysopilus maerens</i> Loew, 1873			4
	<i>nubecula</i> (Fallen, 1814) [ <i>Leptis</i> ]		<i>Chrysopilus nubecolus</i> (Fallen, 1814) [ <i>Leptis</i> ]			22
	<i>pulla</i> Loew, 1869		<i>Chrysopilus pullus</i> Loew, 1869			18
	<i>sicula</i> Loew, 1869		<i>Chrysopilus siculus</i> Loew, 1869			14
	<i>splendida</i> Meigen, 1820		<i>Chrysopilus splendida</i> (Meigen, 1820) [ <i>Leptis</i> ]			29
	<b>Chrysopilus</b> Macquart, 1826				32	201
	<i>apicalis</i> Wulp, 1882					2
	<i>basilaris</i> (Say, 1823) [ <i>Leptis</i> ]					7
	<i>bellus</i> Adams, 1904		<i>Chrysopilus testaceipes</i> Bigot, 1887			3
	<i>calopterus</i> Schiner, 1868					15
*	<i>connexus</i> Johnson, 1912					6
	<i>correctus</i> Osten Sacken, 1882					4
	<i>cristatus</i> Fabricius, 1775					2
*	<i>diplostigma</i> Bezzi, 1916					1
	<i>ditissimus</i> Bezzi, 1912					2
	<i>fasciatus</i> (Say, 1823) [ <i>Leptis</i> ]					9
	<i>fenestratus</i> Bezzi, 1912					2
	<i>flavibarbis</i> Adams, 1904					1
	<i>flavidus</i> Bigot, 1887		<i>Chrysopilus quadratus</i> (Say, 1823) [ <i>Leptis</i> ]			9
	<i>foedus</i> Loew, 1861					13
	<i>griseipennis</i> Bezzi, 1912					4
	<i>luctuosus</i> Brunetti, 1909					3
*	<i>marmoratus</i> Brunetti, 1909					2

## Rhagionidae

## Chrysopilus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>modestus</i> Loew, 1872					7
	<i>nigripalpis</i> Bezzi, 1912					2
	<i>ornatus</i> (Say, 1823) [ <i>Leptis</i> ]					18
	<i>palparis</i> Loew, 1869					2
*	<i>poecilopterus</i> Bezzi, 1912					3
	<i>propinquus</i> (Walker, 1848) [ <i>Leptis</i> ]		<i>Chrysopilus proximus</i> (Walker, 1848) [ <i>Leptis</i> ]			9
	<i>proximus</i> (Walker, 1848) [ <i>Leptis</i> ]					22
	<i>quadratus</i> (Say, 1823) [ <i>Leptis</i> ]					20
	<i>rotundipennis</i> Loew, 1861					2
*	<i>sauteri</i> Bezzi, 1907					5
	<i>testaceus</i> Loew, 1858					1
	<i>thoracicus</i> (Fabricius, 1805) [ <i>Leptis</i> ]					19
	<i>tomentosus</i> Bigot, 1887					1
	<i>trypetopterus</i> Bezzi, 1912					4
*	<i>tuckeri</i> Bezzi, 1926					1
	<b><i>Leptis</i> Fabricius, 1805</b>		<b><i>Rhagio</i> Fabricius, 1775</b>		<b>34</b>	<b>401</b>
	<i>annulata</i> (De Geer, 1776) [ <i>Nemotelus</i> ]		<i>Rhagio annulatus</i> (De Geer, 1776) [ <i>Nemotelus</i> ]			7
*	<i>cavannae</i> Bezzi, 1898		<i>Rhagio cavannae</i> (Bezzi, 1898) [ <i>Leptis</i> ]			39
*	<i>chrysopilaeformis</i> Bezzi, 1898		<i>Rhagio chrysopilaeformis</i> (Bezzi, 1898) [ <i>Leptis</i> ]			4
	<i>chrysostigma</i> Loew, 1857		<i>Rhagio chrysostigma</i> (Loew, 1857) [ <i>Leptis</i> ]			2
	<i>cinerascens</i> Roder, 1884		<i>Rhagio cinerascens</i> (Roder, 1884) [ <i>Leptis</i> ]			1
	<i>cingulata</i> Loew, 1856		<i>Rhagio cingulatus</i> (Loew, 1856) [ <i>Leptis</i> ]			13
	<i>conspicua</i> (Meigen, 1804) [ <i>Rhagio</i> ]		<i>Rhagio conspicuus</i> Meigen, 1804			15
	<i>corsicana</i> (Becker, 1910) [ <i>Rhagio</i> ]		<i>Rhagio corsicanus</i> Becker, 1910			3
	<i>dimidiata</i> Loew, 1863		<i>Rhagio dimidiatus</i> (Loew, 1863) [ <i>Leptis</i> ]			3
	<i>florentina</i> Loew, 1869		<i>Rhagio conspicuus</i> Meigen, 1804			71
	<i>funebri</i> (Meigen, 1920) [ <i>Rhagio</i> ]		<i>Rhagio funebris</i> Meigen, 1820			11
	<i>graecula</i> Loew, 1869		<i>Rhagio graeculus</i> (Loew, 1869) [ <i>Leptis</i> ]			6
	<i>idaea</i> (Bezzi, 1908) [ <i>Rhagio</i> ]		<i>Rhagio idaeus</i> Bezzi, 1908			1
	<i>immaculata</i> Meigen, 1804		<i>Rhagio immaculatus</i> (Meigen, 1804) [ <i>Leptis</i> ]			8
	<i>incisa</i> Loew, 1872		<i>Rhagio incisus</i> (Loew, 1872) [ <i>Leptis</i> ]			6
	<i>latipennis</i> Loew, 1856		<i>Rhagio latipennis</i> (Loew, 1856) [ <i>Leptis</i> ]			3
	<i>lineola</i> (Fabricius, 1794) [ <i>Rhagio</i> ]		<i>Rhagio lineola</i> Fabricius, 1794			28
	<i>maculata</i> (De Geer, 1776) [ <i>Nemotelus</i> ]		<i>Rhagio maculatus</i> (De Geer, 1776) [ <i>Nemotelus</i> ]			18
	<i>maculifera</i> Bigot, 1887		<i>Rhagio maculifer</i> (Bigot, 1887) [ <i>Leptis</i> ]			3
	<i>monticola</i> Egger, 1860		<i>Rhagio lineola</i> Fabricius, 1794			34
	<i>mystacea</i> Macquart, 1840		<i>Rhagio mystaceus</i> (Macquart, 1840) [ <i>Leptis</i> ]			9
	<i>nigriventris</i> Loew, 1869		<i>Rhagio tringarius</i> (Linnaeus, 1758) [ <i>Musca</i> ]			4
	<i>notata</i> Meigen, 1820		<i>Rhagio notatus</i> (Meigen, 1820) [ <i>Leptis</i> ]			5
	<i>pilosa</i> Loew, 1865		<i>Rhagio sordidus</i> (Loew, 1862) [ <i>Leptis</i> ]			1
	<i>punctata</i> Loew, 1840		<i>Rhagio tringarius</i> (Linnaeus, 1758) [ <i>Musca</i> ]			7
	<i>punctipennis</i> Say, 1823		<i>Rhagio punctipennis</i> (Say, 1823) [ <i>Leptis</i> ]			6

## Rhagionidae

Rhagionidae								<i>Leptis</i>
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #		
*	<i>rondanii</i> (Bezzi, 1908) [ <i>Rhagio</i> ]		<i>Rhagio rondanii</i> Bezzi, 1908			20		
	<i>scolopacea</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<i>Rhagio scolopaceus</i> (Linnaeus, 1758) [ <i>Musca</i> ]			14		
	<i>sordida</i> Loew, 1862		<i>Rhagio sordidus</i> (Loew, 1862) [ <i>Leptis</i> ]			1		
	<i>strigosa</i> Meigen, 1804		<i>Rhagio strigosus</i> (Meigen, 1804) [ <i>Leptis</i> ]			8		
	<i>tringaria</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<i>Rhagio tringarius</i> (Linnaeus, 1758) [ <i>Musca</i> ]			25		
	<i>vanellus</i> (Fabricius, 1794) [ <i>Rhagio</i> ]		<i>Rhagio tringarius</i> (Linnaeus, 1758) [ <i>Musca</i> ]			8		
	<i>vertebrata</i> Say, 1823		<i>Rhagio vertebratus</i> (Say, 1823) [ <i>Leptis</i> ]			6		
	<i>vitripennis</i> Meigen, 1820		<i>Chrysopilus vitripennis</i> (Meigen, 1820) [ <i>Leptis</i> ]			11		
	<b><i>Ptiolina</i> Zetterstedt, 1842</b>				6	44		
	<i>fulva</i> Becker, 1900		<i>Omphalophora cinereofasciata</i> Schilling, 1837			4		
	<i>nitida</i> Wahlberg, 1854					2		
	<i>obscura</i> (Fallen, 1814) [ <i>Leptis</i> ]					18		
	<i>paradoxa</i> (Jaennicke, 1867) [ <i>Eurytion</i> ]					12		
*	<i>pelliticornis</i> Becker, 1900					5		
	<i>phragmitophila</i> Schiner, 1868		<i>Omphalophora cinereofasciata</i> Schilling, 1837			3		
	<b><i>Rhagio</i> Fabricius, 1775</b>				1	1		
*	<i>formosus</i> Bezzi, 1912					1		
	<b><i>Schizella</i> Bezzi, 1916</b>				1	1		
*	<i>furcicornis</i> Bezzi, 1916					1		
	<b><i>Spania</i> Meigen, 1830</b>				1	4		
	<i>nigra</i> Meigen, 1830					4		
	<b><i>Spaniopsis</i> White, 1914</b>				4	11		
*	<i>clelandi</i> Ferguson, 1915					3		
*	<i>longicornis</i> Ferguson, 1915					3		
*	<i>marginipennis</i> Ferguson, 1915					4		
*	<i>vexans</i> Ferguson, 1915					1		
	<b><i>Symphoromyia</i> Frauenfeld, 1867</b>				8	70		
	<i>crassicornis</i> (Panzer, 1808) [ <i>Atherix</i> ]					33		
	<i>grisea</i> (Wiedemann, 1820) [ <i>Atherix</i> ]		<i>Symphoromyia crassicornis</i> (Panzer, 1808) [ <i>Atherix</i> ]			8		
	<i>hirta</i> Johnson, 1897					1		
	<i>immaculata</i> (Meigen, 1804) [ <i>Atherix</i> ]					12		
	<i>johnsoni</i> Coquillett, 1894					1		
	<i>kincaidi</i> Aldrich, 1915					1		
	<i>melaena</i> (Meigen, 1820) [ <i>Atherix</i> ]					13		
	<i>plagens</i> Williston, 1886					1		

## Rhiniidae

## Apollenia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Rhiniidae</b>			19	49	266
	<i>Apollenia</i> Bezzi, 1911		<i>Isomyia</i> Walker, 1859		1	5
	<i>tristis</i> (Bigot, 1888) [ <i>Curtonevra</i> ]		<i>Isomyia tristis</i> (Bigot, 1888) [ <i>Curtonevra</i> ]			5
	<b><i>Borbororhinia</i></b> Townsend, 1917				1	9
	<i>bivittata</i> (Walker, 1856) [ <i>Idia</i> ]					9
	<i>Chloroidia</i> Townsend, 1917		<b><i>Strongyloneura</i></b> Bigot, 1887		1	2
	<i>prolata</i> (Walker, 1859) [ <i>Idia</i> ]		<i>Strongyloneura prolata</i> (Walker, 1859) [ <i>Idia</i> ]			2
	<b><i>Chlororhinia</i></b> Townsend, 1917				1	8
	<i>viridis</i> Townsend, 1917		<i>Chlororhinia exempta</i> (Walker, 1856) [ <i>Musca</i> ]			8
	<b><i>Cosmina</i></b> Robineau-Desvoidy, 1830				2	2
	<i>punctulata</i> (Wiedemann, 1819) [ <i>Musca</i> ]		<i>Cosmina fuscipennis</i> Robineau-Desvoidy, 1830			0
	<i>seriepunctata</i> (Loew, 1852) [ <i>Idia</i> ]		<i>Cosmina aenea</i> (Fabricius, 1805) [ <i>Dictya</i> ]			2
	<b><i>Idiella</i></b> Brauer & Bergenstamm, 1889				1	24
	<i>mandarina</i> (Wiedemann, 1830) [ <i>Idia</i> ]					24
	<b><i>Idiellopsis</i></b> Neave, 1939		<b><i>Idiellopsis</i></b> Townsend, 1917		1	5
	<i>xanthogaster</i> (Wiedemann, 1820) [ <i>Idia</i> ]		<i>Idiellopsis xanthogaster</i> (Wiedemann, 1820) [ <i>Idia</i> ]			5
	<b><i>Idiopsis</i></b> Brauer & Bergenstamm, 1889		<b><i>Cosmina</i></b> Robineau-Desvoidy, 1830		1	2
	<i>prasina</i> Brauer & Bergenstamm, 1889		<i>Cosmina prasina</i> (Brauer & Bergenstamm, 1889) [ <i>Idiopsis</i> ]			2
	<b><i>Metallea</i></b> Wulp, 1880				3	13
	<i>divisa</i> (Walker, 1856) [ <i>Musca</i> ]		<i>Rhyncomyia divisa</i> (Walker, 1856) [ <i>Musca</i> ]			4
	<b><i>flavibasis</i></b> Senior-White, 1922					3
	<b><i>notata</i></b> Wulp, 1880					6
	<b><i>Rhinia</i></b> Robineau-Desvoidy, 1830				4	20
	<b><i>apicalis</i></b> (Wiedemann, 1830) [ <i>Idia</i> ]					7
	<i>cribrata</i> Bigot, 1874		<i>Stomorhina cribrata</i> (Bigot, 1874) [ <i>Rhinia</i> ]			1
*	<i>guttata</i> (Villeneuve, 1914) [ <i>Stomorhina</i> ]		<i>Stomorhina guttata</i> Villeneuve, 1914			1
	<i>testacea</i> Robineau-Desvoidy, 1830		<i>Rhinia apicalis</i> (Wiedemann, 1830) [ <i>Idia</i> ]			11
	<b><i>Rhyncomyia</i></b> Macquart, 1835		<b><i>Rhyncomyia</i></b> Robineau-Desvoidy, 1860		14	46
	<i>anchora</i> (Wiedemann, 1824) [ <i>Idia</i> ]		<i>Perisiella anchora</i> (Zumpt, 1824) [ <i>Idia</i> ]			1
	<i>bigoti</i> Villeneuve, 1913		<i>Eurhyncomyia diversicolor</i> (Bigot, 1888) [ <i>Rhyncomyia</i> ]			1
	<i>braunsi</i> Villeneuve, 1920		<i>Pseudorhyncomyia braunsi</i> (Villeneuve, 1920) [ <i>Rhyncomyia</i> ]			3
	<i>callopis</i> (Loew, 1856) [ <i>Idia</i> ]		<i>Rhyncomyia callopis</i> (Loew, 1856) [ <i>Idia</i> ]			3



## Rhiniidae

## Rhynchomyia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>cassotis</i> (Walker, 1849) [ <i>Tachina</i> ]		<i>Rhynchomyia cassotis</i> (Walker, 1849) [ <i>Tachina</i> ]			1
	<i>cuprea</i> Bigot, 1874		<i>Rhynchomyia cuprea</i> (Bigot, 1874) [ <i>Rhynchomyia</i> ]			5
	<i>cyanescens</i> (Loew, 1844) [ <i>Idia</i> ]		<i>Rhynchomyia cyanescens</i> (Loew, 1844) [ <i>Idia</i> ]			2
	<i>impavida</i> (Rossi, 1790) [ <i>Musca</i> ]		<i>Rhynchomyia impavida</i> (Rossi, 1790) [ <i>Musca</i> ]			10
*	<i>italica</i> Bezzi, 1911		<i>Rhynchomyia italica</i> (Bezzi, 1911) [ <i>Rhynchomyia</i> ]			2
*	<i>phasiaeformis</i> Bezzi, 1911		<i>Rhynchomyia phasiaeformis</i> (Bezzi, 1911) [ <i>Rhynchomyia</i> ]			1
	<i>pictifacies</i> Bigot, 1888		<i>Rhynchomyia soyauxi</i> Karsch, 1886			5
	<i>ruficeps</i> (Fabricius, 1805) [ <i>Musca</i> ]		<i>Rhynchomyia felina</i> (Fabricius, 1794) [ <i>Musca</i> ]			4
	<i>speciosa</i> Loew, 1844		<i>Rhynchomyia speciosa</i> (Loew, 1844) [ <i>Idia</i> ]			4
	<i>tetropsis</i> (Bigot, 1891) [ <i>Freraea</i> ]		<i>Rhynchomyia tetropsis</i> (Bigot, 1891) [ <i>Freraea</i> ]			4
<b>Stegosoma</b> Loew, 1863					1	3
	<i>wellmani</i> (Lichtwardt, 1908) [ <i>Rhynchomyia</i> ]					3
<b>Stomatorrhina</b> Bezzi, 1906			<b>Stomorhina</b> Rondani, 1861		2	33
	<i>lunata</i> (Fabricius, 1805) [ <i>Musca</i> ]		<i>Stomorhina lunata</i> (Fabricius, 1805) [ <i>Musca</i> ]			22
	<i>quadrinotata</i> (Bigot, 1874) [ <i>Idia</i> ]		<i>Stomorhina procula</i> (Walker, 1849) [ <i>Idia</i> ]			11
<b>Stomorhina</b> Rondani, 1861					4	28
*	<i>cribellata</i> Bezzi, 1927		<i>Stomorhina subapicalis</i> (Macquart, 1847) [ <i>Idia</i> ]			1
	<i>discolor</i> (Fabricius, 1794) [ <i>Musca</i> ]					24
	<i>melanostoma</i>		<i>Rhinia melastoma</i> (Wiedemann, 1830) [ <i>Idia</i> ]			1
	<i>simplex</i> (Walker, 1858) [ <i>Idia</i> ]		<i>Cosmina simplex</i> (Walker, 1858) [ <i>Idia</i> ]			2
<b>Strongyloneura</b> Bigot, 1887					4	19
	<i>apicipennis</i> Senior-White, 1924		<i>Isomyia dotata</i> (Walker, 1856) [ <i>Musca</i> ]			2
	<i>coerulana</i> Townsend, 1917		<i>Isomyia coerulana</i> (Townsend, 1917) [ <i>Strongyloneura</i> ]			10
	<i>nepalana</i> Townsend, 1917		<i>Isomyia nepalana</i> (Townsend, 1917) [ <i>Strongyloneura</i> ]			1
	<i>viridana</i> Townsend, 1917		<i>Isomyia viridana</i> (Townsend, 1917) [ <i>Strongyloneura</i> ]			6
<b>Synamphoneura</b> Bigot, 1887			<b>Cosmina</b> Robineau-Desvoidy, 1830		1	13
	<i>bicolor</i> (Walker, 1856) [ <i>Idia</i> ]		<i>Cosmina bicolor</i> (Walker, 1856) [ <i>Idia</i> ]			13
<b>Thelychaeta</b> Brauer & Bergenstamm, 1891			<b>Isomyia</b> Walker, 1859		4	15
	<i>chalybea</i> Brauer & Bergenstamm, 1891		<i>Isomyia viridaurea</i> (Wiedemann, 1830) [ <i>Musca</i> ]			3
	<i>dotata</i> (Walker, 1856) [ <i>Musca</i> ]		<i>Isomyia dotata</i> (Walker, 1856) [ <i>Musca</i> ]			4
	<i>natalensis</i> Villeneuve, 1917		<i>Isomyia natalensis</i> (Villeneuve, 1917) [ <i>Thelychaeta</i> ]			1
	<i>viridaurea</i> (Wiedemann, 1830) [ <i>Musca</i> ]		<i>Isomyia viridaurea</i> (Wiedemann, 1830) [ <i>Musca</i> ]			7
<b>Thoracites</b> Brauer & Bergenstamm, 1891					2	12
	<i>abdominalis</i> (Fabricius, 1805) [ <i>Musca</i> ]					11
*	<i>cingulata</i> Bezzi, 1914					1
<b>Trichometallea</b> Townsend, 1917			<b>Rhynchomyia</b> Robineau-Desvoidy, 1860		1	7

## Rhiniidae

*Trichometallea*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>pollinosa</i> Townsend, 1917		<b><i>Rhyncomya pollinosa</i></b> (Townsend, 1917) [ <i>Trichometallea</i> ]			7

## Rhinophoridae

Cyrillia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Rhinophoridae</b>				9	17	177
	<i>Cyrillia</i> Bezzi, 1907		<b>Phyto</b> Robineau-Desvoidy, 1830		1	5
	<i>angustifrons</i> Rondani, 1856		<b>Phyto</b> <i>angustifrons</i> (Rondani, 1856) [ <i>Cyrillia</i> ]			5
	<i>Frauenfeldia</i> Egger, 1865		<b>Tricogena</b> Rondani, 1856		1	4
	<i>rubricosa</i> (Back, 1824) [ <i>Tachina</i> ]		<b>Tricogena</b> <i>rubricosa</i> (Meigen, 1824) [ <i>Tachina</i> ]			4
	<i>Hoplisa</i> Bezzi, 1907		<b>Oplisa</b> Rondani, 1862		2	20
	<i>mendica</i> (Rondani, 1862) [ <i>Oplisa</i> ]		<b>Oplisa</b> <i>mendica</i> Rondani, 1862			19
*	<i>xanthocephala</i> Bezzi, 1908		<b>Rhinomorinia</b> <i>xanthocephala</i> (Bezzi, 1908) [ <i>Hoplisa</i> ]			1
	<b>Macrotarsina</b> Schiner, 1857				1	5
	<i>longimana</i> (Egger, 1856) [ <i>Zelleria</i> ]					5
	<b>Melanophora</b> Meigen, 1803				1	11
	<i>roralis</i> (Linnaeus, 1758) [ <i>Musca</i> ]					11
	<b>Phyto</b> Robineau-Desvoidy, 1830				3	28
	<i>adolescens</i> Rondani, 1861					7
	<i>discrepans</i> Pandellé, 1896					9
	<i>melanocephala</i> (Meigen, 1824) [ <i>Tachina</i> ]					12
	<b>Rhinomorinia</b> Brauer & Bergenstamm, 1889				2	29
	<i>puberula</i> (Zetterstedt, 1838) [ <i>Musca</i> ]	Calliphoridae	<b>Bellardia</b> <i>puberula</i> (Zetterstedt, 1838) [ <i>Musca</i> ]			16
	<i>sarcophagina</i> (Schiner, 1861) [ <i>Morinia</i> ]					13
	<b>Stevenia</b> Robineau-Desvoidy, 1830				5	67
	<i>bicincta</i> (Meigen, 1838) [ <i>Rhinophora</i> ]		<b>Stevenia</b> <i>umbratica</i> (Fallen, 1820) [ <i>Ocyptera</i> ]			4
	<i>femoralis</i> (Rondani, 1862) [ <i>Ptilocheta</i> ]		<b>Stevenia</b> <i>obscuripennis</i> (Loew, 1847) [ <i>Rhinophora</i> ]			4
	<i>obscuripennis</i> (Loew, 1847) [ <i>Rhinophora</i> ]					49
	<i>signata</i> (Mik, 1866) [ <i>Rhinophora</i> ]					9
	<i>umbratica</i> (Fallen, 1820) [ <i>Ocyptera</i> ]					1
	<i>Styloneuria</i> Brauer & Bergenstamm, 1891		<b>Phyto</b> Robineau-Desvoidy, 1830		1	8
	<i>mannii</i> Brauer & Bergenstamm, 1891		<b>Phyto</b> <i>adolescens</i> Rondani, 1861			8

## Richardiidae

## Automola

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Richardiidae</b>				10	20	56
	<b>Automola</b> Loew, 1873				2	3
	<i>atomaria</i> (Wiedemann, 1830) [ <i>Ortalis</i> ]					1
	<i>rufa</i> Cresson, 1906					2
	<b>Coelometopia</b> Loew, 1873		<b>Coilometopia</b> Macquart, 1847		1	3
	<i>trimaculata</i> (Fabricius, 1805) [ <i>Scatophaga</i> ]		<i>Coilometopia trimaculata</i> (Fabricius, 1805) [ <i>Scatophaga</i> ]			3
	<b>Epiplatea</b> Loew, 1868				1	1
*	<i>recta</i> Hendel, 1911					1
	<b>Euolena</b> Loew, 1873				1	2
	<i>egregia</i> Gerstaecker, 1860					2
	<b>Hemixantha</b> Loew, 1873				1	2
	<i>flavicornis</i> (Wiedemann, 1830) [ <i>Dacus</i> ]					2
	<b>Melanoloma</b> Loew, 1872				2	5
	<i>decrepita</i> Hendel, 1911		<i>Melanoloma decrepita</i> Hendel, 1911			3
	<i>senex</i> Hendel, 1911					2
	<b>Odontomera</b> Macquart, 1843				6	16
	<i>apicalis</i> Hendel, 1911					5
	<i>basistriga</i> (Walker, 1861) [ <i>Michogaster</i> ]					4
*	<i>coniceps</i> Hendel, 1911					3
	<i>ferruginea</i> Macquart, 1844					2
*	<i>nigropilosa</i> Hendel, 1911		<i>Odontomera nigro-pilosa</i> Hendel, 1911			1
	<i>nitens</i> (Schiner, 1868) [ <i>Michogaster</i> ]					1
	<b>Richardia</b> Robineau-Desvoidy, 1830				3	10
	<i>lichtwardti</i> Hendel, 1911					1
	<i>podagrica</i> (Fabricius, 1805) [ <i>Dacus</i> ]					5
	<i>viridiventris</i> Wulp, 1899					4
	<b>Sepsiomyia</b>		<b>Sepsisoma</b> Johnson, 1900		1	1
	<i>flavescens</i> Johnson, 1900		<i>Sepsisoma flavescens</i> (Johnson, 1900) [ <i>Sepsiomyia</i> ]			1
	<b>Sepsisoma</b> Johnson, 1900				2	13
*	<i>nigronitens</i> Hendel, 1911		<i>Sepsisoma nigro-nitens</i> Hendel, 1911			7
*	<i>piceum</i> Hendel, 1911		<i>Sepsisoma anale</i> Schiner, 1868			6

## Ropalomeridae

*Rhopalomera*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Ropalomeridae</b>			2	3	27
	<b><i>Rhopalomera</i></b> Agassiz, 1846				2	19
	<i>femorata</i> (Fabricius, 1805) [ <i>Dictya</i> ]					3
	<i>flaviceps</i> Macquart, 1846		<b><i>Apophorhynchus flaviceps</i></b> (Macquart, 1846) [ <i>Rhopalomera</i> ]			16
	<b><i>Willistoniella</i></b> Mik, 1895				1	8
	<i>pleuropunctata</i> (Wiedemann, 1824) [ <i>Rhopalomera</i> ]					8

## Sarcophagidae

Agria

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Sarcophagidae</b>				56	195	1465
	<b>Agria</b> Robineau-Desvoidy, 1830				2	18
	<i>affinis</i> (Fallen, 1817) [ <i>Musca</i> ]					15
	<i>mamillata</i> (Pandellé, 1896) [ <i>Sarcophila</i> ]					3
	<b>Angiometopa</b> Brauer & Bergenstamm, 1889				1	10
	<i>ruralis</i> (Fallen, 1817) [ <i>Musca</i> ]		<i>Angiometopa falleni</i> Pape, 1986			10
	<b>Apodacra</b> Macquart, 1854				1	2
	<i>seriemaculata</i> Macquart, 1854					2
	<b>Araba</b> Robineau-Desvoidy, 1830		<b>Metopia</b> Meigen, 1803		3	44
	<i>fastuosa</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Metopia fastuosa</i> (Meigen, 1824) [ <i>Tachina</i> ]			40
	<i>stelviana</i> (Brauer & Bergenstamm, 1891) [ <i>Eumetopia</i> ]		<i>Sphenometopa stelviana</i> (Brauer & Bergenstamm, 1891) [ <i>Eumetopia</i> ]			3
	<i>tergata</i> Coquillett, 1895		<i>Sphenometopa tergata</i> (Coquebert, 1895) [ <i>Araba</i> ]			1
	<b>Arrenopus</b> Brauer & Bergenstamm, 1891		<b>Senotainia</b> Macquart, 1846		1	6
	<i>piligena</i> (Rondani, 1865) [ <i>Sphixapata</i> ]		<i>Senotainia albifrons</i> (Rondani, 1859) [ <i>Sphixapata</i> ]			6
	<b>Blaesoxipha</b> Loew, 1861				4	14
	<i>erythrura</i> (Meigen, 1826) [ <i>Sarcophaga</i> ]					4
	<i>fossoria</i> (Pandellé, 1896) [ <i>Sarcophaga</i> ]					7
	<i>gladiatrix</i> Pandellé, 1896		<i>Blaesoxipha plumicornis</i> (Zetterstedt, 1859) [ <i>Miltogramma</i> ]			2
	<i>grylloctona</i> Loew, 1861					1
	<b>Brachycoma</b> Meade, 1892		<b>Brachicoma</b> Rondani, 1856		3	28
*	<i> davidsoni</i> Coquillett, 1894		<i>Brachicoma davidsoni</i> (Coquillett, 1894) [ <i>Brachycoma</i> ]			2
	<i>devia</i> (Fallen, 1820) [ <i>Tachina</i> ]		<i>Brachicoma devia</i> (Fallen, 1820) [ <i>Tachina</i> ]			20
	<i>sarcophagina</i> (Townsend, 1891) [ <i>Laccoprosopa</i> ]		<i>Brachicoma sarcophagina</i> (Townsend, 1891) [ <i>Laccoprosopa</i> ]			6
	<b>Böttcheria</b> Aldrich, 1916		<b>Boettcheria</b> Parker, 1914		2	6
	<i>cimbicis</i> (Townsend, 1892) [ <i>Sarcophaga</i> ]					2
*	<i>latisterna</i> Parker, 1914					4
	<b>Camptops</b> Aldrich, 1916		<b>Lepidodexia</b> Brauer & Bergenstamm, 1891		1	4
	<i>unicolor</i> Aldrich, 1916		<i>Lepidodexia unicolor</i> (Aldrich, 1916) [ <i>Camptops</i> ]			4
	<b>Craticulina</b> Bezzi, 1906				2	7
	<i>fimbriata</i> Bezzi, 1911					1
	<i>tabaniformis</i> (Fabricius, 1805) [ <i>Musca</i> ]					6
	<b>Disjunctio</b> Pandellé, 1894		<b>Wohlfahrtia</b> Brauer & Bergenstamm, 1889		4	11

## Sarcophagidae

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #	<i>Disjunctio</i>
	<i>euvittata</i> (Villeneuve, 1920) [ <i>Wohlfahrtia</i> ]		<i>Wohlfahrtia pachytyli</i> (Townsend, 1919) [ <i>Afrowohlfahrtia</i> ]			3	
	<i>nuba</i> (Wiedemann, 1830) [ <i>Tachina</i> ]		<i>Wohlfahrtia nuba</i> (Wiedemann, 1830) [ <i>Tachina</i> ]			1	
	<i>tetripunctata</i> (Schiner, 1864) [ <i>Sarcophila</i> ]		<i>Wohlfahrtia bella</i> (Macquart, 1839) [ <i>Agria</i> ]			3	
	<i>trina</i> (Wiedemann, 1830) [ <i>Tachina</i> ]		<i>Wohlfahrtia trina</i> (Wiedemann, 1830) [ <i>Tachina</i> ]			4	
	<b><i>Dolichotachina</i></b> Villeneuve, 1913				1	4	
	<i>marginella</i> (Wiedemann, 1830) [ <i>Tachina</i> ]					4	
	<b><i>Erythrandra</i></b> Brauer & Bergenstamm, 1891				1	8	
	<i>picipes</i> Brauer & Bergenstamm, 1891					8	
	<b><i>Eumacronychia</i></b> Townsend, 1892				1	5	
*	<i>decens</i> Townsend, 1892					5	
	<b><i>Gymnoprosope</i></b> Townsend, 1892				1	7	
	<i>polita</i> Townsend, 1892					7	
	<b><i>Helicobia</i></b> Coquillett, 1895				1	9	
*	<i>helicis</i> (Townsend, 1892) [ <i>Sarcophaga</i> ]		<i>Helicobia rapax</i> (Walker, 1849) [ <i>Sarcophaga</i> ]			9	
	<b><i>Heteropterina</i></b> Macquart, 1854		<b><i>Taxigramma</i></b> Perris, 1852		3	13	
	<i>heteronevra</i> Macquart, 1854		<i>Taxigramma heteronevra</i> (Macquart, 1854) [ <i>Heteropterina</i> ]			7	
	<i>multipunctata</i> Rondani, 1859		<i>Taxigramma multipunctata</i> (Rondani, 1859) [ <i>Heteropterina</i> ]			4	
*	<i>nasoni</i> Coquillett, 1895		<i>Taxigramma heteronevra</i> (Macquart, 1854) [ <i>Heteropterina</i> ]			2	
	<b><i>Hilarella</i></b> Rondani, 1856		<b><i>Taxigramma</i></b> Perris, 1852		3	13	
	<i>dira</i> (Robineau-Desvoidy, 1830) [ <i>Megaera</i> ]		<i>Taxigramma stictica</i> (Meigen, 1830) [ <i>Miltogramma</i> ]			5	
*	<i>fulvicornis</i> (Coquillett, 1895) [ <i>Gymnoprosope</i> ]		<i>Phrosinella fulvicornis</i> (Coquillett, 1895) [ <i>Gymnoprosope</i> ]			7	
	<i>hilarella</i> (Zetterstedt, 1844) [ <i>Miltogramma</i> ]		<i>Taxigramma hilarella</i> (Zetterstedt, 1844) [ <i>Miltogramma</i> ]			1	
	<b><i>Hoplocephala</i></b> Brauer & Bergenstamm, 1893		<b><i>Hoplcephala</i></b> Macquart, 1846		2	6	
*	<i>nitidigena</i> Villeneuve, 1923					1	
*	<i>schistacea</i> (Villeneuve, 1913) [ <i>Hoplocephalopsis</i> ]					5	
	<b><i>Johnsonia</i></b> Coquillett, 1895		<b><i>Lepidodexia</i></b> Brauer & Bergenstamm, 1891		1	1	
	<i>elegans</i> Coquillett, 1895		<i>Lepidodexia elegans</i> (Coquillett, 1895) [ <i>Johnsonia</i> ]			1	
	<b><i>Leucomyia</i></b> Brauer & Bergenstamm, 1891		<b><i>Sarcophaga</i></b> Meigen, 1826		1	13	
	<i>alba</i> (Schiner, 1868) [ <i>Sarcophila</i> ]		<i>Sarcophaga alba</i> (Schiner, 1868) [ <i>Sarcophila</i> ]			13	
	<b><i>Macronychia</i></b> Rondani, 1859				8	13	
	<i>agrestis</i> (Fallen, 1810) [ <i>Tachina</i> ]					2	
	<i>alpestris</i> (Rondani, 1865) [ <i>Macronichia</i> ]					1	
	<i>aurata</i> (Coquillett, 1902) [ <i>Amobia</i> ]					1	

## Sarcophagidae

## Macronychia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>confundens</i> (Townsend, 1915) [ <i>Amobiopsis</i> ]					1
	<i>conica</i> (Robineau-Desvoidy, 1830) [ <i>Amobia</i> ]		<i>Amobia signata</i> (Meigen, 1824) [ <i>Tachina</i> ]			3
	<i>griseola</i> (Fallen, 1820) [ <i>Tachina</i> ]					2
	<i>polyodon</i> (Meigen, 1824) [ <i>Tachina</i> ]					2
	<i>ungulans</i> (Pandellé, 1895) [ <i>Miltogramma</i> ]		<i>Macronychia striginervis</i> (Zetterstedt, 1844) [ <i>Xysta</i> ]			1
<b>Megerlea</b>	Robineau-Desvoidy, 1830		<b><i>Nyctia</i></b> Robineau-Desvoidy, 1830		1	22
	<i>caminaria</i> (Meigen, 1826) [ <i>Dexia</i> ]		<i>Nyctia halterata</i> (Panzer, 1798) [ <i>Musca</i> ]			22
<b>Mesomelaena</b>			<b><i>Mesomelena</i></b> Rondani, 1859		1	4
	<i>mesomelaena</i> (Loew, 1848) [ <i>Metopia</i> ]					4
<b>Metopia</b>	Meigen, 1803				5	120
	<i>argyrocephala</i> (Meigen, 1824) [ <i>Tachina</i> ]					32
	<i>campestris</i> (Fallen, 1810) [ <i>Tachina</i> ]					35
*	<i>lateralis</i> (Macquart, 1848) [ <i>Degeeria</i> ]					4
	<i>leucocephala</i> (Rossi, 1790) [ <i>Musca</i> ]					44
	<i>pilicornis</i> Pandellé, 1895		<i>Metopodia pilicornis</i> (Pandellé, 1895) [ <i>Metopia</i> ]			5
<b>Miltogramma</b>	Meigen, 1803				11	78
	<i>algira</i> Macquart, 1843					6
	<i>aurifrons</i> Dufour, 1850					8
	<i>brevipila</i> Villeneuve, 1911					2
	<i>contarinii</i> Rondani, 1859					0
	<i>germari</i> Meigen, 1824					6
	<i>murina</i> Meigen, 1824					8
	<i>oestracea</i> (Fallen, 1820) [ <i>Tachina</i> ]					14
	<i>pilimana</i> Rondani, 1859		<i>Miltogramma taeniata</i> Meigen, 1824			7
	<i>pilitarsis</i> Rondani, 1859		<i>Miltogramma testaceifrons</i> (Roser, 1840) [ <i>Tachina</i> ]			17
	<i>punctata</i> Meigen, 1824					5
	<i>ruficornis</i> Meigen, 1824					5
<b>Neophyto</b>	Townsend, 1908		<b><i>Lepidodexia</i></b> Brauer & Bergenstamm, 1891		2	6
	<i>anomala</i> Townsend, 1908		<i>Lepidodexia setosa</i> (Coquillett, 1895) [ <i>Phyto</i> ]			4
	<i>setosa</i> (Coquillett, 1895) [ <i>Phyto</i> ]		<i>Lepidodexia setosa</i> (Coquillett, 1895) [ <i>Phyto</i> ]			2
<b>Nyctia</b>	Robineau-Desvoidy, 1830				1	35
	<i>halterata</i> (Panzer, 1798) [ <i>Musca</i> ]					35
<b>Oppiopsis</b>	Townsend, 1915		<b><i>Lepidodexia</i></b> Brauer & Bergenstamm, 1891		1	1
	<i>sheldoni</i> (Coquillett, 1898) [ <i>Brachicoma</i> ]		<i>Lepidodexia sheldoni</i> (Coquillett, 1898) [ <i>Brachicoma</i> ]			1
<b>Opsidia</b>	Coquillett, 1895				1	10
	<i>gonioides</i> Coquillett, 1895					10



## Sarcophagidae

## Opsidia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>Opsophyto</i> Townsend, 1915		<b><i>Blaesoxipha</i></b> Loew, 1861		1	11
	<i>opifera</i> (Coquillett, 1892) [ <i>Sarcophaga</i> ]		<i>Blaesoxipha opifera</i> (Coquillett, 1892) [ <i>Sarcophaga</i> ]			11
	<i>Pachyophthalmus</i> Brauer & Bergenstamm, 1889		<b><i>Amobia</i></b> Robineau-Desvoidy, 1830		2	20
	<i>floridensis</i> Townsend, 1892		<i>Amobia floridensis</i> (Townsend, 1892) [ <i>Pachyophthalmus</i> ]			6
	<i>signatus</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Amobia signata</i> (Meigen, 1824) [ <i>Tachina</i> ]			14
	<i>Paragusia</i> Schiner, 1861		<b><i>Taxigramma</i></b> Perris, 1852		1	2
	<i>elegantula</i> Zetterstedt, 1844		<i>Taxigramma elegantula</i> (Zetterstedt, 1844) [ <i>Tachina</i> ]			2
	<b><i>Paramacronychia</i></b> Brauer & Bergenstamm, 1889				1	29
	<i>flavipalpis</i> (Girschner, 1881) [ <i>Macronychia</i> ]					29
	<i>Paraphyto</i> Coquillett, 1895		<b><i>Wohlfahrtia</i></b> Brauer & Bergenstamm, 1889		1	1
	<i>gillettei</i> (Townsend, 1892) [ <i>Trixa</i> ]	Tachinidae	<i>Ateloglossa gillettei</i> (Townsend, 1892) [ <i>Trixa</i> ]			1
	<i>Parasarcophila</i> Brauer & Bergenstamm, 1891		<b><i>Blaesoxipha</i></b> Loew, 1861		1	1
*	<i>rufipes</i> var <i>obscura</i> Bezzi					1
	<b><i>Phrosinella</i></b> Robineau-Desvoidy, 1863				1	5
	<i>nasuta</i> (Meigen, 1824) [ <i>Tachina</i> ]					5
	<b><i>Phylloteles</i></b> Loew, 1844				1	6
	<i>pictipennis</i> Loew, 1844					6
	<i>Ptychoneura</i> Brauer & Bergenstamm, 1889		<b><i>Oebalia</i></b> Robineau-Desvoidy, 1863		2	4
	<i>cylindrica</i> (Fallen, 1810) [ <i>Tachina</i> ]		<i>Oebalia cylindrica</i> (Fallen, 1810) [ <i>Tachina</i> ]			1
	<i>rufitarsis</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Oebalia minuta</i> (Fallen, 1810) [ <i>Tachina</i> ]			3
	<i>Punaphyto</i> Townsend, 1915		<b><i>Helicobia</i></b> Coquillett, 1895		1	5
*	<i>tridens</i> Townsend, 1915		<i>Helicobia tridens</i> (Townsend, 1915) [ <i>Punaphyto</i> ]			5
	<i>Punasarcophaga</i> Townsend, 1915		<b><i>Ravinia</i></b> Robineau-Desvoidy, 1863		1	4
*	<i>auromaculata</i> Townsend, 1915		<i>Ravinia auromaculata</i> (Townsend, 1915) [ <i>Punasarcophaga</i> ]			4
	<b><i>Ravinia</i></b> Robineau-Desvoidy, 1863				6	30
*	<i>communis</i> Parker, 1914		<i>Ravinia querula</i> (Walker, 1849) [ <i>Sarcophaga</i> ]			6
	<i>haematodes</i> (Meigen, 1826) [ <i>Sarcophaga</i> ]		<i>Ravinia pernix</i> (Harris, 1780) [ <i>Musca</i> ]			15
	<i>latisetosa</i> Parker, 1914					1
*	<i>peniculata</i> Parker, 1914		<i>Ravinia acerba</i> (Walker, 1849) [ <i>Sarcophaga</i> ]			2
	<i>planifrons</i> (Aldrich, 1916) [ <i>Sarcophaga</i> ]					4
	<i>quadrisetosa</i> (Coquillett, 1901) [ <i>Helicobia</i> ]		<i>Ravinia derelicta</i> (Walker, 1853) [ <i>Sarcophaga</i> ]			2

## Sarcophagidae

## Sarcodexia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Sarcodexia</b> Townsend, 1892				1	14
*	<i>sternodontis</i> Townsend, 1892		<i>Sarcodexia lambens</i> (Wiedemann, 1830) [ <i>Sarcophaga</i> ]			14
	<b>Sarcophaga</b> Meigen, 1826				82	565
	<i>agnata</i> Rondani, 1860					7
	<i>albiceps</i> Meigen, 1826					8
	<i>aldrichi</i> Parker, 1916					9
	<i>amita</i> Rondani, 1860					2
	<i>aratrix</i> Pandellé, 1896					9
	<i>assidua</i> Walker, 1853		<i>Ravinia assidua</i> (Walker, 1853) [ <i>Sarcophaga</i> ]			3
	<i>bakeri</i> Aldrich, 1916		<i>Oxysarcodexia bakeri</i> (Aldrich, 1916) [ <i>Sarcophaga</i> ]			1
	<i>beckeri</i> Villeneuve, 1908		<i>Sarcophaga tibialis</i> Macquart, 1851			9
	<i>bullata</i> Parker, 1916					2
	<i>calicifera</i> Bottcher, 1912					4
	<i>carnaria</i> Linnaeus, 1758					60
*	<i>cirrhura</i> Bezzi, 1827					1
	<i>cooleyi</i> Parker, 1914					6
	<i>corsicana</i> Villeneuve, 1911					2
	<i>crassimargo</i> Pandellé, 1896					12
	<i>cucullans</i> Pandellé, 1896					7
	<i>depressa</i> (Robineau-Desvoidy, 1830) [ <i>Myophora</i> ]					5
	<i>depressifrons</i> Zetterstedt, 1845					5
	<i>dissimilis</i> Meigen, 1826					8
	<i>dux tuberosa</i> Pandellé		<i>Sarcophaga tuberosa</i> Pandellé, 1896			1
	<i>ebrachiata</i> Pandellé, 1896		<i>Sarcophaga vicina</i> Macquart, 1835			5
*	<i>ebrachiata</i> var. <i>porrecta</i>		<i>Sarcophaga porrecta</i> Bottcher, 1913			6
	<i>elegantipes</i> Villeneuve, 1921					2
	<i>exuberans</i> Pandellé, 1896					2
	<i>falculata</i> Pandellé, 1896		<i>Sarcophaga argyrostoma</i> (Robineau-Desvoidy, 1830) [ <i>Myophora</i> ]			5
	<i>filia</i> Rondani, 1860					12
	<i>flavinervis</i> Senior-White, 1924		<i>Sarcophaga seniorwhitei</i> Ho, 1938			1
	<i>frenata</i> Pandellé, 1896		<i>Sarcophaga vagans</i> Meigen, 1826			10
	<i>frenata</i> var. <i>cruentata</i> Meigen, 1826		<i>Sarcophaga africa</i> (Wiedemann, 1824) [ <i>Musca</i> ]			18
	<i>froggatti</i> Taylor, 1917					1
	<i>fuscicauda</i> Bottcher, 1912		<i>Sarcophaga peregrina</i> (Robineau-Desvoidy, 1830) [ <i>Myophora</i> ]			16
	<i>granulata</i> Kramer, 1908					2
	<i>haemorrhoea</i> Meigen, 1826					14
	<i>haemorrhoidalis</i> Meigen, 1826		<i>Sarcophaga africa</i> (Wiedemann, 1824) [ <i>Musca</i> ]			19
	<i>helicis</i> Townsend, 1892		<i>Helicobia rapax</i> (Walker, 1849) [ <i>Sarcophaga</i> ]			4
	<i>hirticus</i> Pandellé, 1896					7
	<i>hirtipes</i> Wiedemann, 1830					2
	<i>hunteri</i> Hough, 1898		<i>Blaesoxipha hunteri</i> (Hough, 1898) [ <i>Sarcophaga</i> ]			1
	<i>knabi</i> Parker, 1917		<i>Sarcophaga taenionota</i> (Wiedemann, 1819) [ <i>Musca</i> ]			5

## Sarcophagidae

## Sarcophaga

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>laciniata</i> Pandellé, 1896		<i>Sarcophaga subulata</i> Pandellé, 1896			2
	<b><i>maculata</i></b> Meigen, 1835					9
	<i>marginata</i> Aldrich, 1916		<i>Blaesoxipha uncata</i> (Wulp, 1896) [ <i>Sarcophaga</i> ]			1
	<i>melampyga</i> Aldrich, 1916		<i>Titanogrypa melampyga</i> (Aldrich, 1916) [ <i>Sarcophaga</i> ]			1
	<b><i>melanura</i></b> Meigen, 1826					13
	<i>nigrans</i> Pandellé, 1896		<i>Sarcophaga sexpunctata</i> (Fabricius, 1805) [ <i>Musca</i> ]			5
	<b><i>nigriventris</i></b> Meigen, 1826					23
	<b><i>noverca</i></b> Rondani, 1860					3
	<b><i>occidentalis</i></b> Aldrich, 1916					1
	<i>occidua</i> (Fabricius, 1794) [ <i>Musca</i> ]		<i>Tricharaea occidua</i> (Fabricius, 1794) [ <i>Musca</i> ]			6
	<b><i>offuscata</i></b> Meigen, 1826					6
	<i>orchidea</i> Bottcher, 1913		<i>Sarcophaga misera</i> Walker, 1849			6
	<b><i>orientalis</i></b> Parker, 1917					5
	<i>pachyprocta</i> Hagen, 1881		<i>Tripanurga importuna</i> (Walker, 1849) [ <i>Sarcophaga</i> ]			1
	<i>peltata</i> Aldrich, 1916		<i>Oxysarcodexia peltata</i> (Aldrich, 1916) [ <i>Sarcophaga</i> ]			9
	<b><i>penicillata</i></b> Villeneuve, 1907					6
	<b><i>peregrina</i></b> (Robineau-Desvoidy, 1830) [ <i>Myophora</i> ]					1
	<b><i>protuberans</i></b> Pandellé, 1896					7
	<b><i>proxima</i></b> Rondani, 1860					11
	<b><i>pumila</i></b> Meigen, 1826					2
	<i>reversa</i> Aldrich, 1916		<i>Blaesoxipha reversa</i> (Aldrich, 1916) [ <i>Sarcophaga</i> ]			2
*	<b><i>rhynchura</i></b> Bezzi, 1927					1
	<i>robusta</i> Aldrich, 1916		<i>Blaesoxipha plinthopyga</i> (Wiedemann, 1830) [ <i>Sarcophaga</i> ]			2
	<i>rostrata</i> Pandellé, 1896		<i>Sarcophaga socrus</i> Rondani, 1860			6
	<b><i>ruficornis</i></b> (Fabricius, 1794) [ <i>Musca</i> ]					7
	<i>rufiventris</i> Wiedemann, 1830		<i>Argoravinia rufiventris</i> (Wiedemann, 1830) [ <i>Sarcophaga</i> ]			4
	<b><i>schineri</i></b> Bezzi, 1891					11
	<i>scoparia</i> Pandellé, 1896		<i>Sarcophaga caeruleascens</i> Zetterstedt, 1838			8
	<i>scoparia neartica</i> Parker, 1916		<i>Sarcophaga neartica</i> Sharp, 1916			2
	<i>setipennis</i> Rondani, 1860		<i>Sarcophaga anaces</i> Walker, 1849			8
	<b><i>similis</i></b> Meade, 1876					1
	<b><i>sinuata</i></b> Meigen, 1826					6
	<i>soror</i> Rondani, 1860		<i>Sarcophaga sorrer</i> Pape, 1995			15
	<i>sternodontis</i> (Townsend, 1892) [ <i>Sarcodexia</i> ]		<i>Sarcodexia lambens</i> (Wiedemann, 1830) [ <i>Sarcophaga</i> ]			1
	<i>striata</i> (Fabricius, 1794) [ <i>Musca</i> ]		<i>Ravinia pernix</i> (Harris, 1780) [ <i>Musca</i> ]			23
	<i>subtuberosa</i> Parker, 1917		<i>Sarcophaga dux</i> Thompson, 1869			5
	<i>surrubea</i> Wulp, 1895		<i>Helicobia surrubea</i> (Wulp, 1895) [ <i>Sarcophaga</i> ]			1
	<b><i>teretirostris</i></b> Pandellé, 1896					8
	<b><i>tuberosa</i></b> Pandellé, 1896					12
	<i>tuberosa</i> var. <i>sarracenioides</i> Aldrich, 1916		<i>Sarcophaga sarracenioides</i> Aldrich, 1916			2
	<b><i>uliginosa</i></b> Kramer, 1908					4
	<i>vicina</i> Villeneuve, 1899		<i>Sarcophaga subvicina</i> Rohdendorf, 1937			5
*	<b><i>villeneuvei</i></b> Bottcher, 1912					20

## Sarcophagidae

## Sarcophagula

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Sarcophagula</b> Wulp, 1887		<b>Tricharaea</b> Thomson, 1869		1	88
	<i>occidua</i> (Fabricius, 1794) [ <i>Musca</i> ]		<i>Tricharaea occidua</i> (Fabricius, 1794) [ <i>Musca</i> ]			88
	<b>Sarcophila</b> Rondani, 1856				1	22
	<i>latifrons</i> (Fallen, 1817) [ <i>Musca</i> ]					22
	<b>Sarcotachina</b> Portschinsky, 1881				1	3
	<i>aegyptiaca</i> Villeneuve, 1910					3
	<b>Sarothromyia</b> Brauer & Bergenstamm, 1891		<b>Tricharaea</b> Thomson, 1869		1	3
	<i>femoralis</i> Schiner, 1868		<i>Tricharaea femoralis</i> (Schiner, 1868) [ <i>Sarothromyia</i> ]			3
	<b>Setulia</b> Robineau-Desvoidy, 1863		<b>Pterella</b> Robineau-Desvoidy, 1863		3	17
	<i>fasciata</i> (Meigen, 1924) [ <i>Miltogramma</i> ]		<i>Protomiltogramma fasciata</i> (Meigen, 1824) [ <i>Miltogramma</i> ]			1
	<i>grisea</i> (Meigen, 1824) [ <i>Miltogramma</i> ]		<i>Pterella grisea</i> (Meigen, 1824) [ <i>Miltogramma</i> ]			6
	<i>melanura</i> (Meigen, 1824) [ <i>Miltogramma</i> ]		<i>Pterella melanura</i> (Meigen, 1824) [ <i>Miltogramma</i> ]			10
	<b>Sphecapata</b> Bezzi, 1906		<b>Senotainia</b> Macquart, 1846		2	13
	<i>albifrons</i> (Rondani, 1859) [ <i>Sphixapata</i> ]		<i>Senotainia albifrons</i> (Rondani, 1859) [ <i>Sphixapata</i> ]			5
	<i>tricuspis</i> (Meigen, 1838) [ <i>Miltogramma</i> ]		<i>Senotainia tricuspis</i> (Meigen, 1838) [ <i>Miltogramma</i> ]			8
	<b>Sphixapata</b> Rondani, 1859		<b>Senotainia</b> Macquart, 1846		4	26
	<i>conica</i> (Fallen, 1810) [ <i>Tachina</i> ]		<i>Senotainia conica</i> (Fallen, 1810) [ <i>Tachina</i> ]			6
*	<i>erythrochoeta</i> Bezzi, 1895		<i>Protomiltogramma fasciata</i> (Meigen, 1824) [ <i>Miltogramma</i> ]			3
	<i>rubriventris</i> (Macquart, 1846) [ <i>Senotainia</i> ]		<i>Senotainia rubriventris</i> Macquart, 1846			9
	<i>trilineata</i> (Wulp, 1890) [ <i>Miltogramma</i> ]		<i>Senotainia trilineata</i> (Wulp, 1890) [ <i>Miltogramma</i> ]			8
	<b>Stenotaenia</b> Bezzi, 1906		<b>Senotainia</b> Macquart, 1846		2	14
	<i>americana</i> (Brauer & Bergenstamm, 1891) [ <i>Arrenopus</i> ]		<i>Senotainia trilineata</i> (Wulp, 1890) [ <i>Miltogramma</i> ]			7
*	<i>argentifrons</i> (Townsend, 1891) [ <i>Miltogramma</i> ]		<i>Senotainia trilineata</i> (Wulp, 1890) [ <i>Miltogramma</i> ]			7
	<b>Tephromyia</b> Brauer & Bergenstamm, 1891		<b>Blaesoxipha</b> Loew, 1861		2	36
	<i>grisea</i> (Meigen, 1826) [ <i>Sarcophaga</i> ]		<i>Blaesoxipha grisea</i> (Meigen, 1826) [ <i>Sarcophaga</i> ]			11
	<i>lineata</i> (Fallen, 1817) [ <i>Sarcophaga</i> ]		<i>Blaesoxipha lapidosa</i> Pape, 1994			25
	<b>Tripanurga</b> Brauer & Bergenstamm, 1891				1	4
	<i>albicans</i> Wiedemann, 1830					4
	<b>Wohlfahrtia</b> Brauer & Bergenstamm, 1889				4	23
	<i>magnifica</i> (Schiner, 1861) [ <i>Sarcophila</i> ]					5
	<i>meigenii</i> (Schiner, 1861) [ <i>Sarcophila</i> ]		<i>Wohlfahrtia vigil</i> (Walker, 1849) [ <i>Sarcophaga</i> ]			4
	<i>opaca</i> (Coquillett, 1897) [ <i>Paraphyto</i> ]		<i>Wohlfahrtia vigil</i> (Walker, 1849) [ <i>Sarcophaga</i> ]			9
	<i>vigil</i> (Walker, 1849) [ <i>Sarcophaga</i> ]					5

## Sarcophagidae

*Wohlfahrtiodes*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b><i>Wohlfahrtiodes</i></b> Villeneuve, 1910				1	1
	<i>nudus</i> Villeneuve, 1910					1

## Scathophagidae

## Acantholena

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Scathophagidae</b>				27	76	1087
	<i>Acantholena</i> Rondani, 1856		<i>Norellia</i> Robineau-Desvoidy, 1830		1	15
	<i>spinipes</i> (Meigen, 1826) [ <i>Cordylura</i> ]		<i>Norellia spinipes</i> (Meigen, 1826) [ <i>Cordylura</i> ]			15
	<b><i>Acerocnema</i></b> Becker, 1894				1	3
	<i>brevisetata</i> (Zetterstedt, 1846) [ <i>Cordylura</i> ]		<i>Acerocnema macrocera</i> (Meigen, 1826) [ <i>Cordylura</i> ]			3
	<i>Amaurosoma</i> Becker, 1894		<b><i>Nanna</i></b> Becker, 1894		6	76
	<i>articulatum</i> Becker, 1894		<i>Nanna articulata</i> (Becker, 1894) [ <i>Amaurosoma</i> ]			10
	<i>fasciatum</i> (Meigen, 1826) [ <i>Cordylura</i> ]		<i>Nanna fasciata</i> (Meigen, 1826) [ <i>Cordylura</i> ]			59
	<i>flavipes</i> (Fallen, 1819) [ <i>Cordylura</i> ]		<i>Nanna flavipes</i> (Fallen, 1819) [ <i>Cordylura</i> ]			1
	<i>inermis</i> Becker, 1894		<i>Nanna inermis</i> (Becker, 1894) [ <i>Amaurosoma</i> ]			3
	<i>nutans</i> Becker, 1894		<i>Nanna nutans</i> (Becker, 1894) [ <i>Amaurosoma</i> ]			1
	<i>tibiella</i> (Zetterstedt, 1838) [ <i>Cordylura</i> ]		<i>Nanna tibiella</i> (Zetterstedt, 1838) [ <i>Cordylura</i> ]			2
	<b><i>Bucephalina</i></b> Malloch, 1919				1	1
	<i>megacephala</i> (Loew, 1870) [ <i>Cordylura</i> ]					1
	<b><i>Ceratinostoma</i></b> Meade, 1885				1	4
	<i>ostiorum</i> (Haliday, 1832) [ <i>Scatophaga</i> ]					4
	<b><i>Chaetosa</i></b> Coquillett, 1898				1	3
	<i>punctipes</i> (Meigen, 1826) [ <i>Cordylura</i> ]					3
	<i>Clidogastra</i>		<b><i>Cleigastra</i></b> Macquart, 1835		2	7
	<i>carbonaria</i> (Pokorny, 1887) [ <i>Delina</i> ]		<i>Neochirosia anthrax</i> (Schiner, 1862) [ <i>Cleigastra</i> ]			3
	<i>nigrita</i> (Fallen, 1819) [ <i>Cordylura</i> ]		<i>Delina nigrita</i> (Fallen, 1819) [ <i>Cordylura</i> ]			4
	<i>Cnemopogon</i> Rondani, 1856		<b><i>Cleigastra</i></b> Macquart, 1835		1	3
	<i>apicale</i> (Meigen, 1826) [ <i>Cordylura</i> ]		<i>Cleigastra apicalis</i> (Meigen, 1826) [ <i>Cordylura</i> ]			3
	<i>Coniosternum</i> Becker, 1864		<b><i>Scathophaga</i></b> Meigen, 1803		1	5
	<i>obscurum</i> (Fallen, 1819) [ <i>Cordylura</i> ]		<i>Scathophaga obscura</i> (Fallen, 1819) [ <i>Cordylura</i> ]			5
	<i>Cordylura</i> Meigen, 1826		<b><i>Cordilura</i></b> Fallen, 1810		11	124
	<i>atrata</i> Zetterstedt, 1846		<i>Cordilura atrata</i> (Zetterstedt, 1846) [ <i>Cordylura</i> ]			6
*	<i>bezzii</i> Sack, 1937		<i>Cordilura bezzii</i> (Sack, 1937) [ <i>Cordylura</i> ]			61
	<i>biseta</i> Loew, 1864		<i>Cordilura picipes</i> (Meigen, 1926) [ <i>Cordylura</i> ]			2
	<i>ciliata</i> Meigen, 1826		<i>Cordilura ciliata</i> (Meigen, 1826) [ <i>Cordylura</i> ]			11
	<i>confusa</i> Loew, 1863		<i>Cordilura confusa</i> (Loew, 1863) [ <i>Cordylura</i> ]			6
	<i>latifrons</i> Loew, 1870		<i>Cordilura latifrons</i> (Loew, 1870) [ <i>Cordylura</i> ]			9
	<i>pubera</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<i>Cordilura pubera</i> (Linnaeus, 1758) [ <i>Musca</i> ]			5

## Scathophagidae

## Cordylura

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>pudica</i> Meigen, 1826		<i>Cordilura pudica</i> (Meigen, 1826) [ <i>Cordylura</i> ]			5
	<i>rufimana</i> Meigen, 1826		<i>Cordilura rufimana</i> (Meigen, 1826) [ <i>Cordylura</i> ]			2
	<i>umbrosa</i> Loew, 1873		<i>Cordilura umbrosa</i> (Loew, 1873) [ <i>Cordylura</i> ]			10
	<i>variabilis</i> Loew, 1876		<i>Cordilura variabilis</i> (Loew, 1876) [ <i>Cordylura</i> ]			7
<b>Ernoneura</b>	Becker, 1894				1	2
	<i>argus</i> (Zetterstedt, 1838) [ <i>Scatomyza</i> ]					2
<b>Gymnomera</b>	Rondani, 1867				2	5
	<i>dorsata</i> (Zetterstedt, 1838) [ <i>Cordylura</i> ]					2
	<i>tarsea</i> (Fallen, 1819) [ <i>Cordylura</i> ]					3
<b>Hexamitocera</b>	Becker, 1894				1	2
	<i>loxocerata</i> (Fallen, 1826) [ <i>Cordilura</i> ]					2
<b>Hydromyza</b>	Fallen, 1813				2	7
	<i>confluens</i> Loew, 1863					4
	<i>livens</i> (Fabricius, 1794) [ <i>Musca</i> ]					3
<b>Leptopa</b>	Zetterstedt, 1838				1	2
	<i>filiformis</i> Zetterstedt, 1838					2
<b>Megaphthalma</b>	Becker, 1894				2	9
	<i>pallida</i> (Fallen, 1819) [ <i>Cordylura</i> ]					3
	<i>unilineata</i> (Zetterstedt, 1838) [ <i>Cordylura</i> ]					6
<b>Microprosopa</b>	Becker, 1894				2	14
	<i>haemorrhoidalis</i> (Meigen, 1826) [ <i>Cordylura</i> ]					8
	<i>pallicauda</i> Zetterstedt		<i>Microprosopa pallidicauda</i> (Zetterstedt, 1838) [ <i>Cordylura</i> ]			6
<b>Norellia</b>	Robineau-Desvoidy, 1830				5	78
	<i>alpestris</i> Schiner, 1862		<i>Norellisoma alpestre</i> (Schiner, 1862) [ <i>Norellia</i> ]			5
	<i>litorata</i> (Meigen, 1826) [ <i>Cordylura</i> ]		<i>Norellisoma litoratum</i> (Meigen, 1826) [ <i>Cordylura</i> ]			6
	<i>nervosa</i> (Meigen, 1826) [ <i>Cordylura</i> ]		<i>Norellisoma nervosum</i> (Meigen, 1826) [ <i>Cordylura</i> ]			7
	<i>spinimana</i> (Fallen, 1819) [ <i>Cordylura</i> ]		<i>Norellisoma spinimanum</i> (Fallen, 1819) [ <i>Cordylura</i> ]			23
	<i>striolata</i> (Meigen, 1826) [ <i>Cordylura</i> ]		<i>Norellisoma striolatum</i> (Meigen, 1826) [ <i>Cordylura</i> ]			37
<b>Okeniella</b>	Hendel, 1907				2	16
	<i>caudata</i> (Zetterstedt, 1838) [ <i>Cordylura</i> ]					14
	<i>dasyprocta</i> (Loew, 1864) [ <i>Cordylura</i> ]					2
<b>Parallelomma</b>	Becker, 1894				7	71
	<i>adustum</i> (Loew, 1863) [ <i>Cordilura</i> ]		<i>Americina adusta</i> (Loew, 1863) [ <i>Cordilura</i> ]			4
	<i>albipes</i> (Fallen, 1819) [ <i>Cordylura</i> ]		<i>Cordilura albipes</i> (Fallen, 1819) [ <i>Cordylura</i> ]			33

## Scathophagidae

## Parallelomma

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>fuscipes</i> (Zetterstedt, 1838) [ <i>Cordylura</i> ]					2
	<i>fuscitibia</i> (Rondani, 1867) [ <i>Cordylura</i> ]		<i>Parallelomma fuscipes</i> (Zetterstedt, 1838) [ <i>Cordylura</i> ]			11
	<i>pleuriticum</i> (Loew, 1863) [ <i>Cordylura</i> ]		<i>Cordilura pleuritica</i> (Loew, 1863) [ <i>Cordylura</i> ]			3
	<i>varipes</i> (Walker, 1849) [ <i>Lissa</i> ]		<i>Cordilura varipes</i> (Walker, 1849) [ <i>Lissa</i> ]			13
	<i>vittata</i> (Meigen, 1826) [ <i>Cordylura</i> ]					5
<b>Phrosia</b>	Robineau-Desvoidy, 1830				1	6
	<i>nigriseta</i> (Rondani, 1867) [ <i>Cordylura</i> ]		<i>Cordilura nigriseta</i> (Rondani, 1867) [ <i>Cordylura</i> ]			6
<b>Pogonota</b>	Zetterstedt, 1860				2	10
	<i>barbata</i> (Zetterstedt, 1838) [ <i>Cordylura</i> ]					8
	<i>hircus</i> (Zetterstedt, 1838) [ <i>Cordylura</i> ]		<i>Pogonota barbata</i> (Zetterstedt, 1838) [ <i>Cordylura</i> ]			2
<b>Scatophaga</b>	Fabricius, 1805		<b>Scathophaga</b> Meigen, 1803		2	218
	<i>spurca</i> Meigen, 1826		<i>Scathophaga suilla</i> (Fabricius, 1794) [ <i>Musca</i> ]			18
	<i>stercoraria</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<i>Scathophaga stercoraria</i> (Linnaeus, 1758) [ <i>Musca</i> ]			200
<b>Scopeuma</b>	Meigen, 1800		<b>Scathophaga</b> Meigen, 1803		16	378
	<i>cinerarium</i> (Meigen, 1826) [ <i>Scatophaga</i> ]		<i>Scathophaga cineraria</i> (Meigen, 1826) [ <i>Scatophaga</i> ]			10
	<i>dalmaticum</i> (Becker, 1894) [ <i>Scatophaga</i> ]		<i>Scathophaga dalmatica</i> (Becker, 1894) [ <i>Scatophaga</i> ]			7
	<i>decipiens</i> (Haliday, 1832) [ <i>Scatophaga</i> ]		<i>Scathophaga decipiens</i> (Haliday, 1832) [ <i>Scatophaga</i> ]			3
	<i>furcatum</i> (Say, 1823) [ <i>Pyropha</i> ]		<i>Scathophaga furcata</i> (Say, 1823) [ <i>Pyropha</i> ]			36
	<i>hottentotum</i> (Macquart, 1843) [ <i>Scatophaga</i> ]		<i>Scathophaga soror</i> Wiedemann, 1818			7
	<i>inquinatum</i> (Meigen, 1826) [ <i>Scatophaga</i> ]		<i>Scathophaga inquinata</i> (Meigen, 1826) [ <i>Scatophaga</i> ]			24
	<i>litoreum</i> (Fallen, 1819) [ <i>Scatomyza</i> ]		<i>Scathophaga litorea</i> (Fallen, 1819) [ <i>Scatomyza</i> ]			10
	<i>luridum</i> (Schiner, 1862) [ <i>Cordylura</i> ]		<i>Scathophaga cineraria</i> (Meigen, 1826) [ <i>Scatophaga</i> ]			32
	<i>lutarium</i> (Fabricius, 1794) [ <i>Musca</i> ]		<i>Scathophaga lutaria</i> (Fabricius, 1794) [ <i>Musca</i> ]			62
	<i>maculipes</i> (Zetterstedt, 1846) [ <i>Scatomyza</i> ]		<i>Scathophaga lutaria</i> (Fabricius, 1794) [ <i>Musca</i> ]			25
	<i>merdarium</i> (Fabricius, 1794) [ <i>Musca</i> ]		<i>Scathophaga stercoraria</i> (Linnaeus, 1758) [ <i>Musca</i> ]			35
	<i>ordinatum</i> (Becker, 1894) [ <i>Scatophaga</i> ]		<i>Scathophaga suilla</i> (Fabricius, 1794) [ <i>Musca</i> ]			24
	<i>scybalarium</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<i>Scathophaga scybalaria</i> (Linnaeus, 1758) [ <i>Musca</i> ]			3
	<i>stercorarium</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<i>Scathophaga stercoraria</i> (Linnaeus, 1758) [ <i>Musca</i> ]			51
	<i>suillum</i> (Fabricius, 1794) [ <i>Musca</i> ]		<i>Scathophaga suilla</i> (Fabricius, 1794) [ <i>Musca</i> ]			24
	<i>taeniopa</i> (Rondani, 1867) [ <i>Scatophaga</i> ]		<i>Scathophaga suilla</i> (Fabricius, 1794) [ <i>Musca</i> ]			25
<b>Spathiophora</b>	Becker, 1894		<b>Spaziphora</b> Rondani, 1856		2	16
	<i>cincta</i> (Loew, 1863) [ <i>Cordylura</i> ]		<i>Spaziphora cincta</i> (Loew, 1863) [ <i>Cordylura</i> ]			5
	<i>hydromyzina</i> (Fallen, 1819) [ <i>Cordylura</i> ]		<i>Spaziphora hydromyzina</i> (Fallen, 1819) [ <i>Cordylura</i> ]			11
<b>Staegeria</b>	Rondani, 1856				1	4
	<i>kunzei</i> (Zetterstedt, 1821) [ <i>Cordylura</i> ]					4
<b>Trichopalpus</b>	Rondani, 1856				1	8
	<i>fraternus</i> (Meigen, 1826) [ <i>Cordylura</i> ]					8



Scathophagidae

*Trichopalpus*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
--------------	---------------	----------------------------	------------------------	-------------	--------------	----------------

## Scatopsidae

## Aldrovandiella

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Scatopsidae</b>			8	13	158
	<i>Aldrovandiella</i> Enderlein, 1912		<i>Rhegmoclema</i> Enderlein, 1912		1	1
	<i>halterata</i> (Meigen, 1838) [Scatopse]		<i>Rhegmoclema halteratum</i> (Meigen, 1838) [Scatopse]			1
	<b>Anapausis</b> Enderlein, 1912				2	12
	<i>inermis</i> (Ruthe, 1831) [Aspistes]					7
	<i>soluta</i> (Loew, 1846) [Scatopse]					5
	<b>Aspistes</b> Meigen, 1818				1	4
	<i>berolinensis</i> Meigen, 1818					4
	<b>Holoplagia</b> Enderlein, 1912				1	1
	<i>transversalis</i> (Loew, 1846) [Scatopse]		<i>Holoplagia richardsi</i> (Edwards, 1934) [Scatopse]			1
	<b>Reichertella</b> Enderlein, 1912				4	56
	<i>femoralis</i> (Meigen, 1838) [Scatopse]		<i>Scatopse notata</i> (Linnaeus, 1758) [Tipula]			49
	<i>flavicollis</i> (Meigen, 1818) [Scatopse]		<i>Apiloscatopse flavicollis</i> (Meigen, 1818) [Scatopse]			2
	<i>flavitaris</i> (Zetterstedt, 1850) [Scatopse]		<i>Coboldia fuscipes</i> (Meigen, 1830) [Scatopse]			1
	<i>scutellata</i> (Loew, 1846) [Scatopse]		<i>Apiloscatopse scutellata</i> (Loew, 1846) [Scatopse]			4
	<b>Rhegmoclema</b> Enderlein, 1912				1	5
	<i>atrata</i> Say, 1824					5
	<b>Scatopse</b> Geoffroy, 1762				2	63
	<i>leucopeza</i> Meigen, 1818					7
	<i>notata</i> (Linnaeus, 1758) [Tipula]					56
	<b>Swammerdamella</b> Enderlein, 1912				1	16
	<i>brevicornis</i> (Meigen, 1830) [Scatopse]					16

## Scenopinidae

## Alloxytropus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Scenopinidae</b>				5	10	43
	<b>Alloxytropus</b> Bezzi, 1825				1	2
*	<b>anomalus</b> Bezzi, 1925					2
	<b>Metatrichia</b> Coquillett, 1900				1	3
	<b>bulbosa</b> (Osten Sacken, 1877) [ <i>Scenopinus</i> ]					3
	<b>Omphrale</b> Meigen, 1800		<b>Scenopinus</b> Latreille, 1802		4	33
	<i>albicincta</i> (Rossi, 1794) [ <i>Musca</i> ]		<b>Scenopinus albicinctus</b> (Rossi, 1794) [ <i>Musca</i> ]			12
	<i>fenestralis</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<b>Scenopinus fenestralis</b> (Linnaeus, 1758) [ <i>Musca</i> ]			8
	<i>glabrifrons</i> (Meigen, 1824) [ <i>Scenopinus</i> ]		<b>Scenopinus glabrifrons</b> Meigen, 1824			10
	<i>nigra</i> (De Geer, 1776) [ <i>Nemotelus</i> ]		<b>Scenopinus niger</b> (De Geer, 1776) [ <i>Nemotelus</i> ]			3
	<b>Pseudomphrale</b> Krober, 1913				2	3
*	<i>stevensoni</i> Bezzi, 1925		<b>Metatrichia stevensoni</b> (Bezzi, 1925) [ <i>Pseudomphrale</i> ]			1
	<i>teutankameni</i> Krober, 1924		<b>Stenomphrale teutankameni</b> (Krober, 1924) [ <i>Pseudomphrale</i> ]			2
	<b>Scenopinus</b> Latreille, 1802				2	2
*	<b>fraternus</b> Krober, 1924					1
	<b>nitidulus</b> Loew, 1873					1

Sciaridae

Hybosciara

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Sciaridae</b>				5	40	190
<b>Hybosciara</b> Rubsaaamen, 1894					1	1
	<i>gigantea</i> (Macquart, 1844) [ <i>Sciara</i> ]					1
<b>Lycoria</b> Meigen, 1800					36	181
	<i>abdominalis</i> (Winnertz, 1867) [ <i>Sciara</i> ]		<i>Bradysia acerpontia</i> Menzel & Mohrig, 1991			20
	<i>agilis</i> (Winnertz, 1867) [ <i>Sciara</i> ]		<i>Bradysia agilis</i> (Winnertz, 1867) [ <i>Sciara</i> ]			3
	<i>alpicola</i> (Winnertz, 1867) [ <i>Sciara</i> ]		<i>Bradysia alpicola</i> (Winnertz, 1867) [ <i>Sciara</i> ]			1
	<i>analis</i> (Schiner, 1864) [ <i>Sciara</i> ]		<i>Sciara analis</i> Schiner, 1864			10
	<i>annulata</i> (Meigen, 1818) [ <i>Sciara</i> ]		<i>Ctenosciara hyalipennis</i> (Meigen, 1804) [ <i>Sciara</i> ]			3
	<i>bicolor</i> (Meigen, 1818) [ <i>Sciara</i> ]		<i>Bradysia bicolor</i> (Meigen, 1818) [ <i>Sciara</i> ]			3
	<i>bruckii</i> (Winnertz, 1867) [ <i>Sciara</i> ]		<i>Pseudolycoriella bruckii</i> (Winnertz, 1867) [ <i>Sciara</i> ]			6
	<i>carbonaria</i> (Meigen, 1830) [ <i>Sciara</i> ]		<i>Schwenckfeldina carbonaria</i> (Meigen, 1830) [ <i>Sciara</i> ]			8
	<i>costalis</i> (Wiedemann, 1828) [ <i>Sciara</i> ]					14
	<i>dubia</i> (Winnertz, 1867) [ <i>Sciara</i> ]		<i>Bradysia dubia</i> (Winnertz, 1867) [ <i>Sciara</i> ]			1
	<i>elegans</i> (Winnertz, 1867) [ <i>Sciara</i> ]		<i>Leptosciarella scutellata</i> (Staeger, 1840) [ <i>Sciara</i> ]			2
	<i>fastuosa</i> (Winnertz, 1867) [ <i>Sciara</i> ]		<i>Bradysia distincta</i> (Staeger, 1840) [ <i>Sciara</i> ]			4
	<i>flavipes</i> (Meigen, 1804) [ <i>Sciara</i> ]		<i>Phytosciara flavipes</i> (Meigen, 1804) [ <i>Sciara</i> ]			3
	<i>fungicola</i> (Winnertz, 1867) [ <i>Sciara</i> ]		<i>Bradysia fungicola</i> (Winnertz, 1867) [ <i>Sciara</i> ]			6
	<i>helvola</i> (Winnertz, 1867) [ <i>Sciara</i> ]		<i>Sciara helvola</i> Winnertz, 1867			1
	<i>humeralis</i> (Zetterstedt, 1851) [ <i>Sciara</i> ]		<i>Sciara humeralis</i> Zetterstedt, 1851			1
	<i>longinervis</i> (Brunetti, 1912) [ <i>Sciara</i> ]		<i>Scythropochroa longinervis</i> (Brunetti, 1912) [ <i>Sciara</i> ]			2
	<i>longiventris</i> (Zetterstedt, 1851) [ <i>Sciara</i> ]		<i>Trichosia morio</i> (Fabricius, 1794) [ <i>Rhagio</i> ]			4
	<i>lugubris</i> (Winnertz, 1867) [ <i>Sciara</i> ]		<i>Bradysia pauperata</i> (Winnertz, 1867) [ <i>Sciara</i> ]			3
	<i>nervosa</i> (Meigen, 1818) [ <i>Sciara</i> ]		<i>Bradysia nervosa</i> (Meigen, 1818) [ <i>Sciara</i> ]			7
	<i>nigripennis</i> (Brunetti, 1912) [ <i>Sciara</i> ]		<i>Sciara nigripennis</i> Brunetti, 1912			2
	<i>nitidicollis</i> (Meigen, 1818) [ <i>Sciara</i> ]		<i>Bradysia nitidicollis</i> (Meigen, 1818) [ <i>Sciara</i> ]			1
	<i>nocticolor</i> (Winnertz, 1867) [ <i>Sciara</i> ]		<i>Bradysia praecox</i> (Meigen, 1818) [ <i>Sciara</i> ]			1
	<i>obscura</i> (Winnertz, 1867) [ <i>Sciara</i> ]		<i>Bradysia alpicola</i> (Winnertz, 1867) [ <i>Sciara</i> ]			13
	<i>pallipes</i> (Fabricius, 1787) [ <i>Tipula</i> ]		<i>Bradysia pallipes</i> (Fabricius, 1787) [ <i>Tipula</i> ]			2
	<i>placida</i> (Winnertz, 1867) [ <i>Sciara</i> ]		<i>Bradysia placida</i> (Winnertz, 1867) [ <i>Sciara</i> ]			7
	<i>pulicaria</i> (Meigen, 1818) [ <i>Sciara</i> ]					2
	<i>quiquelineata</i> (Macquart, 1834) [ <i>Sciara</i> ]		<i>Scatopsciara vitripennis</i> (Meigen, 1818) [ <i>Sciara</i> ]			4
	<i>rufithorax</i> (Wulp, 1881) [ <i>Sciara</i> ]		<i>Trichosia rufithorax</i> (Wulp, 1881) [ <i>Sciara</i> ]			3
	<i>rufiventris</i> (Macquart, 1834) [ <i>Sciara</i> ]		<i>Bradysia bicolor</i> (Meigen, 1818) [ <i>Sciara</i> ]			6
	<i>rufoabdominalis</i> (Brunetti, 1912) [ <i>Sciara</i> ]		<i>Sciara rufoabdominalis</i> Brunetti, 1912			1
	<i>speciosa</i> (Winnertz, 1867) [ <i>Sciara</i> ]					1
	<i>tenella</i> (Winnertz, 1867) [ <i>Sciara</i> ]		<i>Bradysia nitidicollis</i> (Meigen, 1818) [ <i>Sciara</i> ]			4
	<i>thomae</i> (Linnaeus, 1767) [ <i>Tipula</i> ]		<i>Sciara hemerobioides</i> (Scopoli, 1763) [ <i>Tipula</i> ]			28
	<i>ungulata</i> (Winnertz, 1867) [ <i>Sciara</i> ]		<i>Phytosciara ungulata</i> (Winnertz, 1867) [ <i>Sciara</i> ]			2
	<i>vaneyi</i> Falcoz, 1913		<i>Bradysia vaneyi</i> (Falcoz, 1913) [ <i>Lycoria</i> ]			2

Sciaridae

*Megalosphys*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Megalosphys</b> Enderlein, 1911				1	1
	<i>nigricolor</i> Enderlein, 1911		<b>Pseudosciara nigricolor</b> (Enderlein, 1911) [ <i>Megalosphys</i> ]			1
	<b>Rhynchosciara</b> Rubsaamen, 1894				1	5
	<i>brevicornis</i> Rubsaamen, 1894					5
	<b>Zygoneura</b> Meigen, 1830				1	2
	<i>sciarina</i> Meigen, 1830					2

Sciomyzidae

*Achaetomelina*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Sciomyzidae</b>				30	113	848
	<i>Achaetomelina</i> Cresson, 1920		<i>Atrichomelina</i> Cresson, 1920		1	3
	<i>pubera</i> (Loew, 1862) [Sciomyza]					3
	<i>Antichaeta</i> Agassiz, 1846		<i>Anticheta</i> Haliday, 1839		1	2
	<i>atriseta</i> (Loew, 1849) [Sciomyza]		<i>Anticheta atriseta</i> (Loew, 1849) [Sciomyza]			2
	<i>Bischofia</i> Hendel, 1902		<i>Sciomyza</i> Fallen, 1820		5	14
	<i>aristalis</i> (Coquillett, 1901) [Dryomyza]		<i>Sciomyza aristalis</i> (Coquillett, 1901) [Dryomyza]			2
	<i>dryomyzina</i> (Zetterstedt, 1846) [Sciomyza]		<i>Sciomyza dryomyzina</i> Zetterstedt, 1846			2
	<i>simplex</i> (Fallen, 1820) [Sciomyza]		<i>Sciomyza simplex</i> Fallen, 1820			5
	<i>testacea</i> (Macquart, 1835) [Sciomyza]		<i>Sciomyza testacea</i> Macquart, 1835			4
	<i>varia</i> Coquillett, 1904		<i>Sciomyza varia</i> (Coquillett, 1904) [Bischofia]			1
	<i>Calobaea</i> Zetterstedt, 1837		<i>Calobaea</i> Zetterstedt, 1837		1	4
	<i>bifasciella</i> (Fallen, 1820) [Opomyza]					4
	<i>Coremacera</i> Rondani, 1856				5	52
	<i>catenata</i> (Loew, 1847) [Tetanocera]					5
	<i>cincta</i> (Fabricius, 1794) [Musca]		<i>Coremacera fabricii</i> Rozkosny, 1981			1
	<i>halensis</i> (Loew, 1864) [Tetanocera]					1
	<i>marginata</i> (Fabricius, 1775) [Musca]					44
	<i>trivittata</i> (Loew, 1860) [Tetanocera]					1
	<i>Ctenulus</i> Rondani, 1856		<i>Colobaea</i> Zetterstedt, 1837		3	8
	<i>beckeri</i> Hendel, 1902		<i>Colobaea beckeri</i> (Hendel, 1902) [Ctenulus]			2
	<i>distinctus</i> (Meigen, 1830) [Sciomyza]		<i>Colobaea distincta</i> (Meigen, 1830) [Sciomyza]			3
	<i>pectoralis</i> (Zetterstedt, 1847) [Opomyza]		<i>Colobaea pectoralis</i> (Zetterstedt, 1847) [Opomyza]			3
	<i>Cylindria</i> Zetterstedt, 1849		<i>Cylidria</i> Robineau-Desvoidy, 1830		3	7
	<i>biroi</i> Kertész, 1901		<i>Dichetophora biroi</i> (Kertész, 1901) [Cylindria]			2
	<i>hendeli</i> Kertész, 1901		<i>Dichetophora hendeli</i> (Kertész, 1901) [Cylindria]			1
	<i>obliterata</i> (Fabricius, 1805) [Scatophaga]		<i>Dichetophora obliterata</i> (Fabricius, 1805) [Scatophaga]			4
	<i>Dicrochira</i> Enderlein, 1936		<i>Pteromicra</i> Lioy, 1864		6	18
	<i>glabricula</i> (Fallen, 1820) [Sciomyza]		<i>Pteromicra glabricula</i> (Fallen, 1820) [Sciomyza]			4
	<i>leucopeza</i> (Meigen, 1838) [Opomyza]		<i>Pteromicra leucopeza</i> (Meigen, 1838) [Opomyza]			1
	<i>nigrimana</i> (Meigen, 1830) [Sciomyza]		<i>Pteromicra glabricula</i> (Fallen, 1820) [Sciomyza]			5
	<i>oldenbergi</i> Hendel, 1902		<i>Pteromicra oldenbergi</i> (Hendel, 1902) [Dicrochira]			3
	<i>pectorosa</i> Hendel, 1902		<i>Pteromicra pectorosa</i> (Hendel, 1902) [Dicrochira]			4
	<i>pleuralis</i> Cresson, 1920		<i>Pteromicra pleuralis</i> (Cresson, 1920) [Dicrochira]			1

Sciomyzidae

*Dictyomyia*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Dictyomyia</b> Cresson, 1920		<b>Dictyacium</b> Steyskal, 1956		1	1
	<i>ambigua</i> (Loew, 1864) [ <i>Tetanocera</i> ]		<i>Dictyacium ambiguum</i> (Loew, 1864) [ <i>Tetanocera</i> ]			1
	<b>Ditaenia</b> Hendel, 1902		<b>Pherbellia</b> Robineau-Desvoidy, 1830		6	99
	<i>brunnipes</i> (Meigen, 1838) [ <i>Sciomyza</i> ]		<i>Pherbellia brunnipes</i> (Meigen, 1838) [ <i>Sciomyza</i> ]			6
	<i>cinerella</i> (Fallen, 1820) [ <i>Sciomyza</i> ]		<i>Pherbellia cinerella</i> (Fallen, 1820) [ <i>Sciomyza</i> ]			21
	<i>grisescens</i> (Meigen, 1830) [ <i>Sciomyza</i> ]		<i>Pherbellia grisescens</i> (Meigen, 1830) [ <i>Sciomyza</i> ]			7
	<i>meridionalis</i> (Strobl, 1898) [ <i>Sciomyza</i> ]		<i>Pherbellia cinerella</i> (Fallen, 1820) [ <i>Sciomyza</i> ]			59
	<i>mikiana</i> (Hendel, 1900) [ <i>Sciomyza</i> ]		<i>Pherbellia mikiana</i> (Hendel, 1900) [ <i>Sciomyza</i> ]			1
	<i>schoenherri</i> (Fallen, 1826) [ <i>Sciomyza</i> ]		<i>Pherbellia schoenherri</i> (Fallen, 1826) [ <i>Sciomyza</i> ]			5
	<b>Ectinocera</b> Zetterstedt, 1838				1	1
	<i>borealis</i> Zetterstedt, 1838					1
	<b>Elgiva</b> Meigen, 1838				4	21
	<i>albiseta</i> (Scopoli, 1763) [ <i>Musca</i> ]		<i>Ilione albiseta</i> (Scopoli, 1763) [ <i>Musca</i> ]			5
	<i>lineata</i> (Fallen, 1820) [ <i>Tetanocera</i> ]		<i>Ilione lineata</i> (Fallen, 1820) [ <i>Tetanocera</i> ]			8
	<i>sigma</i> (Walker, 1849) [ <i>Tetanocera</i> ]		<i>Neolimnia sigma</i> (Walker, 1849) [ <i>Tetanocera</i> ]			1
	<i>trifaria</i> (Loew, 1847) [ <i>Tetanocera</i> ]		<i>Ilione trifaria</i> (Loew, 1847) [ <i>Tetanocera</i> ]			7
	<b>Euthycera</b> Latreille, 1829				3	43
	<i>arcuata</i> (Loew, 1859) [ <i>Tetanocera</i> ]					1
	<i>chaerophylli</i> (Fabricius, 1798) [ <i>Musca</i> ]					41
	<i>uniformis</i> Cresson, 1920		<i>Euthycera arcuata</i> (Loew, 1859) [ <i>Tetanocera</i> ]			1
	<b>Graphomyzina</b> Macquart, 1835		<b>Pherbellia</b> Robineau-Desvoidy, 1830		1	4
	<i>limbata</i> (Meigen, 1830) [ <i>Sciomyza</i> ]		<i>Pherbellia limbata</i> (Meigen, 1830) [ <i>Sciomyza</i> ]			4
	<b>Hedroneura</b> Hendel, 1902		<b>Elgiva</b> Meigen, 1838		3	10
	<i>cucularia</i> (Linnaeus, 1767) [ <i>Musca</i> ]		<i>Elgiva cucularia</i> (Linnaeus, 1767) [ <i>Musca</i> ]			3
	<i>lineata</i> (Day, 1881) [ <i>Tetanocera</i> ]		<i>Elgiva sollicita</i> (Harris, 1780) [ <i>Musca</i> ]			5
	<i>rufa</i> (Panzer, 1798) [ <i>Musca</i> ]		<i>Elgiva sollicita</i> (Harris, 1780) [ <i>Musca</i> ]			2
	<b>Hoplodictya</b> Cresson, 1920				1	6
	<i>setosa</i> (Coquillett, 1901) [ <i>Tetanocera</i> ]					6
	<b>Hydromyia</b> Agassiz, 1846		<b>Hydromya</b> Robineau-Desvoidy, 1830		1	6
	<i>dorsalis</i> (Fabricius, 1775) [ <i>Musca</i> ]		<i>Hydromya dorsalis</i> (Fabricius, 1775) [ <i>Musca</i> ]			6
	<b>Limnia</b> Robineau-Desvoidy, 1830				8	100
	<i>combinata</i> (Loew, 1859) [ <i>Tetanocera</i> ]		<i>Limnia boscii</i> (Robineau-Desvoidy, 1830) [ <i>Pherbina</i> ]			7
	<i>cribrata</i> (Rondani, 1868) [ <i>Oregocera</i> ]		<i>Euthycera cribrata</i> (Rondani, 1868) [ <i>Oregocera</i> ]			5
	<i>fumigata</i> (Scopoli, 1763) [ <i>Musca</i> ]		<i>Euthycera fumigata</i> (Scopoli, 1763) [ <i>Musca</i> ]			0

Sciomyzidae

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>nubila</i> (Loew, 1847) [ <i>Tetanocera</i> ]		<i>Euthycera zelleri</i> (Loew, 1847) [ <i>Tetanocera</i> ]			17
	<i>recta</i> (Loew, 1845) [ <i>Tetanocera</i> ]		<i>Euthycera fumigata</i> (Scopoli, 1763) [ <i>Musca</i> ]			1
	<i>saratogensis</i> (Fitch, 1855) [ <i>Tetanocera</i> ]					25
	<i>stictica</i> (Fabricius, 1805) [ <i>Scatophaga</i> ]		<i>Euthycera stictica</i> (Fabricius, 1805) [ <i>Scatophaga</i> ]			0
	<i>unguicornis</i> (Scopoli, 1762) [ <i>Musca</i> ]					45
<b>Lucina</b> Meigen, 1830			<b>Salticella</b> Robineau-Desvoidy, 1830		1	5
	<i>fasciata</i> Meigen, 1830		<i>Salticella fasciata</i> (Meigen, 1830) [ <i>Lucina</i> ]			5
<b>Monochaetophora</b> Hendel, 1900			<b>Dictya</b> Meigen, 1803		2	32
	<i>pictipes</i> (Loew, 1859) [ <i>Tetanocera</i> ]		<i>Dictya pictipes</i> (Loew, 1859) [ <i>Tetanocera</i> ]			25
	<i>umbrarum</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<i>Dictya umbrarum</i> (Linnaeus, 1758) [ <i>Musca</i> ]			7
<b>Pherbellia</b> Robineau-Desvoidy, 1830					1	1
*	<i>garganica</i> Rivosecchi, 1989					1
<b>Pherbina</b> Robineau-Desvoidy, 1830					3	53
	<i>coryleti</i> (Scopoli, 1763) [ <i>Musca</i> ]					35
	<i>punctata</i> (Fabricius, 1794) [ <i>Musca</i> ]		<i>Pherbellia schoenherri</i> (Fallen, 1826) [ <i>Sciomyza</i> ]			16
	<i>vittigera</i> (Schiner, 1864) [ <i>Tetanocera</i> ]		<i>Psacadina vittigera</i> (Schiner, 1864) [ <i>Tetanocera</i> ]			2
<b>Poecilographa</b> Melander, 1913					1	5
	<i>decora</i> (Loew, 1864) [ <i>Sapromyza</i> ]					5
<b>Renocera</b> Hendel, 1900					4	11
	<i>longipes</i> (Loew, 1876) [ <i>Sciomyza</i> ]					1
	<i>pallida</i> (Fallen, 1820) [ <i>Sciomyza</i> ]					2
	<i>striata</i> (Meigen, 1830) [ <i>Sciomyza</i> ]					6
	<i>strobl</i> Hendel, 1900					2
<b>Sciomyza</b> Fallen, 1820					15	69
	<i>albocostata</i> Fallen, 1820		<i>Pherbellia albocostata</i> (Fallen, 1820) [ <i>Sciomyza</i> ]			11
	<i>albovaria</i> Coquillett, 1901		<i>Pherbellia albovaria</i> (Coquillett, 1901) [ <i>Sciomyza</i> ]			3
	<i>annulipes</i> Zetterstedt, 1846		<i>Pherbellia annulipes</i> (Zetterstedt, 1846) [ <i>Sciomyza</i> ]			3
	<i>austera</i> Meigen, 1830		<i>Pherbellia austera</i> (Meigen, 1830) [ <i>Sciomyza</i> ]			5
*	<i>bezzii</i> Hendel, 1902		<i>Pherbellia scutellaris</i> (Roser, 1840) [ <i>Sciomyza</i> ]			2
*	<i>dives</i> Bezzi, 1928		<i>Pherbellia dives</i> (Bezzi, 1928) [ <i>Sciomyza</i> ]			1
	<i>dorsata</i> Zetterstedt, 1846		<i>Pherbellia dorsata</i> (Zetterstedt, 1846) [ <i>Sciomyza</i> ]			10
	<i>dubia</i> Fallen, 1820		<i>Pherbellia dubia</i> (Fallen, 1820) [ <i>Sciomyza</i> ]			6
	<i>fusca</i> (Cresson, 1920) [ <i>Melina</i> ]		<i>Pherbellia fusca</i> (Cresson, 1920) [ <i>Melina</i> ]			5
	<i>griseola</i> Fallen, 1820		<i>Pherbellia griseola</i> (Fallen, 1820) [ <i>Sciomyza</i> ]			8
	<i>nana</i> Fallen, 1820		<i>Pherbellia nana</i> (Fallen, 1820) [ <i>Sciomyza</i> ]			6
	<i>obtusa</i> Fallen, 1820		<i>Pherbellia obtusa</i> (Fallen, 1820) [ <i>Sciomyza</i> ]			4
	<i>pallidiventris</i> Fallen, 1820		<i>Pherbellia pallidiventris</i> (Fallen, 1820) [ <i>Sciomyza</i> ]			3



Sciomyzidae

Sciomyza

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
*	<i>sordida</i> Hendel, 1902		<i>Pherbellia sordida</i> (Hendel, 1902) [ <i>Sciomyza</i> ]			1
	<i>ventralis</i> Fallen, 1820		<i>Pherbellia ventralis</i> (Fallen, 1820) [ <i>Sciomyza</i> ]			1
<b>Sepedon</b> Latreille, 1804					14	83
	<i>armipes</i> Loew, 1859					12
	<i>brasiliensis</i> Schiner, 1868		<i>Protodictya brasiliensis</i> (Schiner, 1868) [ <i>Sepedon</i> ]			1
	<i>chalybeifrons</i> Meijere, 1908					5
*	<i>costalis</i> var. <i>lata</i> Bezzi, 1928		<i>Sepedon lata</i> Bezzi, 1928			2
	<i>ferruginosus</i> Wiedemann, 1833					6
	<i>fuscipennis</i> Loew, 1859					8
*	<i>lobiferus</i> Hendel, 1911					2
	<i>ornatifrons</i> Adams, 1905					10
	<i>pacifica</i> Cresson, 1914					3
	<i>plumbellus</i> Wiedemann, 1830					7
	<i>pusillus</i> Loew, 1859					2
	<i>sphegeus</i> (Fabricius, 1775) [ <i>Syrphus</i> ]					11
	<i>spinipes</i> (Scopoli, 1763) [ <i>Musca</i> ]					8
	<i>violaceus</i> Hendel, 1909		<i>Sepedon aenescens</i> Wiedemann, 1830			6
<b>Tetanocera</b> Dumeril, 1800					14	156
	<i>arrogans</i> Meigen, 1830					18
	<i>clara</i> Loew, 1862					1
	<i>elata</i> (Fabricius, 1781) [ <i>Musca</i> ]					8
	<i>ferruginea</i> Fallen, 1820					21
	<i>laevifrons</i> Loew, 1847		<i>Tetanocera hyalipennis</i> Roser, 1840			29
*	<i>lapponica</i> Frey, 1924					1
	<i>nigricosta</i> Rondani, 1868					2
	<i>plebeja</i> Loew, 1862					12
	<i>punctifrons</i> Rondani, 1868					7
	<i>silvatica</i> Meigen, 1830					11
	<i>triangularis</i> Loew, 1861		<i>Tetanocera ferruginea</i> Fallen, 1820			9
	<i>unicolor</i> Loew, 1847		<i>Tetanocera fuscinervis</i> (Zetterstedt, 1838) [ <i>Sciomyza</i> ]			9
	<i>valida</i> Loew, 1862					9
	<i>vicina</i> Macquart, 1843					19
<b>Tetanura</b> Fallen, 1820					1	5
	<i>pallidiventris</i> Fallen, 1820					5
<b>Thecomyia</b> Perty, 1833					1	1
	<i>longicornis</i> Perty, 1833					1
<b>Trypetoptera</b> Hendel, 1900					2	28
	<i>pallida</i> (Loew, 1859) [ <i>Tetanocera</i> ]		<i>Trypetoptera canadensis</i> (Macquart, 1843) [ <i>Tetanocera</i> ]			4
	<i>punctulata</i> (Scopoli, 1763) [ <i>Musca</i> ]					24

Sciomyzidae

*Trypetoptera*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
--------------	---------------	----------------------------	------------------------	-------------	--------------	----------------

Sepsidae						<i>Henicita</i>	
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #	
<b>Sepsidae</b>				11	39	600	
	<i>Henicita</i> Agassiz, 1846		<b><i>Themira</i></b> Robineau-Desvoidy, 1830		2	7	
	<i>annulipes</i> (Meigen, 1826) [ <i>Sepsis</i> ]		<b><i>Themira annulipes</i></b> (Meigen, 1826) [ <i>Sepsis</i> ]			5	
	<i>leachi</i> (Meigen, 1826) [ <i>Sepsis</i> ]		<b><i>Themira leachi</i></b> (Meigen, 1826) [ <i>Sepsis</i> ]			2	
	<b><i>Meroplius</i></b> Rondani, 1874				1	20	
	<i>stercorarius</i> (Robineau-Desvoidy, 1830) [ <i>Nemopoda</i> ]		<b><i>Meroplius minutus</i></b> (Wiedemann, 1830) [ <i>Sepsis</i> ]			20	
	<b><i>Nemopoda</i></b> Robineau-Desvoidy, 1830				3	79	
	<i>cylindrica</i> (Fabricius, 1794) [ <i>Musca</i> ]		<b><i>Nemopoda nitidula</i></b> (Fallen, 1820) [ <i>Sepsis</i> ]			48	
	<i>nigrilatera</i> Macquart, 1835		<b><i>Meroplius minutus</i></b> (Wiedemann, 1830) [ <i>Sepsis</i> ]			21	
	<b><i>pectinulata</i></b> Loew, 1873					10	
	<b><i>Orygma</i></b> Meigen, 1830				1	7	
	<i>luctuosa</i> Meigen, 1830		<b><i>Orygma luctuosum</i></b> Meigen, 1830			7	
	<b><i>Pandora</i></b> Haliday, 1833		<b><i>Saltella</i></b> Robineau-Desvoidy, 1830		2	17	
	<i>albipennis</i> (Macquart, 1835) [ <i>Anisophysa</i> ]		<b><i>Saltella sphondylii</i></b> (Schrank, 1803) [ <i>Trupanea</i> ]			7	
	<i>scutellaris</i> (Fallen, 1820) [ <i>Piophila</i> ]		<b><i>Saltella sphondylii</i></b> (Schrank, 1803) [ <i>Trupanea</i> ]			10	
	<b><i>Saltella</i></b> Robineau-Desvoidy, 1830				1	30	
	<b><i>sphondylii</i></b> (Schrank, 1803) [ <i>Trupanea</i> ]					30	
	<b><i>Sepsidimorpha</i></b> Frey, 1908		<b><i>Sepsis</i></b> Fallen, 1810		1	1	
	<i>pilipes</i> (Wulp, 1871) [ <i>Sepsis</i> ]		<b><i>Sepsis duplicata</i></b> Haliday, 1838			1	
	<b><i>Sepsis</i></b> Fallen, 1810				17	363	
	<i>armata</i> Schiner, 1868		<b><i>Archisepsis armata</i></b> (Schiner, 1868) [ <i>Sepsis</i> ]			10	
*	<i>astuta</i> Bezzi, 1908		<b><i>Sepsis lateralis</i></b> Wiedemann, 1830			42	
	<i>discolor</i> Bigot, 1857		<b><i>Archisepsis discolor</i></b> (Bigot, 1857) [ <i>Sepsis</i> ]			7	
*	<b><i>ephippium</i></b> Bezzi, 1908					20	
	<b><i>fissa</i></b> Becker, 1903					2	
	<b><i>flavimana</i></b> Meigen, 1826					8	
	<b><i>impunctata</i></b> Macquart, 1839					36	
	<i>incisa</i> Becker, 1919		<b><i>Archisepsis excavata</i></b> (Duda, 1926) [ <i>Sepsis</i> ]			11	
	<i>insularis</i> Williston, 1896		<b><i>Archisepsis ecalcarata</i></b> (Thomson, 1869) [ <i>Sepsis</i> ]			20	
	<b><i>neocynipsea</i></b> Melander & Spuler, 1917					21	
	<b><i>nigripes</i></b> Meigen, 1826					45	
	<i>pectoralis</i> Macquart, 1835		<b><i>Sepsis punctum</i></b> (Fabricius, 1794) [ <i>Musca</i> ]			22	
	<i>plebeja</i> Meijere, 1906		<b><i>Parapalaeosepsis plebia</i></b> (Meijere, 1906) [ <i>Sepsis</i> ]			2	
	<i>pleuralis</i> Coquillett, 1904		<b><i>Archisepsis pleuralis</i></b> (Coquillett, 1904) [ <i>Sepsis</i> ]			1	
	<b><i>punctum</i></b> (Fabricius, 1794) [ <i>Musca</i> ]					78	

## Sepsidae

Sepsidae								<i>Sepsis</i>
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #		
	<i>spectabilis</i> Meijere, 1906		<b><i>Sepsis testacea</i></b> Walker, 1860					31
	<b><i>violacea</i></b> Meigen, 1826							7
	<b><i>Susanomira</i></b> Pont, 1987				1	1		1
	<i>caucasica</i> Pont, 1987							1
	<b><i>Themira</i></b> Robineau-Desvoidy, 1830				3	25		
	<i>minor</i> (Haliday, 1833) [ <i>Sepsis</i> ]							4
	<i>nigricornis</i> (Meigen, 1826) [ <i>Sepsis</i> ]							8
	<i>putris</i> (Linnaeus, 1758) [ <i>Musca</i> ]							13
	<b><i>Toxopoda</i></b> Macquart, 1851				7	50		
*	<b><i>contracta</i></b> (Walker, 1853) [ <i>Colobaea</i> ]							4
	<i>depilis</i> (Walker, 1849) [ <i>Sepsis</i> ]		<b><i>Paratoxopoda depilis</i></b> (Walker, 1849) [ <i>Sepsis</i> ]					7
*	<i>fasciventris</i> Bezzi, 1920		<b><i>Paratoxopoda depilis</i></b> (Walker, 1849) [ <i>Sepsis</i> ]					2
	<b><i>nitida</i></b> Macquart, 1851							3
	<i>rotundata</i>							26
	<i>ssp</i>							5
*	<b><i>vanschuytbroeckii</i></b> Ozerov, 1991							3

## Simuliidae

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	<i>Simulium</i> specimens #
	<b>Simuliidae</b>			1	12	208
	<b><i>Simulium</i></b> Latreille, 1802				12	208
	<i>argenteostriatum</i> Strobl, 1898					6
	<i>aureum</i> (Fries, 1824) [ <i>Simulia</i> ]					4
*	<i>bezzii</i> Corti, 1914					6
	<i>chilense</i> Philippi, 1865		<i>Gigantodax chilensis</i> (Philippi, 1865) [ <i>Simulium</i> ]			11
	<i>fulvum</i> Coquillett, 1902		<i>Prosimulium fulvum</i> (Coquillett, 1902) [ <i>Simulium</i> ]			4
	<i>hirtipes</i> (Fries, 1824) [ <i>Simulia</i> ]		<i>Prosimulium hirtipes</i> (Fries, 1824) [ <i>Simulia</i> ]			107
	<i>latipes</i> (Meigen, 1804) [ <i>Atractocera</i> ]					12
	<i>lineatum</i> (Meigen, 1804) [ <i>Atractocera</i> ]					12
	<i>maculatum</i> (Meigen, 1804) [ <i>Atractocera</i> ]					1
	<i>ochraceum</i> Walker, 1861					1
	<i>ornatum</i> (Meigen, 1818) [ <i>Simulia</i> ]					19
	<i>reptans</i> (Linnaeus, 1758) [ <i>Culex</i> ]					25

## Sphaeroceridae

Apterina

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Sphaeroceridae</b>				17	78	828
	<i>Apterina</i> Macquart, 1835		<i>Crumomyia</i> Macquart, 1835		1	4
	<i>pedestris</i> (Meigen, 1830) [ <i>Borborus</i> ]		<i>Crumomyia pedestris</i> (Meigen, 1830) [ <i>Borborus</i> ]			4
	<b><i>Aptilotus</i> Mik, 1898</b>				1	3
*	<i>paradoxus</i> Mik, 1898					3
	<b><i>Borborus</i> Meigen, 1803</b>		<b><i>Sphaerocera</i> Latreille, 1804</b>		11	185
	<i>equinus</i> (Fallen, 1820) [ <i>Copromyza</i> ]	Tephritidae	<i>Carpomyia schineri</i> (Loew, 1856) [ <i>Trypeta</i> ]			48
	<i>fimetarius</i> Meigen, 1830		<i>Crumomyia fimetaria</i> (Meigen, 1830) [ <i>Borborus</i> ]			84
	<i>glabrifrons</i> Meigen, 1830		<i>Crumomyia glabrifrons</i> (Meigen, 1830) [ <i>Borborus</i> ]			11
	<i>limbinervis</i> Rondani, 1880		<i>Crumomyia glabrifrons</i> (Meigen, 1830) [ <i>Borborus</i> ]			2
	<i>niger</i> Meigen, 1830		<i>Crumomyia nigra</i> (Meigen, 1830) [ <i>Borborus</i> ]			8
*	<i>nitidifrons</i> Duda, 1923		<i>Norrbomia nitidifrons</i> (Duda, 1923) [ <i>Borborus</i> ]			3
	<i>nitidus</i> Meigen, 1830		<i>Copromyza nitida</i> Meigen, 1830			3
	<i>roseri</i> Rondani, 1880		<i>Copromyza roseri</i> (Rondani, 1880) [ <i>Borborus</i> ]			1
	<i>sordidus</i> (Zetterstedt, 1847) [ <i>Copromyza</i> ]		<i>Borborillus sordidus</i> (Zetterstedt, 1847) [ <i>Copromyza</i> ]			17
*	<i>uncinatus</i> Duda, 1923		<i>Borborillus uncinatus</i> (Duda, 1923) [ <i>Borborus</i> ]			1
	<i>vitripennis</i> Meigen, 1830		<i>Borborillus vitripennis</i> (Meigen, 1830) [ <i>Borborus</i> ]			7
	<b><i>Collinella</i> Duda, 1918</b>		<b><i>Rachispoda</i> Lioy, 1864</b>		11	104
	<i>acrosticalis</i> (Becker, 1903) [ <i>Limosina</i> ]		<i>Poecilosomella acrosticalis</i> (Becker, 1903) [ <i>Limosina</i> ]			1
*	<i>australiana</i> (Duda, 1925) [ <i>Leptocera</i> ]		<i>Leptocera australiana</i> Duda, 1925			12
	<i>breviceps</i> (Stenhammar, 1854) [ <i>Limosina</i> ]		<i>Leptocera breviceps</i> (Stenhammar, 1854) [ <i>Limosina</i> ]			10
	<i>caenosa</i> (Rondani, 1880) [ <i>Limosina</i> ]		<i>Leptocera caenosa</i> (Rondani, 1880) [ <i>Limosina</i> ]			6
	<i>curvinervis</i> (Stenhammar, 1854) [ <i>Limosina</i> ]		<i>Leptocera curvinervis</i> (Stenhammar, 1854) [ <i>Limosina</i> ]			18
	<i>fontinalis</i> (Fallen, 1826) [ <i>Copromyza</i> ]		<i>Leptocera fontinalis</i> (Fallen, 1826) [ <i>Copromyza</i> ]			26
	<i>fuscipennis</i> (Haliday, 1833) [ <i>Borborus</i> ]		<i>Leptocera fuscipennis</i> (Haliday, 1833) [ <i>Borborus</i> ]			7
	<i>halidayi</i> (Collin, 1902) [ <i>Limosina</i> ]		<i>Leptocera halidayi</i> (Collin, 1902) [ <i>Limosina</i> ]			2
	<i>limosa</i> (Fallen, 1820) [ <i>Copromyza</i> ]		<i>Leptocera limosa</i> (Fallen, 1820) [ <i>Copromyza</i> ]			9
	<i>lutosa</i> (Stenhammar, 1854) [ <i>Limosina</i> ]		<i>Leptocera lutosa</i> (Stenhammar, 1854) [ <i>Limosina</i> ]			12
*	<i>pseudoctisetosa</i> Duda, 1925		<i>Leptocera pseudoctisetosa</i> (Duda, 1925) [ <i>Collinella</i> ]			1
	<b><i>Coprophila</i> Duda, 1918</b>		<b><i>Coproica</i> Rondani, 1861</b>		5	67
	<i>ferruginata</i> (Stenhammar, 1855) [ <i>Limosina</i> ]		<i>Coproica ferruginata</i> (Stenhammar, 1855) [ <i>Limosina</i> ]			16
	<i>hirtula</i> (Rondani, 1880) [ <i>Limosina</i> ]		<i>Coproica hirtula</i> (Rondani, 1880) [ <i>Limosina</i> ]			4
	<i>lugubris</i> (Haliday, 1836) [ <i>Limosina</i> ]		<i>Coproica lugubris</i> (Haliday, 1836) [ <i>Limosina</i> ]			21
	<i>pusilla</i> (Fallen, 1820) [ <i>Copromyza</i> ]		<i>Ischiolepta pusilla</i> (Fallen, 1820) [ <i>Copromyza</i> ]			5
	<i>vagans</i> (Haliday, 1833) [ <i>Borborus</i> ]		<i>Coproica vagans</i> (Haliday, 1833) [ <i>Borborus</i> ]			21
	<b><i>Elachisoma</i> Rondani, 1880</b>				1	1
	<i>nigerrima</i> (Haliday, 1836) [ <i>Limosina</i> ]		<i>Elachisoma aterrimum</i> (Haliday, 1833) [ <i>Borborus</i> ]			1

## Sphaeroceridae

							Halidayina
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #	
	<b>Halidayina</b> Duda, 1918		<b>Gonioneura</b> Rondani, 1880		1	31	
	<i>spinipennis</i> (Haliday, 1836) [ <i>Limosina</i> ]		<i>Gonioneura spinipennis</i> (Haliday, 1836) [ <i>Limosina</i> ]			31	
	<b>Limosina</b> Macquart, 1835				4	57	
	<i>caenosa</i> Rondani, 1880		<i>Leptocera caenosa</i> (Rondani, 1880) [ <i>Limosina</i> ]			2	
	<b>pumilio</b> (Meigen, 1830) [ <i>Borborus</i> ]					20	
	<i>punctipennis</i> (Wiedemann, 1824) [ <i>Copromyza</i> ]		<i>Poecilosomella punctipennis</i> (Wiedemann, 1824) [ <i>Copromyza</i> ]			19	
	<i>pusio</i> Zetterstedt, 1847		<i>Coproica pusio</i> (Zetterstedt, 1847) [ <i>Limosina</i> ]			16	
	<b>Paracollinella</b> Duda, 1924		<b>Leptocera</b> Olivier, 1813		2	16	
	<i>marginata</i> (Adams, 1905) [ <i>Limosina</i> ]		<i>Leptocera marginata</i> (Adams, 1905) [ <i>Limosina</i> ]			13	
*	<i>pararoralis</i> (Duda, 1925) [ <i>Leptocera</i> ]		<i>Leptocera pararoralis</i> Duda, 1925			3	
	<b>Poecilosomella</b> Duda, 1925				3	17	
	<b>albipes</b> Duda, 1925					2	
	<b>angulata</b> (Thomson, 1869) [ <i>Limosina</i> ]					7	
	<b>multipunctata</b> Duda, 1925					8	
	<b>Pycnopota</b> Bezzi, 1926				1	2	
*	<b>manni</b> Bezzi, 1926					2	
	<b>Scatophora</b> Robineau-Desvoidy, 1930		<b>Lotophila</b> Liroy, 1864		1	33	
	<i>carolinensis</i> Robineau-Desvoidy, 1830		<i>Lotophila carolinensis</i> (Robineau-Desvoidy, 1830) [ <i>Scatophora</i> ]			33	
	<b>Scotophilella</b> Duda, 1918		<b>Limosina</b> Macquart, 1835		27	223	
*	<i>albinervis</i> (Duda, 1918) [ <i>Limosina</i> ]		<i>Minilimosina albinervis</i> (Duda, 1918) [ <i>Limosina</i> ]			4	
	<i>appendiculata</i> (Villeneuve, 1918) [ <i>Limosina</i> ]		<i>Opalimosina liliputana</i> (Rondani, 1880) [ <i>Limosina</i> ]			5	
	<i>claviventris</i> (Strobl, 1909) [ <i>Limosina</i> ]		<i>Apteromyia claviventris</i> (Strobl, 1909) [ <i>Limosina</i> ]			1	
	<i>crassimana</i> (Haliday, 1836) [ <i>Limosina</i> ]		<i>Spelobia clunipes</i> (Meigen, 1830) [ <i>Borborus</i> ]			78	
	<i>czizeki</i> (Duda, 1918) [ <i>Limosina</i> ]		<i>Limosina czizeki</i> Duda, 1918			8	
	<i>denticulata</i> (Duda, 1924) [ <i>Limosina</i> ]		<i>Limosina denticulata</i> Duda, 1924			1	
	<i>exigua</i> (Rondani, 1880) [ <i>Limosina</i> ]		<i>Minilimosina fungicola</i> (Haliday, 1836) [ <i>Limosina</i> ]			4	
	<i>flaviceps</i> (Zetterstedt, 1847) [ <i>Limosina</i> ]		<i>Limosina flaviceps</i> Zetterstedt, 1847			1	
	<i>fucata</i> (Rondani, 1880) [ <i>Limosina</i> ]		<i>Paralimosina fucata</i> (Rondani, 1880) [ <i>Limosina</i> ]			2	
	<i>fulviceps</i> (Rondani, 1880) [ <i>Limosina</i> ]		<i>Spelobia ochripes</i> (Meigen, 1830) [ <i>Borborus</i> ]			1	
	<i>heteroneura</i> (Haliday, 1836) [ <i>Limosina</i> ]		<i>Pullimosina heteroneura</i> (Haliday, 1836) [ <i>Limosina</i> ]			9	
	<i>luteilabris</i> (Rondani, 1880) [ <i>Limosina</i> ]		<i>Spelobia luteilabris</i> (Rondani, 1880) [ <i>Limosina</i> ]			7	
	<i>mirabilis</i> (Collin, 1902) [ <i>Limosina</i> ]		<i>Opalimosina mirabilis</i> (Collin, 1902) [ <i>Limosina</i> ]			10	
	<i>ochripes</i> (Meigen, 1830) [ <i>Borborus</i> ]		<i>Spelobia ochripes</i> (Meigen, 1830) [ <i>Borborus</i> ]			12	
	<i>parapusio</i> (Dahl, 1909) [ <i>Limosina</i> ]		<i>Limosina parapusio</i> Dahl, 1909			2	
	<i>plumosula</i> (Rondani, 1880) [ <i>Limosina</i> ]		<i>Phthitia plumosula</i> (Rondani, 1880) [ <i>Limosina</i> ]			11	
	<i>pseudonivalis</i> (Dahl, 1909) [ <i>Limosina</i> ]		<i>Limosina pseudonivalis</i> Dahl, 1909			1	
	<i>puerula</i> (Rondani, 1880) [ <i>Limosina</i> ]		<i>Spelobia bifrons</i> (Stenhammar, 1854) [ <i>Limosina</i> ]			2	

## Sphaeroceridae

## Scotophilella

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>pullula</i> (Zetterstedt, 1847) [ <i>Limosina</i> ]		<i>Pullimosina pullula</i> (Zetterstedt, 1847) [ <i>Limosina</i> ]			1
*	<i>racovitzai</i> (Bezzi, 1911) [ <i>Limosina</i> ]		<i>Terrilimosina racovitzai</i> (Bezzi, 1911) [ <i>Limosina</i> ]			7
	<i>retracta</i> (Rondani, 1880) [ <i>Limosina</i> ]		<i>Telomerina flavipes</i> (Meigen, 1830) [ <i>Borborus</i> ]			10
	<i>rufilabris</i> (Stenhammar, 1854) [ <i>Limosina</i> ]		<i>Limosina rufilabris</i> Stenhammar, 1854			6
*	<i>schmitzi</i> (Duda, 1918) [ <i>Limosina</i> ]		<i>Terrilimosina schmitzi</i> (Duda, 1918) [ <i>Limosina</i> ]			7
	<i>scutellaris</i> (Haliday, 1836) [ <i>Limosina</i> ]		<i>Chaetopodella scutellaris</i> (Haliday, 1836) [ <i>Limosina</i> ]			11
	<i>silvatica</i> (Meigen, 1830) [ <i>Borborus</i> ]		<i>Limosina silvatica</i> (Meigen, 1830) [ <i>Borborus</i> ]			18
	<i>simplicimana</i> (Rondani, 1880) [ <i>Limosina</i> ]		<i>Spelobia luteilabris</i> (Rondani, 1880) [ <i>Limosina</i> ]			1
	<i>vitripennis</i> (Zetterstedt, 1847) [ <i>Limosina</i> ]		<i>Minilimosina vitripennis</i> (Zetterstedt, 1847) [ <i>Limosina</i> ]			3
<b>Speomyia</b> Bezzi, 1914			<b>Crumomyia</b> Macquart, 1835		1	1
*	<i>absoloni</i> Bezzi, 1914		<i>Crumomyia absoloni</i> (Bezzi, 1914) [ <i>Speomyia</i> ]			1
<b>Sphaerocera</b> Latreille, 1804					5	63
*	<i>nitida</i> Duda, 1920		<i>Ischiolepta nitida</i> (Duda, 1920) [ <i>Sphaerocera</i> ]			1
	<i>pallidiventris</i> (Meigen, 1830) [ <i>Borborus</i> ]		<i>Lotobia pallidiventris</i> (Meigen, 1830) [ <i>Borborus</i> ]			4
	<i>parapusilla</i> Duda, 1920		<i>Ischiolepta vaporariorum</i> (Haliday, 1836) [ <i>Sphaerocera</i> ]			1
	<i>pusilla</i> (Fallen, 1820) [ <i>Copromyza</i> ]		<i>Ischiolepta pusilla</i> (Fallen, 1820) [ <i>Copromyza</i> ]			17
	<i>subsultans</i> (Fabricius, 1794) [ <i>Syrphus</i> ]	Ephydridae	<i>Mosillus subsultans</i> (Fabricius, 1794) [ <i>Syrphus</i> ]			40
<b>Stenhammaria</b> Duda, 1918			<b>Pteremis</b> Rondani, 1856		1	2
	<i>fenestralis</i> (Fallen, 1820) [ <i>Copromyza</i> ]		<i>Pteremis fenestralis</i> (Fallen, 1820) [ <i>Copromyza</i> ]			2
<b>Thoracochaeta</b> Duda, 1918					2	19
	<i>brachystoma</i> (Stenhammar, 1854) [ <i>Limosina</i> ]					6
	<i>fulvipes</i> (Meigen, 1838) [ <i>Limosina</i> ]		<i>Thoracochaeta zosteræ</i> (Haliday, 1833) [ <i>Borborus</i> ]			13



## Stratiomyidae

## Acanthinia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Stratiomyidae</b>				83	268	1444
	<i>Acanthinia</i> Macquart, 1834		<b><i>Acanthinomyia</i></b> Hunter, 1900		1	2
*	<i>bequaerti</i> (Curran, 1925) [ <i>Acanthinomyia</i> ]		<i>Artemita bequaerti</i> (Curran, 1925) [ <i>Acanthinomyia</i> ]			2
	<i>Achlyomyia</i> Pleske, 1922		<b><i>Odontomyia</i></b> Meigen, 1803		1	2
	<i>microleon</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<i>Odontomyia microleon</i> (Linnaeus, 1758) [ <i>Musca</i> ]			2
	<b><i>Acrochaeta</i></b> Wiedemann, 1830				1	1
	<i>fasciata</i> Wiedemann, 1830					1
	<i>Acrodesmia</i> Enderlein, 1914		<b><i>Hermetia</i></b> Latreille, 1804		3	7
	<i>aurata</i> (Bellardi, 1859) [ <i>Hermetia</i> ]		<i>Hermetia aurata</i> Bellardi, 1859			1
	<i>chrysopila</i> (Loew, 1972) [ <i>Hermetia</i> ]		<i>Hermetia chrysopila</i> Loew, 1872			3
	<i>luederwaldti</i> Enderlein, 1914		<i>Hermetia albitarsis</i> Fabricius, 1805			3
	<b><i>Actina</i></b> Meigen, 1804				2	18
	<i>nitens</i> (Latreille, 1805) [ <i>Beris</i> ]		<i>Beris chalybata</i> (Forster, 1771) [ <i>Musca</i> ]			13
	<i>viridis</i> (Say, 1824) [ <i>Beris</i> ]					5
	<b><i>Adoxomyia</i></b> Kertész, 1907				5	10
	<i>dahlii</i> (Meigen, 1830) [ <i>Clitellaria</i> ]					3
	<i>heminopla</i> (Wiedemann, 1819) [ <i>Clitellaria</i> ]					2
	<i>obscuripennis</i> (Loew, 1873) [ <i>Clitellaria</i> ]					2
	<i>rustica</i> (Osten Sacken, 1877) [ <i>Clitellaria</i> ]					1
	<i>subulata</i> (Loew, 1866) [ <i>Clitellaria</i> ]					2
	<b><i>Alliocera</i></b> Saunders, 1845				1	1
	<i>graeca</i> Saunders, 1845					1
	<b><i>Allognosta</i></b> Osten Sacken, 1883				4	20
*	<i>brevicornis</i> Johnson, 1923					1
	<i>fuscitarsis</i> (Say, 1823) [ <i>Beris</i> ]					13
	<i>obscuriventris</i> (Loew, 1863) [ <i>Metoponia</i> ]					5
	<i>vagans</i> (Loew, 1873) [ <i>Metoponia</i> ]					1
	<b><i>Argyrobrithes</i></b> Grunberg, 1915				2	9
*	<i>fuscicornis</i> (Bezzi, 1914) [ <i>Sternobrithes</i> ]		<i>Sternobrithes fuscicornis</i> Bezzi, 1914			3
	<i>sp.</i>					6
	<b><i>Barbiellinia</i></b> Bezzi, 1922				1	1
*	<i>hirta</i> Bezzi, 1922					1

## Stratiomyidae

								<i>Beris</i>
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #		
	<b>Beris</b> Latreille, 1802				8	88		
	<i>annulifera</i> (Bigot, 1887) [ <i>Oplacantha</i> ]		<i>Beris fuscipes</i> Meigen, 1820			8		
	<i>chalybeata</i> (Forster, 1771) [ <i>Musca</i> ]		<i>Beris chalybata</i> (Forster, 1771) [ <i>Musca</i> ]			19		
	<i>clavipes</i> (Linnaeus, 1767) [ <i>Musca</i> ]					10		
	<i>fuscipes</i> Meigen, 1820					0		
	<i>geniculata</i> Curtis, 1830					1		
	<i>mexicana</i> Bellardi, 1859		<i>Oplacantha mexicana</i> (Bellardi, 1859) [ <i>Beris</i> ]			6		
	<i>morrisii</i> Dale, 1841					36		
	<i>vallata</i> (Forster, 1771) [ <i>Musca</i> ]					8		
	<b>Berismyia</b> Giglio-Tos, 1891				1	2		
	<i>fusca</i> Giglio-Tos, 1893					2		
	<b>Bistinda</b> Bezzi, 1928				1	1		
*	<i>castanea</i> Bezzi, 1928					1		
	<b>Boreoides</b> Hardy, 1920				1	4		
*	<i>subulatus</i> Hardy, 1920					4		
	<b>Campeprosopa</b> Macquart, 1850				1	1		
	<i>longispina</i> (Brunetti, 1913) [ <i>Ampsalis</i> ]					1		
	<b>Catatasina</b> Enderlein, 1914		<b>Odontomyia</b> Meigen, 1803		1	3		
	<i>discolor</i> (Loew, 1846) [ <i>Odontomyia</i> ]		<i>Odontomyia discolor</i> Loew, 1846			3		
	<b>Chaetosargus</b> Roder, 1894				1	2		
	<i>hirticornis</i> (Wiedemann, 1830) [ <i>Sargus</i> ]					2		
	<b>Chiromyza</b> Wiedemann, 1820				7	20		
	<i>australis</i> (Macquart, 1850) [ <i>Xenomorpha</i> ]		<i>Hylorops australis</i> (Macquart, 1850) [ <i>Xenomorpha</i> ]			2		
	<i>fuscana</i> Wiedemann, 1821		<i>Chiromyza ochracea</i> Wiedemann, 1820			7		
*	<i>nigra</i> Bezzi, 1922					1		
	<i>ochracea</i> Wiedemann, 1820					1		
	<i>prisca</i> Walker, 1852					2		
*	<i>viridis</i> Bezzi, 1922					1		
	<i>vittata</i> Wiedemann, 1820					6		
	<b>Chloromyia</b> Duncan, 1837				2	96		
	<i>formosa</i> (Scopoli, 1763) [ <i>Musca</i> ]					93		
	<i>speciosa</i> (Macquart, 1834) [ <i>Chrysomyia</i> ]					3		
	<b>Chordonota</b> Gerstaecker, 1857				1	1		
	<i>inermis</i> (Wiedemann, 1830) [ <i>Cyphomyia</i> ]					1		

## Stratiomyidae

## Chorisops

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Chorisops</b> Rondani, 1856				2	11
	<i>substituta</i> (Walker, 1854) [ <i>Beris</i> ]		<i>Zealandoberis substituta</i> (Walker, 1854) [ <i>Beris</i> ]			2
	<i>tibialis</i> (Meigen, 1820) [ <i>Beris</i> ]					9
	<b>Chromatopoda</b> Brauer, 1882				2	3
	<i>annulipes</i> (Walker, 1849) [ <i>Sargus</i> ]					2
	<i>bicolor</i> (Wiedemann, 1830) [ <i>Sargus</i> ]		<i>Microchrysa bicolor</i> (Wiedemann, 1830) [ <i>Sargus</i> ]			1
	<b>Chrysochlora</b> Latreille, 1829				2	15
	<i>castanea</i> Macquart, 1838					8
	<i>vespertilio</i> (Fabricius, 1805) [ <i>Sargus</i> ]					7
	<b>Chrysochroma</b> Williston, 1896		<b>Sargus</b> Fabricius, 1798		6	26
	<i>albipes</i> Adams, 1902		<i>Himantigera nigrifemorata</i> (Macquart, 1847) [ <i>Sargus</i> ]			1
	<i>bipunctatum</i> (Scopoli, 1763) [ <i>Musca</i> ]		<i>Sargus bipunctatus</i> (Scopoli, 1763) [ <i>Musca</i> ]			2
	<i>flavipennis</i> (Macquart, 1838) [ <i>Sargus</i> ]		<i>Sargus flavipennis</i> Macquart, 1837			1
	<i>flavipilosum</i> (Bigot, 1879) [ <i>Chrysonotus</i> ]		<i>Sargus flavipilosus</i> (Bigot, 1879) [ <i>Chrysonotus</i> ]			4
	<i>sp.</i>					17
	<i>splendens</i> Schiner, 1868		<i>Himantigera splendens</i> (Schiner, 1868) [ <i>Chrysonotus</i> ]			1
	<b>Cibotogaster</b> Enderlein, 1914				2	6
	<i>enderleini</i> Kertész, 1914					4
	<i>fumipennis</i> Kertész, 1914					2
	<b>Clitellariopsis</b> Pleske, 1922		<b>Odontomyia</b> Meigen, 1803		2	7
	<i>byzantina</i> (Strobl, 1902) [ <i>Odontomyia</i> ]		<i>Odontomyia cephalonica</i> Strobl, 1898			5
	<i>cephalonica</i> (Strobl, 1898) [ <i>Odontomyia</i> ]		<i>Odontomyia cephalonica</i> Strobl, 1898			2
	<b>Craspedometopon</b> Kertész, 1909				2	7
*	<i>frontale</i> Kertész, 1909					4
	<i>sp.</i>					3
	<b>Culcua</b> Walker, 1856				1	3
	<i>simulans</i> Walker, 1856					3
	<b>Cyphomyia</b> Wiedemann, 1819				7	34
	<i>auriflamma</i> Wiedemann, 1819					2
	<i>aurifrons</i> Wiedemann, 1830					8
	<i>cynocephala</i> Gerstaecker, 1857		<i>Cyphomyia unicolor</i> (Walker, 1854) [ <i>Clitellaria</i> ]			1
	<i>flaviceps</i> (Walker, 1856) [ <i>Clitellaria</i> ]					1
*	<i>orientalis</i> Kertész, 1914					2
	<i>tomentosa</i> Gerstaecker, 1857					2
	<i>wiedemanni</i> Gerstaecker, 1857					18

## Stratiomyidae

		<i>Engonia</i>				
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>Engonia</i> Brauer, 1882		<i>Clitellaria</i> Meigen, 1803		1	1
	<i>bilineata</i> (Fabricius, 1805) [ <i>Stratiomys</i> ]		<i>Engonia bilineata</i> (Fabricius, 1805) [ <i>Stratiomys</i> ]			1
	<i>Eudmeta</i> Wiedemann, 1830				1	4
	<i>marginata</i> (Fabricius, 1805) [ <i>Hermetia</i> ]					4
	<i>Eufjia</i> Bezzi, 1928				1	1
*	<i>albicornis</i> Bezzi, 1928					1
	<i>Eupachygaster</i> Kertész, 1911				1	1
	<i>maculicornis</i> (Hine, 1902) [ <i>Pachygaster</i> ]		<i>Neopachygaster maculicornis</i> (Hine, 1902) [ <i>Pachygaster</i> ]			1
	<i>Euryneura</i> Schiner, 1867				1	8
*	<i>robusta</i> Kertész, 1908					8
	<i>Evaza</i> Walker, 1858				5	12
	<i>bipars</i> Walker, 1856					5
	<i>discolor</i> Meijere, 1916					1
	<i>javanensis</i> Meijere, 1911					3
	<i>nigripennis</i> Kertész, 1909					2
	<i>pallipes</i> Meijere, 1916		<i>Evaza demeijerei</i> Brunetti, 1923			1
	Gen?				1	1
	sp.					1
	<i>Geosargus</i> Bezzi, 1907		<i>Sargus</i> Fabricius, 1798		7	41
	<i>concinnus</i> Osten Sacken, 1886		<i>Sargus thoracicus</i> Macquart, 1834			22
	<i>debilis</i> (Walker, 1851) [ <i>Sargus</i> ]		<i>Sargus fasciatus</i> Fabricius, 1805			0
	<i>longipennis</i> (Wiedemann, 1824) [ <i>Sargus</i> ]		<i>Ptecticus longipennis</i> (Wiedemann, 1824) [ <i>Sargus</i> ]			3
	<i>mactans</i> (Walker, 1859) [ <i>Sargus</i> ]		<i>Sargus mactans</i> Walker, 1859			6
	<i>rufipes</i> (Wahlberg, 1854) [ <i>Sargus</i> ]		<i>Sargus rufipes</i> Wahlberg, 1854			5
	<i>thoracicus</i> (Macquart, 1834) [ <i>Sargus</i> ]		<i>Sargus thoracicus</i> Macquart, 1834			3
	<i>tricolor</i> (Loew, 1866) [ <i>Sargus</i> ]		<i>Sargus fasciatus</i> Fabricius, 1805			2
	<i>Hadracantha</i> Pleske, 1922		<i>Odontomyia</i> Meigen, 1803		2	12
	<i>annulata</i> (Meigen, 1822) [ <i>Stratiomys</i> ]		<i>Odontomyia annulata</i> (Meigen, 1822) [ <i>Stratiomys</i> ]			8
	<i>flavissima</i> (Rossi, 1790) [ <i>Stratiomyia</i> ]		<i>Odontomyia flavissima</i> (Rossi, 1790) [ <i>Stratiomyia</i> ]			4
	<i>Hermetia</i> Latreille, 1804				3	18
	<i>apicalis</i> Wiedemann, 1830		<i>Hermetia albitarsis</i> Fabricius, 1805			1
	<i>illucens</i> (Linnaeus, 1758) [ <i>Musca</i> ]					16
	<i>pulchra</i> Wiedemann, 1830					1

## Stratiomyidae

## Heteracanthia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Heteracanthia</b> Macquart, 1850				2	9
	<i>mexicana</i> Giglio-Tos, 1891					2
	<i>ruficornis</i> Macquart, 1850					7
	<b>Hexodonta</b> Mik, 1897		<b>Exodontha</b> Rondani, 1856		1	1
	<i>dubia</i> (Zetterstedt, 1838) [ <i>Beris</i> ]					1
	<b>Hirtea</b> Scopoli, 1763		<b>Stratiomys</b> Geoffroy, 1762		4	26
	<i>anubis</i> (Wiedemann, 1830) [ <i>Stratiomys</i> ]		<i>Stratiomys longicornis</i> (Scopoli, 1763) [ <i>Hirtea</i> ]			5
	<i>apicalis</i> (Walker, 1854) [ <i>Stratiomys</i> ]		<i>Stratiomys apicalis</i> Walker, 1854			4
	<i>efflatouni</i> (Lindner, 1925) [ <i>Stratiomys</i> ]		<i>Stratiomys longicornis</i> (Scopoli, 1763) [ <i>Hirtea</i> ]			2
	<i>longicornis</i> Scopoli, 1763		<i>Stratiomys longicornis</i> (Scopoli, 1763) [ <i>Hirtea</i> ]			15
	<b>Hoplodonta</b> James, 1940		<b>Oplodontha</b> Rondani, 1863		3	24
	<i>heydenii</i> (Jaennicke, 1866) [ <i>Odontomyia</i> ]		<i>Oplodontha viridula</i> (Fabricius, 1775) [ <i>Stratiomys</i> ]			12
*	<i>impar</i> Bezzi, 1906		<i>Oplodontha impar</i> (Bezzi, 1906) [ <i>Hoplodonta</i> ]			1
	<i>viridula</i> (Fabricius, 1775) [ <i>Stratiomys</i> ]		<i>Oplodontha viridula</i> (Fabricius, 1775) [ <i>Stratiomys</i> ]			11
	<b>Lasiopa</b> Brulle, 1833				3	48
	<i>calva</i> (Meigen, 1822) [ <i>Clitellaria</i> ]					9
	<i>tenuirostris</i> (Loew, 1854) [ <i>Cyclogaster</i> ]		<i>Lasiopa balius</i> (Walker, 1849) [ <i>Odontomyia</i> ]			4
	<i>villosa</i> (Fabricius, 1794) [ <i>Nemotelus</i> ]					35
	<b>Melanochroa</b> Roder, 1886				1	5
	<i>dubia</i> Roder, 1886					5
	<b>Merosargus</b> Loew, 1855				2	7
	<i>hyalopterus</i> Giglio-Tos, 1891					6
	<i>stamineus</i> (Fabricius, 1805) [ <i>Scaeva</i> ]					1
	<b>Metoponia</b> Macquart, 1847		<b>Inopus</b> Walker, 1850		1	11
	<i>rubriceps</i> Macquart, 1847		<i>Inopus rubriceps</i> (Macquart, 1847) [ <i>Metoponia</i> ]			11
	<b>Microchrysa</b> Loew, 1855				6	35
	<i>annulipes</i> (Thomson, 1869) [ <i>Chrysomyia</i> ]		<i>Microchrysa flaviventris</i> (Wiedemann, 1824) [ <i>Sargus</i> ]			16
	<i>cyaneiventris</i> (Zetterstedt, 1842) [ <i>Chrysomyia</i> ]					9
	<i>flaviventris</i> (Wiedemann, 1824) [ <i>Sargus</i> ]					3
*	<i>maxima</i> Bezzi, 1928		<i>Cephalochrysa maxima</i> (Bezzi, 1928) [ <i>Microchrysa</i> ]			1
	<i>nigricornis</i> (Loew, 1866) [ <i>Chrysonotus</i> ]		<i>Cephalochrysa nigricornis</i> (Loew, 1866) [ <i>Chrysonotus</i> ]			4
	<i>polita</i> (Linnaeus, 1758) [ <i>Musca</i> ]					2
	<b>Monacanthomyia</b> Brunetti, 1912				1	1
	<i>sp.</i>					1

## Stratiomyidae

## Myxosargus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Myxosargus</b> Brauer, 1882				1	3
	<i>fasciatus</i> Brauer, 1882					3
	<b>Negritomyia</b> Bigot, 1879		<b>Nigritomyia</b> Bigot, 1877		2	24
	<i>consobrina</i> (Bigot, 1879) [ <i>Nigritomyia</i> ]		<i>Odontomyia consobrina</i> Macquart, 1848			19
	<i>maculipennis</i> (Macquart, 1850) [ <i>Ephippium</i> ]		<i>Nigritomyia maculipennis</i> (Macquart, 1850) [ <i>Ephippium</i> ]			5
	<b>Nemotelus</b> Geoffroy, 1762				22	107
*	<i>aegyptiacus</i> Lindner, 1925		<i>Nemotelus brachystomus</i> Loew, 1846			5
	<i>cardinalii</i> Bezzi, 1898		<i>Nemotelus latiusculus</i> Loew, 1871			6
	<i>dentatus</i> Becker, 1902					3
	<i>globuliceps</i> Loew, 1846		<i>Nemotelus brevirostris</i> Meigen, 1822			5
	<i>lasiops</i> Loew, 1846					2
	<i>latiusculus</i> Loew, 1871					12
	<i>leucorhynchus</i> Costa, 1884					1
	<i>longirostris</i> Wiedemann, 1824					6
	<i>nigrifrons</i> Loew, 1846					3
	<i>nigrinus</i> Fallen, 1817					10
	<i>nigroaeneus</i> Verhoeff, 1891		<i>Nemotelus notatus</i> Zetterstedt, 1842			7
*	<i>oasis</i> Becker, 1906		<i>Nemotelus niloticus</i> Olivier, 1811			6
	<i>pallipes</i> Say, 1823					3
	<i>pantherinus</i> (Linnaeus, 1758) [ <i>Musca</i> ]					5
	<i>proboscideus</i> Loew, 1846					8
	<i>punctiventris</i> Becker, 1902		<i>Nemotelus brachystomus</i> Loew, 1846			1
	<i>signatus</i> Frivaldszky, 1855					4
*	<i>trinitatus</i> Melander, 1903		<i>Nemotelus kansensis</i> Adams, 1903			3
	<i>tristis</i> Bigot, 1887					5
	<i>unicolor</i> Loew, 1863		<i>Nemotelus nigrinus</i> Fallen, 1817			7
	<i>varius</i> Loew, 1871		<i>Nemotelus signatus</i> Frivaldszky, 1855			2
*	<i>wheeleri</i> Melander, 1903		<i>Nemotelus albirostris</i> Macquart, 1850			3
	<b>Neoexaereta</b> Kertész, 1908		<b>Exaereta</b> Schiner, 1867		2	5
	<i>apicalis</i> (Walker, 1849) [ <i>Diphysa</i> ]		<i>Benhamyia apicalis</i> (Walker, 1849) [ <i>Diphysa</i> ]			1
	<i>spinigera</i> (Wiedemann, 1830) [ <i>Xylophagus</i> ]		<i>Exaereta spinigera</i> (Wiedemann, 1830) [ <i>Xylophagus</i> ]			4
	<b>Neuraphanisis</b> Enderlein, 1914		<b>Odontomyia</b> Meigen, 1803		1	8
	<i>tigrina</i> (Fabricius, 1775) [ <i>Stratiomys</i> ]		<i>Odontomyia tigrina</i> (Fabricius, 1775) [ <i>Stratiomys</i> ]			8
	<b>Obrapa</b> Walker, 1858				1	1
*	<i>leucostigma</i> Bezzi, 1928					1
	<b>Odontomyia</b> Meigen, 1803				21	105
	<i>arcuata</i> Loew, 1872					5

## Stratiomyidae

## Odontomyia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>cincta</i> Olivier, 1811					6
	<i>dissimilis</i> Bellardi, 1859					9
*	<i>flammiventris</i> Brunetti, 1926					2
	<i>gigas</i> Brunetti, 1926		<i>Afrodontomyia gigas</i> (Brunetti, 1926) [Odontomyia]			1
	<i>hieroglyphica</i> Olivier, 1811		<i>Psellidotus hieroglyphicus</i> (Olivier, 1811) [Odontomyia]			4
	<i>hydroleon</i> (Linnaeus, 1758) [Musca]					9
	<i>inaequalis</i> Loew, 1866					3
	<i>intermedia</i> (Wiedemann, 1830) [Stratiomys]		<i>Odontomyia interrupta</i> Olivier, 1811			6
	<i>interrupta</i> Olivier, 1811					7
	<i>microstoma</i> Loew, 1866					2
	<i>nigrirostris</i> Loew, 1866		<i>Anoplodonta nigrirostris</i> (Loew, 1866) [Odontomyia]			5
*	<i>parallela</i> Bezzi					2
	<i>pilimana</i> Loew, 1866					2
	<i>plebeja</i> Loew, 1872					9
	<i>pubescens</i> Day, 1882					6
	<i>quadrimaculata</i> Bellardi, 1859		<i>Psellidotus goniophorus</i> (Say, 1829) [Stratiomyia]			4
	<i>scaligera</i> Bezzi					13
	<i>trivittata</i> (Say, 1829) [Stratiomys]		<i>Hedriodiscus trivittatus</i> (Say, 1829) [Stratiomys]			1
	<i>virgo</i> (Wiedemann, 1830) [Stratiomys]					8
	<i>viridis</i> Bellardi, 1859		<i>Psellidotus viridis</i> (Bellardi, 1859) [Odontomyia]			1
<b>Opseogymnus</b> Costa, 1857			<b>Odontomyia</b> Meigen, 1803		3	13
	<i>flavosignatus</i> Costa, 1857		<i>Odontomyia discolor</i> Loew, 1846			7
	<i>limbatus</i> (Macquart, 1849) [Odontomyia]		<i>Odontomyia discolor</i> Loew, 1846			5
	<i>pseudolimbatus</i> Villeneuve					1
<b>Oxycera</b> Meigen, 1803					15	56
	<i>amoena</i> Loew, 1857		<i>Oxycera pardalina</i> Meigen, 1822			8
	<i>analís</i> Wiedemann, 1822					2
	<i>formosa</i> Meigen, 1822		<i>Oxycera nigricornis</i> Olivier, 1811			5
	<i>leonina</i> (Panzer, 1798) [Stratiomys]					3
	<i>locuples</i> Loew, 1857					4
	<i>marginata</i> Loew, 1859					8
	<i>meigenii</i> Staeger, 1844					5
	<i>muscaria</i> (Fabricius, 1794) [Stratiomys]					2
	<i>pardalina</i> Meigen, 1822					1
	<i>pulchella</i> Meigen, 1822		<i>Oxycera rara</i> (Scopoli, 1763) [Musca]			2
	<i>pygmaea</i> (Fallen, 1817) [Stratiomys]					4
	<i>ranzonii</i> Schiner, 1857		<i>Oxycera morrisii</i> Curtis, 1833			1
	<i>terminata</i> Meigen, 1822					0
	<i>trilineata</i> (Linnaeus, 1767) [Musca]					9
	<i>unifasciata</i> Loew, 1863		<i>Oxycera variegata</i> Olivier, 1811			2

## Stratiomyidae

## Pachygaster

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Pachygaster</b> Meigen, 1803				3	12
	<i>atra</i> (Panzer, 1798) [ <i>Nemotelus</i> ]					7
	<i>leachi</i> Curtis, 1824					4
	<i>pulchra</i> Loew, 1863					1
	<b>Pinaleus</b> Bezzi, 1928				2	2
*	<i>bivittatus</i> Bezzi, 1928					1
*	<i>conformis</i> Bezzi, 1928					1
	<b>Porpocera</b> Enderlein, 1914				1	1
	<i>fibulata</i> Enderlein, 1914					1
	<b>Potamida</b> Meigen, 1800		<b>Clitellaria</b> Meigen, 1803		1	8
	<i>ephippium</i> (Fabricius, 1775) [ <i>Stratiomys</i> ]		<i>Clitellaria ephippium</i> (Fabricius, 1775) [ <i>Stratiomys</i> ]			8
	<b>Prosopochrysa</b> Meijere, 1907				1	3
	<i>vitripennis</i> (Doleschall, 1856) [ <i>Chrijsochlora</i> ]					3
	<b>Pseudocyphomyia</b> Kertész, 1916				1	1
	<i>mimetica</i> Kertész, 1916					1
	<b>Ptecticus</b> Loew, 1855				12	21
	<i>aurifer</i> (Walker, 1854) [ <i>Sargus</i> ]					1
	<i>cingulatus</i> Loew, 1855					0
	<i>elongatus</i> (Fabricius, 1787) [ <i>Musca</i> ]		<i>Ptecticus posticus</i> (Wiedemann, 1830) [ <i>Sargus</i> ]			3
	<i>illucens</i> Schiner, 1868		<i>Ptecticus tenebrifer</i> (Walker, 1849) [ <i>Sargus</i> ]			1
	<i>insignis</i> (Macquart, 1855) [ <i>Sargus</i> ]		<i>Ptecticus aurifer</i> (Walker, 1854) [ <i>Sargus</i> ]			3
	<i>melanurus</i> (Walker, 1848) [ <i>Ctenophora</i> ]					1
	<i>ochraceus</i> Enderlein, 1914		<i>Ptecticus melanurus</i> (Walker, 1848) [ <i>Ctenophora</i> ]			2
	<i>sackenii</i> Williston, 1885					5
	<i>tarsalis</i> (Walker, 1861) [ <i>Sargus</i> ]		<i>Ptecticus complens</i> (Walker, 1858) [ <i>Sargus</i> ]			1
	<i>tenebrifer</i> (Walker, 1849) [ <i>Sargus</i> ]					1
	<i>testaceus</i> (Fabricius, 1805) [ <i>Sargus</i> ]					2
	<i>trivittatus</i> (Say, 1829) [ <i>Sargus</i> ]					1
	<b>Ptilocera</b> Wiedemann, 1820				6	66
	<i>amethystina</i> Snellen van Vollenhoven, 1857					1
	<i>continua</i> Walker, 1851					1
	<i>fastuosa</i> Gerstaecker, 1857					1
	<i>quadridentata</i> (Fabricius, 1805) [ <i>Stratiomys</i> ]					9
	<i>smaragdifera</i> Walker, 1859					6
	<i>smaragdina</i> Walker, 1849					48



## Stratiomyidae

## Pycnomalla

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Pycnomalla</b> Gerstaecker, 1857				1	7
	<i>splendens</i> (Fabricius, 1787) [Stratiomys]					7
	<b>Rhaphiocera</b> Macquart, 1846		<b>Rhaphiocera</b> Macquart, 1834		1	9
	<i>armata</i> (Wiedemann, 1830) [Sargus]		<b>Rhaphiocera armata</b> (Wiedemann, 1830) [Sargus]			9
	<b>Rosapha</b> Walker, 1860				1	6
	<i>bicolor philippinensis</i> Brunetti, 1923		<b>Rosapha bicolor</b> (Bigot, 1877) [Calochaetis]			6
	<b>Ruba</b> Walker, 1860				2	3
	<i>fuscipennis</i> Enderlein, 1914					1
*	<i>nigritarsis</i>					2
	<b>Sargus</b> Fabricius, 1798				6	123
	<i>cuprarius</i> (Linnaeus, 1758) [Musca]					70
	<i>decorus</i> Say, 1824					12
	<i>flavipes</i> Meigen, 1822					14
	<i>iridatus</i> (Scopoli, 1763) [Musca]					17
	<i>metallinus</i> Fabricius, 1805					5
	<i>viridis</i> Say, 1823					5
	<b>Saruga</b> Walker, 1860				1	1
	<i>conifera</i> Walker, 1859					1
	<b>Scammatocera</b> Enderlein, 1914		<b>Hermetia</b> Latreille, 1804		1	4
	<i>cerioides</i> (Walker, 1858) [Massicyta]		<b>Hermetia cerioides</b> (Walker, 1858) [Massicyta]			4
	<b>Scoliopelta</b> Williston, 1885		<b>Exodontha</b> Rondani, 1856		1	1
	<i>luteipes</i> Williston, 1885		<b>Exodontha luteipes</b> (Williston, 1885) [Scoliopelta]			1
	<b>Sternobrithes</b> Loew, 1856				1	2
	<i>tumidus</i> Loew, 1857					2
	<b>Stratiomyia</b> Macquart, 1838		<b>Stratiomys</b> Geoffroy, 1762		30	140
	<i>apicula</i> (Loew, 1866) [Stratiomys]		<b>Stratiomys normula</b> (Loew, 1866) [Stratiomyia]			2
	<i>badia</i> (Walker, 1849) [Stratiomys]		<b>Stratiomys badia</b> Walker, 1849			3
	<i>beckeri</i> Pleske, 1901		<b>Stratiomys concinna</b> Meigen, 1822			2
	<i>bohariensis</i> Pleske, 1899		<b>Stratiomys bohariensis</b> (Pleske, 1899) [Stratiomyia]			1
	<i>cenisia</i> (Meigen, 1822) [Stratiomys]		<b>Stratiomys cenisia</b> Meigen, 1822			6
	<i>chamaeleon</i> (Linnaeus, 1758) [Musca]		<b>Stratiomys chamaeleon</b> (Linnaeus, 1758) [Musca]			9
	<i>constans</i> Loew, 1872		<b>Hoplitimyia constans</b> (Loew, 1872) [Stratiomyia]			6
	<i>discalis</i> Loew, 1866		<b>Stratiomys discalis</b> (Loew, 1866) [Stratiomyia]			4
	<i>equestris</i> (Meigen, 1835) [Stratiomys]		<b>Stratiomys equestris</b> Meigen, 1835			3

## Stratiomyidae

## Stratiomyia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>erythrocer</i> (Egger, 1859) [ <i>Stratiomys</i> ]		<i>Stratiomys ruficornis</i> (Macquart, 1838) [ <i>Stratiomyia</i> ]			1
	<i>flaviventris</i> Loew, 1846		<i>Stratiomys cenisia</i> Meigen, 1822			1
	<i>furcata</i> (Fabricius, 1794) [ <i>Stratiomys</i> ]		<i>Stratiomys singularia</i> (Harris, 1778) [ <i>Musca</i> ]			5
	<i>hispanica</i> Pleske, 1901		<i>Stratiomys hispanica</i> (Pleske, 1901) [ <i>Stratiomyia</i> ]			1
	<i>laevifrons</i> (Loew, 1854) [ <i>Hoplomyia</i> ]		<i>Stratiomys laevifrons</i> (Loew, 1854) [ <i>Hoplomyia</i> ]			1
	<i>laticeps</i> Loew, 1866		<i>Stratiomys laticeps</i> (Loew, 1866) [ <i>Stratiomyia</i> ]			2
	<i>lativentris</i> Loew, 1866		<i>Stratiomys lativentris</i> (Loew, 1866) [ <i>Stratiomyia</i> ]			9
	<i>lugubris</i> (Loew, 1871) [ <i>Stratiomys</i> ]		<i>Stratiomys lugubris</i> Loew, 1871			7
	<i>maculosa</i> Loew, 1866		<i>Stratiomys maculosa</i> (Loew, 1866) [ <i>Stratiomyia</i> ]			2
	<i>meigenii</i> (Wiedemann, 1830) [ <i>Stratiomys</i> ]		<i>Stratiomys meigenii</i> Wiedemann, 1830			7
	<i>mutabilis</i> (Fabricius, 1787) [ <i>Stratiomys</i> ]		<i>Hoplitomyia mutabilis</i> (Fabricius, 1787) [ <i>Stratiomys</i> ]			20
	<i>nigriventris</i> Loew, 1866		<i>Stratiomys nigriventris</i> (Loew, 1866) [ <i>Stratiomyia</i> ]			7
	<i>norma</i> (Wiedemann, 1830) [ <i>Stratiomys</i> ]		<i>Stratiomys norma</i> Wiedemann, 1830			5
	<i>potamida</i> (Meigen, 1822) [ <i>Stratiomys</i> ]		<i>Stratiomys potamida</i> Meigen, 1822			3
	<i>przewalskyi</i> (Pleske, 1899) [ <i>Nemotelus</i> ]		<i>Nemotelus przewalskii</i> Pleske, 1937			1
	<i>pyrrhocera</i> (Loew, 1869) [ <i>Stratiomys</i> ]		<i>Stratiomys pyrrhocera</i> Loew, 1869			2
	<i>quaternaria</i> Loew, 1866		<i>Stratiomys normula</i> (Loew, 1866) [ <i>Stratiomyia</i> ]			12
	<i>riparia</i> (Meigen, 1822) [ <i>Stratiomys</i> ]		<i>Stratiomys singularia</i> (Harris, 1778) [ <i>Musca</i> ]			2
*	<i>rubicornis</i> Bezzi, 1896		<i>Stratiomys rubicornis</i> (Bezzi, 1896) [ <i>Stratiomyia</i> ]			10
	<i>unilimbata</i> Loew, 1866		<i>Stratiomys normula</i> (Loew, 1866) [ <i>Stratiomyia</i> ]			5
	<i>validicornis</i> (Loew, 1854) [ <i>Hoplomyia</i> ]		<i>Stratiomys validicornis</i> (Loew, 1854) [ <i>Hoplomyia</i> ]			1
	<b>Stratiomyiopsis</b> Pleske, 1922		<b>Odontomyia</b> Meigen, 1803		1	6
	<i>ornata</i> (Meigen, 1822) [ <i>Stratiomys</i> ]		<i>Odontomyia ornata</i> (Meigen, 1822) [ <i>Stratiomys</i> ]			6
	<b>Tana</b> Reed, 1888				1	1
	<i>paulseni</i> (Philippi, 1865) [ <i>Lagarus</i> ]					1
	<b>Tinda</b> Walker, 1859				2	8
	<i>indica</i> (Walker, 1851) [ <i>Biaestes</i> ]					7
	<i>nigra</i> (Macquart, 1835) [ <i>Phyllophora</i> ]					1
	<b>Trichacrostyli</b> a Enderlein, 1914		<b>Odontomyia</b> Meigen, 1803		3	25
	<i>angulata</i> (Panzer, 1798) [ <i>Stratiomys</i> ]		<i>Odontomyia angulata</i> (Panzer, 1798) [ <i>Stratiomys</i> ]			12
	<i>felina</i> (Panzer, 1798) [ <i>Stratiomys</i> ]		<i>Odontomyia hydroleon</i> (Linnaeus, 1758) [ <i>Musca</i> ]			6
	<i>hydropota</i> (Meigen, 1822) [ <i>Stratiomys</i> ]		<i>Odontomyia angulata</i> (Panzer, 1798) [ <i>Stratiomys</i> ]			7
	<b>Vanoyia</b> Villeneuve, 1908				1	1
	<i>tenuicornis</i> (Macquart, 1834) [ <i>Oxycera</i> ]					1
	<b>Wallacea</b> Doleschall, 1858		<b>Gabaza</b> Walker, 1858		1	1
	<i>tibialis</i> Kertész, 1909		<i>Gabaza tibialis</i> (Kertész, 1909) [ <i>Wallacea</i> ]			1
	<b>Zabrachia</b> Coquillett, 1901				1	3

## Stratiomyidae

*Zabrachia*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>minutissima</i> Zetterstedt, 1838					3

Syrphidae				<i>Allograpta</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Syrphidae</b>				126	907	7770
	<b><i>Allograpta</i></b> Osten Sacken, 1875				3	43
	<i>fracta</i> Osten Sacken, 1877		<i>Allograpta exotica</i> (Wiedemann, 1830) [ <i>Syrphus</i> ]			10
	<i>hortensis</i> (Philippi, 1865) [ <i>Syrphus</i> ]					14
	<i>obliqua</i> (Say, 1823) [ <i>Scaeva</i> ]					19
	<b><i>Apophysophora</i></b> Williston, 1888		<b><i>Copestylum</i></b> Macquart, 1846		1	3
	<i>scutellata</i> Williston, 1888		<i>Copestylum trituberculatum</i> Thompson, 1976			3
	<b><i>Arctophila</i></b> Schiner, 1860		<b><i>Sericomyia</i></b> Meigen, 1803		3	14
	<i>bombiformis</i> (Fallen, 1810) [ <i>Syrphus</i> ]		<i>Sericomyia bombiformis</i> (Fallen, 1810) [ <i>Syrphus</i> ]			4
	<i>flagrans</i> Osten Sacken, 1875		<i>Sericomyia flagrans</i> (Osten Sacken, 1875) [ <i>Arctophila</i> ]			4
	<i>mussitans</i> (Fabricius, 1777) [ <i>Syrphus</i> ]		<i>Sericomyia superbiens</i> (Muller, 1776) [ <i>Volucella</i> ]			6
	<b><i>Asarcina</i></b> Agassiz, 1846		<b><i>Asarkina</i></b> Macquart, 1834		14	78
	<i>aegrota</i> (Fabricius, 1805) [ <i>Eristalis</i> ]		<i>Dideopsis aegrota</i> (Fabricius, 1805) [ <i>Eristalis</i> ]			16
	<i>amoena</i> Austen, 1909		<i>Asarkina amoena</i> Austen, 1909			5
*	<i>biroi</i> Bezzi, 1908		<i>Asarkina biroi</i> Bezzi, 1908			1
	<i>ericetorum</i> (Fabricius, 1781) [ <i>Syrphus</i> ]		<i>Asarkina ericetorum</i> (Fabricius, 1781) [ <i>Syrphus</i> ]			7
*	<i>ericetorum kelantonensis</i> Bezzi, 1908		<i>Asarkina ericetorum</i> (Fabricius, 1781) [ <i>Syrphus</i> ]			5
	<i>ericetorum orientalis</i> Bezzi, 1908		<i>Asarkina orientalis</i> Bezzi, 1908			3
*	<i>ericetorum papuana</i> Bezzi, 1908		<i>Asarkina papuana</i> Bezzi, 1908			10
	<i>ericetorum usambarensis</i> Bezzi, 1908		<i>Asarkina ericetorum</i> (Fabricius, 1781) [ <i>Syrphus</i> ]			5
*	<i>ericetorum var africana</i> Bezzi, 1908		<i>Asarkina africana</i> Bezzi, 1908			4
	<i>ericetorum var formosae</i> Bezzi, 1908		<i>Asarkina ericetorum</i> (Fabricius, 1781) [ <i>Syrphus</i> ]			5
*	<i>eurytaeniata</i> Bezzi, 1908		<i>Asarkina eurytaeniata</i> Bezzi, 1908			5
*	<i>fiorii</i> Bezzi, 1903		<i>Asarkina fiorii</i> Bezzi, 1903			2
*	<i>ribbei</i> Bezzi, 1908		<i>Asarkina ribbei</i> Bezzi, 1908			2
	<i>rostrata</i> (Wiedemann, 1824) [ <i>Syrphus</i> ]		<i>Asarkina rostrata</i> (Wiedemann, 1824) [ <i>Syrphus</i> ]			8
	<b><i>Ascia</i></b> Meigen, 1822		<b><i>Neoascia</i></b> Williston, 1887		2	66
	<i>floralis</i> Meigen, 1822		<i>Neoascia floralis</i> (Meigen, 1822) [ <i>Ascia</i> ]			23
	<i>podagrica</i> (Fabricius, 1775) [ <i>Syrphus</i> ]		<i>Neoascia podagrica</i> (Fabricius, 1775) [ <i>Syrphus</i> ]			43
	<b><i>Asemosyrphus</i></b> Bigot, 1882		<b><i>Lejops</i></b> Rondani, 1857		2	8
	<i>mexicanus</i> (Macquart, 1842) [ <i>Helophilus</i> ]		<i>Lejops mexicanus</i> (Macquart, 1842) [ <i>Helophilus</i> ]			6
	<i>mexicanus var flavocaudatus</i> Bigot, 1882		<i>Lejops mexicanus</i> (Macquart, 1842) [ <i>Helophilus</i> ]			2
	<b><i>Axona</i></b> Walker, 1864				1	8
	<i>chalcopyga</i> (Wiedemann, 1830) [ <i>Eristalis</i> ]					8
	<b><i>Baccha</i></b> Fabricius, 1805				19	190

## Syrphidae

## Baccha

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>austeni</i> Meijere, 1908		<i>Baccha maculata</i> Walker, 1852			3
	<i>clarapex</i> (Wiedemann, 1830) [ <i>Syrphus</i> ]		<i>Ocyptamus clarapex</i> (Wiedemann, 1830) [ <i>Syrphus</i> ]			2
	<i>claripennis</i> Loew, 1858		<i>Allobaccha claripennis</i> (Loew, 1858) [ <i>Baccha</i> ]			21
	<i>clavata</i> (Fabricius, 1794) [ <i>Syrphus</i> ]		<i>Pseudodoros clavatus</i> (Fabricius, 1794) [ <i>Syrphus</i> ]			15
	<i>cognata</i> Loew, 1863		<i>Baccha elongata</i> (Fabricius, 1775) [ <i>Syrphus</i> ]			3
	<b><i>elongata</i></b> (Fabricius, 1775) [ <i>Syrphus</i> ]					39
	<i>fascipennis</i> Wiedemann, 1830		<i>Ocyptamus fascipennis</i> (Wiedemann, 1830) [ <i>Baccha</i> ]			13
	<i>flavipennis</i> (Wiedemann, 1830) [ <i>Syrphus</i> ]		<i>Ocyptamus flavipennis</i> (Wiedemann, 1830) [ <i>Syrphus</i> ]			5
	<i>lemur</i> Osten Sacken, 1877		<i>Ocyptamus lemur</i> (Osten Sacken, 1877) [ <i>Baccha</i> ]			1
	<i>livida</i> Schiner, 1868		<i>Ocyptamus lividus</i> (Schiner, 1868) [ <i>Baccha</i> ]			20
	<i>nigripennis</i> Meigen, 1822		<i>Baccha elongata</i> (Fabricius, 1775) [ <i>Syrphus</i> ]			11
	<i>obscuricornis</i> Loew, 1863		<i>Baccha elongata</i> (Fabricius, 1775) [ <i>Syrphus</i> ]			2
	<i>phaeoptera</i> Schiner, 1868		<i>Ocyptamus phaeopterus</i> (Schiner, 1868) [ <i>Baccha</i> ]			4
	<i>picta</i> Wiedemann, 1830		<i>Allobaccha picta</i> (Wiedemann, 1830) [ <i>Baccha</i> ]			7
	<i>praefica</i> Bezzi, 1928		<i>Episyrphus praefica</i> (Bezzi, 1928) [ <i>Baccha</i> ]			13
	<i>pulchrifrons</i> Austen, 1893		<i>Allobaccha pulchrifrons</i> (Austen, 1893) [ <i>Baccha</i> ]			1
	<i>sapphirina</i> Wiedemann, 1830		<i>Allobaccha sapphirina</i> (Wiedemann, 1830) [ <i>Baccha</i> ]			13
	<i>sp.</i>					14
	<i>tarchetius</i> Walker, 1849		<i>Ocyptamus costatus</i> (Say, 1829) [ <i>Baccha</i> ]			3
<b>Blera</b>	Billberg, 1820				5	14
	<i>armillata</i> (Osten Sacken, 1875) [ <i>Criorrhina</i> ]					1
	<i>badia</i> (Walker, 1849) [ <i>Xylota</i> ]					2
	<i>confusa</i> Johnson, 1913					1
	<i>fallax</i> (Linnaeus, 1758) [ <i>Musca</i> ]					4
	<i>umbratilis</i> (Williston, 1887) [ <i>Criorrhina</i> ]					6
<b>Brachyopa</b>	Meigen, 1822				5	14
	<i>bicolor</i> (Fallen, 1817) [ <i>Rhingia</i> ]					8
	<i>diversa</i> Johnson, 1917					1
*	<i>flavescens</i> Shannon, 1915					1
*	<i>perplexa</i> Curran, 1922					3
	<i>vacua</i> Osten Sacken, 1875					1
<b>Brachypalpus</b>	Macquart, 1834				7	20
	<i>angustus</i> Egger, 1860		<i>Brachypalpus valgus</i> (Panzer, 1798) [ <i>Syrphus</i> ]			2
	<i>chrysites</i> Egger, 1859					5
	<i>frontosus</i> Loew, 1872		<i>Brachypalpus oarus</i> (Walker, 1849) [ <i>Xylota</i> ]			6
	<i>inarmatus</i> Hunter, 1897		<i>Chalcosyrphus inarmatus</i> (Hunter, 1897) [ <i>Brachypalpus</i> ]			1
	<i>parvus</i> Williston, 1887		<i>Chalcosyrphus parvus</i> (Williston, 1887) [ <i>Brachypalpus</i> ]			1
	<i>rileyi</i> (Williston, 1887) [ <i>Xylota</i> ]		<i>Chalcosyrphus metallifer</i> (Bigot, 1884) [ <i>Xylota</i> ]			2
	<i>valgus</i> (Panzer, 1798) [ <i>Syrphus</i> ]					3

## Syrphidae

## Callicera

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Callicera</b> Panzer, 1806				4	7
	<i>aenea</i> (Fabricius, 1777) [ <i>Bibio</i> ]					4
	<i>bertolonii</i> Rondani, 1857		<i>Callicera fagesii</i> Guerin-Meneville, 1844			1
	<i>rufa</i> Schummel, 1841					1
	<i>spinolae</i> Rondani, 1844					1
	<b>Calliprobola</b> Rondani, 1856		<b>Calliprobola</b> Rondani, 1845		3	10
*	<i>crawfordi</i> Shannon, 1916		<i>Hadromyia crawfordi</i> (Shannon, 1916) [ <i>Calliprobola</i> ]			2
	<i>pulchra</i> (Williston, 1882) [ <i>Brachypalpus</i> ]		<i>Hadromyia pulchra</i> (Williston, 1882) [ <i>Brachypalpus</i> ]			5
	<i>speciosa</i> (Rossi, 1790) [ <i>Syrphus</i> ]		<i>Calliprobola speciosa</i> (Rossi, 1790) [ <i>Syrphus</i> ]			3
	<b>Cartosyrphus</b> Bigot, 1883		<b>Cheilosia</b> Meigen, 1822		1	1
	<i>shannoni</i> Curran, 1923		<i>Cheilosia shannoni</i> (Curran, 1923) [ <i>Cartosyrphus</i> ]			1
	<b>Catabomba</b> Osten Sacken, 1877		<b>Scaeva</b> Fabricius, 1805		5	97
	<i>albomaculata</i> (Macquart, 1842) [ <i>Syrphus</i> ]		<i>Scaeva albomaculata</i> (Macquart, 1842) [ <i>Syrphus</i> ]			8
	<i>dignota</i> (Rondani, 1857) [ <i>Lasiophthicus</i> ]		<i>Scaeva dignota</i> (Rondani, 1857) [ <i>Lasiophthicus</i> ]			4
	<i>pyrastris</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<i>Scaeva pyrastris</i> (Linnaeus, 1758) [ <i>Musca</i> ]			66
	<i>pyrastris unicolor</i> (Curtis, 1834) [ <i>Scaeva</i> ]		<i>Scaeva pyrastris</i> (Linnaeus, 1758) [ <i>Musca</i> ]			13
	<i>selenitica</i> Meigen, 1822		<i>Scaeva selenitica</i> (Meigen, 1822) [ <i>Syrphus</i> ]			6
	<b>Ceria</b> Fabricius, 1794		<b>Ceriana</b> Rafinesque, 1815		6	25
	<i>conopsoides</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<i>Ceriana conopsoides</i> (Linnaeus, 1758) [ <i>Musca</i> ]			8
	<i>eumenioides</i> Saunders, 1842		<i>Monoceromyia eumenioides</i> (Saunders, 1842) [ <i>Ceria</i> ]			2
	<i>ornata</i> Saunders, 1845		<i>Ceriana ornata</i> (Saunders, 1845) [ <i>Ceria</i> ]			1
	<i>subsessilis</i> Illiger, 1807		<i>Sphiximorpha subsessilis</i> (Illiger, 1807) [ <i>Ceria</i> ]			3
	<i>tridens</i> Loew, 1872		<i>Ceriana tridens</i> (Loew, 1872) [ <i>Ceria</i> ]			3
	<i>vespiformis</i> Latreille, 1809		<i>Ceriana vespiformis</i> (Latreille, 1809) [ <i>Ceria</i> ]			8
	<b>Ceriodes</b> Rondani, 1850		<b>Sphiximorpha</b> Rondani, 1850		7	35
	<i>afra</i> (Wiedemann, 1830) [ <i>Ceria</i> ]		<i>Monoceromyia afra</i> (Wiedemann, 1830) [ <i>Ceria</i> ]			5
	<i>australis</i> (Macquart, 1850) [ <i>Ceria</i> ]		<i>Ceriana australis</i> (Macquart, 1850) [ <i>Ceria</i> ]			4
	<i>barbipes</i> (Loew, 1853) [ <i>Ceria</i> ]		<i>Sphiximorpha barbipes</i> (Loew, 1853) [ <i>Ceria</i> ]			12
	<i>caffra</i> (Loew, 1853) [ <i>Ceria</i> ]		<i>Monoceromyia caffra</i> (Loew, 1853) [ <i>Ceria</i> ]			3
	<i>facialis</i> (Kertesz, 1903) [ <i>Ceria</i> ]		<i>Sphiximorpha facialis</i> (Kertesz, 1903) [ <i>Ceria</i> ]			1
	<i>javana</i> (Wiedemann, 1824) [ <i>Ceria</i> ]		<i>Monoceromyia javana</i> (Wiedemann, 1824) [ <i>Ceria</i> ]			5
	<i>petersi</i> Speiser, 1924		<i>Monoceromyia petersi</i> (Speiser, 1924) [ <i>Ceriodes</i> ]			5
	<b>Chamaesyrphus</b> Mik, 1895		<b>Pelecocera</b> Meigen, 1822		2	4
	<i>scaevoides</i> (Fallen, 1817) [ <i>Rhingia</i> ]					2
	<i>willistoni</i> (Snow, 1895) [ <i>Pelecocera</i> ]					2
	<b>Chilosia</b> Williston, 1887		<b>Cheilosia</b> Meigen, 1822		80	922

## Syrphidae

## Chilosia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>alaskensis</i> Hunter, 1897		<i>Cheilosia alaskensis</i> (Hunter, 1897) [ <i>Chilosia</i> ]			2
	<i>albitarsis</i> Meigen, 1822		<i>Cheilosia bardus</i> (Harris, 1780) [ <i>Musca</i> ]			88
	<i>alpina</i> (Zetterstedt, 1838) [ <i>Eristalis</i> ]		<i>Cheilosia alpina</i> (Zetterstedt, 1838) [ <i>Eristalis</i> ]			7
	<i>antiqua</i> (Meigen, 1822) [ <i>Syrphus</i> ]		<i>Cheilosia antiqua</i> (Meigen, 1822) [ <i>Syrphus</i> ]			35
	<i>barbata</i> Loew, 1857		<i>Cheilosia barbata</i> Loew, 1857			29
	<i>brachyptera</i> Palma, 1864		<i>Cheilosia brchiptera</i> Palma, 1864			2
	<i>canicularis</i> (Panzer, 1801) [ <i>Syrphus</i> ]		<i>Cheilosia himantopus</i> (Panzer, 1798) [ <i>Syrphus</i> ]			44
	<i>canicularis</i> var <i>beckeri</i> Strobl, 1910		<i>Cheilosia beckeri</i> (Strobl, 1910) [ <i>Chilosia</i> ]			3
	<i>carbonaria</i> Egger, 1860		<i>Cheilosia carbonaria</i> Egger, 1860			8
	<i>chloris</i> Schiner, 1857		<i>Cheilosia flavicornis</i> (Fabricius, 1781) [ <i>Syrphus</i> ]			8
	<i>coerulescens</i> (Meigen, 1822) [ <i>Syrphus</i> ]		<i>Cheilosia coerulescens</i> (Meigen, 1822) [ <i>Syrphus</i> ]			19
	<i>comosa</i> Loew, 1863		<i>Cheilosia comosa</i> (Loew, 1863) [ <i>Chilosia</i> ]			3
	<i>conops</i> Becker, 1894		<i>Cheilosia vulpina</i> (Meigen, 1822) [ <i>Syrphus</i> ]			23
	<i>correcta</i> Becker, 1894		<i>Cheilosia area</i> Dufour, 1848			13
	<i>crassiseta</i> Loew, 1859		<i>Cheilosia crassiseta</i> Loew, 1859			10
	<i>cyanescens</i> Loew, 1863		<i>Hiatomyia cyanecens</i> (Loew, 1863) [ <i>Chilosia</i> ]			3
	<i>cynocephala</i> Loew, 1840		<i>Cheilosia cynocephala</i> (Loew, 1840) [ <i>Chilosia</i> ]			8
	<i>derasa</i> Loew, 1857		<i>Cheilosia derasa</i> Loew, 1857			2
	<i>dimidiata</i> (Zetterstedt, 1849) [ <i>Eristalis</i> ]		<i>Cheilosia fraterna</i> (Meigen, 1830) [ <i>Syrphus</i> ]			12
	<i>faucis</i> Becker, 1894		<i>Cheilosia faucis</i> (Becker, 1894) [ <i>Chilosia</i> ]			1
	<i>ferruginea</i> Lovett, 1919		<i>Cheilosia ferruginea</i> (Lovett, 1919) [ <i>Chilosia</i> ]			2
	<i>flavipes</i> Panzer, 1798		<i>Cheilosia flavipes</i> (Panzer, 1798) [ <i>Syrphus</i> ]			6
	<i>frontalis</i> Loew, 1857		<i>Cheilosia frontalis</i> Loew, 1857			3
	<i>gagatea</i> Loew, 1857		<i>Cheilosia gagatea</i> Loew, 1857			1
	<i>gigantea</i> Zetterstedt, 1838		<i>Cheilosia gigantea</i> (Zetterstedt, 1838) [ <i>Eristalis</i> ]			50
	<i>griseiventris</i> Loew, 1857		<i>Cheilosia griseiventris</i> Loew, 1857			4
	<i>grossa</i> (Fallen, 1817) [ <i>Eristalis</i> ]		<i>Cheilosia corydon</i> (Harris, 1780) [ <i>Musca</i> ]			2
	<i>honesta</i> Rondani, 1868		<i>Cheilosia barbata</i> Loew, 1857			11
	<i>hoodiana</i> Bigot, 1884		<i>Cheilosia hoodiana</i> (Bigot, 1884) [ <i>Cartosyrphus</i> ]			1
	<i>hypena</i> Becker, 1894		<i>Cheilosia hypena</i> (Becker, 1894) [ <i>Chilosia</i> ]			4
	<i>illustrata</i> Harris, 1780		<i>Cheilosia illustrata</i> (Harris, 1780) [ <i>Musca</i> ]			12
	<i>impressa</i> Loew, 1840		<i>Cheilosia impressa</i> (Loew, 1840) [ <i>Chilosia</i> ]			62
	<i>impudens</i> Becker, 1894		<i>Cheilosia impudens</i> (Becker, 1894) [ <i>Chilosia</i> ]			1
	<i>insignis</i> Loew, 1857		<i>Cheilosia insignis</i> Loew, 1857			1
	<i>intonsa</i> Loew, 1857		<i>Cheilosia latifrons</i> (Zetterstedt, 1843) [ <i>Eristalis</i> ]			5
	<i>laevis</i> (Bigot, 1884) [ <i>Cartosyrphus</i> ]		<i>Cheilosia laevis</i> (Bigot, 1884) [ <i>Cartosyrphus</i> ]			2
	<i>langhofferi</i> Becker, 1894		<i>Cheilosia nebulosa</i> (Verrall, 1871) [ <i>Chilosia</i> ]			3
	<i>lasiophthalma</i> Williston, 1882		<i>Cheilosia lasiophthalmus</i> Williston, 1882			5
	<i>latifacies</i> Loew, 1857		<i>Cheilosia latifacies</i> Loew, 1857			7
	<i>longula</i> (Zetterstedt, 1838) [ <i>Eristalis</i> ]		<i>Cheilosia longula</i> (Zetterstedt, 1838) [ <i>Eristalis</i> ]			9
	<i>lugubris</i> Williston, 1887		<i>Hiatomyia willistoni</i> (Snow, 1895) [ <i>Chilosia</i> ]			3
	<i>melanura</i> Becker, 1889		<i>Cheilosia melanura</i> (Becker, 1889) [ <i>Chilosia</i> ]			28
	<i>montana</i> Egger, 1860		<i>Cheilosia montana</i> Egger, 1860			5

## Syrphidae

## Chilosia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>mutabilis</i> (Fallen, 1817) [ <i>Eristalis</i> ]		<i>Cheilosia mutabilis</i> (Fallen, 1817) [ <i>Eristalis</i> ]			32
	<i>nasutula</i> Becker, 1894		<i>Cheilosia nasutula</i> (Becker, 1894) [ <i>Chilosia</i> ]			3
	<i>nivalis</i> Becker, 1894		<i>Cheilosia nivalis</i> (Becker, 1894) [ <i>Chilosia</i> ]			2
	<i>occidentalis</i> Williston, 1882		<i>Cheilosia occidentalis</i> Williston, 1882			6
	<i>omissa</i> Becker, 1894		<i>Cheilosia omissa</i> (Becker, 1894) [ <i>Chilosia</i> ]			5
*	<i>orilliaenis</i> Curran, 1922		<i>Cheilosia orilliaenis</i> (Curran, 1922) [ <i>Chilosia</i> ]			2
	<i>pallipes</i> Loew, 1863		<i>Cheilosia pallipes</i> (Loew, 1863) [ <i>Chilosia</i> ]			2
	<i>pascuorum</i> Becker, 1894		<i>Cheilosia pascuorum</i> (Becker, 1894) [ <i>Chilosia</i> ]			10
	<i>pedemontana</i> Rondani, 1857		<i>Cheilosia pedemontana</i> Rondani, 1857			1
	<i>personata</i> Loew, 1857		<i>Cheilosia personata</i> Loew, 1857			5
	<i>petulca</i> Williston, 1887		<i>Cheilosia hoodiana</i> (Bigot, 1884) [ <i>Cartosyrphus</i> ]			1
	<i>pictipennis</i> Egger, 1860		<i>Cheilosia pictipennis</i> Egger, 1860			1
	<i>plutonia</i> Hunter, 1897		<i>Hiatomyia plutonia</i> (Hunter, 1897) [ <i>Chilosia</i> ]			5
	<i>praecox</i> (Zetterstedt, 1843) [ <i>Eristalis</i> ]		<i>Cheilosia ruralis</i> (Meigen, 1822) [ <i>Syrphus</i> ]			33
	<i>primoveris</i> Shannon, 1915		<i>Cheilosia primoveris</i> (Shannon, 1915) [ <i>Chilosia</i> ]			4
	<i>proxima</i> Zetterstedt, 1843		<i>Cheilosia proxima</i> (Zetterstedt, 1843) [ <i>Eristalis</i> ]			38
	<i>pubera</i> Zetterstedt, 1838		<i>Cheilosia pubera</i> (Zetterstedt, 1838) [ <i>Eristalis</i> ]			6
	<i>pulchripes</i> Loew, 1857		<i>Cheilosia pagana</i> (Meigen, 1822) [ <i>Syrphus</i> ]			24
	<i>pulchripes</i> var <i>floccosa</i> Verrall, 1901		<i>Cheilosia pagana</i> (Meigen, 1822) [ <i>Syrphus</i> ]			34
	<i>rhyncops</i> Egger, 1860		<i>Cheilosia rhyncops</i> Egger, 1860			5
	<i>schinerii</i> Egger, 1860		<i>Cheilosia schineri</i> Egger, 1860			2
	<i>scutellata</i> (Falcoz, 1817) [ <i>Eristalis</i> ]		<i>Cheilosia yarditas</i> (Harris, 1780) [ <i>Musca</i> ]			60
	<i>semifasciata</i> Becker, 1894		<i>Cheilosia semifasciata</i> (Becker, 1894) [ <i>Chilosia</i> ]			3
	<i>siciliana</i> Becker, 1894		<i>Cheilosia siciliana</i> (Becker, 1894) [ <i>Chilosia</i> ]			9
	<i>signatiseta</i> Hunter, 1896		<i>Hiatomyia signatiseta</i> (Hunter, 1896) [ <i>Chilosia</i> ]			2
	<i>similis</i> Shannon, 1915		<i>Cheilosia shannoni</i> (Curran, 1923) [ <i>Cartosyrphus</i> ]			1
	<i>slossoni</i> Shannon, 1922		<i>Cheilosia prima</i> (Hunter, 1896) [ <i>Chilosia</i> ]			3
	<i>soror</i> (Zetterstedt, 1843) [ <i>Eristalis</i> ]		<i>Cheilosia ruffipes</i> (Preyssler, 1793) [ <i>Syrphus</i> ]			12
	<i>sororcula</i> Williston, 1891		<i>Cheilosia sororcula</i> (Williston, 1891) [ <i>Chilosia</i> ]			4
	<i>sp.</i>					11
	<i>townsendi</i> Hunter, 1896		<i>Hiatomyia townsendi</i> (Hunter, 1896) [ <i>Chilosia</i> ]			4
	<i>tristis</i> Loew, 1863		<i>Cheilosia latrans</i> (Walker, 1849) [ <i>Syrphus</i> ]			4
	<i>variabilis</i> Panzer, 1798		<i>Cheilosia variabilis</i> (Panzer, 1798) [ <i>Syrphus</i> ]			19
	<i>velutina</i> Loew, 1840		<i>Cheilosia velutina</i> (Loew, 1840) [ <i>Chilosia</i> ]			1
	<i>venosa</i> Loew, 1857		<i>Cheilosia venosa</i> Loew, 1857			2
	<i>vernalis</i> (Fallen, 1817) [ <i>Eristalis</i> ]		<i>Cheilosia vernalis</i> (Fallen, 1817) [ <i>Eristalis</i> ]			18
	<i>viduata</i> var <i>tarsisnigris</i> Becker					1
	<b><i>Chrysochlamys</i> Rondani, 1857</b>		<b><i>Ferdinandea</i> Rondani, 1844</b>		5	24
	<i>aurea</i> (Rondani, 1844) [ <i>Ferdinandea</i> ]		<i>Ferdinandea aurea</i> Rondani, 1844			3
	<i>croesus</i> Osten Sacken, 1877		<i>Ferdinandea croesus</i> (Osten Sacken, 1877) [ <i>Chrysochlamys</i> ]			3
	<i>cuprea</i> (Scopoli, 1763) [ <i>Conops</i> ]		<i>Ferdinandea cuprea</i> (Scopoli, 1763) [ <i>Conops</i> ]			16
	<i>dives</i> Osten Sacken, 1877		<i>Ferdinandea buccata</i> (Loew, 1863) [ <i>Chrysochlamys</i> ]			1



## Syrphidae

## Chrysochlamys

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>ruficornis</i> (Fabricius, 1775) [ <i>Syrphus</i> ]		<i>Ferdinandea ruficornis</i> (Fabricius, 1775) [ <i>Syrphus</i> ]			1
	<b>Chrysogaster</b> Meigen, 1803				10	85
	<i>aerosa</i> Loew, 1843					5
	<i>chalybeata</i> Meigen, 1822		<i>Chrysogaster cemiteriorum</i> (Linnaeus, 1758) [ <i>Musca</i> ]			8
	<i>coemeteriorum</i> Linnaeus, 1758		<i>Chrysogaster cemiteriorum</i> (Linnaeus, 1758) [ <i>Musca</i> ]			6
	<i>hirtella</i> Loew, 1843					8
	<i>lata</i> Loew, 1863		<i>Chrysosyrphus latus</i> (Loew, 1863) [ <i>Chrysogaster</i> ]			15
	<i>nigripes</i> Loew, 1863		<i>Chrysogaster antitheus</i> Walker, 1849			10
	<i>pictipennis</i> (Loew, 1863) [ <i>Orthoneura</i> ]		<i>Orthoneura pictipennis</i> (Loew, 1863) [ <i>Orthoneura</i> ]			4
	<i>pulchella</i> Williston, 1887		<i>Orthoneura pulchella</i> (Williston, 1887) [ <i>Chrysogaster</i> ]			5
	<i>splendens</i> Meigen, 1822		<i>Orthoneura splendens</i> (Meigen, 1822) [ <i>Chrysogaster</i> ]			6
	<i>viduata</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<i>Pipiza viduata</i> (Linnaeus, 1758) [ <i>Musca</i> ]			18
	<b>Chrysotoxum</b> Meigen, 1803				18	201
	<i>arcuatum</i> (Linnaeus, 1758) [ <i>Musca</i> ]					12
	<i>bicinctum</i> (Linnaeus, 1758) [ <i>Musca</i> ]					17
	<i>bigoti</i> Giglio-Tos, 1890		<i>Chrysotoxum elegans</i> Loew, 1841			1
	<i>cautum</i> (Harris, 1776) [ <i>Musca</i> ]					20
*	<i>chinook</i> Shannon, 1926					1
	<i>cisalpinum</i> Rondani, 1845					7
*	<i>continuum</i> Bezzi, 1915					1
	<i>derivatum</i> Walker, 1849					2
	<i>elegans</i> Loew, 1841					2
	<i>fasciolatum</i> (De Geer, 1776) [ <i>Musca</i> ]					5
	<i>festivum</i> (Linnaeus, 1758) [ <i>Musca</i> ]					55
	<i>intermedium</i> Meigen, 1822					15
	<i>laterale</i> Loew, 1864					1
	<i>octomaculatum</i> Curtis, 1837					22
	<i>pubescens</i> Loew, 1864					3
	<i>ventricosum</i> Loew, 1864		<i>Chrysotoxum derivatum</i> Walker, 1849			3
	<i>vernale</i> Loew, 1841					32
	<i>ypsilon</i> Williston, 1887					2
	<b>Cnemodon</b> Egger, 1865		<b>Heringia</b> Rondani, 1856		4	14
	<i>calcarata</i> (Loew, 1866) [ <i>Pipiza</i> ]		<i>Heringia calcarata</i> (Loew, 1866) [ <i>Pipiza</i> ]			4
	<i>fulvimanus</i> (Zetterstedt, 1848) [ <i>Pipiza</i> ]		<i>Neocnemodon fulvimanus</i> (Zetterstedt, 1843) [ <i>Pipiza</i> ]			3
*	<i>intermedia</i> Curran, 1921		<i>Neocnemodon intermedia</i> (Curran, 1921) [ <i>Cnemodon</i> ]			2
	<i>vitripennis</i> (Meigen, 1822) [ <i>Pipiza</i> ]		<i>Neocnemodon vitripennis</i> (Meigen, 1822) [ <i>Pipiza</i> ]			5
	<b>Copestylum</b> Macquart, 1846				2	11
	<i>marginatum</i> (Say, 1829) [ <i>Volucella</i> ]					9
	<i>marginatum</i> var. <i>lentum</i> Williston, 1887		<i>Copestylum lentum</i> Williston, 1887			2

## Syrphidae

## Crioprora

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Crioprora</b> Osten Sacken, 1878		<b>Brachypalpus</b> Macquart, 1834		2	4
	<i>cyanella</i> Osten Sacken, 1877		<i>Brachypalpus cyanella</i> Osten Sacken, 1877			3
	<i>femorata</i> Williston, 1882		<i>Brachypalpus femorata</i> (Williston, 1882) [Crioprora]			1
	<b>Criorrhina</b> Verrall, 1901		<b>Criorhina</b> Meigen, 1822		9	24
	<i>asilica</i> (Fallen, 1816) [Syrphus]		<i>Criorhina asilica</i> (Fallen, 1816) [Syrphus]			2
	<i>berberina</i> (Fabricius, 1805) [Eristalis]		<i>Criorhina berberina</i> (Fabricius, 1805) [Eristalis]			2
	<i>floccosa</i> (Meigen, 1822) [Milesia]		<i>Criorhina floccosa</i> (Meigen, 1822) [Milesia]			2
	<i>kincaidii</i> Coquillett, 1901		<i>Criorhina kincaidii</i> Coquillett, 1901			3
	<i>nigripes</i> (Williston, 1882) [Brachymyia]		<i>Criorhina nigripes</i> (Williston, 1882) [Brachymyia]			2
	<i>oxyacanthae</i> (Meigen, 1822) [Milesia]		<i>Criorhina berberina</i> (Fabricius, 1805) [Eristalis]			5
	<i>ruficauda</i> (De Geer, 1776) [Musca]		<i>Blera fallax</i> (Linnaeus, 1758) [Musca]			3
	<i>tricolor</i> Coquillett, 1900		<i>Criorhina tricolor</i> Coquillett, 1900			3
	<i>verbosa</i> (Walker, 1849) [Milesia]		<i>Criorhina verbosa</i> (Walker, 1849) [Milesia]			2
	<b>Cynorrhina</b> Verrall, 1901		<b>Blera</b> Billberg, 1820		3	7
	<i>analisis</i> (Macquart, 1942) [Milesia]		<i>Blera analis</i> (Macquart, 1942) [Milesia]			2
	<i>humeralis</i> (Williston, 1882) [Criorrhina]		<i>Blera humeralis</i> (Williston, 1882) [Criorrhina]			2
	<i>scitula</i> (Williston, 1882) [Criorhina]		<i>Blera scitula</i> (Williston, 1882) [Criorhina]			3
	<b>Deineches</b> Walker, 1852				1	1
	<i>nigrofulva</i> (Walker, 1852) [Criorhina]		<i>Deineches nudiventris</i> (Macquart, 1846) [Criorhina]			1
	<b>Didea</b> Macquart, 1834				5	26
	<i>alneti</i> (Fallen, 1817) [Scaeva]					6
	<i>fasciata</i> Macquart, 1834					8
	<i>fuscipes</i> Loew, 1863					3
	<i>intermedia</i> Loew, 1854					5
	<i>laxa</i> Osten Sacken, 1875		<i>Eriozona laxus</i> (Osten Sacken, 1875) [Didea]			4
	<b>Dissoptera</b> Edwards, 1915				2	4
	<i>heterothrix</i> (Meijere, 1908) [Eristalis]					3
*	<i>unicolor</i> Bezzi, 1928					1
	<b>Dolichogyna</b> Macquart, 1842				2	3
	<i>fasciata</i> Macquart, 1842		<i>Dolichogyna chilensis</i> (Walker, 1936) [Helophilus]			2
	<i>nigripes</i> Bigot, 1884					1
	<b>Dolichomerus</b> Macquart, 1850		<b>Phytomia</b> Guerin-Meneville, 1833		3	6
	<i>aesacus</i> (Walker, 1849) [Helophilus]		<i>Senaspis dentipes</i> (Macquart, 1842) [Eristalis]			2
	<i>elliotti</i> (Austen, 1909) [Senaspis]		<i>Senaspis eliottii</i> Austen, 1909			2
	<i>nigritus</i> Bigot, 1859		<i>Senaspis nigrita</i> (Bigot, 1859) [Dolichomerus]			2

## Syrphidae

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	Doros specimens #
	<b>Doros</b> Meigen, 1803				1	2
	<i>conopseus</i> (Fabricius, 1775) [ <i>Syrphus</i> ]		<i>Doros profuges</i> (Harris, 1780) [ <i>Musca</i> ]			2
	<b>Eriozona</b> Schiner, 1860				1	4
	<i>syrphoides</i> (Fallen, 1817) [ <i>Scaeva</i> ]					4
	<b>Eristalinus</b> Rondani, 1845				4	21
	<i>megacephalus</i> (Rossi, 1794) [ <i>Syrphus</i> ]					1
	<i>sepulchralis</i> (Linnaeus, 1758) [ <i>Musca</i> ]					15
	<i>smaragdinus</i> (Macquart, 1842) [ <i>Eristalis</i> ]					4
	<i>violaceus</i> (Macquart, 1848) [ <i>Eristalis</i> ]					1
	<b>Eristalis</b> Latreille, 1804				57	625
	<i>agno</i> Walker, 1849		<i>Eristalinus punctulatus</i> (Macquart, 1847) [ <i>Eristalis</i> ]			5
	<i>agrorum</i> (Fabricius, 1787) [ <i>Syrphus</i> ]		<i>Palpada agrorum</i> (Fabricius, 1787) [ <i>Syrphus</i> ]			1
	<i>albiceps</i> Macquart, 1842		<i>Palpada albifrons</i> (Wiedemann, 1830) [ <i>Eristalis</i> ]			7
	<i>albifrons</i> Wiedemann, 1830		<i>Palpada albifrons</i> (Wiedemann, 1830) [ <i>Eristalis</i> ]			7
	<i>alpina</i> (Panzer, 1798) [ <i>Syrphus</i> ]					3
	<i>amoena</i> Macquart, 1850		<i>Eristalinus amoenus</i> (Macquart, 1850) [ <i>Eristalis</i> ]			2
	<i>anthophorina</i> (Fallen, 1817) [ <i>Syrphus</i> ]					1
	<i>arbustorum</i> (Linnaeus, 1758) [ <i>Musca</i> ]					104
	<i>bastardi</i> Macquart, 1842		<i>Eristalis anthophorina</i> (Fallen, 1817) [ <i>Syrphus</i> ]			10
	<i>cerealis</i> Fabricius, 1805					11
	<i>compactus</i> Walker, 1849		<i>Eristalis cryptarum</i> (Fabricius, 1794) [ <i>Syrphus</i> ]			2
	<i>conicus</i> (Fabricius, 1805) [ <i>Milesia</i> ]		<i>Palpada conica</i> (Fabricius, 1805) [ <i>Milesia</i> ]			2
	<i>cubensis</i> Macquart, 1842		<i>Palpada agrorum</i> (Fabricius, 1787) [ <i>Syrphus</i> ]			1
	<i>dimidiatus</i> Wiedemann, 1830		<i>Eristalis dimidiata</i> Wiedemann, 1830			52
	<i>distinguendus</i> Wiedemann, 1830		<i>Palpada distinguenda</i> (Wiedemann, 1830) [ <i>Eristalis</i> ]			1
	<i>fasciatus</i> Wiedemann, 1819		<i>Palpada fasciata</i> (Wiedemann, 1819) [ <i>Eristalis</i> ]			10
	<i>flaveola</i> (Bigot, 1880) [ <i>Eristalomyia</i> ]		<i>Eristalinus flaveolus</i> (Bigot, 1880) [ <i>Eristalomyia</i> ]			4
	<i>flavipes</i> Walker, 1849					15
	<i>furcatus</i> Wiedemann, 1819		<i>Palpada furcata</i> (Wiedemann, 1819) [ <i>Eristalis</i> ]			24
	<i>horticola</i> (De Geer, 1776) [ <i>Syrphus</i> ]		<i>Eristalis arbustorum</i> (Linnaeus, 1758) [ <i>Musca</i> ]			7
	<i>incisa</i> Wiedemann, 1830		<i>Phytomyia incisa</i> (Wiedemann, 1830) [ <i>Eristalis</i> ]			1
	<i>inscriptus</i> Doleschall, 1857		<i>Austalis inscripta</i> (Doleschall, 1857) [ <i>Eristalis</i> ]			1
	<i>intricaria</i> (Linnaeus, 1758) [ <i>Musca</i> ]					18
	<i>intricarius</i> var <i>furvus</i> Verrall, 1901		<i>Eristalis intricaria</i> (Linnaeus, 1758) [ <i>Musca</i> ]			1
	<i>jugorum</i> Egger, 1858					8
	<i>latifrons</i> Loew, 1866		<i>Eristalis stipator</i> Osten Sacken, 1877			6
	<i>meigenii</i> Wiedemann, 1830		<i>Palpada meigenii</i> (Wiedemann, 1830) [ <i>Eristalis</i> ]			28
	<i>montanus</i> Williston, 1882		<i>Eristalis anthophorina</i> (Fallen, 1817) [ <i>Syrphus</i> ]			3
	<i>nemorum</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<i>Eristalis arbustorum</i> (Linnaeus, 1758) [ <i>Musca</i> ]			7
	<i>niger</i> Wiedemann, 1824		<i>Kertesziomyia nigra</i> (Wiedemann, 1824) [ <i>Eristalis</i> ]			3

## Syrphidae

## Eristalis

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>obsoletus</i> Wiedemann, 1830		<i>Palpada geniculata</i> (Fabricius, 1805) [ <i>Eristalis</i> ]			18
	<i>occidentalis</i> Williston, 1882		<i>Eristalis anthophorina</i> (Fallen, 1817) [ <i>Syrphus</i> ]			9
	<i>parvulus</i> Williston, 1888		<i>Palpada parvula</i> (Williston, 1888) [ <i>Eristalis</i> ]			2
	<b><i>pertinax</i></b> (Scopoli, 1763) [ <i>Conops</i> ]					18
	<i>plurivittata</i> Macquart, 1855		<i>Eristalinus quinquelineatus</i> (Fabricius, 1781) [ <i>Syrphus</i> ]			5
	<i>praecipuus</i> Williston, 1888		<i>Palpada precipua</i> (Williston, 1888) [ <i>Eristalis</i> ]			2
	<b><i>pratorum</i></b> Meigen, 1822					11
	<i>pusillus</i> Macquart, 1842		<i>Palpada pusilla</i> (Macquart, 1842) [ <i>Eristalis</i> ]			8
	<i>pygolampus</i> Wiedemann, 1830		<i>Palpada pygolampa</i> (Wiedemann, 1830) [ <i>Eristalis</i> ]			18
	<i>resolutus</i> Walker, 1858		<i>Austalis resoluta</i> (Walker, 1858) [ <i>Eristalis</i> ]			1
*	<i>rhynchops</i> Bezzi, 1928		<i>Austalis rhynchops</i> (Bezzi, 1928) [ <i>Eristalis</i> ]			1
	<i>rufipes</i> Macquart, 1842		<i>Palpada rufipedes</i> (Thompson, 1976) [ <i>Eristalis</i> ]			3
	<i>rufoscutellatus</i> Sack, 1921		<i>Palpada rufoscutellata</i> (Sack, 1921) [ <i>Eristalis</i> ]			8
	<b><i>rupium</i></b> Fabricius, 1805					13
	<b><i>saxorum</i></b> Wiedemann, 1830					8
	<i>scutellaris</i> (Fabricius, 1805) [ <i>Milesia</i> ]		<i>Palpada scutellaris</i> (Fabricius, 1805) [ <i>Milesia</i> ]			28
*	<i>semisplendens</i> Sack, 1926		<i>Kertesziomyia semisplendens</i> (Sack, 1926) [ <i>Eristalis</i> ]			1
	<i>smaragdi</i> Walker, 1849		<i>Austalis smaragdi</i> (Walker, 1849) [ <i>Eristalis</i> ]			1
	<i>taenia</i> Wiedemann, 1830		<i>Palpada taenia</i> (Wiedemann, 1830) [ <i>Eristalis</i> ]			10
	<i>temporalis</i> Thomson, 1869		<i>Eristalis hirta</i> Loew, 1866			41
	<i>testaceiscutellata</i> Macquart, 1850		<i>Palpada meigenii</i> (Wiedemann, 1830) [ <i>Eristalis</i> ]			2
	<i>transversus</i> Wiedemann, 1830		<i>Eristalis transversa</i> Wiedemann, 1830			36
	<i>trigonus</i> Williston, 1891		<i>Palpada familiaris</i> (Walker, 1860) [ <i>Eristalis</i> ]			6
	<i>trizonata</i> Bigot, 1858		<i>Eristalinus trizonatus</i> (Bigot, 1858) [ <i>Eristalis</i> ]			3
	<i>vinetorum</i> (Fabricius, 1799) [ <i>Syrphus</i> ]		<i>Palpada vinetorum</i> (Fabricius, 1799) [ <i>Syrphus</i> ]			14
	<i>viridis</i> Coquillett, 1898		<i>Kertesziomyia viridis</i> (Coquillett, 1898) [ <i>Eristalis</i> ]			1
	<i>volaticus</i> Williston, 1888		<i>Palpada melanaspis</i> (Wiedemann, 1830) [ <i>Eristalis</i> ]			12
	<b><i>Eristalodes</i></b> Mik, 1897		<b><i>Eristalinus</i></b> Rondani, 1845		3	31
	<i>barclayi</i> Bezzi, 1915		<i>Eristalinus barclayi</i> (Bezzi, 1915) [ <i>Eristalodes</i> ]			3
	<i>paria</i> (Bigot, 1880) [ <i>Eristalomyia</i> ]		<i>Eristalinus paria</i> (Bigot, 1880) [ <i>Eristalomyia</i> ]			6
	<i>taeniops</i> (Wiedemann, 1818) [ <i>Eristalis</i> ]		<i>Eristalinus taeniops</i> (Wiedemann, 1818) [ <i>Eristalis</i> ]			22
	<b><i>Eristalomyia</i></b> Scudder, 1882		<b><i>Eristalis</i></b> Latreille, 1804		2	144
	<i>anthophorina</i> (Fallen, 1817) [ <i>Syrphus</i> ]		<i>Eristalis anthophorina</i> (Fallen, 1817) [ <i>Syrphus</i> ]			1
	<i>tenax</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<i>Eristalis tenax</i> (Linnaeus, 1758) [ <i>Musca</i> ]			143
	<b><i>Eumerus</i></b> Meigen, 1822				35	166
	<b><i>albifrons</i></b> Walker, 1852					2
	<b><i>amoenus</i></b> Loew, 1848					5
	<i>annulatus</i> (Panzer, 1798) [ <i>Syrphus</i> ]		<i>Merodon annulatus</i> (Fabricius, 1794) [ <i>Syrphus</i> ]			3
	<b><i>argentipes</i></b> Walker, 1861					1
	<b><i>argyropsis</i></b> Bezzi, 1908					1

## Syrphidae

Syrphidae				<i>Eumerus</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>argyropus</i> Loew, 1848					10
	<i>axinecerus</i> Speiser, 1910					4
	<i>barbiventris</i> Rondani, 1850		<i>Eumerus ruficornis</i> Meigen, 1822			3
	<i>basalis</i> Loew, 1848					9
	<i>bimaculatus</i> Doleschall, 1858					4
	<i>clavatus</i> Becker, 1921					1
	<i>elegans</i> Schiner & Egger, 1853		<i>Eumerus flavitarsis</i> Zetterstedt, 1843			6
	<i>erythrocerus</i> Loew, 1858					1
	<i>flavicinctus</i> Meijere, 1908					5
	<i>flavipes</i> (Sack, 1927) [ <i>Zelima</i> ]		<i>Xylota flavipes</i> (Sack, 1927) [ <i>Zelima</i> ]			2
	<i>iris</i> Loew, 1848		<i>Eumerus barbarus</i> (Coquebert, 1804) [ <i>Syrphus</i> ]			12
	<i>latitarsis</i> Macquart, 1839					4
	<i>lugens</i> Wiedemann, 1830					4
	<i>lunulatus</i> Meigen, 1822		<i>Eumerus strigatus</i> (Fallen, 1817) [ <i>Pipiza</i> ]			16
	<i>lunulatus</i> var. <i>melanopus</i> Rondani, 1857		<i>Eumerus strigatus</i> (Fallen, 1817) [ <i>Pipiza</i> ]			3
	<i>nudus</i> Loew, 1848					3
	<i>obliquus</i> (Fabricius, 1805) [ <i>Milesia</i> ]					7
	<i>olivaceus</i> Loew, 1848					8
	<i>ornatus</i> Meigen, 1822					7
	<i>ovatus</i> Loew, 1848					8
	<i>paulae</i> Herve & Bazin, 1913					6
	<i>pulchellus</i> Loew, 1848					6
	<i>ruficornis</i> Meigen, 1822					1
	<i>sabulonum</i> (Fallen, 1817) [ <i>Pipiza</i> ]					2
	<i>sinuatus</i> Loew, 1855					1
	<i>tarsalis</i> Loew, 1848					3
	<i>tricolor</i> (Fabricius, 1798) [ <i>Syrphus</i> ]					7
	<i>tuberculatus</i> Rondani, 1857		<i>Xylota flavifrons</i> Walker, 1849			7
	<i>uncipes</i> Rondani, 1850					3
	<i>vestitus</i> Bezzi, 1912					1
	<b><i>Eupeodes</i></b> Osten Sacken, 1877				1	25
	<i>volucris</i> Osten Sacken, 1877					25
	<b><i>Eurinomyia</i></b> Mik, 1897		<b><i>Lejops</i></b> Rondani, 1857		5	29
	<i>conostoma</i> (Williston, 1887) [ <i>Helophilus</i> ]		<i>Lejops lineatus</i> (Fabricius, 1787) [ <i>Rhingia</i> ]			13
	<i>katonai</i> Bezzi, 1921		<i>Lejops katonae</i> (Bezzi, 1921) [ <i>Eurinomyia</i> ]			3
	<i>lineata</i> (Fabricius, 1787) [ <i>Rhingia</i> ]		<i>Lejops lineatus</i> (Fabricius, 1787) [ <i>Rhingia</i> ]			6
	<i>lunulata</i> (Meigen, 1822) [ <i>Helophilus</i> ]		<i>Lejops lunulatus</i> (Meigen, 1822) [ <i>Helophilus</i> ]			3
	<i>transfuga</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<i>Lejops transfugus</i> (Linnaeus, 1758) [ <i>Musca</i> ]			4
	<b><i>Graptomyza</i></b> Wiedemann, 1820				7	43
	<i>brevirostris</i> Wiedemann, 1820					3

## Syrphidae

## Graptomyza

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i><b>jacobsoni</b></i> Meijere, 1911					1
	<i><b>microdon</b></i> Osten Sacken, 1882					5
*	<i>rostrata</i> Sack					3
	<i><b>signata</b></i> (Walker, 1860) [ <i>Paragus</i> ]					16
	<i><b>triangulifera</b></i> (Bigot, 1883) [ <i>Ptilostylomyia</i> ]					13
*	<i>varipes</i> Sack					2
	<b><i>Hadromyia</i></b> Williston, 1882				1	3
	<i>grandis</i> Williston, 1882					3
	<b><i>Hammerschmidtia</i></b> Schummel, 1834		<b><i>Brachyopa</i></b> Meigen, 1822		4	8
	<i>conica</i> (Panzer, 1798) [ <i>Musca</i> ]		<i><b>Brachyopa panzeri</b></i> Goffe, 1945			3
	<i>ferruginea</i> (Fallen, 1817) [ <i>Rhingia</i> ]		<i><b>Brachyopa ferruginea</b></i> (Fallen, 1817) [ <i>Rhingia</i> ]			1
	<i>gigas</i> (Lovett, 1919) [ <i>Brachyopa</i> ]		<i><b>Brachyopa gigas</b></i> Lovett, 1919			2
	<i>notata</i> (Osten Sacken, 1875) [ <i>Brachyopa</i> ]		<i><b>Brachyopa notata</b></i> Osten Sacken, 1875			2
	<b><i>Helophilus</i></b> Meigen, 1822				25	177
	<i>affinis</i> Wahlberg, 1844					3
	<i>antipodus</i> Schiner, 1868					1
	<i>bilinearis</i> Williston, 1887		<i><b>Lejops bilinearis</b></i> (Williston, 1887) [ <i>Helophilus</i> ]			3
*	<i><b>campbelli</b></i> (Miller, 1921) [ <i>Myiathropa</i> ]					2
	<i><b>campbellicus</b></i> Hutton, 1902					2
*	<i><b>cargilli</b></i> Miller, 1911					2
	<i>chrysostomus</i> (Wiedemann, 1830) [ <i>Eristalis</i> ]		<i><b>Lejops chrysostomus</b></i> (Wiedemann, 1830) [ <i>Eristalis</i> ]			8
	<i>cingulatus</i> (Fabricius, 1775) [ <i>Syrphus</i> ]					3
	<i>distinctus</i> Williston, 1887		<i><b>Lejops distinctus</b></i> (Williston, 1887) [ <i>Helophilus</i> ]			5
	<i>frutetorum</i> (Fabricius, 1775) [ <i>Syrphus</i> ]		<i><b>Parhelophilus frutetorum</b></i> (Fabricius, 1775) [ <i>Syrphus</i> ]			4
	<i>hochstetteri</i> Nowicki, 1875					2
	<i>hybridus</i> Loew, 1846					1
	<i>insignis</i> Walker, 1857		<i><b>Mesembrius vestitus</b></i> (Wiedemann, 1821) [ <i>Eristalis</i> ]			2
	<i>integer</i> Loew, 1863		<i><b>Parhelophilus integer</b></i> (Loew, 1863) [ <i>Helophilus</i> ]			3
	<i>laetus</i> Loew, 1863		<i><b>Parhelophilus laetus</b></i> (Loew, 1863) [ <i>Helophilus</i> ]			7
	<i>lapponicus</i> Wahlberg, 1844					2
	<i>latifrons</i> Loew, 1863					43
*	<i>niveicinctus</i> Sack					1
	<i>obscurus</i> Loew, 1863					4
	<i>pendulus</i> (Linnaeus, 1758) [ <i>Musca</i> ]					11
	<i>porcus</i> (Walker, 1849) [ <i>Eumerus</i> ]		<i><b>Parhelophilus porcus</b></i> (Walker, 1849) [ <i>Eumerus</i> ]			3
	<i>similis</i> Macquart, 1842		<i><b>Helophilus fasciatus</b></i> Walker, 1849			37
	<i>sp. 2</i>					4
	<i>trivittatus</i> (Fabricius, 1805) [ <i>Eristalis</i> ]					19
	<i>versicolor</i> (Fabricius, 1794) [ <i>Syrphus</i> ]		<i><b>Parhelophilus versicolor</b></i> (Fabricius, 1794) [ <i>Syrphus</i> ]			5

## Syrphidae

							<i>Heringia</i>
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #	
	<b>Heringia</b> Rondani, 1856				2	9	
	<i>salax</i> (Loew, 1866) [ <i>Pipiza</i> ]					2	
	<i>zetterstedti</i> Rondani, 1856		<b>Heringia heringi</b> (Zetterstedt, 1843) [ <i>Pipiza</i> ]			7	
	<b>Imatisma</b> Macquart, 1842				2	8	
	<i>analís</i> Macquart, 1846					4	
	<i>posticata</i> (Fabricius, 1805) [ <i>Eristalis</i> ]					4	
	<b>Ischyrosyrphus</b> Bigot, 1882		<b>Leucozonia</b> Schiner, 1860		3	11	
	<i>glaucius</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<b>Leucozonia glaucius</b> (Linnaeus, 1758) [ <i>Musca</i> ]			4	
	<i>laternarius</i> (Miller, 1776) [ <i>Musca</i> ]		<b>Leucozonia laternaria</b> (Miller, 1776) [ <i>Musca</i> ]			3	
	<i>liophthalmus</i> (Schiner & Egger, 1853) [ <i>Syrphus</i> ]		<b>Epistrophe leiphthalma</b> (Schiner & Egger, 1853) [ <i>Syrphus</i> ]			4	
	<b>Lathyrophthalmus</b> Mik, 1897		<b>Eristalinus</b> Rondani, 1845		14	139	
	<i>aeneus</i> (Scopoli, 1763) [ <i>Conops</i> ]		<b>Eristalinus aeneus</b> (Scopoli, 1763) [ <i>Conops</i> ]			58	
	<i>analís</i> (Macquart, 1842) [ <i>Eristalis</i> ]		<b>Eristalinus modestus</b> (Wiedemann, 1818) [ <i>Helophilus</i> ]			3	
*	<i>andersoni</i> Bezzi, 1915		<b>Eristalinus euzonus</b> (Loew, 1858) [ <i>Eristalis</i> ]			1	
	<i>arvorum</i> (Fabricius, 1787) [ <i>Syrphus</i> ]		<b>Eristalinus arvorum</b> (Fabricius, 1787) [ <i>Syrphus</i> ]			26	
	<i>euzonus</i> (Loew, 1858) [ <i>Eristalis</i> ]		<b>Eristalinus euzonus</b> (Loew, 1858) [ <i>Eristalis</i> ]			2	
	<i>lugens</i> (Wiedemann, 1830) [ <i>Eristalis</i> ]		<b>Eristalinus lugens</b> (Wiedemann, 1830) [ <i>Eristalis</i> ]			4	
	<i>modestus</i> (Wiedemann, 1818) [ <i>Helophilus</i> ]		<b>Eristalinus modestus</b> (Wiedemann, 1818) [ <i>Helophilus</i> ]			1	
	<i>obliquus</i> (Wiedemann, 1824) [ <i>Eristalis</i> ]		<b>Eristalinus obliquus</b> (Wiedemann, 1824) [ <i>Eristalis</i> ]			2	
	<i>obscuritarsis</i> (Meijere, 1908) [ <i>Eristalis</i> ]		<b>Eristalinus megacephalus</b> (Rossi, 1794) [ <i>Syrphus</i> ]			17	
	<i>punctulatus</i> (Macquart, 1847) [ <i>Eristalis</i> ]		<b>Eristalinus punctulatus</b> (Macquart, 1847) [ <i>Eristalis</i> ]			1	
	<i>quinqelineatus</i> (Fabricius, 1781) [ <i>Syrphus</i> ]		<b>Eristalinus quinqelineatus</b> (Fabricius, 1781) [ <i>Syrphus</i> ]			16	
	<i>quinqestriatus</i> (Fabricius, 1794) [ <i>Syrphus</i> ]		<b>Eristalinus quinqestriatus</b> (Fabricius, 1794) [ <i>Syrphus</i> ]			6	
	<i>splendens</i> (Le Guillou, 1842) [ <i>Eristalis</i> ]		<b>Eristalinus splendens</b> (Le Guillou, 1842) [ <i>Eristalis</i> ]			1	
	<i>tabanoides</i> (Jaennicke, 1867) [ <i>Eristalis</i> ]		<b>Eristalinus tabanoides</b> (Jaennicke, 1867) [ <i>Eristalis</i> ]			1	
	<b>Lepidostola</b> Mik, 1886		<b>Lepidomyia</b> Loew, 1864		1	1	
	<i>ortalina</i> Wulp, 1888		<b>Lepidomyia ortalina</b> (Wulp, 1888) [ <i>Lepidostola</i> ]			1	
	<b>Leucozonia</b> Schiner, 1860				1	9	
	<i>lucorum</i> (Linnaeus, 1758) [ <i>Musca</i> ]					9	
	<b>Liogaster</b> Scudder, 1882		<b>Lejogaster</b> Rondani, 1857		2	8	
	<i>metallina</i> (Fabricius, 1777) [ <i>Syrphus</i> ]		<b>Lejogaster metallina</b> (Fabricius, 1777) [ <i>Syrphus</i> ]			4	
	<i>splendida</i> (Meigen, 1822) [ <i>Chrysogaster</i> ]		<b>Lejogaster tarsata</b> (Meigen, 1822) [ <i>Chrysogaster</i> ]			4	
	<b>Lycastirrhyncha</b> Curran, 1934		<b>Lycastirrhyncha</b> Bigot, 1859		1	1	
	<i>willistoni</i> Coquillett, 1902		<b>Lycastirrhyncha nitens</b> Bigot, 1859			1	
	<b>Mallota</b> Meigen, 1822				2	5	

## Syrphidae

## Mallota

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>facialis</i> Hunter, 1896		<i>Mallota bautias</i> (Walker, 1849) [ <i>Merodon</i> ]			3
	<i>fuciformis</i> (Fabricius, 1794) [ <i>Syrphus</i> ]					2
	<b>Masarygus</b> Brethes, 1909				1	1
*	<i>planifrons</i> Brethes, 1908					1
	<b>Megaspis</b> Macquart, 1842		<b>Phytomia</b> Guerin-Meneville, 1833		14	70
	<i>argyrocephalus</i> (Macquart, 1842) [ <i>Eristalis</i> ]		<i>Phytomia argyrocephala</i> (Macquart, 1842) [ <i>Eristalis</i> ]			8
	<i>bullata</i> Loew, 1858		<i>Phytomia bullata</i> (Loew, 1858) [ <i>Megaspis</i> ]			1
	<i>bulligera</i> Austen, 1909		<i>Phytomia bulligera</i> (Austen, 1909) [ <i>Megaspis</i> ]			1
	<i>chrysopyga</i> (Wiedemann, 1819) [ <i>Eristalis</i> ]		<i>Phytomia chrysopyga</i> (Wiedemann, 1819) [ <i>Eristalis</i> ]			2
	<i>crassa</i> (Fabricius, 1787) [ <i>Syrphus</i> ]		<i>Phytomia crassa</i> (Fabricius, 1787) [ <i>Syrphus</i> ]			2
	<i>curta</i> (Loew, 1858) [ <i>Eristalis</i> ]		<i>Phytomia natalensis</i> (Macquart, 1850) [ <i>Eristalis</i> ]			8
	<i>errans</i> (Fabricius, 1787) [ <i>Syrphus</i> ]		<i>Phytomia errans</i> (Fabricius, 1787) [ <i>Syrphus</i> ]			17
*	<i>erratica</i> Bezzi, 1912		<i>Phytomia erratica</i> (Bezzi, 1912) [ <i>Megaspis</i> ]			1
	<i>incisa</i> (Wiedemann, 1830) [ <i>Eristalis</i> ]		<i>Phytomia incisa</i> (Wiedemann, 1830) [ <i>Eristalis</i> ]			8
*	<i>kroeberi</i> Bezzi, 1912		<i>Phytomia kroeberi</i> (Bezzi, 1912) [ <i>Megaspis</i> ]			3
	<i>natalensis</i> (Macquart, 1850) [ <i>Eristalis</i> ]		<i>Phytomia natalensis</i> (Macquart, 1850) [ <i>Eristalis</i> ]			8
*	<i>poensis</i> Bezzi, 1912		<i>Phytomia poensis</i> (Bezzi, 1912) [ <i>Megaspis</i> ]			1
	<i>villipes</i> (Loew, 1858) [ <i>Simoides</i> ]		<i>Simoides villipes</i> Loew, 1858			1
	<i>zonata</i> (Fabricius, 1787) [ <i>Syrphus</i> ]		<i>Phytomia zonata</i> (Fabricius, 1787) [ <i>Syrphus</i> ]			9
	<b>Melangyna</b> Verrall, 1901				1	2
	<i>quadrimaculata</i> (Verrall, 1873) [ <i>Melanostoma</i> ]					2
	<b>Melanostoma</b> Schiner, 1860				16	253
	<i>alticola</i> Speiser, 1910					2
	<i>ambiguum</i> (Fallen, 1817) [ <i>Scaeva</i> ]		<i>Platycheirus dexter</i> (Harris, 1780) [ <i>Musca</i> ]			9
	<i>angustatum</i> Williston, 1887		<i>Melanostoma mellinum</i> (Linnaeus, 1758) [ <i>Musca</i> ]			23
	<i>annulipes</i> (Macquart, 1842) [ <i>Syrphus</i> ]					11
	<i>bituberculatum</i> (Loew, 1858) [ <i>Syrphus</i> ]					2
	<i>coerulescens</i> Williston, 1887		<i>Platycheirus coerulescens</i> (Williston, 1887) [ <i>Melanostoma</i> ]			9
	<i>floripeta</i> Speiser, 1910					3
*	<i>incompletum</i> Becker, 1908					8
	<i>infuscatum</i> Becker, 1909					2
	<i>mellinum</i> (Linnaeus, 1758) [ <i>Musca</i> ]					96
	<i>mellinum forma alpina</i>		<i>Melanostoma mellinum</i> (Linnaeus, 1758) [ <i>Musca</i> ]			16
	<i>obscurum</i> (Say, 1824) [ <i>Syrphus</i> ]		<i>Platycheirus obscurus</i> (Say, 1824) [ <i>Syrphus</i> ]			9
	<i>orientale</i> (Wiedemann, 1824) [ <i>Syrphus</i> ]					2
	<i>planifacies</i> (Macquart, 1848) [ <i>Syrphus</i> ]		<i>Melanostoma univittatum</i> (Wiedemann, 1824) [ <i>Syrphus</i> ]			3
	<i>scalare</i> (Fabricius, 1794) [ <i>Syrphus</i> ]					47
	<i>stegnum</i> (Say, 1829) [ <i>Syrphus</i> ]		<i>Platycheirus stegnum</i> (Say, 1829) [ <i>Syrphus</i> ]			11
	<b>Merapioidus</b> Bigot, 1879				1	1



## Syrphidae

## Merapioidus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>villosus</i> Bigot, 1879					1
	<b>Merodon</b> Meigen, 1803				40	376
	<i>aberrans</i> Egger, 1860					21
	<i>aeneus</i> Meigen, 1822		<i>Merodon aureus</i> Fabricius, 1805			52
	<i>aerarius</i> Rondani, 1857		<i>Merodon aureus</i> Fabricius, 1805			3
	<i>albifrons</i> Meigen, 1822					18
*	<i>armipes</i> Rondani, 1843					7
	<i>aureus</i> Fabricius, 1805					4
	<i>avidus</i> (Rossi, 1790) [ <i>Syrphus</i> ]					24
	<i>calcaratus</i> (Fabricius, 1794) [ <i>Syrphus</i> ]					1
	<i>cinereus</i> (Fabricius, 1794) [ <i>Syrphus</i> ]					22
	<i>clavipes</i> (Fabricius, 1781) [ <i>Syrphus</i> ]					15
	<i>constans</i> (Rossi, 1794) [ <i>Syrphus</i> ]					16
	<i>distinctus</i> Palma, 1864		<i>Merodon annulatus</i> (Fabricius, 1794) [ <i>Syrphus</i> ]			7
	<i>eques</i> (Fabricius, 1805) [ <i>Milesia</i> ]					2
	<i>equestris</i> (Fabricius, 1794) [ <i>Syrphus</i> ]					4
	<i>equestris</i> v. <i>flavicans</i> (Fabricius, 1794) [ <i>Syrphus</i> ]		<i>Merodon equestris</i> (Fabricius, 1794) [ <i>Syrphus</i> ]			5
	<i>equestris</i> v. <i>narcissi</i> (Fabricius, 1805) [ <i>Eristalis</i> ]		<i>Merodon equestris</i> (Fabricius, 1794) [ <i>Syrphus</i> ]			5
	<i>equestris</i> v. <i>nigrithorax</i> Bezzi, 1900		<i>Merodon equestris</i> (Fabricius, 1794) [ <i>Syrphus</i> ]			5
	<i>equestris</i> v. <i>nobilis</i> Meigen, 1822		<i>Merodon equestris</i> (Fabricius, 1794) [ <i>Syrphus</i> ]			6
	<i>equestris</i> v. <i>transversalis</i> Wiedemann, 1822		<i>Merodon equestris</i> (Fabricius, 1794) [ <i>Syrphus</i> ]			4
	<i>equestris</i> var. <i>bulborum</i> Rondani, 1845		<i>Merodon equestris</i> (Fabricius, 1794) [ <i>Syrphus</i> ]			1
*	<i>flavus</i> Sack, 1913					2
	<i>funestum</i> (Fabricius, 1794) [ <i>Syrphus</i> ]		<i>Merodon funestus</i> (Fabricius, 1794) [ <i>Syrphus</i> ]			20
	<i>funestus</i> (Fabricius, 1794) [ <i>Syrphus</i> ]					5
	<i>graecus</i> Loew, 1862		<i>Merodon loewi</i> Goot, 1964			7
*	<i>haemorrhoidalis</i> Sack, 1913					1
	<i>longicornis</i> Sack, 1913					1
	<i>minutus</i> Strobl, 1893					7
	<i>natans</i> (Fabricius, 1794) [ <i>Syrphus</i> ]					4
	<i>nigritarsis</i> Rondani, 1845		<i>Merodon avidus</i> (Rossi, 1790) [ <i>Syrphus</i> ]			14
	<i>posticatus</i> Meigen, 1822		<i>Merodon cinereus</i> (Fabricius, 1794) [ <i>Syrphus</i> ]			20
	<i>pruni</i> (Rossi, 1790) [ <i>Syrphus</i> ]					9
	<i>pudicus</i> Rondani, 1857		<i>Merodon cinereus</i> (Fabricius, 1794) [ <i>Syrphus</i> ]			3
	<i>ruficornis</i> Meigen, 1822					8
	<i>spicatus</i> Becker, 1907		<i>Merodon chalybeus</i> Wiedemann, 1822			7
*	<i>spinipes</i> (Fabricius, 1794) [ <i>Syrphus</i> ]		<i>Merodon avidus</i> (Rossi, 1790) [ <i>Syrphus</i> ]			24
*	<i>stukei</i> Hauser & Hurkmans, 1997					3
	<i>submetallicus</i> Rondani, 1857					6
*	<i>tricinctus</i> Sack, 1913					9
	<i>trochanteratus</i> Costa, 1884		<i>Merodon varius</i> Rondani, 1845			3
	<i>velox</i> Loew, 1869					1

## Syrphidae

## Meromacrus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Meromacrus</b> Rondani, 1848				4	17
	<i>acutus</i> (Fabricius, 1805) [ <i>Musca</i> ]					2
	<i>aemulus</i> (Williston, 1888) [ <i>Eristalis</i> ]					3
	<i>niger</i> Sack, 1920					10
	<i>pratorum</i> (Fabricius, 1775) [ <i>Syrphus</i> ]					2
	<b>Mesembrius</b> Rondani, 1857				8	27
	<i>albiceps</i> Wulp, 1868		<i>Mesembrius wulpi</i> Goot, 1964			2
	<i>bengalensis</i> (Wiedemann, 1819) [ <i>Eristalis</i> ]					7
	<i>capensis</i> (Macquart, 1842) [ <i>Helophilus</i> ]					4
*	<i>cyanipennis</i> (Bezzi, 1915) [ <i>Helophilus</i> ]					1
	<i>ingratus</i> (Loew, 1858) [ <i>Helophilus</i> ]					2
	<i>minor</i> (Bezzi, 1915) [ <i>Helophilus</i> ]					6
	<i>quadrivittatus</i> (Wiedemann, 1819) [ <i>Eristalis</i> ]					3
*	<i>strigilatus</i> (Bezzi, 1912) [ <i>Tubifera</i> ]					2
	<b>Metasyrphus</b> Matsumura, 1917		<b>Eupeodes</b> Osten Sacken, 1877		2	2
	<i>flaviceps</i> (Rondani, 1857) [ <i>Syrphus</i> ]		<i>Eupeodes flaviceps</i> (Rondani, 1857) [ <i>Syrphus</i> ]			1
	<i>tirolensis</i> Dusek & Laska, 1973		<i>Eupeodes tirolensis</i> (Dusek & Laska, 1973) [ <i>Metasyrphus</i> ]			1
	<b>Microdon</b> Meigen, 1803				24	76
*	<i>auratus</i> Sack					2
	<i>auricinctus</i> Brunetti, 1908					4
	<i>auricomus</i> Coquillett, 1898					2
*	<i>bertonii</i> Bezzi, 1910		<i>Microdon mirabilis</i> Williston, 1888			2
	<i>caeruleus</i> Brunetti, 1908					4
	<i>devius</i> (Linnaeus, 1761) [ <i>Musca</i> ]					10
	<i>diaphanus</i> Sack, 1921					1
	<i>eggeri</i> Mik, 1897		<i>Microdon analis</i> (Macquart, 1842) [ <i>Aphritis</i> ]			6
	<i>fuscipennis</i> (Macquart, 1834) [ <i>Ceratophya</i> ]					4
	<i>globosus</i> (Fabricius, 1805) [ <i>Mulio</i> ]					3
*	<i>iheringi</i> Bezzi, 1910					1
	<i>latifrons</i> Loew, 1856		<i>Microdon analis</i> (Macquart, 1842) [ <i>Aphritis</i> ]			3
	<i>marmoratum</i> Bigot, 1884					3
	<i>megalogaster</i> Snow, 1892					2
	<i>mutabilis</i> (Linnaeus, 1758) [ <i>Musca</i> ]					8
	<i>odyneroides</i> Meijere, 1908		<i>Paramixogaster odyneroides</i> (Meijere, 1908) [ <i>Microdon</i> ]			3
	<i>pachystylum</i> Williston, 1887		<i>Microdon fuscipennis</i> (Macquart, 1834) [ <i>Ceratophya</i> ]			1
	<i>scitulus</i> Williston, 1887		<i>Microdon laetus</i> Loew, 1864			3
	<i>stilboides</i> Walker, 1849					2
*	<i>stratiotes</i> Sack					1
	<i>tricinctus</i> Meijere, 1908					4
*	<i>trigonospilus</i> Bezzi, 1927					1

## Syrphidae

						<i>Microdon</i>	
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #	
	<i>tristis</i> Loew, 1864						5
	<i>violaceus</i> (Macquart, 1842) [ <i>Aphritis</i> ]						1
	<b><i>Milesia</i></b> Latreille, 1804				10		47
	<i>balteata</i> Kertész, 1901						5
	<i>bigoti</i> Osten Sacken, 1882						2
	<i>conspicienda</i> Walker, 1859						2
	<i>crabroniformis</i> (Fabricius, 1775) [ <i>Syrphus</i> ]						9
	<i>fuscicosta</i> (Bigot, 1875) [ <i>Sphixea</i> ]						2
	<i>gigas</i> Macquart, 1834		<i>Milesia gigantea</i> Hippar, 1990				2
	<i>reinwardtii</i> Wiedemann, 1824						2
	<i>semperi</i> Osten Sacken, 1882						2
	<i>splendida</i> (Rossi, 1790) [ <i>Syrphus</i> ]		<i>Milesia semiluctifera</i> (Villers, 1789) [ <i>Musca</i> ]				11
	<i>virginiensis</i> (Drury, 1773) [ <i>Musca</i> ]						10
	<b><i>Mixtemyia</i></b> Macquart, 1834		<b><i>Spilomyia</i></b> Meigen, 1803		1		3
	<i>quadrifasciata</i> (Say, 1824) [ <i>Paragus</i> ]		<i>Spilomyia sayi</i> (Goot, 1964) [ <i>Paragus</i> ]				3
	<b><i>Myiathropa</i></b> Rondani, 1868		<b><i>Myathropa</i></b> Rondani, 1845		1		55
	<i>florea</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<i>Mallota florea</i> (Linnaeus, 1758) [ <i>Musca</i> ]				55
	<b><i>Myiolepta</i></b> Newman, 1841		<b><i>Myolepta</i></b> Newman, 1838		3		17
	<i>nigra</i> Loew, 1872		<i>Myolepta nigra</i> (Loew, 1872) [ <i>Myiolepta</i> ]				5
	<i>strigilata</i> Loew, 1872		<i>Myolepta strigilata</i> (Loew, 1872) [ <i>Myiolepta</i> ]				7
	<i>varipes</i> Loew, 1870		<i>Myolepta varipes</i> (Loew, 1870) [ <i>Myiolepta</i> ]				5
	<b><i>Myolepta</i></b> Newman, 1838				2		7
	<i>luteola</i> (Gmelin, 1790) [ <i>Musca</i> ]		<i>Myolepta dubia</i> (Fabricius, 1805) [ <i>Thereva</i> ]				4
	<i>vara</i> (Panzer, 1798) [ <i>Syrphus</i> ]						3
	<b><i>Nausigaster</i></b> Williston, 1884				6		12
	<i>bonariensis</i> Lynch Arribalzaga, 1892						2
*	<i>chrysidiformis</i> Shannon, 1922						3
*	<i>geminata</i> Townsend, 1897						3
	<i>meridionalis</i> Townsend, 1897						1
	<i>punctulata</i> Williston, 1883						2
	<i>unimaculata</i> Townsend, 1897						1
	<b><i>Neoscia</i></b> Williston, 1887				1		13
	<i>globosa</i> (Walker, 1849) [ <i>Ascia</i> ]						13
	<b><i>Neocnemodon</i></b> Goffe, 1944				1		1
	<i>fulvimanus</i> (Zetterstedt, 1843) [ <i>Pipiza</i> ]						1

## Syrphidae

				<i>Nosodepus</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Nosodepus</b> Speiser, 1913		<b>Dolichogyna</b> Macquart, 1842		1	1
	<i>minotaurus</i> Speiser, 1914		<i>Dolichogyna minotaurus</i> (Speiser, 1914) [ <i>Nosodepus</i> ]			1
	<b>Nothomicrodon</b> Wheeler, 1924				1	1
*	<i>aztecarum</i> Wheeler, 1924					1
	<b>Ocyptamus</b> Macquart, 1834				4	48
	<i>dimidiatus</i> (Fabricius, 1781) [ <i>Syrphus</i> ]					10
	<i>funebri</i> Macquart, 1834					12
	<i>fuscipennis</i> (Say, 1823) [ <i>Baccha</i> ]					12
	<i>trigonus</i> (Wiedemann, 1830) [ <i>Syrphus</i> ]		<i>Ocyptamus gastrostactus</i> (Wiedemann, 1830) [ <i>Syrphus</i> ]			14
	<b>Olbiosyrphus</b> Mik, 1897		<b>Xanthogramma</b> Schiner, 1860		1	3
	<i>laetus</i> (Fabricius, 1794) [ <i>Syrphus</i> ]		<i>Xanthogramma laetum</i> (Fabricius, 1794) [ <i>Syrphus</i> ]			3
	<b>Omegasyrphus</b> Giglio-Tos, 1891		<b>Microdon</b> Meigen, 1803		1	1
	<i>coarctatus</i> (Loew, 1864) [ <i>Microdon</i> ]		<i>Microdon coarctatus</i> Loew, 1864			1
	<b>Orthoneura</b> Loew, 1843		<b>Orthonevra</b> Macquart, 1829		11	73
	<i>bellula</i> (Williston, 1882) [ <i>Pipiza</i> ]		<i>Orthonevra bellula</i> (Williston, 1882) [ <i>Pipiza</i> ]			6
	<i>brevicornis</i> (Loew, 1943) [ <i>Chrysogaster</i> ]		<i>Orthonevra brevicornis</i> (Loew, 1843) [ <i>Chrysogaster</i> ]			10
	<i>elegans</i> (Meigen, 1822) [ <i>Chrysogaster</i> ]		<i>Orthonevra elegans</i> (Meigen, 1822) [ <i>Chrysogaster</i> ]			4
	<i>frontalis</i> (Loew, 1943) [ <i>Chrysogaster</i> ]		<i>Orthonevra frontalis</i> (Loew, 1843) [ <i>Chrysogaster</i> ]			10
	<i>geniculata</i> (Meigen, 1830) [ <i>Chrysogaster</i> ]		<i>Orthonevra geniculata</i> (Meigen, 1930) [ <i>Chrysogaster</i> ]			1
	<i>nigrovittata</i> (Loew, 1876) [ <i>Chrysogaster</i> ]		<i>Orthonevra nigrovittata</i> (Loew, 1876) [ <i>Chrysogaster</i> ]			3
	<i>nitida</i> (Wiedemann, 1830) [ <i>Chrysogaster</i> ]		<i>Orthonevra nitida</i> (Wiedemann, 1830) [ <i>Chrysogaster</i> ]			13
	<i>nobilis</i> (Fallen, 1817) [ <i>Eristalis</i> ]		<i>Orthonevra nobilis</i> (Fallen, 1817) [ <i>Eristalis</i> ]			16
	<i>pictipennis</i> Loew, 1863		<i>Orthonevra pictipennis</i> (Loew, 1863) [ <i>Orthoneura</i> ]			4
	<i>pulchella</i> (Williston, 1887) [ <i>Chrysogaster</i> ]		<i>Orthonevra pulchella</i> (Williston, 1887) [ <i>Chrysogaster</i> ]			5
	<i>stigmata</i> (Williston, 1882) [ <i>Chrysogaster</i> ]		<i>Orthonevra stigmata</i> (Williston, 1882) [ <i>Chrysogaster</i> ]			1
	<b>Paragus</b> Latreille, 1804				20	223
	<i>aegyptius</i> Macquart, 1850		<i>Paragus compeditus</i> Wiedemann, 1830			9
	<i>albifrons</i> Fallen, 1817					8
	<i>angustifrons</i> Loew, 1863					6
	<i>angustifrons</i> var. <i>nasutus</i> Bezzi, 1920		<i>Paragus nasutus</i> Bezzi, 1920			1
	<i>angustifrons</i> var. <i>substitutus</i> Loew, 1858		<i>Paragus haemorrhous</i> Meigen, 1822			1
	<i>bicolor</i> Fabricius, 1794					39
*	<i>bicolor</i> var. <i>sexmaculatus</i> Bezzi, 1895		<i>Paragus sexarcuatus</i> Bigot, 1862			1
	<i>borbonicus</i> Macquart, 1842					8
	<i>cinctus</i> Schiner & Egger, 1853					7
	<i>constrictus</i> Simic, 1986					2
	<i>longiventris</i> Loew, 1858					9

## Syrphidae

					<i>Paragus</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #	
	<i>marshalli</i> Bezzi, 1915					2	
	<i>numdia</i> Macquart, 1849		<i>Paragus tibialis</i> Fallen, 1817			11	
	<i>politus</i> Wiedemann, 1830					4	
	<i>quadrifasciatus</i> Meigen, 1822					15	
	<i>serratus</i> Fabricius, 1805					23	
	<i>strigatus</i> Meigen, 1822					20	
	<i>tibialis</i> Fallen, 1817					28	
	<i>tibialis</i> var. <i>haemorrhoidalis</i> Bezzi					11	
	<i>tibialis</i> var. <i>trianguliferus</i> Zetterstedt, 1838		<i>Paragus haemorrhous</i> Meigen, 1822			18	
	<b><i>Parasyrphus</i></b> Matsumura, 1917				1	1	
	<i>annulatus</i> (Zetterstedt, 1838) [ <i>Scaeva</i> ]					1	
	<b><i>Pelecocera</i></b> Meigen, 1822				2	9	
	<i>latifrons</i> Loew, 1856					2	
	<i>tricincta</i> Meigen, 1822					7	
	<b><i>Phalacromyia</i></b> Kertész, 1910		<b><i>Copestylum</i></b> Macquart, 1846		2	8	
	<i>albitarsis</i> Lynch Arribalzaga, 1892		<i>Copestylum albitarsis</i> (Lynch Arribalzaga, 1892) [ <i>Phalacromyia</i> ]			2	
	<i>concolor</i> Philippi, 1865		<i>Copestylum nigripes</i> (Bigot, 1857) [ <i>Phalacromyia</i> ]			6	
	<b><i>Pipiza</i></b> Fallen, 1810				14	94	
	<i>albipilosa</i> Williston, 1887		<i>Pipiza femoralis</i> Loew, 1866			6	
	<i>austriaca</i> Meigen, 1822		<i>Pipiza festiva</i> Meigen, 1822			4	
	<i>bimaculata</i> Meigen, 1822					9	
	<i>femoralis</i> Loew, 1866					11	
	<i>fenestrata</i> Meigen, 1822					5	
	<i>festiva</i> Meigen, 1822					7	
	<i>lugubris</i> (Fabricius, 1775) [ <i>Syrphus</i> ]					4	
	<i>modesta</i> (Loew, 1863) [ <i>Triglyphus</i> ]		<i>Trichopsomyia apisaon</i> Walker, 1849			19	
	<i>nigripilosa</i> Williston, 1887					2	
	<i>noctiluca</i> (Linnaeus, 1758) [ <i>Musca</i> ]					5	
	<i>pistica</i> Williston, 1887		<i>Heringia salax</i> (Loew, 1866) [ <i>Pipiza</i> ]			2	
	<i>pisticoides</i> Williston, 1887		<i>Neocnemodon pisticoides</i> (Williston, 1887) [ <i>Pipiza</i> ]			8	
	<i>quadrifasciata</i> (Panzer, 1804) [ <i>Syrphus</i> ]					9	
	<i>signata</i> Meigen, 1822					3	
	<b><i>Pipizella</i></b> Rondani, 1856				3	112	
	<i>maculipennis</i> (Meigen, 1822) [ <i>Pipiza</i> ]					42	
	<i>pulchella</i> (Williston, 1887) [ <i>Pipiza</i> ]		<i>Trichopsomyia apisaon</i> Walker, 1849			7	
	<i>virens</i> (Fabricius, 1805) [ <i>Mulio</i> ]					63	
	<b><i>Platycheirus</i></b> Agassiz, 1846		<b><i>Platycheirus</i></b> Lepeltier & Serville, 1828		17	194	
	<i>albimanus</i> (Fabricius, 1781) [ <i>Syrphus</i> ]		<i>Platycheirus albimanus</i> (Fabricius, 1781) [ <i>Syrphus</i> ]			39	

## Syrphidae

## Platycheirus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>angustatus</i> (Zetterstedt, 1843) [ <i>Scaeva</i> ]		<i>Platycheirus angustatus</i> (Zetterstedt, 1843) [ <i>Scaeva</i> ]			1
	<i>chaetopodus</i> Williston, 1887		<i>Platycheirus scambus</i> (Staeger, 1843) [ <i>Syrphus</i> ]			17
	<i>ciliger</i> Loew, 1856		<i>Platycheirus ciliger</i> Loew, 1856			5
*	<i>clarkei</i> Miller, 1921		<i>Platycheirus clarkei</i> Miller, 1921			3
	<i>clypeatus</i> (Meigen, 1822) [ <i>Syrphus</i> ]		<i>Platycheirus clypeatus</i> (Meigen, 1822) [ <i>Syrphus</i> ]			12
	<i>discimanus</i> Loew, 1873		<i>Platycheirus discimanus</i> (Loew, 1871) [ <i>Platycheirus</i> ]			2
	<i>fulviventris</i> (Macquart, 1829) [ <i>Syrphus</i> ]		<i>Platycheirus fulviventris</i> (Macquart, 1829) [ <i>Syrphus</i> ]			2
	<i>hyperboreus</i> (Staeger, 1845) [ <i>Syrphus</i> ]		<i>Platycheirus hyperboreus</i> (Staeger, 1845) [ <i>Syrphus</i> ]			26
	<i>immarginatus</i> (Zetterstedt, 1849) [ <i>Scaeva</i> ]		<i>Platycheirus immarginatus</i> (Zetterstedt, 1849) [ <i>Scaeva</i> ]			4
	<i>manicatus</i> (Meigen, 1822) [ <i>Syrphus</i> ]		<i>Platycheirus manicatus</i> (Meigen, 1822) [ <i>Syrphus</i> ]			12
	<i>melanopsis</i> Loew, 1856		<i>Platycheirus melanopsis</i> Loew, 1856			7
	<i>peltatus</i> (Meigen, 1822) [ <i>Syrphus</i> ]		<i>Platycheirus peltatus</i> (Meigen, 1822) [ <i>Syrphus</i> ]			19
	<i>quadratus</i> (Say, 1823) [ <i>Scaeva</i> ]		<i>Platycheirus quadratus</i> (Say, 1823) [ <i>Scaeva</i> ]			16
	<i>scutatus</i> (Meigen, 1822) [ <i>Syrphus</i> ]		<i>Platycheirus scutatus</i> (Meigen, 1822) [ <i>Syrphus</i> ]			18
	<i>sticticus</i> (Meigen, 1822) [ <i>Syrphus</i> ]		<i>Platycheirus sticticus</i> (Meigen, 1822) [ <i>Syrphus</i> ]			6
	<i>tenebrosus</i> Coquillett, 1900		<i>Platycheirus tenebrosus</i> Coquillett, 1900			5
	<b>Platynochaetus</b> Wiedemann, 1830		<b>Merodon</b> Meigen, 1803		4	4
*	<i>festae</i> Bezzi, 1924		<i>Merodon festae</i> (Bezzi, 1924) [ <i>Platynochaetus</i> ]			1
	<i>macquarti</i> Loew, 1862		<i>Merodon macquarti</i> (Loew, 1862) [ <i>Platynochaetus</i> ]			1
	<i>rufus</i> Macquart, 1835		<i>Merodon rufus</i> (Macquart, 1835) [ <i>Platynochaetus</i> ]			1
	<i>setosus</i> Fabricius, 1794		<i>Merodon setosus</i> (Fabricius, 1794) [ <i>Syrphus</i> ]			1
	<b>Pocota</b> Lepeltier & Serville, 1828				1	1
	<i>apiformis</i> (Schrank, 1781) [ <i>Musca</i> ]		<i>Pocota personata</i> (Harris, 1780) [ <i>Musca</i> ]			1
	<b>Protylocera</b> Bezzi, 1912		<b>Senaspis</b> Macquart, 1850		2	6
	<i>dibaphus</i> (Walker, 1849) [ <i>Xylota</i> ]		<i>Senaspis dibapha</i> (Walker, 1849) [ <i>Xylota</i> ]			1
	<i>griseifacies</i> (Bezzi, 1908) [ <i>Dolichomerus</i> ]		<i>Senaspis griseifacies</i> (Bezzi, 1908) [ <i>Dolichomerus</i> ]			5
	<b>Psarus</b> Latreille, 1804				1	3
	<i>abdominalis</i> (Fabricius, 1794) [ <i>Syrphus</i> ]					3
	<b>Pseudodoros</b> Becker, 1903				1	25
	<i>nigricollis</i> Becker, 1903					25
	<b>Psilota</b> Meigen, 1822				2	5
	<i>anthracina</i> Meigen, 1822					2
	<i>buccata</i> (Macquart, 1842) [ <i>Pipiza</i> ]					3
	<b>Pterallastes</b> Loew, 1863				1	2
	<i>thoracicus</i> Loew, 1863					2
	<b>Pyritis</b> Hunter, 1897				2	6

## Syrphidae

## Pyritis

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>kincaidii</i> (Coquillett, 1895) [ <i>Volucella</i> ]					3
	<i>montigena</i> Hunter, 1897		<i>Pyritis kincaidii</i> (Coquillett, 1895) [ <i>Volucella</i> ]			3
	<b>Pyrophaena</b> Schiner, 1860		<b>Platycheirus</b> Lepeltier & Serville, 1828		3	20
	<i>granditarsa</i> (Forster, 1771) [ <i>Musca</i> ]		<i>Platycheirus granditarsis</i> (Forster, 1771) [ <i>Musca</i> ]			6
	<i>ocymi</i> (Fabricius, 1794) [ <i>Syrphus</i> ]		<i>Platycheirus granditarsis</i> (Forster, 1771) [ <i>Musca</i> ]			6
	<i>rosarum</i> (Fabricius, 1787) [ <i>Syrphus</i> ]		<i>Platycheirus rosarum</i> (Fabricius, 1787) [ <i>Syrphus</i> ]			8
	<b>Quichuana</b> Knab, 1913				2	18
*	<i>bezzii</i> Ceresa, 1934					8
*	<i>parisii</i> Ceresa, 1934					10
	<b>Rhingia</b> Scopoli, 1763				8	85
	<i>austriaca</i> Meigen, 1830					1
	<i>caerulescens</i> Loew, 1858					2
	<i>campestris</i> Meigen, 1822					14
	<i>cyanoprora</i> Speiser, 1910					1
	<i>mecyana</i> Speiser, 1910					3
	<i>nasica</i> Say, 1823					24
*	<i>pellucens</i> Bezzi, 1915					2
	<i>rostrata</i> (Linnaeus, 1758) [ <i>Conops</i> ]					38
	<b>Rhopalosyrphus</b> Giglio-Tos, 1891				1	1
	<i>auricinctus</i> Sack, 1921		<i>Microdon auricinctus</i> Brunetti, 1908			1
	<b>Salpingogaster</b> Schiner, 1868				1	8
	<i>nigra</i> Schiner, 1868					8
	<b>Senogaster</b> Macquart, 1834				1	3
	<i>dentipes</i> (Fabricius, 1787) [ <i>Syrphus</i> ]					3
	<b>Sericomyia</b> Meigen, 1803				5	43
	<i>borealis</i> Fallen, 1816		<i>Sericomyia silentis</i> (Harris, 1776) [ <i>Musca</i> ]			7
	<i>chalcopyga</i> Loew, 1863					5
	<i>chrysotoxoides</i> Macquart, 1842					9
	<i>lappona</i> (Linnaeus, 1758) [ <i>Musca</i> ]					9
	<i>militaris</i> Walker, 1849					13
	<b>Simoides</b> Loew, 1857				1	6
	<i>crassipes</i> (Fabricius, 1805) [ <i>Eristalis</i> ]					6
	<b>Somula</b> Macquart, 1847				1	7
	<i>decora</i> Macquart, 1847					7

## Syrphidae

## Spathiogaster

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Spathiogaster</b> Loew, 1876		<b>Spazigaster</b> Rondani, 1843		2	3
	<i>ambulans</i> (Fabricius, 1798) [ <i>Syrphus</i> ]		<i>Spazigaster ambulans</i> (Fabricius, 1798) [ <i>Syrphus</i> ]			1
	<i>schummelii</i> Loew, 1876		<i>Spazigaster ambulans</i> (Fabricius, 1798) [ <i>Syrphus</i> ]			2
	<b>Sphaerophoria</b> Lepeltier & Serville, 1828				15	221
	<i>calceolata</i> Macquart, 1842		<i>Sphaerophoria rueppellii</i> (Wiedemann, 1830) [ <i>Syrphus</i> ]			1
	<i>cylindrica</i> (Say, 1824) [ <i>Syrphus</i> ]		<i>Sphaerophoria abbreviata</i> (Zetterstedt, 1849) [ <i>Scaeva</i> ]			45
	<i>flavicauda</i> Zetterstedt, 1843		<i>Sphaerophoria rueppellii</i> (Wiedemann, 1830) [ <i>Syrphus</i> ]			1
	<i>flavicauda</i> var <i>nitidicollis</i> Zetterstedt, 1849		<i>Sphaerophoria rueppellii</i> (Wiedemann, 1830) [ <i>Syrphus</i> ]			1
	<i>loewii</i> Zetterstedt, 1843					2
	<i>melanosa</i> Williston, 1887		<i>Sphaerophoria sulphuripes</i> (Thomson, 1869) [ <i>Syrphus</i> ]			7
	<i>menthastri</i> (Linnaeus, 1758) [ <i>Musca</i> ]					40
	<i>micrura</i> Osten Sacken, 1877		<i>Fazia micrura</i> (Osten Sacken, 1877) [ <i>Sphaerophoria</i> ]			6
	<i>philanthus</i> (Meigen, 1822) [ <i>Syrphus</i> ]					2
	<i>rueppellii</i> (Wiedemann, 1830) [ <i>Syrphus</i> ]					2
	<i>scripta</i> (Linnaeus, 1758) [ <i>Musca</i> ]					30
	<i>scripta</i> var <i>dispar</i> (Loew, 1840) [ <i>Melithreptus</i> ]		<i>Sphaerophoria dispar</i> (Loew, 1840) [ <i>Melithreptus</i> ]			21
	<i>scripta</i> var <i>nigricoxa</i> Zetterstedt, 1843		<i>Sphaerophoria philanthus</i> (Meigen, 1822) [ <i>Syrphus</i> ]			25
	<i>scripta</i> var <i>strigata</i> Staeger, 1845		<i>Sphaerophoria scripta</i> (Linnaeus, 1758) [ <i>Musca</i> ]			24
	<i>sulphuripes</i> (Thomson, 1869) [ <i>Syrphus</i> ]					14
	<b>Sphecomyia</b> Latreille, 1829				5	10
	<i>brevicornis</i> Osten Sacken, 1877					1
*	<i>occidentalis</i> Osburn, 1908					1
	<i>pattoni</i> Williston, 1882					2
	<i>vespiformis</i> (Gorski, 1852) [ <i>Tyzenhauzia</i> ]					1
	<i>vittata</i> (Wiedemann, 1830) [ <i>Chrysotoxum</i> ]					5
	<b>Sphegina</b> Meigen, 1822				6	37
	<i>campanulata</i> Robertson, 1901					2
	<i>clunipes</i> (Fallen, 1816) [ <i>Milesia</i> ]					11
	<i>infuscata</i> Loew, 1863					6
	<i>keeniana</i> Williston, 1887					3
	<i>lobata</i> Loew, 1863					8
	<i>rufiventris</i> Loew, 1863					7
	<b>Spilomyia</b> Meigen, 1803				7	30
	<i>diophthalma</i> (Linnaeus, 1758) [ <i>Musca</i> ]					3
	<i>fusca</i> Loew, 1864					7
	<i>hamifera</i> Loew, 1864		<i>Spilomyia alcimus</i> (Walker, 1849) [ <i>Valonia</i> ]			4
	<i>kahlii</i> Snow, 1895					2
	<i>liturata</i> Williston, 1887					2
	<i>longicornis</i> Loew, 1872					6



## Syrphidae

## Spilomyia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>saltuum</b> (Fabricius, 1794) [ <i>Syrphus</i> ]					6
	<b>Sterphus</b> Philippi, 1865				1	1
	<b>coeruleus</b> (Rondani, 1863) [ <i>Xylota</i> ]					1
	<b>Stilbosoma</b> Philippi, 1865				1	1
	<b>cyaneum</b> Philippi, 1895					1
	<b>Syritta</b> Lepeltier & Serville, 1828				11	235
	<b>abyssinica</b> Rondani, 1873		<b>Syritta fasciata</b> (Wiedemann, 1830) [ <i>Xylota</i> ]			2
	<b>bulbus</b> Walker, 1849					1
	<b>fasciata</b> (Wiedemann, 1830) [ <i>Xylota</i> ]					8
	<b>indica</b> (Wiedemann, 1824) [ <i>Eumerus</i> ]					2
	<b>lanipes</b> Bezzi, 1921					2
	<b>orientalis</b> Macquart, 1842					4
	<b>pipiens</b> (Linnaeus, 1758) [ <i>Musca</i> ]					200
	<b>sp.</b>					3
	<b>spinigera</b> Loew, 1848		<b>Syritta flaviventris</b> Macquart, 1842			8
	<b>stigmatica</b> Loew, 1858					4
	<b>subtilis</b> Becker, 1903					1
	<b>Syrphus</b> Fabricius, 1775				83	828
	<b>abbreviatus</b> (Zetterstedt, 1849) [ <i>Sphaerophoria</i> ]		<b>Sphaerophoria abbreviata</b> (Zetterstedt, 1849) [ <i>Scaeva</i> ]			9
	<b>adligatus</b> Wiedemann, 1824		<b>Betasyrphus adligatus</b> (Wiedemann, 1824) [ <i>Syrphus</i> ]			4
	<b>albostrigatus</b> (Fallen, 1817) [ <i>Scaeva</i> ]		<b>Dasysyrphus albostrigatus</b> (Fallen, 1917) [ <i>Scaeva</i> ]			7
	<b>amalopsis</b> Osten Sacken, 1875		<b>Dasysyrphus amalopsis</b> (Osten Sacken, 1875) [ <i>Syrphus</i> ]			3
	<b>americanus</b> Wiedemann, 1830		<b>Eupeodes americanus</b> (Wiedemann, 1830) [ <i>Syrphus</i> ]			30
	<b>annulatus</b> (Zetterstedt, 1838) [ <i>Scaeva</i> ]		<b>Parasyrphus annulatus</b> (Zetterstedt, 1838) [ <i>Scaeva</i> ]			9
	<b>annulipes</b> Macquart, 1842		<b>Melanostoma annulipes</b> (Macquart, 1842) [ <i>Syrphus</i> ]			5
	<b>arcifer</b> Sack, 1927		<b>Episyrrhus arcifer</b> (Sack, 1827) [ <i>Syrphus</i> ]			5
	<b>arcuatus</b> (Fallen, 1817) [ <i>Scaeva</i> ]		<b>Dasysyrphus venustus</b> (Meigen, 1822) [ <i>Syrphus</i> ]			2
	<b>auricollis</b> (Meigen, 1822) [ <i>Scaeva</i> ]		<b>Meliscaeva auricollis</b> (Meigen, 1822) [ <i>Scaeva</i> ]			34
	<b>balteatus</b> (De Geer, 1776) [ <i>Musca</i> ]		<b>Episyrrhus balteatus</b> (De Geer, 1776) [ <i>Musca</i> ]			78
	<b>bifasciatus</b> Fabricius, 1794		<b>Epistrophe eligans</b> (Harris, 1780) [ <i>Musca</i> ]			19
	<b>bisinuatus</b> Williston, 1891		<b>Syrphus shorae</b> Fluke, 1950			1
	<b>braueri</b> Egger, 1858		<b>Eupeodes flaviceps</b> (Rondani, 1857) [ <i>Syrphus</i> ]			1
	<b>bucculatus</b> Rondani, 1857		<b>Eupeodes bucculatus</b> (Rondani, 1857) [ <i>Syrphus</i> ]			2
	<b>capensis</b> Wiedemann, 1830		<b>Betasyrphus intersectus</b> (Wiedemann, 1824) [ <i>Syrphus</i> ]			3
	<b>cinctellus</b> (Zetterstedt, 1843) [ <i>Scaeva</i> ]		<b>Meliscaeva cinctella</b> (Zetterstedt, 1743) [ <i>Scaeva</i> ]			13
	<b>cinctifacies</b> Speiser, 1910		<b>Exallandra cinctifacies</b> (Speiser, 1910) [ <i>Syrphus</i> ]			3
	<b>cinctus</b> (Fallen, 1817) [ <i>Scaeva</i> ]		<b>Melangyna cincta</b> (Fallen, 1817) [ <i>Scaeva</i> ]			11
	<b>claripennis</b> Loew, 1858		<b>Betasyrphus claripennis</b> (Loew, 1858) [ <i>Syrphus</i> ]			4
	<b>cognatus</b> Loew, 1858		<b>Eupeodes corollae</b> (Fabricius, 1794) [ <i>Syrphus</i> ]			5

## Syrphidae

## Syrphus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>compositarum</i> Verrall, 1873		<i>Melangyna sexguttata</i> (Meigen, 1838) [Syrphus]			8
	<i>confrater</i> Wiedemann, 1830		<i>Eupeodes confrater</i> (Wiedemann, 1830) [Syrphus]			3
	<i>confusus</i> Egger, 1860		<i>Dasysyrphus albostriatus</i> (Fallen, 1917) [Scaeva]			3
	<i>contumax</i> Osten Sacken, 1875		<i>Parasyrphus tarsatus</i> (Zetterstedt, 1838) [Scaeva]			5
	<i>corollae</i> Fabricius, 1794		<i>Eupeodes corollae</i> (Fabricius, 1794) [Syrphus]			50
*	<i>creper</i> Snow, 1895		<i>Dasysyrphus creper</i> (Snow, 1895) [Syrphus]			2
	<i>decemmaculatus</i> Rondani, 1863		<i>Fazia decemmaculata</i> (Rondani, 1863) [Syrphus]			2
	<i>diaphanus</i> (Zetterstedt, 1843) [Scaeva]		<i>Epistrophe diaphana</i> (Zetterstedt, 1843) [Scaeva]			6
*	<i>disgregus</i> Snow, 1895		<i>Dasysyrphus venustus</i> (Meigen, 1822) [Syrphus]			2
	<i>diversipes</i> Macquart, 1850		<i>Meliscaeva cinctella</i> (Zetterstedt, 1743) [Scaeva]			8
	<i>euchromus</i> Kowarz, 1885		<i>Epistrophe euchroma</i> (Kowarz, 1885) [Syrphus]			4
	<i>excisus</i> (Zetterstedt, 1849) [Scaeva]					2
*	<i>feae</i> Bezzi, 1912		<i>Ischiodon feae</i> (Bezzi, 1912) [Syrphus]			3
	<i>flavomarginatus</i> Strobl, 1902		<i>Xanthogramma flavomarginatus</i> (Strobl, 1902) [Syrphus]			1
	<i>genualis</i> Williston, 1887		<i>Parasyrphus genualis</i> (Williston, 1887) [Syrphus]			3
*	<i>glacialis</i> (Johnson, 1898) [Melanostoma]		<i>Melangyna arctica</i> (Zetterstedt, 1838) [Scaeva]			4
	<i>grossulariae</i> Meigen, 1822		<i>Epistrophe grossulariae</i> (Meigen, 1822) [Syrphus]			10
	<i>guttatus</i> Fallen, 1817		<i>Melangyna guttata</i> (Fallen, 1817) [Scaeva]			3
	<i>intrudens</i> Osten Sacken, 1877		<i>Dasysyrphus intrudens</i> (Osten Sacken, 1877) [Syrphus]			9
	<i>invigorus</i> Curran, 1921		<i>Epistrophe emarginata</i> (Say, 1823) [Scaeva]			2
	<i>knabi</i> Shannon, 1916					1
	<i>labiatarum</i> Verrall, 1901		<i>Melangyna labiatarum</i> (Verrall, 1901) [Syrphus]			12
	<i>lapponicus</i> (Zetterstedt, 1838) [Scaeva]		<i>Eupeodes lapponicus</i> (Zetterstedt, 1838) [Scaeva]			13
	<i>latifasciatus</i> Macquart, 1829		<i>Eupeodes latifasciatus</i> (Macquart, 1829) [Syrphus]			24
	<i>lesueurii</i> Macquart, 1842		<i>Epistrophe grossulariae</i> (Meigen, 1822) [Syrphus]			5
	<i>lineolus</i> (Zetterstedt, 1843) [Scaeva]		<i>Parasyrphus lineola</i> (Zetterstedt, 1843) [Scaeva]			10
	<i>lotus</i> Williston, 1887		<i>Dasysyrphus lotus</i> (Williston, 1887) [Syrphus]			2
	<i>luniger</i> Meigen, 1822		<i>Eupeodes luniger</i> (Meigen, 1822) [Syrphus]			46
	<i>lunulatus</i> Meigen, 1822		<i>Dasysyrphus lunulatus</i> (Meigen, 1822) [Syrphus]			6
	<i>macularis</i> (Zetterstedt, 1843) [Scaeva]		<i>Parasyrphus macularis</i> (Zetterstedt, 1843) [Scaeva]			2
	<i>melanostoma</i> (Zetterstedt, 1843) [Scaeva]		<i>Epistrophe melanostoma</i> (Zetterstedt, 1843) [Scaeva]			3
	<i>mentalis</i> Williston, 1887		<i>Melangyna lasiophthalma</i> (Zetterstedt, 1843) [Scaeva]			6
	<i>montivagus</i> Snow, 1895		<i>Eupeodes montivagus</i> (Snow, 1895) [Syrphus]			5
	<i>nigricornis</i> Verrall, 1873		<i>Dasysyrphus nigricornis</i> (Verrall, 1873) [Syrphus]			1
	<i>nigritarsis</i> (Zetterstedt, 1843) [Scaeva]		<i>Parasyrphus nigritarsis</i> (Zetterstedt, 1843) [Scaeva]			3
	<i>nitens</i> (Zetterstedt, 1843) [Scaeva]		<i>Eupeodes nitens</i> (Zetterstedt, 1843) [Scaeva]			9
	<i>nitidicollis</i> Meigen, 1822		<i>Epistrophe nitidicollis</i> (Meigen, 1822) [Syrphus]			13
	<i>novaezealandiae</i> Macquart, 1855		<i>Melangyna novaezealandiae</i> (Macquart, 1855) [Syrphus]			5
	<i>nummularius</i> Bezzi, 1920		<i>Allograpta nummularia</i> (Bezzi, 1920) [Syrphus]			3
	<i>opinator</i> Osten Sacken, 1877					26
	<i>pauxillus</i> Williston, 1887		<i>Dasysyrphus pauxillus</i> (Williston, 1887) [Syrphus]			3
*	<i>perplexus</i> Osburn, 1910		<i>Eupeodes perplexus</i> (Osburn, 1910) [Syrphus]			7
	<i>protritus</i> Osten Sacken, 1877		<i>Epistrophe nitidicollis</i> (Meigen, 1822) [Syrphus]			4

## Syrphidae

## Syrphus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>punctulatus</i> Verrall, 1873		<i>Parasyrphus punctulatus</i> (Verrall, 1873) [Syrphus]			1
	<i>rectoides</i> Curran, 1921		<i>Parasyrphus relictus</i> (Zetterstedt, 1839) [Scaeva]			1
	<b>rectus</b> Osten Sacken, 1875					8
*	<b>relictus</b> Bezzi					1
	<b>ribesii</b> (Linnaeus, 1758) [Musca]					57
	<i>ropalus</i> Walker, 1849		<i>Allograpta ropalus</i> (Walker, 1849) [Syrphus]			2
*	<i>ruficauda</i> Snow, 1892		<i>Eupeodes snowi</i> (Wehr, 1924) [Syrphus]			2
	<i>serarius</i> Wiedemann, 1830		<i>Betasyrphus serarius</i> (Wiedemann, 1830) [Syrphus]			2
	<i>tarsatus</i> (Zetterstedt, 1838) [Scaeva]		<i>Parasyrphus tarsatus</i> (Zetterstedt, 1838) [Scaeva]			1
	<b>torvus</b> Osten Sacken, 1875					48
	<i>triangulifer</i> (Zetterstedt, 1843) [Scaeva]		<i>Melangyna triangulifera</i> (Zetterstedt, 1843) [Scaeva]			3
	<i>tricinctus</i> (Fallen, 1817) [Scaeva]		<i>Dasysyrphus tricinctus</i> (Fallen, 1817) [Scaeva]			3
	<i>tricolor</i> Walker, 1852		<i>Betasyrphus saundersi</i> (Goot, 1964) [Syrphus]			1
	<i>trisectus</i> Loew, 1858		<i>Episyrrhus trisectus</i> (Loew, 1858) [Syrphus]			4
	<i>umbellatarum</i> Fabricius, 1794		<i>Melangyna umbellatarum</i> (Fabricius, 1794) [Syrphus]			14
	<i>venustus</i> Meigen, 1822		<i>Dasysyrphus venustus</i> (Meigen, 1822) [Syrphus]			8
	<b>vitripennis</b> Meigen, 1822					52
	<i>vittiger</i> (Zetterstedt, 1843) [Scaeva]		<i>Parasyrphus relictus</i> (Zetterstedt, 1839) [Scaeva]			9
	<i>xanthostomus</i> Williston, 1887		<i>Epistrophe xanthostoma</i> (Williston, 1887) [Syrphus]			24
<b>Temnostoma</b> Lepeltier & Serville, 1828					7	21
	<i>aequalis</i> Loew, 1864		<i>Temnostoma excentrica</i> (Harris, 1841) [Milesia]			3
	<b>alternans</b> Loew, 1864					6
	<b>apiformis</b> (Fabricius, 1794) [Syrphus]					2
	<b>bombylans</b> (Fabricius, 1805) [Milesia]					1
	<b>obscurum</b> Loew, 1864					3
	<b>trifasciatum</b> Robertson, 1901					2
	<b>vespiformis</b> (Linnaeus, 1758) [Musca]					4
<b>Teuchocnemis</b> Osten Sacken, 1875					2	6
	<b>bacuntius</b> (Walker, 1849) [Milesia]					2
	<b>lituratus</b> (Loew, 1863) [Pterallastes]					4
<b>Teuchomerus</b> Sack, 1922			<b>Mallota</b> Meigen, 1822		1	5
	<i>curvigaster</i> (Macquart, 1842) [Helophilus]		<i>Mallota curvigaster</i> (Macquart, 1842) [Helophilus]			5
<b>Toxomerus</b> Macquart, 1855					6	123
	<b>boscii</b> Macquart, 1842					15
	<b>duplicatus</b> (Wiedemann, 1830) [Syrphus]					14
	<b>geminatus</b> (Say, 1823) [Scaeva]					31
	<b>marginatus</b> (Say, 1823) [Scaeva]					34
	<b>politus</b> (Say, 1823) [Scaeva]					15
	<b>tibicen</b> (Wiedemann, 1830) [Syrphus]					14

## Syrphidae

## Triglyphus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Triglyphus</b> Loew, 1840				1	4
	<i>primus</i> Loew, 1840					4
	<b>Triodonta</b> Williston, 1885		<b>Lejops</b> Rondani, 1857		1	4
	<i>curvipes</i> (Wiedemann, 1830) [ <i>Merodon</i> ]		<i>Lejops curvipes</i> (Wiedemann, 1830) [ <i>Merodon</i> ]			4
	<b>Tropidia</b> Meigen, 1822				3	17
	<i>calcarata</i> Williston, 1887					1
	<i>fasciata</i> Meigen, 1822					2
	<i>quadrata</i> (Say, 1824) [ <i>Xylota</i> ]					14
	<b>Volucella</b> Geoffroy, 1762				42	518
	<i>ambrosetti</i> Lynch Arribalzaga, 1892		<i>Copestylum ambrosettii</i> (Lynch Arribalzaga, 1892) [ <i>Volucella</i> ]			15
	<i>anna</i> Williston, 1887		<i>Copestylum anna</i> (Williston, 1887) [ <i>Volucella</i> ]			8
	<i>avida</i> Osten Sacken, 1877		<i>Copestylum avidum</i> (Osten Sacken, 1877) [ <i>Volucella</i> ]			5
	<i>azurea</i> Philippi, 1865		<i>Copestylum azureum</i> (Philippi, 1865) [ <i>Volucella</i> ]			1
	<b>bombylans</b> (Linnaeus, 1758) [ <i>Musca</i> ]					16
	<i>caesariata</i> Williston, 1891		<i>Copestylum caesariatum</i> (Williston, 1891) [ <i>Volucella</i> ]			7
	<i>comstocki</i> Williston, 1887		<i>Copestylum comstocki</i> (Williston, 1887) [ <i>Volucella</i> ]			6
*	<i>cordiae</i> Townsend, 1897		<i>Copestylum cordiae</i> (Townsend, 1897) [ <i>Volucella</i> ]			1
	<i>decorata</i> Walker, 1859		<i>Volucella trifasciata</i> Wiedemann, 1830			1
	<b>elegans</b> Loew, 1862					10
	<i>esuriens</i> (Fabricius, 1794) [ <i>Syrphus</i> ]		<i>Copestylum brunneum</i> (Thunberg, 1789) [ <i>Musca</i> ]			1
	<i>evecta</i> Walker, 1852		<i>Volucella bombylans</i> (Linnaeus, 1758) [ <i>Musca</i> ]			15
	<i>facialis</i> Williston, 1882		<i>Volucella bombylans</i> (Linnaeus, 1758) [ <i>Musca</i> ]			8
	<i>fasciata</i> Macquart, 1842		<i>Copestylum vittatum</i> Thompson, 1976			3
	<i>fuscipennis</i> Macquart, 1842		<i>Copestylum chalybescens</i> (Wiedemann, 1830) [ <i>Volucella</i> ]			8
*	<i>hagii</i> Jaennicke, 1867		<i>Copestylum haagii</i> (Jaennicke, 1867) [ <i>Volucella</i> ]			8
	<b>inanis</b> (Linnaeus, 1758) [ <i>Musca</i> ]					11
	<b>inflata</b> (Fabricius, 1794) [ <i>Syrphus</i> ]					4
	<i>megacephala</i> (Loew, 1863) [ <i>Temnocera</i> ]		<i>Copestylum megacephalum</i> (Loew, 1863) [ <i>Temnocera</i> ]			2
	<i>meretricia</i> Williston, 1888		<i>Copestylum meretricias</i> (Williston, 1888) [ <i>Volucella</i> ]			1
	<i>mus</i> Williston, 1888		<i>Copestylum circumdatum</i> (Walker, 1857) [ <i>Temnocera</i> ]			12
	<i>mystacea</i> (Fabricius, 1775) [ <i>Musca</i> ]		<i>Volucella bombylans</i> (Linnaeus, 1758) [ <i>Musca</i> ]			41
	<i>obesa</i> (Fabricius, 1775) [ <i>Syrphus</i> ]		<i>Ornidia obesa</i> (Fabricius, 1775) [ <i>Syrphus</i> ]			137
	<i>pallens</i> Wiedemann, 1830		<i>Copestylum pallens</i> (Wiedemann, 1830) [ <i>Volucella</i> ]			20
	<b>pellucens</b> (Linnaeus, 1758) [ <i>Musca</i> ]					22
	<i>persimilis</i> Williston, 1888		<i>Copestylum persimile</i> (Williston, 1888) [ <i>Volucella</i> ]			7
	<i>picta</i> Wiedemann, 1830		<i>Copestylum pictum</i> (Wiedemann, 1830) [ <i>Volucella</i> ]			13
	<i>picturata</i> Lynch Arribalzaga, 1892		<i>Copestylum picturatum</i> (Lynch Arribalzaga, 1892) [ <i>Volucella</i> ]			9
	<i>prescutellaris</i> Williston, 1888		<i>Copestylum prescutellare</i> (Williston, 1888) [ <i>Volucella</i> ]			9
	<i>purpurifera</i> Bigot, 1875		<i>Copestylum purpuriferum</i> (Bigot, 1875) [ <i>Volucella</i> ]			1
	<i>pusilla</i> Macquart, 1842		<i>Copestylum pusillum</i> (Macquart, 1842) [ <i>Volucella</i> ]			1

## Syrphidae

## Volucella

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #	
	<i>quadrata</i> Williston, 1891		<i>Copestylum quadratum</i> (Williston, 1891) [Volucella]			2	
	<i>satur</i> Osten Sacken, 1877		<i>Copestylum satur</i> (Osten Sacken, 1877) [Volucella]			6	
	<i>scutellata</i> Macquart, 1842		<i>Copestylum scutellatum</i> (Macquart, 1842) [Volucella]			3	
	<i>sp.</i>					6	
	<i>spinithorax</i> Lynch Arribalzaga, 1892		<i>Copestylum spinithorax</i> (Lynch Arribalzaga, 1892) [Volucella]			5	
	<i>tau</i> Bigot, 1883		<i>Copestylum satur</i> (Osten Sacken, 1877) [Volucella]			2	
	<i>testacea</i> Rondani, 1848		<i>Copestylum pallens</i> (Wiedemann, 1830) [Volucella]			9	
	<b><i>trifasciata</i></b> Wiedemann, 1830					2	
	<i>vesiculosa</i> (Fabricius, 1805) [Syrphus]		<i>Copestylum neotropicum</i> Thompson, 1976			13	
	<i>violacea</i> Say, 1829		<i>Copestylum violaceum</i> (Say, 1829) [Volucella]			45	
	<b><i>zonaria</i></b> (Poda, 1761) [Conops]					22	
<b>Xanthandrus</b> Verrall, 1901						2	6
	<b><i>bucephalus</i></b> (Wiedemann, 1830) [Syrphus]					1	
	<b><i>comtus</i></b> (Harris, 1780) [Musca]					5	
<b>Xanthogramma</b> Schiner, 1860						17	113
	<i>aegyptius</i> (Wiedemann, 1830) [Syrphus]		<i>Ischiodon aegyptius</i> (Wiedemann, 1830) [Syrphus]			9	
	<i>aequale</i> (Loew, 1863) [Doros]		<i>Doros aequalis</i> Loew, 1863			1	
	<i>calopus</i> (Loew, 1858) [Syrphus]		<i>Allograpta calopus</i> (Loew, 1858) [Syrphus]			5	
	<i>citrofasciatum</i> (De Geer, 1776) [Musca]		<i>Xanthogramma festiva</i> (Linnaeus, 1758) [Musca]			8	
	<i>distinctum</i> (Kertész, 1899) [Melithreptus]		<i>Allograpta distincta</i> (Kertész, 1899) [Melithreptus]			2	
	<i>dives</i> (Rondani, 1857) [Syrphus]		<i>Xanthogramma pedissequum</i> (Harris, 1776) [Musca]			30	
	<i>divisum</i> Williston, 1882		<i>Epistrophe emarginata</i> (Say, 1823) [Scaeva]			2	
	<i>emarginatum</i> (Say, 1823) [Scaeva]		<i>Epistrophe emarginata</i> (Say, 1823) [Scaeva]			3	
	<b><i>flavipes</i></b> (Loew, 1863) [Doros]					11	
	<i>grandicornis</i> (Macquart, 1842) [Syrphus]		<i>Simosyrphus grandicornis</i> (Macquart, 1842) [Syrphus]			1	
	<i>javanum</i> (Wiedemann, 1824) [Syrphus]		<i>Allograpta javana</i> (Wiedemann, 1824) [Syrphus]			1	
	<b><i>marginale</i></b> (Loew, 1854) [Doros]					4	
	<i>ornatum</i> (Meigen, 1822) [Syrphus]		<i>Xanthogramma pedissequum</i> (Harris, 1776) [Musca]			11	
	<i>pfeifferi</i> (Bigot, 1884) [Syrphus]		<i>Allograpta nasuta</i> (Macquart, 1842) [Syrphus]			2	
	<i>phaeopterum</i> Bezzi, 1820		<i>Allograpta phaeoptera</i> (Bezzi, 1920) [Xanthogramma]			6	
	<i>rotundicornis</i> (Loew, 1858) [Syrphus]		<i>Allograpta fuscotibialis</i> (Macquart, 1842) [Syrphus]			2	
	<i>scutellaris</i> (Fabricius, 1805) [Scaeva]		<i>Ischiodon scutellaris</i> (Fabricius, 1805) [Scaeva]			15	
<b>Xylota</b> Meigen, 1822						28	140
	<b><i>abiens</i></b> Meigen, 1822					5	
	<b><i>angustiventris</i></b> Loew, 1866					5	
	<i>anthreas</i> Walker, 1849		<i>Chalcosyrphus anthreas</i> (Walker, 1849) [Xylota]			0	
	<b><i> barbata</i></b> Loew, 1864					8	
	<b><i>bicolor</i></b> Loew, 1864					1	
	<b><i>caeruleiventris</i></b> Zetterstedt, 1838					3	
	<i>chalybea</i> Wiedemann, 1830		<i>Chalcosyrphus chalybeus</i> (Wiedemann, 1830) [Xylota]			5	

## Syrphidae

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	<i>Xylota</i> specimens #
	<i>confinis</i> Zetterstedt, 1843		<i>Xylota tarda</i> Meigen, 1822			0
	<i>curvipes</i> Loew, 1854		<i>Chalcosyrphus femorata</i> (Linnaeus, 1758) [ <i>Musca</i> ]			5
*	<i>dentipes</i> Sack					1
	<i>ejuncida</i> Say, 1824					14
	<i>femorata</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<i>Chalcosyrphus femorata</i> (Linnaeus, 1758) [ <i>Musca</i> ]			2
	<i>flavitibia</i> Bigot, 1884					4
	<i>florum</i> (Fabricius, 1805) [ <i>Scaeva</i> ]					4
	<i>fraudulosa</i> Loew, 1864		<i>Chalcosyrphus fulviventris</i> (Bigot, 1861) [ <i>Xylota</i> ]			7
	<i>fulviventris</i> Bigot, 1861		<i>Chalcosyrphus fulviventris</i> (Bigot, 1861) [ <i>Xylota</i> ]			2
*	<i>gilvipes</i> Sack					6
	<i>ignava</i> (Panzer, 1798) [ <i>Syrphus</i> ]					6
	<i>lenta</i> Meigen, 1822					5
	<i>metallica</i> Wiedemann, 1830		<i>Chalcosyrphus metallicus</i> (Wiedemann, 1830) [ <i>Xylota</i> ]			3
	<i>nemorum</i> (Fabricius, 1805) [ <i>Milesia</i> ]		<i>Chalcosyrphus nemorum</i> (Fabricius, 1805) [ <i>Milesia</i> ]			1
	<i>obscura</i> Loew, 1866		<i>Xylota flavifrons</i> Walker, 1849			2
	<i>pigra</i> (Fabricius, 1794) [ <i>Syrphus</i> ]		<i>Chalcosyrphus piger</i> (Fabricius, 1794) [ <i>Syrphus</i> ]			1
	<i>plagiata</i> Wiedemann, 1830		<i>Sterphus plagiatus</i> (Wiedemann, 1830) [ <i>Xylota</i> ]			4
	<i>pleuralis</i> Kertész, 1901		<i>Chalcosyrphus pleuralis</i> (Kertész, 1901) [ <i>Xylota</i> ]			1
	<i>segnis</i> (Linnaeus, 1758) [ <i>Musca</i> ]					37
	<i>silvarum</i> Linnaeus, 1758		<i>Xylota sylvarum</i> (Linnaeus, 1758) [ <i>Musca</i> ]			7
	<i>vecors</i> Osten Sacken, 1875		<i>Chalcosyrphus vecors</i> (Osten Sacken, 1875) [ <i>Xylota</i> ]			1
	<b><i>Xylotodes</i> Shannon, 1926</b>		<b><i>Chalcosyrphus</i> Curran, 1925</b>		<b>1</b>	<b>3</b>
	<i>pigra</i> (Lovett, 1919) [ <i>Brachypalpus</i> ]		<i>Chalcosyrphus nigromaculatus</i> (Jones, 1917) [ <i>Xylota</i> ]			3
	<b><i>Zelima</i> Meigen, 1800</b>		<b><i>Xylota</i> Meigen, 1822</b>		<b>1</b>	<b>4</b>
	<i>conformis</i> (Walker, 1857) [ <i>Xylota</i> ]		<i>Xylota conformis</i> Walker, 1867			4
	<b><i>Zetterstedtia</i> Rondani, 1845</b>		<b><i>Imatisma</i> Macquart, 1842</b>		<b>2</b>	<b>10</b>
	<i>bautias</i> (Walker, 1849) [ <i>Merodon</i> ]		<i>Mallota bautias</i> (Walker, 1849) [ <i>Merodon</i> ]			6
	<i>cimbiciformis</i> Fallen, 1817		<i>Mallota cimbiciformis</i> (Fallen, 1817) [ <i>Syrphus</i> ]			4
	<b><i>Zonemyia</i> Shannon, 1925</b>		<b><i>Sterphus</i> Philippi, 1865</b>		<b>1</b>	<b>1</b>
	<i>sp.</i>					1

Tabanidae		Acanthocera				
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Tabanidae</b>				35	410	2207
	<b>Acanthocera</b> Macquart, 1834				5	14
	<i>coarctata</i> (Wiedemann, 1828) [ <i>Haematopota</i> ]					2
	<i>longicornis</i> (Fabricius, 1775) [ <i>Tabanus</i> ]					4
	<i>nigricorpus</i> Lutz, 1915		<i>Dichelacera nigricorpus</i> (Lutz, 1815) [ <i>Acanthocera</i> ]			2
	<i>quinquecincta</i> Lutz, 1915					2
*	<i>tenuicornis</i> Lutz, 1915		<i>Dichelacera tenuicornis</i> (Lutz, 1915) [ <i>Acanthocera</i> ]			4
	<b>Adersia</b> Austen, 1912				1	1
	<i>oestroides</i> (Karsch, 1888) [ <i>Silvius</i> ]					1
	<b>Atylotus</b> Osten Sacken, 1876				14	138
	<i>anthracinus</i> (Wiedemann, 1820) [ <i>Tabanus</i> ]		<i>Dasyrhamphis anthracinus</i> (Wiedemann, 1820) [ <i>Tabanus</i> ]			9
	<i>ater</i> (Rossi, 1790) [ <i>Tabanus</i> ]		<i>Dasyrhamphis ater</i> (Rossi, 1790) [ <i>Tabanus</i> ]			16
	<i>barbarus</i> (Coquebert, 1804) [ <i>Tabanus</i> ]		<i>Tabanus barbarus</i> Coquebert, 1804			1
	<i>bicolor</i> (Wiedemann, 1821) [ <i>Tabanus</i> ]					7
	<i>bifarius</i> (Loew, 1858) [ <i>Tabanus</i> ]		<i>Tabanus bifarius</i> Loew, 1858			27
	<i>fulvus</i> (Meigen, 1804) [ <i>Tabanus</i> ]					25
	<i>gigas</i> (Herbst, 1787) [ <i>Tabanus</i> ]		<i>Theriopectes gigas</i> (Herbst, 1787) [ <i>Tabanus</i> ]			7
	<i>insuetus</i> (Osten Sacken, 1877) [ <i>Tabanus</i> ]					2
	<i>lunatus</i> (Fabricius, 1794) [ <i>Tabanus</i> ]		<i>Tabanus lunatus</i> Fabricius, 1794			9
	<i>nemoralis</i> (Meigen, 1820) [ <i>Tabanus</i> ]		<i>Tabanus nemoralis</i> Meigen, 1820			9
	<i>pulchellus</i> (Loew, 1858) [ <i>Tabanus</i> ]					1
	<i>quatuornotatus</i> (Meigen, 1820) [ <i>Tabanus</i> ]		<i>Tabanus quatuornotatus</i> Meigen, 1820			19
	<i>rusticus</i> (Linnaeus, 1767) [ <i>Tabanus</i> ]					3
	<i>umbrinus</i> (Wiedemann, 1820) [ <i>Tabanus</i> ]		<i>Dasyrhamphis umbrinus</i> (Wiedemann, 1820) [ <i>Tabanus</i> ]			3
	<b>Bombylomyia</b> Lutz, 1911		<b>Fidena</b> Walker, 1850		1	4
	<i>erythronotata</i> (Bigot, 1892) [ <i>Mycteromyia</i> ]		<i>Fidena erythronotata</i> (Bigot, 1892) [ <i>Mycteromyia</i> ]			4
	<b>Bouvierella</b> Surcouf, 1909		<b>Bouvieromyia</b> Strand, 1928		1	1
*	<i>variegata</i> Surcouf, 1909		<i>Aegophagamyia variegata</i> (Surcouf, 1909) [ <i>Bouvierella</i> ]			1
	<b>Buplex</b> Austen, 1920		<b>Philoliche</b> Wiedemann, 1820		1	2
	<i>albifacies</i> (Ricardo, 1914) [ <i>Corizoneura</i> ]		<i>Philoliche alternans</i> (Macquart, 1855) [ <i>Pangonia</i> ]			2
	<b>Chrysops</b> Meigen, 1803				70	404
*	<i>bezzii</i> Krober					1
	<i>bistellatus</i> Daecke, 1905					2
*	<i>brunneus</i> Hine, 1903					4
	<i>caecutiens</i> (Linnaeus, 1758) [ <i>Tabanus</i> ]					15
	<i>callidus</i> Osten Sacken, 1875					8

## Tabanidae

## Chrysops

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>carbonarius</i> Walker, 1848					8
	<i>celer</i> Osten Sacken, 1875		<i>Chrysops cincticornis</i> Walker, 1848			13
	<i>confluens</i> Loew, 1858		<i>Chrysops obliquefasciatus</i> Macquart, 1838			1
	<i>costata</i> (Fabricius, 1794) [ <i>Tabanus</i> ]		<i>Chrysops variegatus</i> (De Geer, 1776) [ <i>Tabanus</i> ]			13
	<i>crucians</i> Wiedemann, 1828					2
	<i>cuclux</i> Whitney, 1879					5
	<i>dimidiata</i> Wulp, 1885					2
	<i>dimmocki</i> Hine, 1905					1
	<i>discalis</i> Williston, 1880					1
	<i>dispar</i> (Fabricius, 1798) [ <i>Tabanus</i> ]					9
	<i>distinctipennis</i> Austen, 1906					1
	<i>excitans</i> Walker, 1850					5
	<i>fallax</i> Osten Sacken, 1875		<i>Chrysops geminatus</i> Wiedemann, 1828			6
	<i>fixissimus</i> Walker, 1856					4
	<i>flavidus</i> Wiedemann, 1821					6
	<i>flavipes</i> Meigen, 1804					8
	<i>frigidus</i> Osten Sacken, 1875					2
	<i>fulvaster</i> Osten Sacken, 1877					5
*	<i>fusciapex</i> Lutz, 1909					7
	<i>hilaris</i> Osten Sacken, 1875		<i>Chrysops lateralis</i> Wiedemann, 1828			3
	<i>indus</i> Osten Sacken, 1875					11
	<i>laetus</i> Fabricius, 1805					24
	<i>latifasciatus</i> Bellardi, 1859					1
	<i>leucospilus</i> Wiedemann, 1828					4
	<i>lupus</i> Whitney, 1904		<i>Chrysops furcatus</i> Walker, 1848			1
	<i>marmoratus</i> (Rossi, 1790) [ <i>Tabanus</i> ]		<i>Chrysops italicus</i> Meigen, 1804			9
	<i>mitis</i> Osten Sacken, 1875					8
	<i>mlokosiewiczzi</i> Bigot, 1880					1
	<i>moechus</i> Osten Sacken, 1875					11
	<i>moerens</i> Walker, 1848		<i>Chrysops aestuans</i> Wulp, 1867			6
	<i>molesta</i> Wiedemann, 1828					3
	<i>montanus</i> Osten Sacken, 1875					2
	<i>morosus</i> Osten Sacken, 1875		<i>Chrysops obsoletus</i> Wiedemann, 1821			4
	<i>niger</i> Macquart, 1838					10
	<i>nigribimbo</i> Whitney, 1879					5
*	<i>nigriflava</i> Austen, 1907		<i>Chrysops bicolor</i> Cordier, 1907			5
	<i>noctifer</i> Osten Sacken, 1877					4
	<i>obsoletus</i> Wiedemann, 1821					9
	<i>pachycera</i> Williston, 1887					2
	<i>parvulus</i> Daecke, 1907					1
	<i>pellucidus</i> Fabricius, 1805					2
*	<i>peruviensis</i> Krober, 1925		<i>Chrysops variegatus</i> (De Geer, 1776) [ <i>Tabanus</i> ]			6
	<i>pikei</i> Whitney, 1904					5



Tabanidae

*Chrysops*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>plangens</i> Wiedemann, 1828		<i>Chrysops fuliginosus</i> Wiedemann, 1821			7
	<i>pudicus</i> Osten Sacken, 1875					1
	<i>quadratus</i> Meigen, 1820		<i>Chrysops viduatus</i> (Fabricius, 1794) [ <i>Tabanus</i> ]			10
	<i>relictus</i> Meigen, 1820					12
	<i>rufipes</i> Meigen, 1820					4
*	<i>sackeni</i> Hine, 1903					2
	<i>scalaratus</i> Bellardi, 1859					5
	<i>sepulcralis</i> (Fabricius, 1794) [ <i>Tabanus</i> ]					3
	<i>sequax</i> Williston, 1887					2
	<i>signifer</i> Walker, 1861					18
	<i>silaceus</i> Austen, 1907					2
	<i>sinensis</i> Walker, 1856					7
	<i>stigmatalis</i> Loew, 1858		<i>Chrysops obliquefasciatus</i> Macquart, 1838			3
	<i>striatus</i> Osten Sacken, 1875					3
	<i>translucens</i> Macquart, 1838					1
	<i>tristis</i> (Fabricius, 1798) [ <i>Tabanus</i> ]					3
	<i>univittatus</i> Macquart, 1855					8
	<i>varians</i> Wiedemann, 1828					4
*	<i>violacea</i> (Krober, 1931) [ <i>Eristalotabanus</i> ]		<i>Eristalotabanus violaceus</i> Krober, 1931			2
	<i>virgulatus</i> Bellardi, 1859					1
	<i>vittatus</i> Wiedemann, 1821					20
	<i>v-nigrum</i> Meijere, 1911		<i>Chrysops flaviventris</i> Macquart, 1846			20
<b>Chrysozona</b> Meigen, 1800			<b>Haematopota</b> Meigen, 1803		2	18
	<i>abyssinica</i> (Surcouf, 1908) [ <i>Haematopota</i> ]		<i>Haematopota abyssinica</i> Surcouf, 1908			6
	<i>albihirta</i> (Karsch, 1888) [ <i>Haematopota</i> ]		<i>Haematopota albihirta</i> Karsch, 1888			12
<b>Corizoneura</b> Rondani, 1863			<b>Philoliche</b> Wiedemann, 1820		4	9
	??					5
*	<i>kurandae</i> Taylor, 1917		<i>Pseudotabanus queenslandi</i> Ricardo, 1915			2
	<i>longirostris</i> (Hardwicke, 1823) [ <i>Pangonia</i> ]		<i>Philoliche longirostris</i> (Hardwicke, 1823) [ <i>Pangonia</i> ]			1
	<i>taprobanes</i> (Walker, 1854) [ <i>Pangonia</i> ]		<i>Philoliche taprobanes</i> (Walker, 1854) [ <i>Pangonia</i> ]			1
<b>Diachlorus</b> Osten Sacken, 1876					4	27
	<i>bimaculatus</i> (Wiedemann, 1828) [ <i>Chrysops</i> ]					9
	<i>bivittatus</i> (Wiedemann, 1828) [ <i>Tabanus</i> ]					5
	<i>ferrugatus</i> (Fabricius, 1805) [ <i>Chrysops</i> ]					9
	sp					4
<b>Diatomineura</b> Rondani, 1863			<b>Scaptia</b> Walker, 1850		16	26
	<i>abdominalis</i> Ricardo, 1917		<i>Scaptia abdominalis</i> (Ricardo, 1917) [ <i>Diatomineura</i> ]			1
	<i>auriflua</i> (Donovan, 1805) [ <i>Tabanus</i> ]		<i>Scaptia auriflua</i> (Donovan, 1805) [ <i>Tabanus</i> ]			1
	<i>brevirostris</i> (Macquart, 1850) [ <i>Pangonia</i> ]		<i>Scaptia brevisrostris</i> (Macquart, 1850) [ <i>Pangonia</i> ]			4

Tabanidae

*Diatomineura*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>clavata</i> (Macquart, 1837) [ <i>Pangonia</i> ]		<i>Scaptia clavata</i> (Macquart, 1837) [ <i>Pangonia</i> ]			1
	<i>crassa</i> (Walker, 1848) [ <i>Pangonia</i> ]		<i>Scaptia aurata</i> (Macquart, 1838) [ <i>Pangonia</i> ]			1
*	<i>crocea</i> Taylor, 1917		<i>Scaptia berylensis</i> (Ricardo, 1915) [ <i>Corizoneura</i> ]			1
	<i>exeuns</i> (Walker, 1850) [ <i>Pangonia</i> ]		<i>Scaptia molesta</i> (Wiedemann, 1828) [ <i>Pangonia</i> ]			1
	<i>fenestrata</i> (Macquart, 1846) [ <i>Pangonia</i> ]		<i>Scaptia fenestrata</i> (Macquart, 1846) [ <i>Pangonia</i> ]			1
	<i>inflata</i> Ricardo, 1915		<i>Scaptia subappendiculata</i> (Macquart, 1850) [ <i>Pangonia</i> ]			2
	<i>montana</i> Ricardo, 1915		<i>Scaptia monticola</i> Mackerras, 1960			1
	<i>pulchra</i> Ricardo, 1915		<i>Scaptia pulchra</i> (Ricardo, 1915) [ <i>Diatomineura</i> ]			1
	<i>regisgeorgii</i> Taylor, 1918		<i>Scaptia regisgeorgii</i> (Taylor, 1918) [ <i>Diatomineura</i> ]			1
	<i>ruficornis</i> (Macquart, 1846) [ <i>Pangonia</i> ]		<i>Scaptia jacksonii</i> (Macquart, 1838) [ <i>Pangonia</i> ]			1
	<i>tabanipennis</i> (Macquart, 1838) [ <i>Pangonia</i> ]		<i>Fidena castanea</i> (Perty, 1833) [ <i>Pangonia</i> ]			5
	<i>violacea</i> (Macquart, 1850) [ <i>Pangonia</i> ]		<i>Scaptia violacea</i> (Macquart, 1850) [ <i>Pangonia</i> ]			3
	<i>viridiventris</i> (Macquart, 1838) [ <i>Pangonia</i> ]		<i>Scaptia viridiventris</i> (Macquart, 1838) [ <i>Pangonia</i> ]			1
<b>Dichelacera</b> Macquart, 1838					5	68
	<i>alcicornis</i> (Wiedemann, 1828) [ <i>Tabanus</i> ]					40
	<i>cervicornis</i> (Fabricius, 1805) [ <i>Tabanus</i> ]					4
	<i>januarii</i> (Wiedemann, 1819) [ <i>Tabanus</i> ]					20
	<i>scapularis</i> Macquart, 1847					1
*	<i>submarginata</i> Lutz, 1915					3
<b>Elaphella</b> Bezzi, 1913					1	2
	<i>cervus</i> (Wiedemann, 1828) [ <i>Pangonia</i> ]		<i>Pityocera cervus</i> (Wiedemann, 1828) [ <i>Pangonia</i> ]			2
<b>Epipsila</b> Lutz, 1909					1	3
	<i>eriomera</i> (Macquart, 1838) [ <i>Pangonia</i> ]		<i>Fidena eriomera</i> (Macquart, 1838) [ <i>Pangonia</i> ]			3
<b>Erephopsis</b> Rondani, 1863					20	43
	<i>albipectus</i> (Bigot, 1892) [ <i>Mycteromyia</i> ]		<i>Fidena lingens</i> (Wiedemann, 1828) [ <i>Pangonia</i> ]			1
	<i>ardens</i> Macquart, 1838		<i>Fidena sorbens</i> (Wiedemann, 1828) [ <i>Pangonia</i> ]			6
	<i>bancrofti</i> (Austen, 1912) [ <i>Pangonia</i> ]		<i>Scaptia bancrofti</i> (Austen, 1912) [ <i>Pangonia</i> ]			1
	<i>besckii</i> Wiedemann, 1828		<i>Fidena fusca</i> (Thunberg, 1827) [ <i>Tanyglossa</i> ]			1
	<i>concolor</i> Walker, 1850		<i>Scaptia concolor</i> (Walker, 1850) [ <i>Pangonia</i> ]			2
	<i>contigua</i> (Walker, 1848) [ <i>Pangonia</i> ]		<i>Scaptia lasiophthalma</i> (Macquart, 1834) [ <i>Pangonia</i> ]			1
	<i>gemina</i> Walker, 1848		<i>Scaptia gemina</i> (Walker, 1848) [ <i>Pangonia</i> ]			2
	<i>guttata</i> (Donovan, 1805) [ <i>Tabanus</i> ]		<i>Scaptia guttata</i> (Donovan, 1805) [ <i>Tabanus</i> ]			2
	<i>lasiophthalma</i> (Macquart, 1834) [ <i>Pangonia</i> ]		<i>Scaptia lasiophthalma</i> (Macquart, 1834) [ <i>Pangonia</i> ]			1
	<i>lata</i> (Guerin-Meneville, 1835) [ <i>Tabanus</i> ]		<i>Scaptia lata</i> (Guerin-Meneville, 1835) [ <i>Tabanus</i> ]			1
	<i>leucopogon</i> (Wiedemann, 1828) [ <i>Pangonia</i> ]		<i>Fidena leucopogon</i> (Wiedemann, 1828) [ <i>Pangonia</i> ]			4
	<i>maculipennis</i> (Macquart, 1850) [ <i>Pangonia</i> ]		<i>Scaptia lasiophthalma</i> (Macquart, 1834) [ <i>Pangonia</i> ]			3
	<i>maculiventris</i> Westwood, 1835		<i>Scaptia maculiventris</i> (Westwood, 1835) [ <i>Pangonia</i> ]			3
	<i>nigripennis</i> (Guerin-Meneville, 1835) [ <i>Pangonia</i> ]		<i>Fidena nigripennis</i> (Guerin-Meneville, 1835) [ <i>Pangonia</i> ]			3
	<i>penicillata</i> (Bigot, 1892) [ <i>Mycteromyia</i> ]		<i>Fidena penicillata</i> (Bigot, 1892) [ <i>Mycteromyia</i> ]			1

## Tabanidae

## Erephopsis

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>rufoaurea</i> (Philippi, 1865) [ <i>Pangonia</i> ]		<i>Scaptia rufa</i> (Macquart, 1838) [ <i>Pangonia</i> ]			1
	<i>sorbens</i> (Wiedemann, 1828) [ <i>Pangonia</i> ]		<i>Fidena sorbens</i> (Wiedemann, 1828) [ <i>Pangonia</i> ]			3
*	<i>subcontigua</i> Ferguson, 1921		<i>Scaptia subcontigua</i> (Ferguson, 1921) [ <i>Erephopsis</i> ]			2
	<i>winthemi</i> (Wiedemann, 1819) [ <i>Pangonia</i> ]		<i>Fidena winthemi</i> (Wiedemann, 1819) [ <i>Pangonia</i> ]			1
	<i>xanthopogon</i> (Macquart, 1838) [ <i>Pangonia</i> ]		<i>Fidena castanea</i> (Perty, 1833) [ <i>Pangonia</i> ]			4
	<b>Esenbeckia</b> Rondani, 1863				5	8
*	<i>clari</i> Lutz, 1909					1
	<i>clari</i> var <i>infuscata</i> Lutz, 1909		<i>Esenbeckia clari</i> Lutz, 1909			1
	<i>ferruginea</i> (Macquart, 1838) [ <i>Pangonia</i> ]		<i>Esenbeckia illota</i> (Macquart, 1838) [ <i>Pangonia</i> ]			1
	<i>fuscipennis</i> (Wiedemann, 1828) [ <i>Pangonia</i> ]					2
	<i>lugubris</i> (Macquart, 1838) [ <i>Pangonia</i> ]					3
	<b>Goniops</b> Aldrich, 1892				1	2
	<i>chrysocoma</i> (Osten Sacken, 1875) [ <i>Pangonia</i> ]					2
	<b>Haematopota</b> Meigen, 1803				11	146
	<i>bigoti</i> Gobert, 1880					2
	<i>borneana</i> Rondani, 1875					2
	<i>circumscripta</i> Loew, 1858					3
*	<i>copemanii</i> Austen, 1908					4
	<i>crassicornis</i> Wahlberg, 1848					13
	<i>decora</i> Walker, 1856					4
	<i>italica</i> Meigen, 1804					10
*	<i>mactans</i> Austen, 1908		<i>Haematopota albihirta</i> Karsch, 1888			6
*	<i>pertinens</i> Austen, 1908					2
	<i>pluvialis</i> (Linnaeus, 1758) [ <i>Tabanus</i> ]					91
	<i>variegata</i> Fabricius, 1805		<i>Silvius variegatus</i> (Fabricius, 1805) [ <i>Haematopota</i> ]			9
	<b>Heptatoma</b> Meigen, 1803				1	2
	<i>pellucens</i> (Fabricius, 1777) [ <i>Tabanus</i> ]					2
	<b>Hinea</b> Adams, 1905		<b>Jashinea</b> Oldroyd, 1970		1	2
	<i>pertusa</i> (Loew, 1858) [ <i>Silvius</i> ]		<i>Jashinea pertusa</i> (Loew, 1858) [ <i>Silvius</i> ]			2
	<b>Ionopis</b> Lutz, 1909		<b>Fidena</b> Walker, 1850		1	3
	<i>nitens</i> (Bigot, 1892) [ <i>Mycteromyia</i> ]		<i>Fidena nitens</i> (Bigot, 1892) [ <i>Mycteromyia</i> ]			3
	<b>Lepidoselaga</b> Loew, 1869		<b>Lepiselaga</b> Macquart, 1838		1	3
	<i>lepidota</i> (Wiedemann, 1826) [ <i>Tabanocella</i> ]		<i>Lepidoselaga crassipes</i> (Fabricius, 1805) [ <i>Haematopota</i> ]			3
	<b>Nemorius</b> Rondani, 1856				2	2
	<i>claripennis</i>					1
	<i>vitripennis</i> (Meigen, 1820) [ <i>Chrysops</i> ]					1

## Tabanidae

## Nemorius

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Orgizomyia</b> Grunberg, 1906				1	2
	<i>zigzag</i> (Macquart, 1855) [ <i>Pangonia</i> ]					2
	<b>Pangonia</b> Walker, 1850		<b>Scaptia</b> Walker, 1850		19	109
*	<i>argentata</i> Szilady, 1923		<i>Pangonius argentatus</i> (Szilady, 1923) [ <i>Pangonia</i> ]			5
	<i>beckeri</i> Bezzi, 1901		<i>Philoliche beckeri</i> (Bezzi, 1901) [ <i>Pangonia</i> ]			13
	<i>elongata</i> Ricardo, 1908		<i>Philoliche elongata</i> (Ricardo, 1908) [ <i>Pangonia</i> ]			2
	<i>fascipennis</i> Macquart, 1838		<i>Esenbeckia fascipennis</i> (Macquart, 1838) [ <i>Pangonia</i> ]			1
	<i>fulvipes</i> Loew, 1859		<i>Pangonius fulvipes</i> (Loew, 1859) [ <i>Pangonia</i> ]			1
	<i>lateralis</i> Fabricius, 1805		<i>Philoliche lateralis</i> (Fabricius, 1805) [ <i>Pangonia</i> ]			3
	<i>maculata</i> Fabricius, 1805		<i>Pangonius mauritanus</i> (Linnaeus, 1767) [ <i>Tabanus</i> ]			5
*	<i>magrettii</i> Bezzi, 1901		<i>Philoliche magrettii</i> (Bezzi, 1901) [ <i>Pangonia</i> ]			41
	<i>marginata</i> Fabricius, 1805		<i>Pangonius haustellatus</i> (Fabricius, 1781) [ <i>Tabanus</i> ]			5
	<i>micans</i> Wiedemann, 1820		<i>Pangonius micans</i> (Wiedemann, 1820) [ <i>Pangonia</i> ]			6
*	<i>oldii</i> Austen, 1908		<i>Philoliche zonata</i> (Walker, 1871) [ <i>Pangonia</i> ]			1
	<i>pallidipennis</i> (Ricardo, 1900) [ <i>Corizoneura</i> ]		<i>Philoliche rondani</i> (Bertoloni, 1861) [ <i>Pangonia</i> ]			2
	<i>ricardoae</i> Hutton, 1901		<i>Scaptia ricardoe</i> (Hutton, 1901) [ <i>Pangonia</i> ]			1
*	<i>seminuda</i> Coquillett, 1902		<i>Esenbeckia seminuda</i> (Coquillett, 1902) [ <i>Pangonia</i> ]			5
*	<i>striata</i> Szilady, 1923		<i>Pangonius striatus</i> (Szilady, 1923) [ <i>Pangonia</i> ]			3
	<i>tranquilla</i> Osten Sacken, 1875		<i>Stonemyia tranquilla</i> (Osten Sacken, 1875) [ <i>Pangonia</i> ]			2
	<i>varicolor</i> Wiedemann, 1828		<i>Philoliche aethiopica</i> (Thunberg, 1789) [ <i>Tabanus</i> ]			2
	<i>variegata</i> Fabricius, 1805		<i>Pangonius variegatus</i> (Fabricius, 1805) [ <i>Pangonia</i> ]			5
*	<i>variegata brunnipes</i> Szilady, 1923		<i>Pangonius variegatus</i> (Fabricius, 1805) [ <i>Pangonia</i> ]			6
	<b>Phaeoneura</b> Lutz, 1909		<b>Fidena</b> Walker, 1850		1	5
	<i>basilaris</i> (Wiedemann, 1828) [ <i>Pangonia</i> ]		<i>Fidena basilaris</i> (Wiedemann, 1828) [ <i>Pangonia</i> ]			5
	<b>Phara</b> Walker, 1850		<b>Philoliche</b> Wiedemann, 1820		1	1
	<i>rubramarginata</i> (Macquart, 1855) [ <i>Cadicera</i> ]		<i>Philoliche rubramarginata</i> (Macquart, 1855) [ <i>Cadicera</i> ]			1
	<b>Rhinomyza</b> Wiedemann, 1820				1	6
	<i>denticornis</i> (Wiedemann, 1828) [ <i>Silvius</i> ]		<i>Tabanocella denticornis</i> (Wiedemann, 1828) [ <i>Silvius</i> ]			6
	<b>Scione</b> Walker, 1850				2	3
	<i>claripennis</i> Ricardo, 1900					1
	<i>distincta</i> (Schiner, 1868) [ <i>Diclisia</i> ]					2
	<b>Selasoma</b> Macquart, 1838				1	2
	<i>tibiale</i> (Fabricius, 1805) [ <i>Tabanocella</i> ]					2
	<b>Silvius</b> Meigen, 1820				11	23
	<i>australis</i> Ricardo, 1915		<i>Pseudotabanus silvester</i> (Bergroth, 1894) [ <i>Silvius</i> ]			2
	<i>fergusoni</i> Ricardo, 1917		<i>Pseudotabanus fergusoni</i> (Ricardo, 1917) [ <i>Silvius</i> ]			1

## Tabanidae

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>frontalis</i> Ricardo, 1915		<i>Pseudotabanus frontalis</i> (Ricardo, 1915) [ <i>Silvius</i> ]			2
	<b><i>gigantulus</i></b> (Loew, 1872) [ <i>Chrysops</i> ]					3
	<i>hirtus</i> Loew, 1858		<i>Silvius alpinus</i> (Scopoli, 1761) [ <i>Tabanus</i> ]			2
	<i>luridus</i> (Walker, 1848) [ <i>Pangonia</i> ]		<i>Mesomyia lurida</i> (Walker, 1848) [ <i>Pangonia</i> ]			2
	<i>maoricus</i>					1
*	<i>paraluridus</i> Ferguson, 1920		<i>Mesomyia paralurida</i> (Ferguson & Henry, 1920) [ <i>Silvius</i> ]			2
	<b><i>pollinosus</i></b> Williston, 1880					2
	<b><i>quadrivittatus</i></b> (Say, 1823) [ <i>Chrysops</i> ]					3
	<i>vituli</i> (Fabricius, 1805) [ <i>Tabanus</i> ]		<i>Silvius alpinus</i> (Scopoli, 1761) [ <i>Tabanus</i> ]			3
	<b><i>Stibasoma</i></b> Schiner, 1867				1	2
*	<i>willistoni</i> Lutz, 1907					2
	<b><i>Subpangonia</i></b> Surcouf, 1908		<b><i>Philoliche</i></b> Wiedemann, 1820		1	1
*	<i>gravoti</i> Surcouf, 1908		<i>Philoliche gravoti</i> (Surcouf, 1908) [ <i>Pangonia</i> ]			1
	<b><i>Tabanus</i></b> Linnaeus, 1758				189	1029
	<i>abdominalis</i> Fabricius, 1805					4
	<i>acutus</i> (Bigot, 1892) [ <i>Atylotus</i> ]					4
	<i>administrans</i> Schiner, 1868					6
	<i>aegrotus</i> Osten Sacken, 1877					2
	<i>affinis</i> Kirby, 1837		<i>Hybomitra affinis</i> (Kirby, 1837) [ <i>Tabanus</i> ]			8
	<i>africanus</i> Gray, 1832		<i>Ancala africana</i> (Gray, 1832) [ <i>Tabanus</i> ]			4
	<i>albimediis</i> Walker, 1850		<i>Tabanus rubidus</i> Wiedemann, 1821			7
	<i>albitibialis</i> Macquart, 1838					1
	<i>alexandrinus</i> Wiedemann, 1830		<i>Dasyrhamphis nigrinus</i> (Fabricius, 1794) [ <i>Tabanus</i> ]			17
	<i>americanus</i> Forster, 1771					8
	<i>annulatus</i> Say, 1823		<i>Leucotabanus annulatus</i> (Say, 1823) [ <i>Tabanus</i> ]			3
	<i>apricus</i> Meigen, 1820		<i>Philipomyia aprica</i> (Meigen, 1820) [ <i>Tabanus</i> ]			44
	<i>ardens</i> Wiedemann, 1821					2
	<i>astutus</i> Osten Sacken, 1876		<i>Hybomitra astuta</i> (Osten Sacken, 1876) [ <i>Tabanus</i> ]			1
	<i>atratus</i> Fabricius, 1775					7
	<i>atripes</i> Wulp, 1885		<i>Ancala fasciata</i> (Fabricius, 1775) [ <i>Tabanus</i> ]			1
	<i>auripunctatus</i> Macquart, 1839					2
	<i>aurora</i> Macquart, 1838					4
	<i>autumnalis</i> Linnaeus, 1761					7
	<i>avidus</i> (Bigot, 1892) [ <i>Atylotus</i> ]		<i>Cydistomyia avida</i> (Bigot, 1892) [ <i>Atylotus</i> ]			4
*	<i>besti</i> Surcouf, 1907					2
	<i>biguttatus</i> Wiedemann, 1830					2
	<i>billingtoni</i> Newstead & Dutton & Todd, 1907					1
	<i>bisignatus</i> Jaenicke, 1866		<i>Hybomitra bimaculata</i> (Macquart, 1826) [ <i>Tabanus</i> ]			4
	<i>bovinus</i> Linnaeus, 1758					15
	<i>bromius</i> Linnaeus, 1758					70

## Tabanidae

## Tabanus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>canus</b> Karsch, 1879					1
	<i>capreolus</i> Wiedemann, 1828		<i>Catachlorops capreolus</i> (Wiedemann, 1828) [ <i>Tabanus</i> ]			11
	<i>carbo</i> Macquart, 1850		<i>Pityocera carbo</i> (Macquart, 1850) [ <i>Tabanus</i> ]			1
	<i>carolinensis</i> Macquart, 1838		<i>Hamatabanus carolinensis</i> (Macquart, 1838) [ <i>Tabanus</i> ]			4
	<i>cayennensis</i> Wiedemann		<i>Phaeotabanus cajennensis</i> (Fabricius, 1787) [ <i>Tabanus</i> ]			2
	<b>ceylonicus</b> Schiner, 1868					4
	<b>chrysurus</b> Loew, 1858					4
	<i>cinctus</i> Fabricius, 1794		<i>Hybomitra cincta</i> (Fabricius, 1794) [ <i>Tabanus</i> ]			1
	<b>cinerescens</b> Mcleay, 1826					1
	<i>claripes</i> Ricardo, 1908		<i>Tabanus secedens</i> Walker, 1854			2
	<i>coffeatus</i> Macquart, 1847		<i>Tabanus nigripes</i> Wiedemann, 1821			2
	<b>congoiensis</b> Ricardo, 1908					2
	<i>cordieri</i> Surcouf & Ricardo, 1909		<i>Tabanus denshamii</i> Austen, 1908			2
	<b>cordiger</b> Wiedemann, 1820					10
	<i>costalis</i> Wiedemann, 1828		<i>Tabanus quinquevittatus</i> Wiedemann, 1821			19
*	<i>croceus</i> Surcouf, 1907		<i>Tabanus biguttatus</i> Wiedemann, 1830			2
	<b>cymatophorus</b> Osten Sacken, 1876					1
	<i>decorus</i> Loew, 1858		<i>Hybomitra decora</i> (Loew, 1858) [ <i>Tabanus</i> ]			2
	<i>ditoeniatus</i> Macquart, 1838		<i>Atylotus agrestis</i> (Wiedemann, 1828) [ <i>Tabanus</i> ]			7
*	<i>doddi</i> Taylor, 1917		<i>Cydistomyia doddi</i> (Taylor, 1917) [ <i>Tabanus</i> ]			1
	<b>dorsiger</b> Wiedemann, 1821					7
	<b>exclusus</b> Pandellé, 1883					12
	<i>exul</i> Osten Sacken, 1878		<i>Tabanus sulcifrons</i> Osten Sacken, 1878			5
	<i>fasciatus</i> Fabricius, 1775		<i>Ancala fasciata</i> (Fabricius, 1775) [ <i>Tabanus</i> ]			3
	<i>fascipennis</i> Macquart, 1846		<i>Philipotabanus fascipennis</i> (Macquart, 1846) [ <i>Tabanus</i> ]			11
	<i>filiolus</i> Williston, 1901		<i>Tabanus haemagogus</i> Williston, 1901			1
	<i>flavus</i> Wiedemann, 1828		<i>Catachlorops flavus</i> (Wiedemann, 1828) [ <i>Tabanus</i> ]			10
	<b>fulvulus</b> Wiedemann, 1828					2
	<b>fumifer</b> Walker, 1856					1
*	<b>fuscicostatus</b> Hine, 1906					4
	<i>fuscipennis</i> Wiedemann, 1828		<i>Erioneura fuscipennis</i> (Wiedemann, 1828) [ <i>Tabanus</i> ]			7
	<b>fuscofasciatus</b> Macquart, 1838					2
	<b>fuscopunctatus</b> Macquart, 1850					5
	<b>fuscus</b> Wiedemann, 1819					4
	<i>gabonensis</i> Macquart, 1855		<i>Tabanus secedens</i> Walker, 1854			4
	<i>gigas</i> Herbst, 1787		<i>Theriopectes gigas</i> (Herbst, 1787) [ <i>Tabanus</i> ]			7
	<b>glaucopis</b> Meigen, 1820					22
	<b>gracilis</b> Wiedemann, 1828					3
	<i>graecus</i> Fabricius, 1794		<i>Philipomyia graeca</i> (Fabricius, 1794) [ <i>Tabanus</i> ]			10
	<b>gratus</b> Loew, 1858					4
	<i>guttipennis</i> Wiedemann, 1828		<i>Diclidocera guttipennis</i> (Wiedemann, 1828) [ <i>Tabanus</i> ]			4
	<i>hilaris</i> Walker, 1850		<i>Tabanus striatus</i> Fabricius, 1787			4
	<i>illotus</i> Osten Sacken, 1876		<i>Hybomitra illota</i> (Osten Sacken, 1876) [ <i>Tabanus</i> ]			2

## Tabanidae

## Tabanus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>impressus</i> Wiedemann, 1828		<i>Tabanus fuscus</i> Wiedemann, 1819			6
*	<i>innotatus</i> Ferguson & Henry, 1920		<i>Dasybasis innotata</i> (Ferguson & Henry, 1920) [ <i>Tabanus</i> ]			1
	<i>intereuns</i> Walker, 1856		<i>Catachlorops fuscinervis</i> (Macquart, 1838) [ <i>Tabanus</i> ]			3
	<i>intermedius</i> Egger, 1859		<i>Tabanus eggeri</i> Schiner, 1868			12
	<i>ixion</i> Osten Sacken, 1882					7
	<i>kendallensis</i> Taylor, 1919		<i>Dasybasis oculata</i> (Ricardo, 1915) [ <i>Tabanus</i> ]			1
*	<i>kewensis</i> Ferguson & Henry, 1920		<i>Dasybasis kewensis</i> (Ferguson & Henry, 1920) [ <i>Tabanus</i> ]			1
	<i>lasiophthalmus</i> Macquart, 1838		<i>Hybomitra lasiophthalma</i> (Macquart, 1838) [ <i>Tabanus</i> ]			18
	<i>latipes</i> Macquart, 1838		<i>Ancala latipes</i> (Macquart, 1838) [ <i>Tabanus</i> ]			2
	<i>latistriatus</i> (Brauer, 1880) [ <i>Atylotus</i> ]		<i>Atylotus latistriatus</i> Brauer, 1880			4
*	<i>laverani</i> Surcouf, 1907					2
	<i>leucaspis</i> Wiedemann, 1828		<i>Leucotabanus exaestuans</i> (Linnaeus, 1758) [ <i>Tabanus</i> ]			5
	<i>limpidapex</i> Wiedemann, 1828		<i>Phaeotabanus limpidapex</i> (Wiedemann, 1828) [ <i>Tabanus</i> ]			3
	<i>lineola</i> Fabricius, 1794					10
	<i>litigiosus</i> Walker, 1850		<i>Phaeotabanus litigiosus</i> (Walker, 1850) [ <i>Tabanus</i> ]			1
	<i>longus</i> Osten Sacken, 1876					4
	<i>lugubris</i> Macquart, 1838		<i>Whitneyomyia beatifica</i> (Whitney, 1914) [ <i>Tabanus</i> ]			2
	<i>macquarti</i> Ricardo, 1915		<i>Cydistomyia alternata</i> (Ferguson & Hill, 1822) [ <i>Tabanus</i> ]			4
	<i>macrodonta</i> Macquart, 1838		<i>Catachlorops furcatus</i> (Wiedemann, 1828) [ <i>Pangonia</i> ]			2
	<i>macula</i> Macquart, 1846		<i>Di cladocera macula</i> (Macquart, 1846) [ <i>Tabanus</i> ]			2
	<i>maculicornis</i> Zetterstedt, 1842					6
*	<i>marmorosus</i> Surcouf, 1909					1
*	<i>mastersi</i> Taylor, 1917		<i>Tabanus strangmannii</i> Ricardo, 1914			1
	<i>melanoceerus</i> Wiedemann, 1928					2
	<i>mexicanus</i> Linnaeus, 1758		<i>Chlorotabanus mexicanus</i> (Linnaeus, 1758) [ <i>Tabanus</i> ]			14
	<i>microcephalus</i> Osten Sacken, 1876		<i>Hybomitra microcephala</i> (Osten Sacken, 1576) [ <i>Tabanus</i> ]			11
	<i>modestus</i> Wiedemann, 1828		<i>Tabanus occidentalis</i> Linnaeus, 1758			10
	<i>molestus</i> Say, 1823					3
	<i>monochroma</i> Wiedemann, 1828		<i>Tabanus fuscus</i> Wiedemann, 1819			2
	<i>montanus</i> Meigen, 1820		<i>Hybomitra montana</i> (Meigen, 1820) [ <i>Tabanus</i> ]			21
	<i>muehlfeldi</i> (Brauer, 1880) [ <i>Theriopectes</i> ]		<i>Hybomitra muehlfeldi</i> (Brauer, 1880) [ <i>Theriopectes</i> ]			3
	<i>musgravi</i> Taylor, 1918		<i>Cydistomyia musgravi</i> (Taylor, 1918) [ <i>Tabanus</i> ]			2
	<i>nigrescens</i> Palisot de Beauvois, 1809					6
	<i>nigricornis</i> Zetterstedt, 1842		<i>Hybomitra nigricornis</i> (Zetterstedt, 1842) [ <i>Tabanus</i> ]			3
*	<i>nigritarsis</i> Taylor, 1913		<i>Tabanus dorsobimaculatus</i> Macquart, 1850			2
	<i>nigrovittatus</i> Macquart, 1847					10
	<i>nivosus</i> Osten Sacken, 1876		<i>Tabanus marginalis</i> Fabricius, 1805			5
	<i>notatus</i> Ricardo, 1915					1
	<i>obliquemaculatus</i> Macquart, 1838					6
*	<i>obscurefumatus</i> Surcouf, 1906					1
	<i>obscurehirtus</i> Ricardo, 1908					3
	<i>obsoletus</i> Wiedemann, 1821					9
	<i>occidentalis</i> Linnaeus, 1758					14

## Tabanidae

## Tabanus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
*	<i>ochreoflavus</i> Ferguson & Henry, 1920		<i>Dasybasis ochreoflava</i> (Ferguson & Henry, 1920) [ <i>Tabanus</i> ]			1
	<i>oculatus</i> Ricardo, 1915		<i>Dasybasis oculata</i> (Ricardo, 1915) [ <i>Tabanus</i> ]			2
	<i>olivaceiventris</i> Macquart, 1847					2
	<i>osburni</i> Hine, 1904		<i>Hybomitra osburni</i> (Hine, 1904) [ <i>Tabanus</i> ]			9
	<i>pacificus</i> Ricardo, 1917		<i>Cydistomyia pacifica</i> (Ricardo, 1917) [ <i>Tabanus</i> ]			1
	<i>pallidifacies</i> Surcouf, 1906					5
	<i>par</i> Walker, 1854					2
	<i>paradoxus</i> Jaennicke, 1866					2
	<i>parvicallus</i> Ricardo, 1814					2
	<i>peruvianus</i> Macquart, 1848					1
	<i>phaenops</i> Osten Sacken, 1877		<i>Hybomitra phaenops</i> (Osten Sacken, 1877) [ <i>Tabanus</i> ]			6
	<i>planiventris</i> Wiedemann, 1828		<i>Stibasoma planiventre</i> (Wiedemann, 1828) [ <i>Tabanus</i> ]			8
	<i>pluto</i> Walker, 1848					2
	<i>potator</i> Wiedemann, 1828		<i>Catachlorops potator</i> (Wiedemann, 1828) [ <i>Tabanus</i> ]			6
	<i>pseudobasalis</i> Taylor, 1918		<i>Dasybasis postica</i> (Wiedemann, 1828) [ <i>Tabanus</i> ]			1
	<i>pumilus</i> Macquart, 1838					9
	<i>punctifer</i> Osten Sacken, 1876					9
	<i>punctipennis</i> Macquart, 1847		<i>Hybomitra lasiophthalma</i> (Macquart, 1838) [ <i>Tabanus</i> ]			8
	<i>quadripunctatus</i> Fabricius, 1805		<i>Poeciloderas quadripunctatus</i> (Fabricius, 1805) [ <i>Tabanus</i> ]			8
	<i>quadrisignatus</i> Ricardo, 1908					3
	<i>rectus</i> Loew, 1856					3
	<i>regisgeorgii</i> Macquart, 1838		<i>Dasybasis regisgeorgii</i> (Macquart, 1838) [ <i>Tabanus</i> ]			1
	<i>reinwardtii</i> Wiedemann, 1828					4
	<i>rhombicus</i> Osten Sacken, 1876		<i>Hybomitra rhombica</i> (Osten Sacken, 1876) [ <i>Tabanus</i> ]			3
	<i>rubidus</i> Wiedemann, 1821					11
	<i>rubrithorax</i> Macquart, 1838		<i>Stypommisa rubrithorax</i> (Macquart, 1838) [ <i>Tabanus</i> ]			1
	<i>ruficrus</i> Palisot de Beauvois, 1806		<i>Tabanus rufipes</i> Palisot de Beauvois, 1806			2
	<i>rufinotatus</i> Bigot, 1892		<i>Tabanus pallipennis</i> Macquart, 1846			2
	<i>rufus</i> Palisot de Beauvois, 1809		<i>Tabanus fumipennis</i> Wiedemann, 1828			3
	<i>rufus</i> (Macquart, 1838) [ <i>Pangonia</i> ]		<i>Scaptia rufa</i> (Macquart, 1838) [ <i>Pangonia</i> ]			1
	<i>rupium</i> (Brauer, 1880) [ <i>Atylotus</i> ]					8
	<i>sagax</i> Osten Sacken, 1876					3
	<i>sanguinarius</i> (Bigot, 1892) [ <i>Atylotus</i> ]		<i>Cydistomyia nigropicta</i> (Macquart, 1855) [ <i>Tabanus</i> ]			2
	<i>scythropus</i> Schiner, 1868		<i>Stypommisa scythropa</i> (Schiner, 1868) [ <i>Tabanus</i> ]			1
	<i>septentrionalis</i> Loew, 1858		<i>Hybomitra frontalis</i> (Walker, 1858) [ <i>Tabanus</i> ]			8
	<i>sequax</i> Williston, 1887		<i>Hybomitra sequax</i> (Williston, 1887) [ <i>Tabanus</i> ]			1
	<i>sequens</i> Walker, 1848					1
	<i>sericiventris</i> Loew, 1858					3
	<i>simplicissimus</i> Walker, 1856					2
	<i>socius</i> Walker, 1848		<i>Tabanus taeniola</i> Palisot de Beauvois, 1806			3
	<i>solomensis</i> Ricardo, 1915		<i>Cydistomyia solomensis</i> (Ricardo, 1915) [ <i>Tabanus</i> ]			2
	<i>sonomensis</i> Osten Sacken, 1877		<i>Hybomitra sonomensis</i> (Osten Sacken, 1877) [ <i>Tabanus</i> ]			8
	<i>sp. 1</i>					3



Tabanidae

*Tabanus*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>sp. 2</i>					4
	<i>sp. 3</i>					27
	<b><i>sparus</i></b> Whitney, 1879					8
	<b><i>spectabilis</i></b> Loew, 1858					6
	<b><i>spodopterus</i></b> Wiedemann, 1820					6
	<b><i>striatus</i></b> Fabricius, 1787					23
	<b><i>stygius</i></b> Say, 1823					8
	<i>subangustus</i> Ricardo, 1908		<b><i>Tabanus guineensis</i></b> Wiedemann, 1824			2
	<b><i>sudeticus</i></b> Zeller, 1842					15
	<b><i>sufis</i></b> Jaennicke, 1867					2
	<b><i>sulcifrons</i></b> Osten Sacken, 1878					5
	<b><i>taeniatus</i></b> Macquart, 1834					5
	<b><i>taeniola</i></b> Palisot de Beauvois, 1806					8
	<i>tener</i> Osten Sacken, 1876		<b><i>Tabanus rufokrater</i></b> Walker, 1850			1
	<b><i>tergestinus</i></b> Egger, 1859					11
	<b><i>thoracinus</i></b> Palisot de Beauvois, 1806					7
	<b><i>tomentosus</i></b> Macquart, 1846					4
	<b><i>triangulum</i></b> Wiedemann, 1828					4
	<b><i>trigonus</i></b> Coquillett, 1898					1
	<b><i>trijunctus</i></b> Walker, 1854					3
	<i>trilinealis</i> Ferguson & Henry, 1920		<b><i>Dasybasis trilinealis</i></b> (Ferguson & Henry, 1920) [ <i>Tabanus</i> ]			1
	<b><i>trilineatus</i></b> Latreille, 1817					13
	<b><i>trimaculatus</i></b> Palisot de Beauvois, 1806					3
	<i>trispilus</i> Wiedemann, 1828		<b><i>Hybomitra trispila</i></b> (Wiedemann, 1828) [ <i>Tabanus</i> ]			5
	<i>tropicus</i> Linnaeus, 1758		<b><i>Hybomitra tropica</i></b> (Linnaeus, 1758) [ <i>Tabanus</i> ]			2
	<i>truquii</i> Bellardi, 1859		<b><i>Tabanus colombensis</i></b> Macquart, 1846			2
	<b><i>turbidus</i></b> Wiedemann, 1828					2
	<i>unicolor</i> Wiedemann, 1828		<b><i>Cryptotylus unicolor</i></b> (Wiedemann, 1828) [ <i>Tabanus</i> ]			4
	<b><i>unifasciatus</i></b> Loew, 1858					5
	<b><i>univentris</i></b> Walker, 1848					2
	<b><i>venustus</i></b> Osten Sacken, 1876					1
	<i>victoriensis</i> Ricardo, 1915		<b><i>Cydistomyia victoriensis</i></b> (Ricardo, 1915) [ <i>Tabanus</i> ]			1
	<i>villosus</i> Macquart, 1838		<b><i>Dasyrhamphis villosus</i></b> (Macquart, 1838) [ <i>Tabanus</i> ]			1
	<i>viridiventris</i> Macquart, 1838		<b><i>Scaptia viridiventris</i></b> (Macquart, 1838) [ <i>Pangonia</i> ]			5
	<b><i>Theriopectes</i></b> Zeller, 1842				13	96
	<i>astur</i> (Erichson, 1851) [ <i>Tabanus</i> ]		<b><i>Hybomitra astur</i></b> (Erichson, 1851) [ <i>Tabanus</i> ]			2
	<i>aterrimus</i> (Meigen, 1820) [ <i>Tabanus</i> ]		<b><i>Hybomitra aterrima</i></b> (Meigen, 1820) [ <i>Tabanus</i> ]			11
	<i>aterrimus var aripilus</i> (Meigen, 1820) [ <i>Tabanus</i> ]		<b><i>Hybomitra aripila</i></b> (Meigen, 1820) [ <i>Tabanus</i> ]			7
	<i>aterrimus var lugubris</i> (Zetterstedt, 1838) [ <i>Tabanus</i> ]		<b><i>Hybomitra aripila</i></b> (Meigen, 1820) [ <i>Tabanus</i> ]			40
	<i>aterrimus var triangulatus</i>					1
	<i>borealis</i> (Fabricius, 1779) [ <i>Tabanus</i> ]		<b><i>Hybomitra borealis</i></b> (Fabricius, 1779) [ <i>Tabanus</i> ]			1
	<i>fulvicornis</i> (Wiedemann, 1820) [ <i>Tabanus</i> ]		<b><i>Philipomyia graeca</i></b> (Fabricius, 1794) [ <i>Tabanus</i> ]			6

Tabanidae

*Theriopectes*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>lateralis</i> (Wiedemann, 1820) [ <i>Tabanus</i> ]		<b><i>Hybomitra pilosa</i></b> (Loew, 1858) [ <i>Tabanus</i> ]			3
	<i>luridus</i> (Fallen, 1817) [ <i>Tabanus</i> ]		<b><i>Hybomitra lurida</i></b> (Fallen, 1817) [ <i>Tabanus</i> ]			4
	<i>micans</i> (Meigen, 1804) [ <i>Tabanus</i> ]		<b><i>Hybomitra micans</i></b> (Meigen, 1804) [ <i>Tabanus</i> ]			2
	<i>solstiitialis</i> (Meigen, 1820) [ <i>Tabanus</i> ]		<b><i>Hybomitra solstiitialis</i></b> (Meigen, 1820) [ <i>Tabanus</i> ]			13
	<i>tarandinus</i> (Linnaeus, 1758) [ <i>Tabanus</i> ]		<b><i>Hybomitra tarandina</i></b> (Linnaeus, 1758) [ <i>Tabanus</i> ]			5
	<i>vittatus</i> (Fabricius, 1794) [ <i>Tabanus</i> ]		<b><i>Hybomitra vittata</i></b> (Fabricius, 1794) [ <i>Tabanus</i> ]			1

Tachinidae				<i>Acaulona</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Tachinidae</b>				438	833	7342
	<b><i>Acaulona</i></b> Wulp, 1888				1	14
	<i>costata</i> Wulp					14
	<b><i>Acemyia</i></b> Lioy, 1864		<b><i>Acemyia</i></b> Robineau-Desvoidy, 1830		2	14
	<i>dentata</i> Coquillett, 1895		<i>Ceracia dentata</i> (Coquillett, 1895) [ <i>Acemyia</i> ]			8
	<i>subrotunda</i> Robineau-Desvoidy, 1830		<i>Acemyia acuticornis</i> (Meigen, 1824) [ <i>Tachina</i> ]			6
	<b><i>Achaetoneura</i></b> Brauer & Bergenstamm, 1891		<b><i>Lespesia</i></b> Robineau-Desvoidy, 1863		3	18
	<i>archippivora</i> (Riley, 1871) [ <i>Tachina</i> ]		<i>Lespesia archippivora</i> (Riley, 1871) [ <i>Tachina</i> ]			3
	<i>frenchii</i> (Williston, 1889) [ <i>Masicera</i> ]		<i>Lespesia frenchii</i> (Williston, 1889) [ <i>Masicera</i> ]			9
	<i>lata</i> (Wiedemann, 1830) [ <i>Tachina</i> ]		<i>Lespesia lata</i> (Wiedemann, 1830) [ <i>Tachina</i> ]			6
	<b><i>Acroglossa</i></b> Williston, 1889		<b><i>Spallanzania</i></b> Robineau-Desvoidy, 1830		1	11
	<i>hesperidarum</i> Williston, 1889		<i>Spallanzania hesperidarum</i> (Williston, 1889) [ <i>Acroglossa</i> ]			11
	<b><i>Actia</i></b> Robineau-Desvoidy, 1830				10	79
	<i>bicolor</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Ceromya bicolor</i> (Meigen, 1824) [ <i>Tachina</i> ]			10
	<i>crassicornis</i> (Meigen, 1824) [ <i>Tachina</i> ]					13
	<i>exoleta</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Entomophaga exoleta</i> (Meigen, 1824) [ <i>Tachina</i> ]			6
	<i>fissicornis</i> (Strobl, 1910) [ <i>Thryptocera</i> ]		<i>Peribaea fissicornis</i> (Strobl, 1910) [ <i>Thryptocera</i> ]			2
*	<i>flavipes</i> (Coquillett, 1897) [ <i>Thryptocera</i> ]		<i>Siphona flavipes</i> (Coquillett, 1897) [ <i>Thryptocera</i> ]			4
	<i>frontalis</i> (Macquart, 1845) [ <i>Thryptocera</i> ]		<i>Actia lamia</i> (Meigen, 1838) [ <i>Roeselia</i> ]			6
	<i>palpalis</i> (Rondani, 1859) [ <i>Thryptocera</i> ]		<i>Actia crassicornis</i> (Meigen, 1824) [ <i>Tachina</i> ]			9
	<i>pilipennis</i> (Fallen, 1810) [ <i>Tachina</i> ]					11
	<i>silacea</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Ceromya silacea</i> (Meigen, 1824) [ <i>Tachina</i> ]			7
	<i>tibialis</i> (Robineau-Desvoidy, 1851) [ <i>Herbstia</i> ]		<i>Peribaea tibialis</i> (Robineau-Desvoidy, 1851) [ <i>Herbstia</i> ]			11
	<b><i>Actiopsis</i></b> Townsend, 1917		<b><i>Actia</i></b> Robineau-Desvoidy, 1830		1	1
*	<i>autumnalis</i> Townsend, 1917		<i>Actia autumnalis</i> (Townsend, 1917) [ <i>Actiopsis</i> ]			1
	<b><i>Adejeania</i></b> Townsend, 1913				4	19
	<i>argyropus</i> (Schiner, 1868) [ <i>Dejeania</i> ]		<i>Eudejeania argyropa</i> (Schiner, 1868) [ <i>Dejeania</i> ]			2
	<i>armata</i> (Wiedemann, 1830) [ <i>Tachina</i> ]					13
	<i>nigra</i> (Townsend, 1912) [ <i>Eudejeania</i> ]		<i>Eudejeania nigra</i> Townsend, 1912			1
	<i>pallida</i> (Robineau-Desvoidy, 1863) [ <i>Dejeania</i> ]		<i>Eudejeania pallida</i> (Robineau-Desvoidy, 1863) [ <i>Dejeania</i> ]			3
	<b><i>Admontia</i></b> Brauer & Bergenstamm, 1889				1	45
	<i>podomyia</i> Brauer & Bergenstamm, 1889					45
	<b><i>Aglummyia</i></b> Townsend, 1912				1	10
*	<i>percineria</i> Townsend, 1912					10

## Tachinidae

## Allophorocera

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Allophorocera</b> Hendel, 1901				1	30
	<i>auripila</i> (Brauer & Bergenstamm, 1891) [ <i>Dexodes</i> ]		<b>Allophorocera</b> <i>pachystyla</i> (Macquart, 1851) [ <i>Masicera</i> ]			30
	<b>Alloprosopaea</b> Villeneuve, 1923				1	12
*	<i>efflatouni</i> Villeneuve, 1923					12
	<b>Alophora</b> Robineau-Desvoidy, 1830		<b>Phasia</b> Latreille, 1804		2	8
	<i>grandis</i> Coquillett, 1897		<b>Phasia</b> <i>grandis</i> (Coquillett, 1897) [ <i>Alophora</i> ]			2
	<i>hemiptera</i> (Fabricius, 1794) [ <i>Syrphus</i> ]		<b>Phasia</b> <i>hemiptera</i> (Fabricius, 1794) [ <i>Syrphus</i> ]			6
	<b>Amphichaeta</b> Brauer & Bergenstamm, 1889		<b>Lecanipa</b> Rondani, 1859		1	16
	<i>bicincta</i> (Meigen, 1824) [ <i>Tachina</i> ]		<b>Lecanipa</b> <i>bicincta</i> (Meigen, 1824) [ <i>Tachina</i> ]			16
	<b>Anachaetopsis</b> Brauer & Bergenstamm, 1889		<b>Ligeria</b> Robineau-Desvoidy, 1863		1	3
	<i>ocypeterina</i> (Zetterstedt, 1838) [ <i>Tachina</i> ]		<b>Erynnia</b> <i>ocypeterata</i> (Fallen, 1810) [ <i>Tachina</i> ]			3
	<b>Ancistrophora</b> Schiner, 1866				1	10
	<i>mikii</i> Schiner, 1866					10
	<b>Aphria</b> Robineau-Desvoidy, 1830				3	20
	<i>latifrons</i> Villeneuve, 1907		<b>Aphria</b> <i>latifrons</i> Herting, 1984			3
	<i>longirostris</i> (Meigen, 1824) [ <i>Tachina</i> ]					9
	<i>ocypeterata</i> Townsend, 1891					8
	<b>Apinops</b> Coquillett, 1897		<b>Besseria</b> Robineau-Desvoidy, 1830		1	1
	<i>atra</i> Coquillett, 1897		<b>Besseria</b> <i>atra</i> (Coquebert, 1897) [ <i>Apinops</i> ]			1
	<b>Apostrophus</b> Loew, 1871		<b>Besseria</b> Robineau-Desvoidy, 1830		1	2
	<i>anthophilus</i> Loew, 1871		<b>Besseria</b> <i>anthophila</i> (Loew, 1871) [ <i>Apostrophus</i> ]			2
	<b>Archytas</b> Jaennicke, 1867				10	107
	<i>analis</i> (Fabricius, 1805) [ <i>Tachina</i> ]					30
	<i>aterrima</i> (Robineau-Desvoidy, 1830) [ <i>Jurinia</i> ]					17
	<i>daemon</i> (Wiedemann, 1830) [ <i>Tachina</i> ]					9
	<i>diaphana</i> (Fabricius, 1805) [ <i>Tachina</i> ]					7
	<i>dissimilis</i> (Wulp, 1888) [ <i>Nemochaeta</i> ]					3
	<i>hystrix</i> (Fabricius, 1775) [ <i>Musca</i> ]		<b>Jurinema</b> <i>pilosa</i> (Drew, 1773) [ <i>Musca</i> ]			7
	<i>lateralis</i> (Macquart, 1843) [ <i>Jurinia</i> ]					16
	<i>nigriventris</i> (Wulp, 1882) [ <i>Jurinia</i> ]					4
	<i>robusta</i> (Wiedemann, 1830) [ <i>Tachina</i> ]		<b>Peleteria</b> <i>robusta</i> (Wiedemann, 1830) [ <i>Tachina</i> ]			3
	<i>seminigra</i> (Wiedemann, 1830) [ <i>Tachina</i> ]					11
	<b>Argyrophylax</b> Brauer & Bergenstamm, 1889				7	92

## Tachinidae

## Argyrophylax

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>albifrons</i> (Walker, 1836) [ <i>Tachina</i> ]		<i>Eunemorilla albifrons</i> (Walker, 1836) [ <i>Tachina</i> ]			9
	<i>atropivora</i> (Robineau-Desvoidy, 1830) [ <i>Sturmia</i> ]		<i>Drino atropivora</i> (Robineau-Desvoidy, 1830) [ <i>Sturmia</i> ]			27
	<i>bella</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Sturmia bella</i> (Meigen, 1824) [ <i>Tachina</i> ]			7
	<i>fraudulenta</i> (Wulp, 1890) [ <i>Masicera</i> ]		<i>Drino fraudulenta</i> (Wulp, 1890) [ <i>Masicera</i> ]			1
	<i>inconspicua</i> (Meigen, 1830) [ <i>Tachina</i> ]		<i>Drino inconspicua</i> (Meigen, 1830) [ <i>Tachina</i> ]			41
	<i>inquinata</i> (Wulp, 1890) [ <i>Masicera</i> ]		<i>Drino inquinata</i> (Wulp, 1890) [ <i>Masicera</i> ]			6
	<i>quadrimaculata</i> (Girschner, 1899) [ <i>Sturmia</i> ]		<i>Drino lota</i> (Meigen, 1824) [ <i>Tachina</i> ]			1
	<b>Arrhinomyia</b> Brauer & Bergenstamm, 1889		<b>Medina</b> Robineau-Desvoidy, 1830		2	44
	<i>luctuosa</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Medina luctuosa</i> (Meigen, 1824) [ <i>Tachina</i> ]			34
	<i>tragica</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Elodia morio</i> (Fallen, 1820) [ <i>Tachina</i> ]			10
	<b>Asboleola</b> Villeneuve, 1916		<b>Ocypteromima</b> Townsend, 1916		1	2
*	<i>elegans</i> Villeneuve, 1916		<i>Ocypteromima elegans</i> (Villeneuve, 1916) [ <i>Asboleola</i> ]			2
	<b>Atacta</b> Schiner, 1868				1	5
	<i>brasiliensis</i> Schiner, 1868					5
	<b>Atrophopoda</b> Townsend, 1891		<b>Paradidyma</b> Brauer & Bergenstamm, 1891		1	11
	<i>singularis</i> Townsend, 1891		<i>Paradidyma singularis</i> (Townsend, 1891) [ <i>Atrophopoda</i> ]			11
	<b>Atylomyia</b> Brauer, 1898				1	1
*	<i>albifrons</i> Villeneuve, 1911					1
	<b>Aulacocephala</b> Gerstaecker, 1863		<b>Aulacephala</b> Macquart, 1851		1	2
	<i>hervei</i> Bequaert, 1922		<i>Therobia hervei</i> (Bequaert, 1922) [ <i>Aulacocephala</i> ]			2
	<b>Bactromyia</b> Brauer & Bergenstamm, 1891				1	8
	<i>scutelligera</i> (Zetterstedt, 1844) [ <i>Tachina</i> ]		<i>Bactromyia aurulenta</i> (Meigen, 1824) [ <i>Tachina</i> ]			8
	<b>Baumhaueria</b> Meigen, 1838				1	5
	<i>goniaeformis</i> (Meigen, 1824) [ <i>Tachina</i> ]					5
	<b>Belvosia</b> Robineau-Desvoidy, 1830				2	10
	<i>bicincta</i> Robineau-Desvoidy, 1830					5
*	<i>piurana</i> Townsend, 1911					5
	<b>Beskia</b> Brauer & Bergenstamm, 1889				1	1
	<i>ornata</i> (Brauer & Bergenstamm, 1889) [ <i>Gymnostylia</i> ]		<i>Oxyaporina ornata</i> (Brauer & Bergenstamm, 1889) [ <i>Gymnostylia</i> ]			1
	<b>Besseria</b> Robineau-Desvoidy, 1830				2	6
	<i>appendiculata</i> (Perris, 1852) [ <i>Phania</i> ]		<i>Besseria reflexa</i> Robineau-Desvoidy, 1830			4
	<i>melanura</i> (Meigen, 1824) [ <i>Tachina</i> ]					2

## Tachinidae

## Bibiomima

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Bibiomima</b> Brauer & Bergenstamm, 1889				1	11
	<i>handlirschi</i> Brauer & Bergenstamm, 1889					11
	<b>Bithia</b> Robineau-Desvoidy, 1863				1	12
	<i>spreta</i> (Meigen, 1824) [ <i>Tachina</i> ]					12
	<b>Blepharidopsis</b> Brauer & Bergenstamm, 1891		<b>Phryxe</b> Robineau-Desvoidy, 1830		1	1
	<i>nemea</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Phryxe nemea</i> (Meigen, 1824) [ <i>Tachina</i> ]			1
	<b>Blepharipeza</b> Macquart, 1843		<b>Leschenaultia</b> Robineau-Desvoidy, 1830		3	31
	<i>adusta</i> Loew, 1872		<i>Leschenaultia adusta</i> (Loew, 1873) [ <i>Blepharipeza</i> ]			6
	<i>leucophrys</i> (Wiedemann, 1830) [ <i>Tachina</i> ]		<i>Leschenaultia leucophrys</i> (Wiedemann, 1830) [ <i>Tachina</i> ]			5
	<i>leucopyga</i> (Wulp, 1882) [ <i>Belvosia</i> ]		<i>Belvosia leucopyga</i> Wulp, 1882			20
	<b>Blepharomyia</b> Brauer & Bergenstamm, 1889				1	5
	<i>pagana</i> (Meigen, 1824) [ <i>Tachina</i> ]					5
	<b>Bogosia</b> Rondani, 1873				1	4
	<i>engeli</i> Karsch, 1887		<i>Bogosia antinorii</i> Rondani, 1873			4
	<b>Bolomyia</b> Brauer & Bergenstamm, 1891		<b>Mystacella</b> Wulp, 1890		1	4
	<i>violacea</i> Wulp, 1890		<i>Mystacella rufata</i> (Bigot, 1889) [ <i>Exorista</i> ]			4
	<b>Bombyliomyia</b> Brauer & Bergenstamm, 1889				1	5
	<i>flavipalpis</i> (Macquart, 1846) [ <i>Hystricia</i> ]					5
	<b>Bombyliopsis</b> Townsend, 1915		<b>Hystricia</b> Macquart, 1843		2	26
	<i>abrupta</i> (Wiedemann, 1830) [ <i>Tachina</i> ]		<i>Hystricia abrupta</i> (Wiedemann, 1830) [ <i>Tachina</i> ]			22
	<i>dorsalis</i> (Wulp, 1888) [ <i>Macromyia</i> ]		<i>Hystricia dorsalis</i> (Wulp, 1888) [ <i>Macromyia</i> ]			4
	<b>Bonnetia</b> Robineau-Desvoidy, 1830		<b>Linnaemya</b> Robineau-Desvoidy, 1830		1	15
	<i>comta</i> (Fallen, 1810) [ <i>Tachina</i> ]		<i>Linnaemya compta</i> (Fallen, 1810) [ <i>Tachina</i> ]			15
	<b>Bothria</b> Rondani, 1856				1	6
	<i>pascurum</i> Rondani, 1859		<i>Bothria frontosa</i> (Meigen, 1824) [ <i>Tachina</i> ]			6
	<b>Brachychaeta</b> Bezzi, 1907				1	3
	<i>spinigera</i> (Rondani, 1861) [ <i>Frontina</i> ]		<i>Brachychaeta strigata</i> (Meigen, 1824) [ <i>Tachina</i> ]			3
	<b>Brachymera</b> Brauer & Bergenstamm, 1889				1	2
	<i>rugosa</i> (Mik, 1863) [ <i>Pachystylum</i> ]					2
	<b>Campylochaeta</b> Scudder, 1882		<b>Campylocheta</b> Rondani, 1859		1	1

## Tachinidae

## Campylochaeta

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>schistacea</i> Rondani, 1859		<i>Campylochaeta praecox</i> (Meigen, 1824) [ <i>Tachina</i> ]			1
	<b>Carcelia</b> Robineau-Desvoidy, 1830				11	99
	<i>bombylans</i> Robineau-Desvoidy, 1830					19
	<i>cheloniae</i> (Rondani, 1859) [ <i>Exorista</i> ]		<i>Carcelia lucorum</i> (Brauer & Bergenstamm, 1891) [ <i>Parexorista</i> ]			10
	<i>comata</i> (Rondani, 1859) [ <i>Exorista</i> ]		<i>Carcelia lucorum</i> (Brauer & Bergenstamm, 1891) [ <i>Parexorista</i> ]			2
	<i>evolans</i> (Wiedemann, 1830) [ <i>Tachina</i> ]					8
	<i>excisa</i> (Fallen, 1810) [ <i>Tachina</i> ]					8
	<i>gnava</i> (Meigen, 1824) [ <i>Tachina</i> ]					9
	<i>leucaniae</i> (Kirkpatrick, 1861) [ <i>Exorista</i> ]		<i>Winthemia leucanae</i> (Kirkpatrick, 1861) [ <i>Exorista</i> ]			10
	<i>leucophaea</i> (Rondani, 1859) [ <i>Exorista</i> ]		<i>Senometopia confundens</i> (Rondani, 1859) [ <i>Exorista</i> ]			16
	<i>lucorum</i> (Brauer & Bergenstamm, 1891) [ <i>Parexorista</i> ]					5
	<i>modicella</i> (Wulp, 1893) [ <i>Parexorista</i> ]		<i>Carcelia iridipennis</i> (Wulp, 1893) [ <i>Parexorista</i> ]			4
	<i>rutilla</i> (Rondani, 1859) [ <i>Exorista</i> ]		<i>Allophorocera ferruginea</i> (Meigen, 1824) [ <i>Tachina</i> ]			8
	<b>Catagonia</b> Brauer & Bergenstamm, 1891				1	6
	<i>nemestrina</i> Brauer & Bergenstamm, 1891		<i>Catagonia aberrans</i> (Rondani, 1859) [ <i>Exorista</i> ]			6
	<b>Catemophrys</b> Townsend, 1908		<b>Vanderwulpia</b> Townsend, 1891		1	6
*	<i>sequens</i> (Townsend, 1892) [ <i>Vanderwulpia</i> ]		<i>Vanderwulpia sequens</i> Townsend, 1892			6
	<b>Catharosia</b> Rondani, 1868				2	10
	<i>pygmaea</i> (Fallen, 1815) [ <i>Thereva</i> ]					6
	<i>senilis</i> (Townsend, 1892) [ <i>Phyto</i> ]		<i>Leucostoma gravipes</i> Wulp, 1890			4
	<b>Celatoria</b> Coquillett, 1890				1	8
	<i>diabroticae</i> (Shimer, 1871) [ <i>Tachina</i> ]					8
	<b>Cenosoma</b> Wulp, 1890		<b>Oestrophasia</b> Brauer & Bergenstamm, 1889		1	5
	<i>signifera</i> Wulp, 1890		<i>Oestrophasia signifera</i> (Wulp, 1890) [ <i>Cenosoma</i> ]			5
	<b>Ceratochaeta</b> Brauer & Bergenstamm, 1889		<b>Phryxe</b> Robineau-Desvoidy, 1830		2	4
	<i>caudata</i> (Rondani, 1859) [ <i>Exorista</i> ]		<i>Phryxe caudata</i> (Rondani, 1859) [ <i>Exorista</i> ]			2
*	<i>setifacies</i> Villeneuve, 1910		<i>Phryxe setifacies</i> (Villeneuve, 1910) [ <i>Ceratochaeta</i> ]			2
	<b>Ceratomyiella</b> Townsend, 1891		<b>Paradidyma</b> Brauer & Bergenstamm, 1891		1	3
	<i>conica</i> Townsend, 1891		<i>Paradidyma conica</i> (Townsend, 1891) [ <i>Ceratomyiella</i> ]			3
	<b>Ceromasia</b> Rondani, 1856				3	28
	<i>ferruginea</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Allophorocera ferruginea</i> (Meigen, 1824) [ <i>Tachina</i> ]			8
	<i>florum</i> (Macquart, 1851) [ <i>Masicera</i> ]		<i>Ceromasia rubrifrons</i> (Macquart, 1834) [ <i>Phorocera</i> ]			8
	<i>pauciseta</i> (Coquillett, 1897) [ <i>Lespesia</i> ]		<i>Lespesia archippivora</i> (Riley, 1871) [ <i>Tachina</i> ]			12
	<b>Cestonia</b> Rondani, 1861				1	0

## Tachinidae

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	<i>Cestonia</i> specimens #
	<i>cineraria</i> Rondani, 1861					0
	<b><i>Chaetexorista</i></b> Brauer & Germar, 1895				1	2
	<i>javana</i> Brauer & Bergenstamm, 1894					2
	<i>Chaetina</i> Bezzi, 1907		<b><i>Chetina</i></b> Rondani, 1856		1	1
	<i>palpalis</i> Rondani, 1859		<i>Paratryphera palpalis</i> (Rondani, 1859) [ <i>Chetina</i> ]			1
	<b><i>Chaetogaedia</i></b> Brauer & Bergenstamm, 1891				2	15
	<i>nalis</i> (Wulp, 1867) [ <i>Baumhaueria</i> ]					8
	<i>monticola</i> (Bigot, 1887) [ <i>Blepharipeza</i> ]					7
	<i>Chaetolya</i> Brauer & Bergenstamm, 1889		<b><i>Chetina</i></b> Rondani, 1856		1	4
	<i>setigena</i> (Rondani, 1861) [ <i>Chetilya</i> ]		<i>Chetina setigena</i> (Rondani, 1861) [ <i>Chetilya</i> ]			4
	<i>Chaetolydella</i> Villeneuve, 1916		<b><i>Nemoraea</i></b> Robineau-Desvoidy, 1830		1	1
*	<i>natalensis</i> Villeneuve, 1916		<i>Nemoraea natalensis</i> (Villeneuve, 1916) [ <i>Chaetolydella</i> ]			1
	<i>Chaetolyga</i> Scudder, 1882		<b><i>Carcelia</i></b> Robineau-Desvoidy, 1830		1	6
	<i>amoena</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Smidtia amoena</i> (Meigen, 1824) [ <i>Tachina</i> ]			6
	<i>Chaetophleps</i> Coquillett, 1895		<b><i>Celatoria</i></b> Coquillett, 1890		1	7
	<i>setosa</i> Coquillett, 1895		<i>Celatoria setosa</i> (Coquillett, 1895) [ <i>Chaetophleps</i> ]			7
	<b><i>Chaetoplagia</i></b> Coquillett, 1895				1	1
	<i>atripennis</i> Coquillett, 1895					1
	<i>Chaetoprocta</i> Brauer & Bergenstamm, 1891		<b><i>Pterotopeza</i></b> Townsend, 1908		1	5
	<i>sp.</i>					5
	<i>Chaetosisyropea</i>		<b><i>Chaetosisyrops</i></b> Townsend, 1912		1	1
*	<i>montana</i> (Townsend, 1912) [ <i>Chaetosisyrops</i> ]		<i>Chaetosisyrops montana</i> Townsend, 1912			1
	<b><i>Chaetotachina</i></b> Brauer & Bergenstamm, 1889				1	67
	<i>rustica</i> (Fallen, 1810) [ <i>Tachina</i> ]		<i>Exorista rustica</i> (Fallen, 1810) [ <i>Tachina</i> ]			67
	<i>Choetopeleteria</i> Bezzi, 1894		<b><i>Peleteria</i></b> Robineau-Desvoidy, 1830		1	0
	<i>popelii</i> (Portschinsky, 1882) [ <i>Echinomyia</i> ]		<i>Peleteria popelii</i> (Portschinsky, 1882) [ <i>Echinomyia</i> ]			0
	<b><i>Chromatophania</i></b> Brauer & Bergenstamm, 1889				2	7
*	<i>fenestrata</i> Villeneuve, 1913					3
	<i>picta</i> (Wiedemann, 1830) [ <i>Gonia</i> ]					4
	<i>Chrysocosmius</i> Bezzi, 1907		<b><i>Gymnochaeta</i></b> Macquart, 1835		1	3



## Tachinidae

## Chrysocosmius

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>auratus</i> (Fallen, 1916) [ <i>Tachina</i> ]		<i>Chrysomopsis auratus</i> (Fallen, 1820) [ <i>Tachina</i> ]			3
	<b>Chrysotachina</b> Brauer & Bergenstamm, 1889				1	1
	<i>reinwardtii</i> (Wiedemann, 1830) [ <i>Tachina</i> ]		<i>Chlorohystricia reinwardtii</i> (Wiedemann, 1830) [ <i>Tachina</i> ]			1
	<b>Cistogaster</b> Latreille, 1829				1	4
	<i>globosa</i> (Fabricius, 1775) [ <i>Syrphus</i> ]					4
	<b>Clairvillia</b> Robineau-Desvoidy, 1830				2	13
	<i>biguttata</i> (Meigen, 1824) [ <i>Tachina</i> ]					10
	<i>flavipalpis</i> Rondani, 1868		<i>Clairvillia biguttata</i> (Meigen, 1824) [ <i>Tachina</i> ]			3
	<b>Clara</b> Brauer & Bergenstamm, 1889		<b>Paraclara</b> Bezzi, 1908		1	1
	<i>dimidiata</i> Brauer & Bergenstamm, 1889		<i>Paraclara dimidiata</i> (Brauer & Bergenstamm, 1889) [ <i>Clara</i> ]			1
	<b>Clausicella</b> Rondani, 1856				1	4
	<i>suturata</i> Rondani, 1859					4
	<b>Clista</b> Meigen, 1838				1	22
	<i>lepida</i> (Meigen, 1838) [ <i>Tachina</i> ]		<i>Lydella stabulans</i> (Meigen, 1824) [ <i>Tachina</i> ]			22
	<b>Clistomorpha</b> Townsend, 1892		<b>Strongygaster</b> Macquart, 1834		1	1
*	<i>hyalomoides</i> Townsend, 1892		<i>Strongygaster didyma</i> (Loew, 1863) [ <i>Xysta</i> ]			1
	<b>Clistorrhinia</b> Bezzi & Lamb, 1926		<b>Chaetoria</b> Becker, 1908		1	6
*	<i>aurifrons</i> Bezzi, 1926		<i>Chaetoria aurifrons</i> (Bezzi & Lamb, 1926) [ <i>Clistorrhinia</i> ]			6
	<b>Clytia</b> Robineau-Desvoidy, 1830		<b>Clytiomya</b> Rondani, 1861		1	11
	<i>continua</i> (Panzer, 1798) [ <i>Musca</i> ]		<i>Clytiomya continua</i> (Panzer, 1798) [ <i>Musca</i> ]			11
	<b>Clytiomyia</b> Rondani, 1862		<b>Clytiomya</b> Rondani, 1861		1	16
	<i>helluo</i> (Fabricius, 1805) [ <i>Musca</i> ]		<i>Eliozeta helluo</i> (Fabricius, 1805) [ <i>Musca</i> ]			16
	<b>Cnephalia</b> Rondani, 1856		<b>Spallanzania</b> Robineau-Desvoidy, 1830		1	6
	<i>multisetosa</i> Rondani, 1859		<i>Spallanzania multisetosa</i> (Rondani, 1859) [ <i>Cnephalia</i> ]			6
	<b>Cnephalodopsis</b> Townsend, 1912		<b>Cnephalodes</b> Townsend, 1911		1	2
*	<i>pollinosus</i> Townsend, 1911					2
	<b>Cnephalomyia</b> Townsend, 1911		<b>Spallanzania</b> Robineau-Desvoidy, 1830		1	1
*	<i>floridana</i> Townsend, 1911		<i>Spallanzania floridana</i> (Townsend, 1911) [ <i>Cnephalomyia</i> ]			1
	<b>Compsilura</b> Bouche, 1834				1	19
	<i>concinnata</i> (Meigen, 1824) [ <i>Tachina</i> ]					19

## Tachinidae

## Compsilura

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Compsoptesis</b> Villeneuve, 1915				1	1
*	<i>bakeri</i> Bezzi					1
	<b>Copecrypta</b> Townsend, 1908				2	25
	<i>nitidifrons</i> Wulp, 1888		<i>Masiphya ruficauda</i> (Wulp, 1888) [ <i>Copecrypta</i> ]			10
	<i>ruficauda</i> (Wulp, 1867) [ <i>Schineria</i> ]					15
	<b>Cordyligaster</b> Macquart, 1844				1	2
*	<i>septentrionalis</i> Townsend, 1909					2
	<b>Cordylomyia</b>				1	7
*	<i>dispar</i>					7
	<b>Crocuta</b> Meigen, 1800		<b>Siphona</b> Meigen, 1803		7	98
*	<i>creberrima</i> Speiser, 1910		<i>Siphona creberrima</i> (Speiser, 1910) [ <i>Crocuta</i> ]			7
	<i>cristata</i> (Fabricius, 1805) [ <i>Stomoxys</i> ]		<i>Siphona cristata</i> (Fabricius, 1805) [ <i>Stomoxys</i> ]			43
	<i>flavifrons</i> (Staeger, 1849) [ <i>Siphona</i> ]		<i>Siphona flavifrons</i> Staeger, 1849			5
	<i>geniculata</i> (De Geer, 1776) [ <i>Musca</i> ]		<i>Siphona geniculata</i> (De Geer, 1776) [ <i>Musca</i> ]			20
*	<i>illinoiensis</i> (Townsend, 1891) [ <i>Siphona</i> ]		<i>Siphona illinoiensis</i> Townsend, 1891			7
	<i>maculata</i> (Staeger, 1849) [ <i>Siphona</i> ]		<i>Siphona maculata</i> Staeger, 1849			7
	<i>minuta</i> (Fabricius, 1805) [ <i>Stomoxys</i> ]		<i>Siphona geniculata</i> (De Geer, 1776) [ <i>Musca</i> ]			9
	<b>Crossocosmia</b> Mik, 1890		<b>Blepharipa</b> Rondani, 1856		1	10
	<i>sericariae</i> (Rondani, 1870) [ <i>Ugimyia</i> ]		<i>Blepharipa sericarie</i> (Rondani, 1870) [ <i>Ugimyia</i> ]			10
	<b>Cryptocladocera</b> Bezzi, 1923				1	6
*	<i>prodigiosa</i> Bezzi, 1923					6
	<b>Cryptomeigenia</b> Brauer & Bergenstamm, 1891				1	5
	<i>theutis</i> (Walker, 1849) [ <i>Tachina</i> ]					5
	<b>Cryptopalpus</b> Rondani, 1850				1	1
	<i>ornatus</i> (Macquart, 1843) [ <i>Micropalpus</i> ]					1
	<b>Cylindromyia</b> Meigen, 1803				4	14
	<i>euchenor</i> (Walker, 1849) [ <i>Ocyptera</i> ]					9
	<i>limbata</i> Aldrich, 1926					2
	<i>nigra</i> Aldrich, 1926		<i>Cylindromyia propusilla</i> Sabrosky & Arnaud, 1965			1
	<i>vulgaris</i> Aldrich, 1926		<i>Cylindromyia fumipennis</i> (Bigot, 1878) [ <i>Ocyptera</i> ]			2
	<b>Cylindromyiopsis</b> Bezzi, 1906		<b>Hyperaea</b> Robineau-Desvoidy, 1863		2	25
	<i>bezzii</i> Townsend, 1916		<i>Hyperaea sanguinea</i> (Meigen, 1824) [ <i>Tachina</i> ]			24
	<i>tonsa</i> Loew, 1847		<i>Hyperaea tonsa</i> (Loew, 1847) [ <i>Rhinophora</i> ]			1

## Tachinidae

## Cylindromyiopsis

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>Cyphocera</i> Rondani, 1850		<b><i>Peleteria</i></b> Robineau-Desvoidy, 1830		2	42
	<i>ruficornis</i> (Macquart, 1835) [ <i>Micropalpus</i> ]		<b><i>Peleteria ruficornis</i></b> (Macquart, 1835) [ <i>Micropalpus</i> ]			3
	<i>varia</i> (Fabricius, 1794) [ <i>Musca</i> ]		<b><i>Peleteria javana</i></b> (Wiedemann, 1819) [ <i>Tachina</i> ]			39
	<i>Degeeria</i> Meigen, 1838		<b><i>Medina</i></b> Robineau-Desvoidy, 1830		2	40
	<i>albiceps</i> Macquart, 1851		<b><i>Campylocheta albiceps</i></b> (Macquart, 1851) [ <i>Degeeria</i> ]			18
	<i>ornata</i> Meigen, 1838		<b><i>Medina collaris</i></b> (Fallen, 1820) [ <i>Tachina</i> ]			22
	<i>Dejeania</i> Robineau-Desvoidy, 1830				4	34
	<i>bombylans</i> (Fabricius, 1798) [ <i>Stomoxys</i> ]					4
	<i>crocea</i> Bigot, 1888		<b><i>Dejeania hecate</i></b> Karsch, 1886			1
	<i>hecate</i> Karsch, 1886					1
	<i>sp.</i>					28
	<i>Demoticus</i> Macquart, 1854				1	8
	<i>plebejus</i> (Fallen, 1810) [ <i>Tachina</i> ]					8
	<i>Deuteroclara</i> Villeneuve, 1915		<b><i>Hermya</i></b> Robineau-Desvoidy, 1830		1	1
	<i>regalis</i> Villeneuve, 1915		<b><i>Hermya regalis</i></b> (Villeneuve, 1915) [ <i>Deuteroclara</i> ]			1
	<i>Dexia</i> Meigen, 1826				5	81
	<i>divergens</i> Walker, 1856					17
	<i>fulvifera</i> Roder, 1893					8
	<i>rustica</i> (Fabricius, 1775) [ <i>Musca</i> ]					33
	<i>spinosa</i> Walker, 1858		<b><i>Dinera spinosa</i></b> (Walker, 1856) [ <i>Dexia</i> ]			7
	<i>vacua</i> (Fallen, 1817) [ <i>Musca</i> ]					16
	<i>Deximorpha</i> Rondani, 1856		<b><i>Estheria</i></b> Robineau-Desvoidy, 1830		1	7
	<i>picta</i> (Meigen, 1826) [ <i>Dexia</i> ]		<b><i>Estheria picta</i></b> (Meigen, 1826) [ <i>Dexia</i> ]			7
	<i>Dexiosoma</i> Rondani, 1856				1	47
	<i>caninum</i> (Fabricius, 1781) [ <i>Musca</i> ]					47
	<i>Dichaetoneura</i> Johnson, 1907		<b><i>Neaera</i></b> Robineau-Desvoidy, 1830		1	5
*	<i>leucoptera</i> Johnson, 1907		<b><i>Neaera leucoptera</i></b> (Johnson, 1907) [ <i>Dichaetoneura</i> ]			5
	<i>Dichocera</i> Williston, 1895				1	4
	<i>lyrata</i> Williston, 1895					4
	<i>Digonichaeta</i> Curran, 1934		<b><i>Triarthria</i></b> Stephens, 1829		2	12
*	<i>legeri</i> Villeneuve, 1908		<b><i>Triarthria legeri</i></b> (Villeneuve, 1908) [ <i>Digonichaeta</i> ]			7
	<i>setipennis</i> (Fallen, 1810) [ <i>Tachina</i> ]		<b><i>Triarthria setipennis</i></b> (Fallen, 1810) [ <i>Tachina</i> ]			5

## Tachinidae

Dimasicera

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>Dimasicera</i> Townsend, 1915		<b><i>Masiphya</i></b> Brauer & Bergenstamm, 1891		1	1
*	<i>nitida</i> Townsend, 1915		<b><i>Pseudochaeta nitida</i></b> (Townsend, 1915) [ <i>Dimasicera</i> ]			1
	<b><i>Dinera</i></b> Robineau-Desvoidy, 1830				2	18
	<i>cremides</i> (Walker, 1849) [ <i>Dexia</i> ]					10
	<i>grisescens</i> (Fallen, 1817) [ <i>Musca</i> ]					8
	<b><i>Dionaea</i></b> Robineau-Desvoidy, 1830				5	19
	<i>aurifrons</i> (Meigen, 1824) [ <i>Tachina</i> ]					4
	<i>forcipata</i> (Meigen, 1824) [ <i>Tachina</i> ]		<b><i>Labigastera forcipata</i></b> (Meigen, 1824) [ <i>Tachina</i> ]			3
	<i>nitidula</i> (Meigen, 1824) [ <i>Tachina</i> ]		<b><i>Labigastera nitidula</i></b> (Meigen, 1824) [ <i>Tachina</i> ]			5
	<i>pauciseta</i> (Rondani, 1861) [ <i>Labigastera</i> ]		<b><i>Labigastera pauciseta</i></b> Rondani, 1861			3
	<i>setifacies</i> (Rondani, 1861) [ <i>Labigastera</i> ]		<b><i>Eulabidogaster setifacies</i></b> (Rondani, 1861) [ <i>Labidigaster</i> ]			4
	<b><i>Diplopota</i></b> Bezzi, 1918				1	7
*	<i>mochii</i> (Bezzi, 1917) [ <i>Himantostoma</i> ]		<b><i>Imitomyia mochii</i></b> (Bezzi, 1917) [ <i>Himantostoma</i> ]			7
	<b><i>Discochaeta</i></b> Brauer & Bergenstamm, 1889		<b><i>Eurysthaea</i></b> Robineau-Desvoidy, 1863		1	27
	<i>evonymellae</i> Bezzi, 1907		<b><i>Eurysthaea scutellaris</i></b> (Robineau-Desvoidy, 1849) [ <i>Erythroceras</i> ]			27
	<b><i>Distichona</i></b> Wulp, 1890				2	20
	<i>auriceps</i> Coquillett, 1904					18
	<i>varia</i> Wulp, 1890					2
	<b><i>Doleschallia</i></b>		<b><i>Doleschalla</i></b> Walker, 1861		1	4
*	<i>makilingensis</i> (Townsend, 1928) [ <i>Doleschalla</i> ]		<b><i>Doleschalla makilingensis</i></b> Townsend, 1928			4
	<b><i>Dolichocnephalia</i></b> Townsend, 1915				1	1
*	<i>puna</i> Townsend, 1915					1
	<b><i>Dolichocodia</i></b> Townsend, 1908				1	3
	<i>bivittata</i> (Coquillett, 1902) [ <i>Myocera</i> ]					3
	<b><i>Dolichocolon</i></b> Brauer & Bergenstamm, 1889				1	1
	<i>paradoxum</i> Brauer & Bergenstamm, 1889					1
	<b><i>Doryphorophaga</i></b> Townsend, 1912		<b><i>Myiopharus</i></b> Brauer & Bergenstamm, 1889		1	8
	<i>doryphorae</i> (Riley, 1869) [ <i>Lydella</i> ]		<b><i>Myiopharus doryphorae</i></b> (Riley, 1869) [ <i>Lydella</i> ]			8
	<b><i>Drepanoglossa</i></b> Townsend, 1891				1	1
*	<i>amydriae</i> Townsend, 1908					1
	<b><i>Echinodexia</i></b> Brauer & Bergenstamm, 1893				1	1

## Tachinidae

## Echinodexia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b><i>pseudohystricia</i></b> (Brauer & Bergenstamm, 1889) [ <i>Hystrisiphona</i> ]					1
	<b><i>Echinomyia</i></b> Latreille, 1805		<b><i>Tachina</i></b> Meigen, 1803		12	155
	<i>canariensis</i> Macquart, 1843		<i>Tachina canariensis</i> (Macquart, 1843) [ <i>Echinomyia</i> ]			1
	<i>decisa</i> (Walker, 1849) [ <i>Tachina</i> ]		<i>Pararchytas decisus</i> (Walker, 1849) [ <i>Tachina</i> ]			3
	<i>fera</i> (Linnaeus, 1761) [ <i>Musca</i> ]		<i>Tachina fera</i> (Linnaeus, 1761) [ <i>Musca</i> ]			39
	<i>florum</i> (Walker, 1849) [ <i>Tachina</i> ]		<i>Tachina florum</i> Walker, 1849			3
	<i>grossa</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<i>Tachina grossa</i> (Linnaeus, 1758) [ <i>Musca</i> ]			38
	<i>marklini</i> (Zetterstedt, 1838) [ <i>Tachina</i> ]		<i>Nowickia marklini</i> (Zetterstedt, 1838) [ <i>Tachina</i> ]			8
	<i>meigenii</i> Giglio-Tos, 1891		<i>Tachina fera</i> (Linnaeus, 1761) [ <i>Musca</i> ]			32
	<i>obliqua</i> (Loew, 1863) [ <i>Paratachina</i> ]		<i>Paratachina obliqua</i> Loew, 1863			1
	<i>piceifrons</i> (Townsend, 1916) [ <i>Echinomyodes</i> ]		<i>Tachina piceifrons</i> (Townsend, 1916) [ <i>Echinomyia</i> ]			7
	<i>praeceps</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Tachina praeceps</i> Meigen, 1824			15
	<i>roederii</i> Giglio-Tos, 1891		<i>Tachina praeceps</i> Meigen, 1824			2
	<i>strobilii</i> Rondani, 1965		<i>Nowickia strobilii</i> (Rondani, 1865) [ <i>Echinomyia</i> ]			6
	<b><i>Echinopyrrhosia</i></b> Townsend, 1914				1	5
*	<i>alpina</i> Townsend, 1914					5
	<b><i>Echinotachina</i></b> Townsend, 1913		<b><i>Adejeania</i></b> Townsend, 1913		1	7
	<i>corpulenta</i> (Wiedemann, 1830) [ <i>Tachina</i> ]		<i>Adejeania corpulenta</i> (Wiedemann, 1830) [ <i>Tachina</i> ]			7
	<b><i>Emphanopteryx</i></b> Townsend, 1892		<b><i>Cryptomeigenia</i></b> Brauer & Bergenstamm, 1891		1	12
	<i>prisca</i> (Walker, 1849) [ <i>Tachina</i> ]		<i>Cryptomeigenia theutis</i> (Walker, 1849) [ <i>Tachina</i> ]			12
	<b><i>Emporomyia</i></b> Brauer & Bergenstamm, 1891				1	8
	<i>kaufmanni</i> Brauer & Bergenstamm, 1891					8
	<b><i>Ennyomma</i></b> Townsend, 1891		<b><i>Gnadochaeta</i></b> Macquart, 1850		1	2
*	<i>mesensis</i> Townsend, 1915		<i>Gnadochaeta mesensis</i> (Townsend, 1915) [ <i>Ennyomma</i> ]			2
	<b><i>Ennyommopsis</i></b> Townsend, 1915		<b><i>Gnadochaeta</i></b> Macquart, 1850		1	4
*	<i>nigrifrons</i> (Townsend, 1892) [ <i>Loewia</i> ]		<i>Gnadochaeta nigrifrons</i> (Townsend, 1892) [ <i>Loewia</i> ]			4
	<b><i>Eoacemyia</i></b> Townsend, 1926				1	19
*	<i>bakeri</i> Townsend, 1926		<i>Eoacemyia errans</i> (Wiedemann, 1824) [ <i>Tachina</i> ]			19
	<b><i>Eocypterula</i></b> Townsend, 1926		<b><i>Lophosia</i></b> Meigen, 1824		1	4
*	<i>atra</i> Townsend, 1926		<i>Lophosia atra</i> (Townsend, 1926) [ <i>Eocypterula</i> ]			4
	<b><i>Eomintho</i></b> Townsend, 1926		<b><i>Sumpigaster</i></b> Macquart, 1855		1	1
*	<i>aequatorialis</i> Townsend, 1926		<i>Sumpigaster aequatorialis</i> (Townsend, 1926) [ <i>Eomintho</i> ]			1
	<b><i>Eomyocera</i></b> Townsend, 1926		<b><i>Dexia</i></b> Meigen, 1826		1	2

## Tachinidae

## Eomyocera

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
*	<i>carinata</i> (Townsend, 1926) [ <i>Dexia</i> ]		<i>Dexia divergens</i> Walker, 1856			2
	<b><i>Eoptilodexia</i></b> Townsend, 1926		<b><i>Dexia</i></b> Meigen, 1826		1	2
*	<i>longipes</i> Townsend, 1926		<i>Dexia longipes</i> (Townsend, 1926) [ <i>Eoptilodexia</i> ]			2
	<b><i>Epalpodes</i></b> Townsend, 1912				1	1
*	<i>rimacensis</i> Townsend, 1915		<i>Epalpodes equatorialis</i> Townsend, 1912			1
	<b><i>Epalpus</i></b> Rondani, 1850				20	100
	<i>albomaculatus</i> (Jaenicke, 1867) [ <i>Micropalpus</i> ]					7
	<i>bicolor</i> (Williston, 1886) [ <i>Saundersia</i> ]		<i>Xanthoepalpus bicolor</i> (Williston, 1886) [ <i>Saundersia</i> ]			5
*	<i>bolivianus</i> Bischof, 1904					1
*	<i>callanganus</i> Bischof, 1904					1
	<i>flavitaris</i> (Guerin-Meneville) [ <i>Micropalpus</i> ]		<i>Rhachoepalpus flavitasis</i> (Macquart, 1843) [ <i>Micropalpus</i> ]			4
*	<i>fuscipennis</i> Bischof, 1904					5
*	<i>lindigii</i> Bischof, 1904					1
*	<i>lineatus</i> Townsend, 1914					4
	<i>maculus</i> Macquart, 1843					5
	<i>nattereri</i> Bischof, 1904					8
	<i>nigropilosus</i> (Wulp, 1888) [ <i>Saundersia</i> ]		<i>Parepalpus constans</i> (Walker, 1849) [ <i>Tachina</i> ]			17
	<i>ochripes</i> (Wulp, 1888) [ <i>Saundersia</i> ]		<i>Rhachoepalpus ochripes</i> (Wulp, 1888) [ <i>Saundersia</i> ]			5
	<i>pulverulentus</i> (Schiner, 1868) [ <i>Saundersia</i> ]		<i>Rhachoepalpus pulverulentus</i> (Schiner, 1868) [ <i>Saundersia</i> ]			4
	<i>rufipennis</i> (Macquart, 1846) [ <i>Micropalpus</i> ]					2
	<i>rufiventris</i> (Macquart, 1843) [ <i>Jurinia</i> ]					5
	<i>rufopilosus</i> (Wulp, 1888) [ <i>Saundersia</i> ]		<i>Trichosaundersia rufopilosa</i> (Wulp, 1888) [ <i>Saundersia</i> ]			4
	<i>rufus</i> (Schiner, 1868) [ <i>Saundersia</i> ]		<i>Homosaundersia rufa</i> (Schiner, 1868) [ <i>Saundersia</i> ]			3
*	<i>semiflavus</i> Bischof, 1904					1
	<i>signifer</i> Walker, 1849					15
	<i>testaceus</i> (Wulp, 1888) [ <i>Saundersia</i> ]					3
	<b><i>Epicampocera</i></b> Macquart, 1849				1	8
	<i>succincta</i> (Meigen, 1824) [ <i>Tachina</i> ]					8
	<b><i>Epidexia</i></b> Townsend, 1912		<b><i>Prospheerysa</i></b> Wulp, 1890		1	1
*	<i>filamentosa</i> Townsend, 1912		<i>Prospheerysa pulvereae</i> (Coquillett, 1897) [ <i>Masicera</i> ]			1
	<b><i>Epigrimyia</i></b> Townsend, 1891				4	23
	<i>floridensis</i> (Townsend, 1892) [ <i>Siphophyto</i> ]		<i>Clausicella floridensis</i> (Townsend, 1892) [ <i>Siphophyto</i> ]			2
	<i>geniculata</i> (Townsend, 1892) [ <i>Coronimyia</i> ]		<i>Clausicella geniculata</i> (Townsend, 1892) [ <i>Coronimyia</i> ]			7
	<i>lucens</i> (Townsend, 1891) [ <i>Drepanoglossa</i> ]		<i>Drepanoglossa lucens</i> Townsend, 1891			4
	<i>polita</i> Townsend, 1891					10
	<b><i>Epineura</i></b> Brauer & Bergenstamm, 1891		<b><i>Bogosia</i></b> Rondani, 1873		1	3
	<i>taeniata</i> (Wiedemann, 1824) [ <i>Phania</i> ]		<i>Bogosia taeniata</i> (Wiedemann, 1824) [ <i>Phania</i> ]			3

## Tachinidae

## Epineura

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Epiphanocera</b> Townsend, 1915				1	2
*	<i>costalis</i> Townsend, 1915					2
	<b>Eriothrix</b> Meigen, 1803				4	112
	<i>apenninus</i> (Rondani, 1862) [ <i>Rhynchista</i> ]					4
	<i>latifrons</i> (Brauer, 1898) [ <i>Olivieria</i> ]		<i>Eriothrix apenninus</i> (Rondani, 1862) [ <i>Rhynchista</i> ]			43
	<i>prolixa</i> (Meigen, 1824) [ <i>Tachina</i> ]					5
	<i>rufomaculatus</i> (De Geer, 1776) [ <i>Musca</i> ]					60
	<b>Ernestia</b> Robineau-Desvoidy, 1830		<b>Panzeria</b> Robineau-Desvoidy, 1830		6	66
	<i>ampelus</i> (Walker, 1849) [ <i>Tachina</i> ]		<i>Panzeria ampelus</i> (Walker, 1849) [ <i>Tachina</i> ]			7
	<i>connivens</i> (Zetterstedt, 1844) [ <i>Tachina</i> ]		<i>Eurithia connivens</i> (Zetterstedt, 1844) [ <i>Tachina</i> ]			20
	<i>consobrina</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Eurithia consobrina</i> (Meigen, 1824) [ <i>Tachina</i> ]			19
	<i>nemorum</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Fausta nemorum</i> (Meigen, 1824) [ <i>Tachina</i> ]			3
	<i>radicum</i> (Fabricius, 1794) [ <i>Musca</i> ]		<i>Eurithia anthophila</i> (Robineau-Desvoidy, 1830) [ <i>Erigone</i> ]			9
	<i>truncata</i> (Zetterstedt, 1838) [ <i>Tachina</i> ]		<i>Panzeria truncata</i> (Zetterstedt, 1838) [ <i>Tachina</i> ]			8
	<b>Ervia</b> Robineau-Desvoidy, 1830		<b>Icelia</b> Robineau-Desvoidy, 1830		1	5
	<i>triquetra</i> (Olivier, 1811) [ <i>Ocyptera</i> ]		<i>Erycia triquetra</i> (Olivier, 1811) [ <i>Ocyptera</i> ]			5
	<b>Erycia</b> Robineau-Desvoidy, 1830				2	81
	<i>fatua</i> (Meigen, 1824) [ <i>Tachina</i> ]					80
	<i>gyrovaga</i> (Rondani, 1861) [ <i>Masicera</i> ]		<i>Drino vicina</i> (Zetterstedt, 1849) [ <i>Tachina</i> ]			1
	<b>Erynnia</b> Robineau-Desvoidy, 1830				1	2
	<i>nitida</i> Robineau-Desvoidy, 1830		<i>Erynnia ocypterata</i> (Fallen, 1810) [ <i>Tachina</i> ]			2
	<b>Estheria</b> Robineau-Desvoidy, 1830				3	19
	<i>cristata</i> (Meigen, 1826) [ <i>Dexia</i> ]					16
	<i>litoralis</i> (Rondani, 1862) [ <i>Deximorpha</i> ]					1
*	<i>nigella</i> Herting, 1978		<i>Estheria iberica</i> Tschorsnig, 2003			2
	<b>Euadmontia</b> Townsend, 1915		<b>Admontia</b> Brauer & Bergenstamm, 1889		1	2
	<i>pergandei</i> (Coquillett, 1895) [ <i>Admontia</i> ]		<i>Admontia pergandei</i> Coquillett, 1895			2
	<b>Euamphibolia</b> Townsend, 1916		<b>Formosia</b> Guerin-Meneville, 1843		1	1
	<i>fulvipes</i> (Guerin-Meneville, 1843) [ <i>Rutilia</i> ]		<i>Formosia speciosa</i> (Erichson, 1842) [ <i>Rutilia</i> ]			1
	<b>Eubiomyia</b> Townsend, 1916		<b>Zaira</b> Robineau-Desvoidy, 1830		1	6
	<i>calosomae</i> Townsend, 1916		<i>Zaira calosomae</i> (Townsend, 1916) [ <i>Eubiomyia</i> ]			6
	<b>Eublepharipeza</b> Townsend, 1914		<b>Bombyliomyia</b> Brauer & Bergenstamm, 1889		1	3
*	<i>nigra</i> Townsend, 1914		<i>Bombyliomyia nigra</i> (Townsend, 1914) [ <i>Eublepharipeza</i> ]			3

## Tachinidae

## Eublepharipeza

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Euclytia</b> Townsend, 1908				1	4
*	<i>flava</i> (Townsend, 1891) [ <i>Clytia</i> ]					4
	<b>Eucordylidexia</b> Townsend, 1915		<b>Cordyligaster</b> Macquart, 1844		1	4
*	<i>ategulata</i> Townsend, 1915		<b>Cordyligaster petiolata</b> (Turton, 1801) [ <i>Musca</i> ]			4
	<b>Eucoronimyia</b> Townsend, 1908				1	1
	<i>hastata</i> (Coquillett, 1895) [ <i>Isoglossa</i> ]					1
	<b>Eudejeania</b> Townsend, 1912				1	1
*	<i>punensis</i> Townsend, 1913					1
	<b>Eudexia</b> Brauer & Bergenstamm, 1889				1	1
	<i>goliath</i> Brauer & Bergenstamm, 1889		<b>Eudexia formidabilis</b> (Bigot, 1889) [ <i>Rhamphina</i> ]			1
	<b>Eudoromyia</b> Bezzi, 1906				3	217
	<i>casta</i> (Rondani, 1859) [ <i>Echinomyia</i> ]		<b>Tachina casta</b> (Rondani, 1859) [ <i>Echinomyia</i> ]			10
	<i>magnicornis conjugata</i> (Rondani, 1859) [ <i>Echinomyia</i> ]		<b>Tachina magnicornis</b> (Zetterstedt, 1844) [ <i>Echinomyia</i> ]			69
	<i>magnicornis nupta</i> (Rondani, 1859) [ <i>Echinomyia</i> ]		<b>Tachina nupta</b> (Rondani, 1859) [ <i>Echinomyia</i> ]			138
	<b>Eulasiona</b> Townsend, 1892				1	7
*	<i>comstocki</i> Townsend, 1892					7
	<b>Eulasiopalpus</b> Townsend, 1913				2	3
*	<i>corpulentus</i> Townsend, 1914					1
*	<i>luteipes</i>					2
	<b>Euloewia</b> Townsend, 1915		<b>Gnadochaeta</b> Macquart, 1850		1	22
*	<i>globosa</i> (Townsend, 1915) [ <i>Loewia</i> ]		<b>Gnadochaeta globosa</b> (Townsend, 1892) [ <i>Loewia</i> ]			22
	<b>Euphasiopteryx</b> Townsend, 1915		<b>Ormia</b> Robineau-Desvoidy, 1830		1	3
*	<i>montana</i> (Townsend, 1912) [ <i>Phasiopteryx</i> ]		<b>Ormia ochracea</b> (Bigot, 1889) [ <i>Pyrrhosia</i> ]			3
	<b>Euphorocera</b> Townsend, 1892		<b>Chetogena</b> Rondani, 1856		1	10
	<i>claripennis</i> (Macquart, 1848) [ <i>Phorocera</i> ]		<b>Chetogena claripennis</b> (Macquart, 1848) [ <i>Phorocera</i> ]			10
	<b>Eupogona</b> Bezzi, 1820		<b>Buquetia</b> Robineau-Desvoidy, 1847		1	2
	<i>setifacies</i> (Rondani, 1861) [ <i>Labidigaster</i> ]		<b>Eulabidogaster setifacies</b> (Rondani, 1861) [ <i>Labidigaster</i> ]			2
	<b>Eurythia</b> Robineau-Desvoidy, 1863		<b>Eurithia</b> Robineau-Desvoidy, 1844		2	11
	<i>caesia</i> (Fallen, 1810) [ <i>Tachina</i> ]		<b>Eurithia caesia</b> (Fallen, 1810) [ <i>Tachina</i> ]			10
	<i>pectinata</i> (Girschner, 1881) [ <i>Echinotoma</i> ]		<b>Fausta nemorum</b> (Meigen, 1824) [ <i>Tachina</i> ]			1



## Tachinidae

## Euscopolia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Euscopolia</b> Townsend, 1892				1	1
	<i>dakotensis</i> Townsend, 1892					1
	<b>Eutachina</b> Brauer & Bergenstamm, 1889		<b>Exorista</b> Meigen, 1803		4	64
	<i>fallax</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Tachina fallax</i> Meigen, 1824			8
	<i>glossatorum</i> (Rondani, 1859) [ <i>Tachina</i> ]		<i>Exorista glossatorum</i> (Rondani, 1859) [ <i>Tachina</i> ]			7
	<i>larvarum</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<i>Exorista larvarum</i> (Linnaeus, 1758) [ <i>Musca</i> ]			41
	<i>mella</i> (Walker, 1849) [ <i>Tachina</i> ]		<i>Exorista mella</i> (Walker, 1849) [ <i>Tachina</i> ]			8
	<b>Euthera</b> Loew, 1866				3	5
*	<i>barbiellinii</i> Bezzi, 1925					2
*	<i>peringueyi</i> Bezzi, 1925					1
	<i>tentatrix</i> Loew, 1866					2
	<b>Eutheresia</b> Townsend, 1912		<b>Billaea</b> Robineau-Desvoidy, 1830		1	3
	<i>canescens</i> (Walker, 1853) [ <i>Dexia</i> ]		<i>Philodexia canescens</i> (Walker, 1853) [ <i>Dexia</i> ]			3
	<b>Eutrixopsis</b> Townsend, 1919				1	3
	<i>javana</i> Townsend, 1919					3
	<b>Euzenilla</b> Townsend, 1912		<b>Lixophaga</b> Townsend, 1908		2	3
	<i>gilvipes</i> (Coquillett, 1897) [ <i>Hypostena</i> ]		<i>Anisia gilvipes</i> (Coquillett, 1897) [ <i>Hypostena</i> ]			2
	<i>variabilis</i> (Coquillett, 1895) [ <i>Hypostena</i> ]		<i>Lixophaga variabilis</i> (Coquillett, 1895) [ <i>Hypostena</i> ]			1
	<b>Eversmannia</b> Curran, 1934		<b>Winthemia</b> Robineau-Desvoidy, 1830		1	3
	<i>ruficauda</i> (Zetterstedt, 1838) [ <i>Tachina</i> ]		<i>Lypha ruficauda</i> (Zetterstedt, 1838) [ <i>Tachina</i> ]			3
	<b>Evihrissa</b> Rondani, 1861		<b>Hemyda</b> Robineau-Desvoidy, 1830		1	3
	<i>obscuripennis</i> (Meigen, 1824) [ <i>Phania</i> ]		<i>Hemyda obscuripennis</i> (Meigen, 1824) [ <i>Phania</i> ]			3
	<b>Exogaster</b> Rondani, 1856		<b>Cylindromyia</b> Meigen, 1803		3	9
*	<i>ocypteroides</i> Bezzi, 1908		<i>Cylindromyia ocypteroides</i> (Bezzi, 1908) [ <i>Exogaster</i> ]			5
	<i>ruffrons</i> (Loew, 1844) [ <i>Ocyptera</i> ]		<i>Cylindromyia ruffrons</i> (Loew, 1844) [ <i>Ocyptera</i> ]			3
	<i>testacea</i> Villeneuve, 1903		<i>Cylindromyia ruffrons</i> (Loew, 1844) [ <i>Ocyptera</i> ]			1
	<b>Fabriciella</b> Bezzi, 1906		<b>Nowickia</b> Wachtl, 1894		2	39
	<i>atripalpis</i> (Robineau-Desvoidy, 1863) [ <i>Fabricia</i> ]		<i>Nowickia atripalpis</i> (Robineau-Desvoidy, 1863) [ <i>Fabricia</i> ]			25
	<i>ferox</i> (Panzer, 1809) [ <i>Tachina</i> ]		<i>Nowickia ferox</i> (Panzer, 1809) [ <i>Tachina</i> ]			14
	<b>Fabriciodes</b> Townsend, 1916		<b>Nowickia</b> Wachtl, 1894		1	1
*	<i>montana</i> Townsend, 1916		<i>Tachina montana</i> (Townsend, 1916) [ <i>Fabriciodes</i> ]			1
	<b>Fischeria</b> Robineau-Desvoidy, 1830				1	12

## Tachinidae

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	<i>Fischeria</i> specimens #
	<i>bicolor</i> Robineau-Desvoidy, 1830					12
	<b>Formosia</b> Guerin-Meneville, 1843				3	6
	<i>flavipennis</i> (Macquart, 1848) [ <i>Rutilia</i> ]					1
	<i>mirabilis</i> (Guerin-Meneville, 1831) [ <i>Musca</i> ]					3
	<i>moneta</i> Gerstaecker, 1860					2
	<b>Frontina</b> Meigen, 1838				2	10
	<i>laeta</i> (Meigen, 1824) [ <i>Tachina</i> ]					6
	<i>rubentis</i> (Coquillett, 1895) [ <i>Achaetoneura</i> ]		<i>Eucelatoria rubentis</i> (Coquillett, 1895) [ <i>Achaetoneura</i> ]			4
	<b>Gaedia</b> Meigen, 1838				1	17
	<i>connexa</i> (Meigen, 1824) [ <i>Tachina</i> ]					17
	<b>Gaediopsis</b> Brauer & Bergenstamm, 1891				1	3
	<i>flavipes</i> Coquillett, 1895					3
	<b>Galactomyia</b> Townsend, 1908		<b>Trichopoda</b> Berthold, 1827		2	20
	<i>lanipes</i> (Fabricius, 1805) [ <i>Thereva</i> ]		<i>Trichopoda lanipes</i> (Fabricius, 1805) [ <i>Thereva</i> ]			
	<i>radiata</i> (Loew, 1863) [ <i>Trichopoda</i> ]		<i>Trichopoda lanipes</i> (Fabricius, 1805) [ <i>Thereva</i> ]			20
	<b>Gastrolepta</b> Rondani, 1862				1	1
	<i>gentilis</i> Rondani, 1862		<i>Gastrolepta anthracina</i> (Meigen, 1826) [ <i>Dexia</i> ]			1
	Gen.				1	75
	sp.					75
	<b>Genea</b> Rondani, 1850				1	3
	<i>analís</i> (Say, 1829) [ <i>Dexia</i> ]					3
	<b>Germaria</b> Robineau-Desvoidy, 1830				2	3
	<i>angustata</i> (Zetterstedt, 1844) [ <i>Gonia</i> ]					1
	<i>ruficeps</i> (Fallen, 1820) [ <i>Tachina</i> ]					2
	<b>Germariopsis</b> Townsend, 1915				1	3
*	<i>andina</i> Townsend, 1915					3
	<b>Gonia</b> Meigen, 1803				2	20
	<i>bimaculata</i> Wiedemann, 1819					12
	<i>rufitibialis</i> Macquart, 1851		<i>Turanogonia chinensis</i> (Wiedemann, 1824) [ <i>Gonia</i> ]			8
	<b>Graphogaster</b> Rondani, 1868				1	6
	<i>vestita</i> Rondani, 1868					6

## Tachinidae

## Gymnobasis

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Gymnobasis</b> Brauer & Bergenstamm, 1889		<b>Billaea</b> Robineau-Desvoidy, 1830		1	9
	<i>microcera</i> (Rondani, 1862) [ <i>Myostoma</i> ]		<b>Billaea</b> <i>maritima</i> (Schiner, 1861) [ <i>Phorostoma</i> ]			9
	<b>Gymnochaeta</b> Macquart, 1835				2	5
	<i>alcedo</i> var <i>ruficornis</i> Williston, 1886		<b>Gymnochaeta</b> <i>ruficornis</i> Williston, 1886			1
	<i>viridis</i> (Fallen, 1810) [ <i>Tachina</i> ]					4
	<b>Gymnoclytia</b> Brauer & Bergenstamm				3	22
	<i>immaculata</i> (Macquart, 1843) [ <i>Cistogaster</i> ]					7
	<i>occidentalis</i> Townsend, 1908					4
	<i>occidua</i> (Walker, 1849) [ <i>Gymnosoma</i> ]					11
	<b>Gymnodexia</b> Brauer & Bergenstamm, 1891		<b>Billaea</b> Robineau-Desvoidy, 1830		1	13
	<i>triangulifera</i> (Zetterstedt, 1844) [ <i>Dexia</i> ]		<b>Billaea</b> <i>triangulifera</i> (Zetterstedt, 1844) [ <i>Dexia</i> ]			13
	<b>Gymnopeza</b> Zetterstedt, 1838		<b>Freraea</b> Robineau-Desvoidy, 1830		1	1
	<i>denudata</i> Zetterstedt, 1844		<b>Freraea</b> <i>gagatea</i> Robineau-Desvoidy, 1830			1
	<b>Gymnostylia</b> Macquart, 1835		<b>Macromyza</b> Robineau-Desvoidy, 1830		1	1
*	<i>minor</i> Villeneuve, 1913		<b>Billaea</b> <i>minor</i> (Villeneuve, 1913) [ <i>Gymnostylia</i> ]			1
	<b>Halidaya</b> Frauenfeld, 1860		<b>Halydaia</b> Egger, 1856		2	7
	<i>aurea</i> (Egger, 1856) [ <i>Halydaia</i> ]		<b>Halydaia</b> <i>aurea</i> Egger, 1856			3
	<i>luteicornis</i> (Walker, 1862) [ <i>Gymnostylia</i> ]		<b>Halydaia</b> <i>luteicornis</i> (Walker, 1862) [ <i>Gymnostylia</i> ]			4
	<b>Heliozeta</b> Bezzi, 1907		<b>Eliazeta</b> Rondani, 1856		1	9
	<i>pellucens</i> (Fallen, 1820) [ <i>Tachina</i> ]		<b>Eliazeta</b> <i>pellucens</i> (Fallen, 1820) [ <i>Tachina</i> ]			9
	<b>Helocera</b> Mik, 1884		<b>Eloceria</b> Robineau-Desvoidy, 1863		1	2
	<i>delecta</i> (Meigen, 1824) [ <i>Tachina</i> ]		<b>Eloceria</b> <i>delecta</i> (Meigen, 1824) [ <i>Tachina</i> ]			2
	<b>Helomyia</b> Meigen, 1838		<b>Elomya</b> Robineau-Desvoidy, 1830		1	8
	<i>lateralis</i> (Meigen, 1824) [ <i>Phasia</i> ]		<b>Elomya</b> <i>lateralis</i> (Meigen, 1824) [ <i>Phasia</i> ]			8
	<b>Hemimasicerca</b> Brauer & Bergenstamm, 1889		<b>Erycia</b> Robineau-Desvoidy, 1830		1	1
*	<i>basifulva</i> (Bezzi, 1925) [ <i>Argyrophylax</i> ]		<b>Argyrophylax</b> <i>basifulva</i> Bezzi, 1925			1
	<b>Hemyda</b> Robineau-Desvoidy, 1830				1	4
	<i>aurata</i> Robineau-Desvoidy, 1830					4
	<b>Hermya</b>		<b>Hermya</b> Robineau-Desvoidy, 1830		2	12
	<i>beelzebub</i> (Wiedemann, 1830) [ <i>Tachina</i> ]					6
	<i>diabolus</i> (Wiedemann, 1819) [ <i>Ocyptera</i> ]					6

Tachinidae				<i>Histochaeta</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b><i>Histochaeta</i></b> Brauer & Bergenstamm, 1891		<b><i>Istocheta</i></b> Rondani, 1859		1	7
	<i>marmorata</i> (Fabricius, 1805) [ <i>Musca</i> ]		<i>Thelymorpha marmorata</i> (Fabricius, 1805) [ <i>Musca</i> ]			7
	<b><i>Homalostoma</i></b> Brauer & Bergenstamm, 1889		<b><i>Billaea</i></b> Robineau-Desvoidy, 1830		1	3
	<i>forte</i> Pandellé, 1896		<i>Billaea irrorata</i> (Meigen, 1826) [ <i>Dexia</i> ]			3
	<b><i>Homoeonychia</i></b> Brauer & Bergenstamm, 1889		<b><i>Linnaemya</i></b> Robineau-Desvoidy, 1830		1	6
	<i>litosiophaga</i> (Rondani, 1859) [ <i>Micropalpus</i> ]		<i>Linnaemya lithosiophaga</i> (Rondani, 1859) [ <i>Micropalpus</i> ]			6
	<b><i>Hyalomyia</i></b> Macquart, 1834		<b><i>Phasia</i></b> Latreille, 1804		7	54
	<i>aeneiventris</i> Williston, 1886		<i>Phasia aeneoventris</i> (Williston, 1886) [ <i>Hyalomyia</i> ]			9
	<i>aurigera</i> (Egger, 1860) [ <i>Alophora</i> ]		<i>Phasia aurigera</i> (Egger, 1860) [ <i>Alophora</i> ]			14
	<i>aurulans</i> (Meigen, 1824) [ <i>Phasia</i> ]		<i>Phasia aurulans</i> Meigen, 1824			3
	<i>diversa</i> (Coquillett, 1897) [ <i>Alophora</i> ]		<i>Phasia diversa</i> (Coquebert, 1897) [ <i>Alophora</i> ]			1
	<i>nitida</i> (Coquillett, 1897) [ <i>Alophora</i> ]		<i>Phasia robrtsonii</i> (Townsend, 1891) [ <i>Hyalomyia</i> ]			1
	<i>obesa</i> (Fabricius, 1798) [ <i>Thereva</i> ]		<i>Phasia obesa</i> (Fabricius, 1798) [ <i>Thereva</i> ]			25
	<i>pulverea</i> (Coquillett, 1897) [ <i>Alophora</i> ]		<i>Phasia robrtsonii</i> (Townsend, 1891) [ <i>Hyalomyia</i> ]			1
	<b><i>Hyalomyodes</i></b> Townsend, 1893		<b><i>Strongygaster</i></b> Macquart, 1834		1	12
	<i>triangulifera</i> (Loew, 1863) [ <i>Hyalomyia</i> ]		<i>Strongygaster triangulifer</i> (Loew, 1863) [ <i>Hyalomyia</i> ]			12
	<b><i>Hyalurgus</i></b> Brauer & Bergenstamm, 1893				1	4
	<i>lucidus</i> (Meigen, 1824) [ <i>Tachina</i> ]					4
	<b><i>Hypostena</i></b> Meigen, 1838		<b><i>Phyllomya</i></b> Robineau-Desvoidy, 1830		7	59
	<i>dunningi</i> (Coquillett, 1895) [ <i>Thryptocera</i> ]		<i>Spathidexia dunningi</i> (Coquillett, 1895) [ <i>Thryptocera</i> ]			11
	<i>floridensis</i> Townsend					4
	<i>gilvipes</i> Coquillett, 1897		<i>Anisia gilvipes</i> (Coquillett, 1897) [ <i>Hypostena</i> ]			8
	<i>indecisa</i> (Townsend, 1892) [ <i>Pseudomyothrya</i> ]		<i>Myiopharus ancillus</i> (Walker, 1853) [ <i>Tachina</i> ]			4
	<i>nitens</i> Coquillett, 1897		<i>Oxynops anthracinus</i> (Bigot, 1889) [ <i>Degeeria</i> ]			8
	<i>setiventris</i> Macquart, 1855		<i>Bampura innoxia</i> (Meigen, 1824) [ <i>Tachina</i> ]			13
*	<i>variabilis</i> Coquillett, 1895		<i>Lixophaga variabilis</i> (Coquillett, 1895) [ <i>Hypostena</i> ]			11
	<b><i>Hystricia</i></b> Macquart, 1843				4	11
	<i>albiceps</i> Wulp, 1888		<i>Bombyliomyia albiceps</i> (Wulp, 1888) [ <i>Hystricia</i> ]			2
	<i>cyaniventris</i> Wulp, 1885		<i>Chlorohystricia cyaneiventris</i> (Wulp, 1885) [ <i>Hystricia</i> ]			2
	<b><i>obesa</i></b> Engel, 1920					6
	<i>pachyprocta</i> Nowicki, 1875		<i>Protohystricia alcis</i> (Walker, 1849) [ <i>Tachina</i> ]			1
	<b><i>Hystriciopsis</i></b> Townsend, 1914		<b><i>Hystricia</i></b> Macquart, 1843		1	1
*	<i>obscura</i> Townsend, 1914		<i>Engelomyia obscura</i> (Townsend, 1914) [ <i>Hystriciopsis</i> ]			1
	<b><i>Hystriomyia</i></b> Portschinsky, 1881				1	2

## Tachinidae

## Hystriomyia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i><b>lata</b></i> Portschinsky, 1882					2
	<i><b>Imitomyia</b></i> Townsend, 1912				1	1
	<i>sugens</i> (Loew, 1863) [ <i>Himantostoma</i> ]					1
	<i><b>Jurinia</b></i> Robineau-Desvoidy, 1830				4	68
	<i>adusta</i> Wulp, 1890		<i>Juriniopsis adusta</i> (Wulp, 1890) [ <i>Jurinia</i> ]			52
	<i>ambigua</i> (Macquart, 1851) [ <i>Hystricia</i> ]		<i>Engelomyia ambigua</i> (Macquart, 1851) [ <i>Hystricia</i> ]			5
	<i>coeruleonigra</i> Macquart, 1846		<i>Jurinella coeruleonigra</i> (Macquart, 1846) [ <i>Jurinia</i> ]			5
	<i>obesa</i> (Wiedemann, 1830) [ <i>Tachina</i> ]		<i>Jurinella obesa</i> (Wiedemann, 1830) [ <i>Tachina</i> ]			6
	<i><b>Juriniopsis</b></i> Townsend, 1916				1	1
	<i>floridensis</i> Townsend, 1916					1
	<i><b>Klugia</b></i> Robineau-Desvoidy, 1863				1	5
	<i>marginata</i> (Meigen, 1824) [ <i>Tachina</i> ]					5
	<i>Larvaevoropsis</i> Townsend, 1916		<i><b>Tachina</b></i> Meigen, 1803		2	5
	<i>dakotensis</i> (Townsend, 1892) [ <i>Echinomyia</i> ]		<i>Tachina florum</i> Walker, 1849			4
*	<i>orientalis</i> Townsend, 1916		<i>Tachina florum</i> Walker, 1849			1
	<i>Latreillimyia</i> Townsend, 1908		<i><b>Belvosia</b></i> Robineau-Desvoidy, 1830		1	6
	<i>bifasciata</i> (Fabricius, 1775) [ <i>Musca</i> ]		<i>Belvosia bifasciata</i> (Fabricius, 1775) [ <i>Musca</i> ]			6
	<i><b>Laufferiella</b></i> Villeneuve, 1929				1	5
	<i>magna fulvicarnis</i> (Giglio-Tos, 1890) [ <i>Echinomyia</i> ]		<i>Tachina magna</i> (Giglio-Tos, 1890) [ <i>Echinomyia</i> ]			5
	<i>Lecanipus</i> Brauer & Bergenstamm, 1889		<i><b>Lecanipa</b></i> Rondani, 1859		1	8
	<i>patelliferus</i> Rondani, 1859		<i>Lecanipa leucomelas</i> (Meigen, 1824) [ <i>Tachina</i> ]			8
	<i>Leptoda</i> Wulp, 1885		<i><b>Zelia</b></i> Robineau-Desvoidy, 1830		1	6
	<i>potens</i> (Wiedemann, 1830) [ <i>Dexia</i> ]		<i>Zelia potens</i> (Wiedemann, 1830) [ <i>Dexia</i> ]			6
	<i><b>Leskia</b></i> Robineau-Desvoidy, 1830				1	14
	<i>aurea</i> (Fallen, 1820) [ <i>Tachina</i> ]					14
	<i>Leskiomima</i> Brauer & Bergenstamm, 1891		<i><b>Genea</b></i> Rondani, 1850		1	1
	<i>tenera</i> (Wiedemann, 1830) [ <i>Stomoxys</i> ]		<i>Genea tenera</i> (Wiedemann, 1830) [ <i>Stomoxys</i> ]			1
	<i><b>Leucostoma</b></i> Meigen, 1803				4	13
	<i>acirostre</i> Reinhard, 1956					1
	<i>aterrimum</i> (Villers, 1789) [ <i>Musca</i> ]					3
	<i>atrum</i> Townsend, 1891		<i>Leucostoma simplex</i> (Fallen, 1820) [ <i>Ocyptera</i> ]			5
	<i>simplex</i> (Fallen, 1820) [ <i>Ocyptera</i> ]					4

## Tachinidae

## Leucostoma

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Liancosmia</b> Speiser, 1910		<b>Hermya</b> Robineau-Desvoidy, 1830		1	1
	<i>ditissima</i> Speiser, 1910		<b>Hermya ditissima</b> (Speiser, 1910) [ <i>Liancosmia</i> ]			1
	<b>Linnaemya</b> Robineau-Desvoidy, 1830				12	117
	<i>affinis</i> (Corti, 1895) [ <i>Micropalpus</i> ]		<b>Linnaemya albifrons</b> (Smith, 1870) [ <i>Tachina</i> ]			2
	<b>alboscuteolata</b> (Speiser, 1910) [ <i>Micropalpus</i> ]					4
	<b>anguilcornis</b> (Speiser, 1910) [ <i>Micropalpus</i> ]					3
	<b>frater</b> (Rondani, 1859) [ <i>Micropalpus</i> ]					17
	<b>haemorrhoidalis</b> (Fallen, 1810) [ <i>Tachina</i> ]					40
	<b>impudica</b> (Rondani, 1859) [ <i>Micropalpus</i> ]					1
	<b>prohecate</b> (Speiser, 1910) [ <i>Micropalpus</i> ]					4
	<i>pudica</i> (Rondani, 1859) [ <i>Micropalpus</i> ]		<b>Linnaemya tessellans</b> (Robineau-Desvoidy, 1830) [ <i>Bonellia</i> ]			4
	<b>sophia</b> Robineau-Desvoidy, 1830					8
	<b>tarsalis</b> Curran, 1934					6
	<b>variegata</b> (Wiedemann, 1824) [ <i>Tachina</i> ]					3
	<b>vulpina</b> (Fallen, 1810) [ <i>Tachina</i> ]					25
	<b>Litophasia</b> Girschner, 1887				2	6
	<i>flavicornis</i> (Zetterstedt, 1859) [ <i>Leucostoma</i> ]		<b>Catharosia flavicornis</b> (Zetterstedt, 1859) [ <i>Leucostoma</i> ]			2
	<b>hyalipennis</b> (Fallen, 1815) [ <i>Thereva</i> ]					4
	<b>Loewia</b> Egger, 1856				4	13
	<b>brevifrons</b> (Rondani, 1856) [ <i>Thrychogena</i> ]					6
	<i>petiolata</i> (Pandellé, 1895) [ <i>Silbermania</i> ]		<b>Loewia submetallica</b> (Macquart, 1855) [ <i>Rhinophora</i> ]			2
	<b>setibarba</b> Egger, 1856					2
	<i>venosa</i> (Zetterstedt, 1844) [ <i>Leucostoma</i> ]		<b>Loewia phaeoptera</b> (Meigen, 1824) [ <i>Tachina</i> ]			3
	<b>Lomatacantha</b> Brauer & Bergenstamm, 1889		<b>Lomachantha</b> Rondani, 1859		1	2
	<i>parra</i> (Rondani, 1858) [ <i>Lomachantha</i> ]		<b>Lomachantha parra</b> Rondani, 1858			2
	<b>Lydella</b> Robineau-Desvoidy, 1830				7	80
	<i>albisquama</i> (Zetterstedt, 1844) [ <i>Tachina</i> ]		<b>Oswaldia spectabilis</b> (Meigen, 1824) [ <i>Tachina</i> ]			17
	<i>angelicae</i> (Meigen, 1824) [ <i>Tachina</i> ]		<b>Belida angelicae</b> (Meigen, 1824) [ <i>Tachina</i> ]			6
	<i>eufitchiae</i> (Townsend, 1892) [ <i>Masicera</i> ]		<b>Blondelia eufitchiae</b> (Townsend, 1892) [ <i>Masicera</i> ]			2
	<i>juvenilis</i> (Rondani, 1861) [ <i>Masicera</i> ]		<b>Lydella grisescens</b> Ringdahl, 1952			2
	<i>myoidea</i> Robineau-Desvoidy, 1830		<b>Lydella myoidea</b> Robineau-Desvoidy, 1830			4
	<i>nigripes</i> (Fallen, 1810) [ <i>Tachina</i> ]		<b>Blondelia nigripes</b> (Fallen, 1810) [ <i>Tachina</i> ]			41
	<i>nigrita</i> (Townsend, 1891) [ <i>Masicera</i> ]		<b>Lydella radialis</b> (Townsend, 1916) [ <i>Andrina</i> ]			8
	<b>Lydina</b> Robineau-Desvoidy, 1830				2	16
	<b>aenea</b> (Meigen, 1824) [ <i>Tachina</i> ]					8
	<b>areos</b> (Walker, 1849) [ <i>Tachina</i> ]					8

## Tachinidae

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Lypha</b> Robineau-Desvoidy, 1830				1	10
	<i>dubia</i> (Fallen, 1810) [ <i>Tachina</i> ]					10
	<b>Macquartia</b> Robineau-Desvoidy, 1830				11	156
	<i>chalconota</i> (Meigen, 1824) [ <i>Tachina</i> ]					47
	<i>coelebs</i> Rondani, 1859		<i>Macquartia praefica</i> (Meigen, 1824) [ <i>Tachina</i> ]			11
	<i>dispar</i> (Fallen, 1820) [ <i>Tachina</i> ]					29
	<i>grisea</i> (Fallen, 1810) [ <i>Tachina</i> ]					6
	<i>kumaraensis</i> Miller, 1913		<i>Peremptor kumaraensis</i> (Miller, 1913) [ <i>Macquartia</i> ]			1
	<i>major</i> Schiner, 1861		<i>Macquartia chalconota</i> (Meigen, 1824) [ <i>Tachina</i> ]			12
	<i>nitida</i> (Zetterstedt, 1838) [ <i>Tachina</i> ]		<i>Macquartia tenebricosa</i> (Meigen, 1824) [ <i>Tachina</i> ]			22
	<i>occlusa</i> Rondani, 1859		<i>Macquartia tessellum</i> (Meigen, 1824) [ <i>Tachina</i> ]			11
	<i>pristis</i> (Walker, 1849) [ <i>Dexia</i> ]		<i>Uramya pristis</i> (Walker, 1849) [ <i>Dexia</i> ]			5
	<i>subtilis</i> Hutton, 1901		<i>Zealandotachina subtilis</i> (Hutton, 1901) [ <i>Macquartia</i> ]			1
	<i>tenebricosa</i> (Meigen, 1824) [ <i>Tachina</i> ]					11
	<b>Macromeigenia</b> Brauer & Bergenstamm, 1891		<b>Mystacella</b> Wulp, 1890		1	9
	<i>chrysoprocta</i> (Wiedemann, 1830) [ <i>Tachina</i> ]		<i>Mystacella chrysoprocta</i> (Wiedemann, 1830) [ <i>Tachina</i> ]			9
	<b>Macroprosopa</b> Brauer & Bergenstamm, 1889				1	2
	<i>atrata</i> (Fallen, 1810) [ <i>Tachina</i> ]					2
	<b>Masicera</b> Macquart, 1834				3	91
	<i>pratensis</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Blepharipa pratensis</i> (Meigen, 1824) [ <i>Tachina</i> ]			31
	<i>silvatica</i> (Fallen, 1810) [ <i>Tachina</i> ]					13
	<i>vicaria</i> Walker, 1856		<i>Phorocerosoma vicarium</i> (Walker, 1856) [ <i>Masicera</i> ]			47
	<b>Masiphya</b> Brauer & Bergenstamm, 1891				1	3
	<i>brasiliana</i> Brauer & Bergenstamm, 1891					3
	<b>Masipoda</b> Brauer & Bergenstamm, 1889				1	5
	<i>xanthocera</i> (Wiedemann, 1830) [ <i>Tachina</i> ]		<i>Winthemia xanthocera</i> (Wiedemann, 1830) [ <i>Tachina</i> ]			5
	<b>Masistylum</b> Brauer & Bergenstamm, 1893				1	4
	<i>arcuatum</i> (Mik, 1863) [ <i>Pachystylum</i> ]					4
	<b>Megalochaeta</b> Brauer & Bergenstamm, 1889		<b>Smidtia</b> Robineau-Desvoidy, 1830		1	1
	<i>ambulans</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Smidtia conspersa</i> (Meigen, 1824) [ <i>Tachina</i> ]			1
	<b>Megaprosopus</b> Macquart, 1843				1	1
*	<i>andinus</i> Townsend, 1612					1
	<b>Meigenia</b> Robineau-Desvoidy, 1830				3	100

## Tachinidae

## Meigenia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>bisignata</i> (Meigen, 1824) [ <i>Tachina</i> ]		<b><i>Meigenia mutabilis</i></b> (Fallen, 1810) [ <i>Tachina</i> ]			38
	<i>floralis</i> (Meigen, 1824) [ <i>Tachina</i> ]		<b><i>Meigenia mutabilis</i></b> (Fallen, 1810) [ <i>Tachina</i> ]			35
	<b><i>majuscula</i></b> (Rondani, 1859) [ <i>Spylosia</i> ]					27
	<b><i>Melanophrys</i></b> Williston, 1886				2	6
	<i>flavipennis</i> Williston, 1886					1
	<i>insolita</i> (Walker, 1853) [ <i>Tachina</i> ]					5
	<b><i>Melizoneura</i></b> Rondani, 1868		<b><i>Melisoneura</i></b> Rondani, 1861		1	1
	<i>albipennis</i> (Robineau-Desvoidy, 1830) [ <i>Melia</i> ]		<b><i>Melisoneura leucoptera</i></b> (Meigen, 1824) [ <i>Tachina</i> ]			1
	<b><i>Meriania</i></b> Robineau-Desvoidy, 1830		<b><i>Panzeria</i></b> Robineau-Desvoidy, 1830		2	4
	<i>chalybaea</i> Coquillett, 1902		<b><i>Panzeria chalybaea</i></b> (Coquebert, 1902) [ <i>Meriania</i> ]			1
	<i>puparum</i> (Fabricius, 1794) [ <i>Musca</i> ]		<b><i>Panzeria puparum</i></b> (Fabricius, 1794) [ <i>Musca</i> ]			3
	<b><i>Metachaeta</i></b> Coquillett, 1895		<b><i>Periscepsia</i></b> Gistel, 1848		2	13
	<i>atra</i> Coquillett, 1895		<b><i>Periscepsia laevigata</i></b> (Wulp, 1890) [ <i>Rhinophora</i> ]			1
	<i>helymus</i> (Walker, 1849) [ <i>Tachina</i> ]		<b><i>Periscepsia helymus</i></b> (Walker, 1849) [ <i>Tachina</i> ]			12
	<b><i>Metadexia</i></b> Coquillett, 1899		<b><i>Zelia</i></b> Robineau-Desvoidy, 1830		1	3
	<i>tricolor</i> Coquillett, 1899		<b><i>Zelia tricolor</i></b> (Coquillett, 1899) [ <i>Metadexia</i> ]			3
	<b><i>Metaplagia</i></b> Coquillett, 1895				1	2
	<i>occidentalis</i> Coquillett, 1895					2
	<b><i>Methypostena</i></b> Townsend, 1908		<b><i>Medina</i></b> Robineau-Desvoidy, 1830		1	4
*	<i>barbata</i> (Coquillett, 1895) [ <i>Hypostena</i> ]		<b><i>Medina barbata</i></b> (Coquillett, 1895) [ <i>Hypostena</i> ]			4
	<b><i>Microceromasia</i></b> Villeneuve, 1911		<b><i>Lixophaga</i></b> Townsend, 1908		1	4
	<i>sphenophori</i> Villeneuve, 1911		<b><i>Lixophaga sphenophori</i></b> (Villeneuve, 1911) [ <i>Microceromasia</i> ]			4
	<b><i>Microchaetina</i></b> Wulp, 1891				1	2
*	<i>arida</i> (Townsend, 1911) [ <i>Almugmyia</i> ]					2
	<b><i>Microphthalma</i></b> Macquart, 1843				3	21
	<i>disjuncta</i> Bezzi & Stein, 1907		<b><i>Microphthalma europaea</i></b> Egger, 1860			10
	<i>europaea</i> Egger, 1860					9
*	<i>michiganensis</i> (Townsend, 1892) [ <i>Megaprosopus</i> ]					2
	<b><i>Microtachina</i></b> Mik, 1892		<b><i>Exorista</i></b> Meigen, 1803		1	23
	<i>erucarum</i> (Rondani, 1859) [ <i>Tachina</i> ]		<b><i>Exorista erucarum</i></b> (Rondani, 1859) [ <i>Tachina</i> ]			23
	<b><i>Minella</i></b> Robineau-Desvoidy, 1830		<b><i>Macquartia</i></b> Robineau-Desvoidy, 1830		3	12
	<i>chalybeata</i> (Meigen, 1824) [ <i>Tachina</i> ]		<b><i>Dufouria chalybeata</i></b> (Meigen, 1824) [ <i>Tachina</i> ]			5



## Tachinidae

## Minella

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>infans</i> (Rondani, 1862) [ <i>Ptilops</i> ]		<i>Dufouria nigrita</i> (Fallen, 1810) [ <i>Tachina</i> ]			2
	<i>nigrita</i> (Fallen, 1810) [ <i>Tachina</i> ]		<i>Dufouria nigrita</i> (Fallen, 1810) [ <i>Tachina</i> ]			5
	<b>Mintho</b> Robineau-Desvoidy, 1830				6	69
	<i>algira</i> (Macquart, 1849) [ <i>Sericocera</i> ]		<i>Mintho compressa</i> (Fabricius, 1787) [ <i>Musca</i> ]			20
*	<b>argentea</b> Bezzi, 1908					5
	<i>isis</i> (Wiedemann, 1830) [ <i>Tachina</i> ]		<i>Mintho praeceps</i> (Scopoli, 1763) [ <i>Musca</i> ]			7
	<i>lacera</i> Rondani, 1847		<i>Mintho rufiventris</i> (Fallen, 1817) [ <i>Musca</i> ]			6
	<b>praeceps</b> (Scopoli, 1763) [ <i>Musca</i> ]					26
	<b>rufiventris</b> (Fallen, 1817) [ <i>Musca</i> ]					5
	<b>Minthopsis</b> Townsend, 1915				1	3
*	<b>vittata</b> Townsend, 1915					3
	<b>Mochlosoma</b> Brauer & Bergenstamm, 1889				1	2
	<i>simonyi</i> Brauer & Bergenstamm, 1891		<i>Estheria simonyi</i> (Brauer & Bergenstamm, 1891) [ <i>Mochlosoma</i> ]			2
	<b>Monochaeta</b> Brauer & Bergenstamm, 1889		<b>Cyzenis</b> Robineau-Desvoidy, 1863		1	7
	<i>albicans</i> (Fallen, 1810) [ <i>Tachina</i> ]		<i>Cyzenis albicans</i> (Fallen, 1810) [ <i>Tachina</i> ]			7
	<b>Morphomyia</b> Rondani, 1862		<b>Stomina</b> Robineau-Desvoidy, 1830		2	11
	<i>caliendrata</i> Rondani, 1962		<i>Stomina caliendrata</i> (Rondani, 1862) [ <i>Morphomyia</i> ]			2
	<i>tachinoides</i> Rondani, 1856		<i>Stomina caliendrata</i> (Rondani, 1862) [ <i>Morphomyia</i> ]			9
	<b>Myiobia</b> Mik, 1890		<b>Solieria</b> Robineau-Desvoidy, 1849		4	31
	<i>fuscana</i> (Robineau-Desvoidy, 1849) [ <i>Solieria</i> ]		<i>Solieria fenestrata</i> (Meigen, 1824) [ <i>Tachina</i> ]			13
	<i>inanis</i> (Fallen, 1810) [ <i>Tachina</i> ]		<i>Solieria inanis</i> (Fallen, 1810) [ <i>Tachina</i> ]			3
	<i>vacua</i> Rondani, 1861		<i>Solieria vacua</i> (Rondani, 1861) [ <i>Pyrrhosia</i> ]			13
*	<i>zenzerina</i>					2
	<b>Myiocera</b> Bezzi, 1906		<b>Dinera</b> Robineau-Desvoidy, 1830		2	133
	<i>carinifrons</i> (Fallen, 1817) [ <i>Musca</i> ]		<i>Dinera carinifrons</i> (Falcoz, 1817) [ <i>Musca</i> ]			103
	<i>ferina</i> (Fallen, 1817) [ <i>Musca</i> ]		<i>Dinera ferina</i> (Fallen, 1817) [ <i>Musca</i> ]			30
	<b>Myiomima</b> Brauer & Bergenstamm, 1889				2	2
	<b>appendiculata</b> (Bigot, 1889) [ <i>Phorostoma</i> ]					1
	<b>sarcophagina</b> Brauer & Bergenstamm, 1889					1
	<b>Myxarchiclops</b> Villeneuve, 1916				1	3
*	<b>caffer</b> Villeneuve, 1916					3
	<b>Neaera</b> Robineau-Desvoidy, 1830				1	2
	<i>albicollis</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Neaera laticornis</i> (Meigen, 1824) [ <i>Tachina</i> ]			2

## Tachinidae

## Nemoraea

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Nemoraea</b> Robineau-Desvoidy, 1830				8	18
	<i>capensis</i> (Robineau-Desvoidy, 1830) [ <i>Meriania</i> ]					3
*	<i>discoidalis</i> Villeneuve, 1916					2
	<i>glabrata</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Tachina glabrata</i> Meigen, 1824			4
	<i>mestor</i> Walker, 1849		<i>Erycia triquetra</i> (Olivier, 1811) [ <i>Ocyptera</i> ]			1
*	<i>miranda</i> Villeneuve, 1916					1
	<i>pellucida</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Nemoraea pellucida</i> (Meigen, 1824) [ <i>Tachina</i> ]			3
	<i>rubrica</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Nemoraea pellucida</i> (Meigen, 1824) [ <i>Tachina</i> ]			2
	<i>tropidobothra</i> Brauer & Bergenstamm, 1891		<i>Nemoraea angustecarinata</i> (Macquart, 1848) [ <i>Rutilia</i> ]			2
	<b>Nemorilla</b> Rondani, 1856				4	49
	<i>amica</i> Rondani, 1859		<i>Nemorilla floralis</i> (Fallen, 1810) [ <i>Tachina</i> ]			1
	<i>floralis</i> (Fallen, 1810) [ <i>Tachina</i> ]					17
	<i>maculosa</i> (Meigen, 1824) [ <i>Tachina</i> ]					27
	<i>pyste</i> (Walker, 1849) [ <i>Tachina</i> ]					4
	<b>Neoarchytas</b> Townsend, 1915		<b>Archytas</b> Jaennicke, 1867		1	3
*	<i>inambarica</i> Townsend, 1915		<i>Archytas inambaricus</i> (Townsend, 1915) [ <i>Neoarchytas</i> ]			3
	<b>Neocyptera</b> Townsend, 1916		<b>Cylindromyia</b> Meigen, 1803		1	7
	<i>dosiades</i> (Walker, 1849) [ <i>Ocyptera</i> ]		<i>Cylindromyia dosiades</i> (Walker, 1849) [ <i>Ocyptera</i> ]			7
	<b>Neopales</b> Coquillett, 1910		<b>Pales</b> Robineau-Desvoidy, 1830		3	29
	<i>cyanea</i> (Macquart, 1839) [ <i>Eurigaster</i> ]		<i>Pales cyanea</i> (Macquart, 1839) [ <i>Eurigaster</i> ]			5
	<i>pavida</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Pales pavida</i> (Meigen, 1824) [ <i>Tachina</i> ]			17
	<i>pumicata</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Pales pumicata</i> (Meigen, 1824) [ <i>Tachina</i> ]			7
	<b>Ochromeigenia</b> Townsend, 1919		<b>Palpostoma</b> Robineau-Desvoidy, 1830		1	2
	<i>ormioides</i> Townsend, 1919		<i>Palpostoma incongrus</i> (Walker, 1860) [ <i>Hamaxia</i> ]			2
	<b>Ocyptera</b> Latreille, 1804		<b>Cylindromyia</b> Meigen, 1803		14	192
	<i>argentea</i> Townsend, 1891		<i>Cylindromyia binotata</i> (Bigot, 1878) [ <i>Ocyptera</i> ]			15
	<i>auriceps</i> Meigen, 1838		<i>Cylindromyia auriceps</i> (Meigen, 1838) [ <i>Ocyptera</i> ]			34
	<i>bicolor</i> Olivier, 1811		<i>Cylindromyia bicolor</i> (Olivier, 1811) [ <i>Ocyptera</i> ]			15
	<i>brassicaria</i> (Fabricius, 1775) [ <i>Musca</i> ]		<i>Cylindromyia brassicaria</i> (Fabricius, 1775) [ <i>Musca</i> ]			54
	<i>brevicornis</i> Loew, 1844		<i>Cylindromyia brevicornis</i> (Loew, 1844) [ <i>Ocyptera</i> ]			14
	<i>cylindrica</i> Fabricius, 1805		<i>Cylindromyia cylindrica</i> (Fabricius, 1805) [ <i>Ocyptera</i> ]			10
	<i>flavibasis</i> Villeneuve, 1916		<i>Cylindromyia flavibasis</i> (Villeneuve, 1916) [ <i>Ocyptera</i> ]			1
	<i>intermedia</i> Meigen, 1824		<i>Cylindromyia intermedia</i> (Meigen, 1824) [ <i>Ocyptera</i> ]			38
	<i>pilipes</i> Loew, 1844		<i>Cylindromyia pilipes</i> (Loew, 1844) [ <i>Ocyptera</i> ]			1
	<i>rufipes</i> Meigen, 1824		<i>Cylindromyia rufipes</i> (Meigen, 1824) [ <i>Ocyptera</i> ]			4
	<i>signatipennis</i> Wulp, 1892		<i>Cylindromyia signatipennis</i> (Wulp, 1892) [ <i>Ocyptera</i> ]			2
	<i>soror</i> Wiedemann, 1830		<i>Cylindromyia soror</i> (Wiedemann, 1830) [ <i>Ocyptera</i> ]			1

## Tachinidae

## Ocyptera

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>umbripennis</i> Wulp, 1881		<i>Cylindromyia umbripennis</i> (Wulp, 1881) [Ocyptera]			1
	<i>xiphias</i> Bezzi, 1908		<i>Cylindromyia xiphias</i> (Bezzi, 1908) [Ocyptera]			2
	<b>Ocypterosipha</b> Townsend, 1894		<b>Beskia</b> Brauer & Bergenstamm, 1889		1	7
	<i>aelops</i> (Walker, 1849) [Tachina]		<i>Beskia aelops</i> (Walker, 1849) [Tachina]			7
	<b>Ocypterula</b> Rondani, 1856		<b>Cylindromyia</b> Meigen, 1803		2	17
	<i>interrupta</i> (Meigen, 1824) [Ocyptera]		<i>Cylindromyia interrupta</i> (Meigen, 1824) [Ocyptera]			5
	<i>pusilla</i> Meigen, 1824		<i>Cylindromyia pusilla</i> (Meigen, 1824) [Ocyptera]			12
	<b>Odontosoma</b> Townsend, 1916		<b>Medina</b> Robineau-Desvoidy, 1830		1	1
	<i>spinosa</i> (Coquillett, 1897) [Celatoria]		<i>Medina spinosa</i> (Coquillett, 1897) [Celatoria]			1
	<b>Oedemapteryx</b>		<b>Phasia</b> Latreille, 1804		1	7
*	<i>fumosa</i> (Coquillett, 1897) [Alophora]		<i>Phasia robrtsonii</i> (Townsend, 1891) [Hyalomyia]			7
	<b>Oedemasoma</b> Townsend, 1908		<b>Besseria</b> Robineau-Desvoidy, 1830		1	2
*	<i>nudum</i> Townsend, 1908		<i>Besseria brevipennis</i> (Loew, 1863) [Wahlbergia]			2
	<b>Oedematocera</b> Townsend, 1916		<b>Anisia</b> Wulp, 1890		1	1
	<i>flaveola</i> Coquillett, 1897		<i>Anisia flaveola</i> (Coquillett, 1897) [Hypostena]			1
	<b>Oestrophasia</b> Brauer & Bergenstamm, 1889				1	1
	<i>clausa</i> Brauer & Bergenstamm, 1889					1
	<b>Onychogonia</b> Brauer & Bergenstamm, 1889				1	4
	<i>flaviceps</i> (Zetterstedt, 1838) [Gonia]					4
	<b>Ophirion</b> Townsend, 1911				1	7
*	<i>mirabile</i> Townsend, 1911					7
	<b>Ormia</b> Robineau-Desvoidy, 1830				1	7
	<i>punctata</i> Robineau-Desvoidy, 1830					7
	<b>Oxynops</b> Townsend, 1912				1	1
	<i>nitens</i> (Coquillett, 1897) [Hypostena]		<i>Oxynops anthracinus</i> (Bigot, 1889) [Degeeria]			1
	<b>Pachystylum</b> Macquart, 1848				1	1
	<i>bremii</i> Macquart, 1848					1
	<b>Panzeria</b> Robineau-Desvoidy, 1830				1	17
	<i>rudis</i> (Fallen, 1810) [Tachina]					17
	<b>Paraclara</b> Bezzi, 1908				1	3

## Tachinidae

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	Paraclara specimens #
*	<i>magnifica</i> Bezzi, 1908					3
	<b><i>Paradejeania</i></b> Brauer & Bergenstamm, 1893				1	10
	<i>rutilioides</i> (Jaennicke, 1867) [ <i>Dejeania</i> ]					10
	<i>Paradexodes</i> Townsend, 1908		<b><i>Oswaldia</i></b> Robineau-Desvoidy, 1863		1	4
*	<i>epilachnae</i> Aldrich, 1923		<i>Opsomeigenia epilachnae</i> (Aldrich, 1923) [ <i>Paradexodes</i> ]			4
	<i>Parafischeria</i> Townsend, 1908		<b><i>Solieria</i></b> Robineau-Desvoidy, 1849		1	2
	<i>flava</i> (Townsend, 1908) [ <i>Neofischeria</i> ]		<i>Solieria flava</i> (Townsend, 1908) [ <i>Neofischeria</i> ]			2
	<i>Paragermaria</i> Townsend, 1909		<b><i>Distichona</i></b> Wulp, 1890		1	1
*	<i>autumnalis</i> Townsend, 1909		<i>Distichona georgiae</i> (Brauer & Bergenstamm, 1891) [ <i>Pseudogermaria</i> ]			1
	<i>Paralispidea</i> Townsend, 1913		<b><i>Eulasiona</i></b> Townsend, 1892		1	3
	<i>unispinosa</i> (Coquillett, 1898) [ <i>Admontia</i> ]		<i>Eulasiona unispinosa</i> (Coquillett, 1898) [ <i>Admontia</i> ]			3
	<i>Paralophora</i> Girschner, 1887		<b><i>Phasia</i></b> Latreille, 1804		2	38
	<i>occidentis</i> (Walker, 1853) [ <i>Hyalomya</i> ]		<i>Phasia occidentis</i> (Walker, 1853) [ <i>Hyalomya</i> ]			17
	<i>pusilla</i> (Meigen, 1824) [ <i>Phasia</i> ]		<i>Phasia pusilla</i> Meigen, 1824			21
	<i>Paramyocera</i> Townsend, 1915		<b><i>Rhamphinina</i></b> Bigot, 1885		1	3
*	<i>discalis</i> Townsend, 1915		<i>Rhamphinina discalis</i> (Townsend, 1915) [ <i>Paramyocera</i> ]			3
	<i>Paranaphora</i> Townsend, 1908		<b><i>Icelia</i></b> Robineau-Desvoidy, 1830		1	4
	<i>diademoides</i> Townsend, 1908		<i>Erycia triquetra</i> (Olivier, 1811) [ <i>Ocyptera</i> ]			4
	<i>Paraphorocera</i> Brauer & Bergenstamm, 1889		<b><i>Lydella</i></b> Robineau-Desvoidy, 1830		1	4
	<i>senilis</i> (Rondani, 1861) [ <i>Masicera</i> ]		<i>Lydella grisescens</i> Ringdahl, 1952			4
	<i>Paraplagia</i> Brauer & Bergenstamm, 1891		<b><i>Athrycia</i></b> Robineau-Desvoidy, 1830		2	12
	<i>spinosula</i> (Bigot, 1889) [ <i>Heteropterina</i> ]		<i>Plagiomima spinosula</i> (Bigot, 1889) [ <i>Heteropterina</i> ]			5
	<i>trepida</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Athrycia trepida</i> (Meigen, 1824) [ <i>Tachina</i> ]			7
	<i>Paraprosena</i> Brauer & Bergenstamm, 1889		<b><i>Billaea</i></b> Robineau-Desvoidy, 1830		2	6
	<i>apicalis</i> Robineau-Desvoidy					5
*	<i>magnipalpis</i> Bezzi, 1922		<i>Trixiceps magnipalpis</i> (Bezzi, 1922) [ <i>Paraprosena</i> ]			1
	<b><i>Parasetigena</i></b> Brauer & Bergenstamm, 1891				1	17
	<i>segregata</i> (Rondani, 1859) [ <i>Chetogena</i> ]		<i>Exorista fasciata</i> (Fallen, 1820) [ <i>Tachina</i> ]			17
	<i>Parastauferia</i> Pokorny, 1893		<b><i>Hyalurgus</i></b> Brauer & Bergenstamm, 1893		1	2
	<i>alpina</i> Pokorny, 1893		<i>Hyalurgus crucigera</i> (Zetterstedt, 1838) [ <i>Tachina</i> ]			2

## Tachinidae

## Parepalpus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Parepalpus</b> Coquillett, 1902				1	9
	<i>flavidus</i> Coquebert, 1902					9
	<b>Parerynnia</b> Brauer & Bergenstamm, 1889		<b>Cestonia</b> Rondani, 1861		1	9
	<i>vibrissata</i> (Rondani, 1861) [ <i>Erynnia</i> ]		<i>Ligeria angusticornis</i> (Loew, 1847) [ <i>Scopolia</i> ]			9
	<b>Parestheria</b> Stein, 1924		<b>Estheria</b> Robineau-Desvoidy, 1830		1	7
	<i>unicolor</i> Stein, 1924		<i>Estheria litoralis</i> (Rondani, 1862) [ <i>Deximorpha</i> ]			7
	<b>Parexorista</b> Back & Bergenstamm, 1889		<b>Carcelia</b> Robineau-Desvoidy, 1830		19	207
	<i>aemula</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Ethilla aemula</i> (Meigen, 1824) [ <i>Tachina</i> ]			9
	<i>agnata</i> (Rondani, 1859) [ <i>Exorista</i> ]		<i>Phebellia nigripalpis</i> (Robineau-Desvoidy, 1847) [ <i>Hubneria</i> ]			15
	<i>blanda</i> (Osten Sacken, 1887) [ <i>Tachina</i> ]		<i>Hyphantrophaga blanda</i> (Osten Sacken, 1887) [ <i>Tachina</i> ]			15
	<i>capillata</i> (Rondani, 1859) [ <i>Exorista</i> ]		<i>Alsomyia capillata</i> (Rondani, 1859) [ <i>Exorista</i> ]			11
	<i>confinis</i> (Fallen, 1820) [ <i>Tachina</i> ]		<i>Aplomya confinis</i> (Fallen, 1820) [ <i>Tachina</i> ]			42
*	<i>corvinoides</i> var. <i>rufella</i> Bezzi, 1925		<i>Nealsomyia rufella</i> (Bezzi, 1925) [ <i>Parexorista</i> ]			8
	<i>eudryae</i> (Townsend, 1892) [ <i>Exorista</i> ]		<i>Sisyropa eudryae</i> (Townsend, 1892) [ <i>Exorista</i> ]			6
	<i>fimbriata</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Platymya fimbriata</i> (Meigen, 1824) [ <i>Tachina</i> ]			8
	<i>futilis</i> (Osten Sacken, 1887) [ <i>Tachina</i> ]		<i>Euexorista rebaptizata</i> Gosseries, 1989			6
	<i>glauca</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Phebellia glauca</i> (Meigen, 1824) [ <i>Tachina</i> ]			8
	<i>glirina</i> (Rondani, 1859) [ <i>Exorista</i> ]		<i>Phebellia glirina</i> (Rondani, 1859) [ <i>Exorista</i> ]			5
	<i>grossa</i> Brauer & Bergenstamm, 1891		<i>Phebellia glauca</i> (Meigen, 1824) [ <i>Tachina</i> ]			7
	<i>mitis</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Eumea mitis</i> (Meigen, 1824) [ <i>Tachina</i> ]			9
	<i>nigripalpis</i> (Townsend, 1896) [ <i>Exorista</i> ]		<i>Eumea caesar</i> (Aldrich, 1916) [ <i>Exorista</i> ]			6
	<i>ordinaria</i> (Wulp, 1890) [ <i>Exorista</i> ]		<i>Platymya fimbriata</i> (Meigen, 1824) [ <i>Tachina</i> ]			13
	<i>polychaeta</i> (Macquart, 1850) [ <i>Exorista</i> ]		<i>Hubneria affinis</i> (Fallen, 1810) [ <i>Tachina</i> ]			15
	<i>raiblensis</i> Brauer & Bergenstamm, 1891		<i>Phebellia nigripalpis</i> (Robineau-Desvoidy, 1847) [ <i>Hubneria</i> ]			8
	<i>temera</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Phryxe vulgaris</i> (Fallen, 1810) [ <i>Tachina</i> ]			7
	<i>westermanni</i> (Zetterstedt, 1844) [ <i>Tachina</i> ]		<i>Eumea linearicornis</i> (Zetterstedt, 1844) [ <i>Tachina</i> ]			9
	<b>Patelloa</b> Townsend, 1916				1	1
	<i>leucaniae</i> (Coquillett, 1897) [ <i>Phorocera</i> ]					1
	<b>Pelatachina</b> Meade, 1894				1	19
	<i>tibialis</i> (Fallen, 1810) [ <i>Tachina</i> ]					19
	<b>Peleteria</b> Robineau-Desvoidy, 1830				7	124
	<i>abdominalis</i> Robineau-Desvoidy, 1830					3
	<i>ferina</i> (Zetterstedt, 1844) [ <i>Echinomyia</i> ]					8
	<i>fucata</i> (Wulp, 1892) [ <i>Trichophora</i> ]		<i>Deopalpus fasciatus</i> (Wulp, 1892) [ <i>Trichophora</i> ]			18
*	<i>jugorum</i> Strobl, 1894		<i>Peleteria rubescens</i> (Robineau-Desvoidy, 1830) [ <i>Echinomyia</i> ]			9
	<i>nigricornis</i> (Robineau-Desvoidy, 1830) [ <i>Echinomyia</i> ]		<i>Nowickia ferox</i> (Panzer, 1809) [ <i>Tachina</i> ]			56
	<i>robusta</i> (Wiedemann, 1830) [ <i>Tachina</i> ]					20

## Tachinidae

## Peleteria

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>ruficeps</i> (Macquart, 1845) [ <i>Echinomyia</i> ]		<i>Peleteria meridionalis</i> (Robineau-Desvoidy, 1830) [ <i>Faurella</i> ]			10
	<i>Pelmatomyia</i> Brauer & Bergenstamm, 1889		<i>Carcelia</i> Robineau-Desvoidy, 1830		1	4
	<i>phalaenaria</i> Brauer & Bergenstamm, 1889		<i>Carcelia falenaria</i> (Rondani, 1859) [ <i>Exorista</i> ]			4
	<b><i>Pennapoda</i></b> Townsend, 1897				1	10
*	<i>phasiana</i> (Townsend, 1897) [ <i>Trichopoda</i> ]					10
	<b><i>Penthosiosoma</i></b> Townsend, 1926				1	1
*	<i>pictipenne</i> Townsend, 1926					1
	<i>Perichaeta</i> Brauer & Bergenstamm, 1889		<i>Policheta</i> Rondani, 1856		1	25
	<i>unicolor</i> (Fallen, 1820) [ <i>Tachina</i> ]		<i>Policheta unicolor</i> (Fallen, 1820) [ <i>Tachina</i> ]			25
	<b><i>Petagnia</i></b> Rondani, 1856				1	10
	<i>subpetiolata</i> Rondani, 1859					10
	<i>Petina</i> Bezzi, 1907		<i>Peteina</i> Meigen, 1838		1	3
	<i>erinaceus</i> (Fabricius, 1794) [ <i>Musca</i> ]		<i>Peteina erinaceus</i> (Fabricius, 1794) [ <i>Musca</i> ]			3
	<i>Pexomyia</i> Brauer & Bergenstamm, 1891		<i>Erythrocerca</i> Robineau-Desvoidy, 1849		1	6
	<i>rubrifrons</i> (Peris, 1852) [ <i>Masicera</i> ]		<i>Erythrocerca nigripes</i> (Robineau-Desvoidy, 1830) [ <i>Phryno</i> ]			6
	<b><i>Pexopsis</i></b> Brauer & Bergenstamm, 1889				1	4
	<i>aprica</i> (Meigen, 1824) [ <i>Tachina</i> ]					4
	<i>Peyritschia</i> Brauer & Bergenstamm, 1889		<i>Zeuxia</i> Meigen, 1826		1	6
	<i>erythraea</i> (Egger, 1856) [ <i>Dexia</i> ]		<i>Zeuxia erythraea</i> (Egger, 1856) [ <i>Dexia</i> ]			6
	<b><i>Phania</i></b> Meigen, 1824				2	7
	<i>verecunda</i> Hutton, 1901		<i>Huttonobesseria verecunda</i> (Hutton, 1901) [ <i>Phania</i> ]			1
	<i>vittata</i> Meigen, 1824		<i>Hemyda vittata</i> (Meigen, 1824) [ <i>Phania</i> ]			6
	<i>Phaniosoma</i> Rondani, 1856		<i>Besseria</i> Robineau-Desvoidy, 1830		1	4
	<i>lateritium</i> (Meigen, 1824) [ <i>Phania</i> ]		<i>Besseria lateritia</i> (Meigen, 1824) [ <i>Phania</i> ]			4
	<b><i>Phantasiomyia</i></b> Townsend, 1915				1	1
*	<i>gracilis</i> Townsend, 1915					1
	<b><i>Phasia</i></b> Latreille, 1804				8	92
	<i>crassipennis</i> v. <i> analis</i> (Fabricius) [ <i>Syrphus</i> ]		<i>Ectophasia crassipennis</i> (Fabricius, 1794) [ <i>Syrphus</i> ]			31
	<i>crassipennis</i> v. <i> micans</i> Girschner, 1888		<i>Ectophasia crassipennis</i> (Fabricius, 1794) [ <i>Syrphus</i> ]			6
	<i>crassipennis</i> v. <i> nigra</i> Girschner, 1888		<i>Ectophasia crassipennis</i> (Fabricius, 1794) [ <i>Syrphus</i> ]			17
	<i>crassipennis</i> v. <i> rubra</i> Girschner, 1888		<i>Ectophasia oblonga</i> (Robineau-Desvoidy, 1830) [ <i>Phasia</i> ]			9

## Tachinidae

Tachinidae		current family, if changed	valid name, if changed	genera #	species #	<i>Phasia</i> specimens #
	<i>crassipennis</i> v. <i>strigata</i> Girschner, 1888		<i>Ectophasia crassipennis</i> (Fabricius, 1794) [ <i>Syrphus</i> ]			21
	<i>leucoptera</i> Rondani, 1865		<i>Ectophasia leucoptera</i> (Rondani, 1865) [ <i>Phasia</i> ]			3
	<i>rotundiventris</i> Loew, 1858		<i>Ectophasia rotundiventris</i> (Loew, 1858) [ <i>Phasia</i> ]			1
	<i>sola</i> Rondani, 1861		<i>Clytiomya sola</i> (Rondani, 1861) [ <i>Phasia</i> ]			4
<b><i>Phasioclista</i></b>	Townsend, 1891		<b><i>Gnadochaeta</i></b> Macquart, 1850		1	2
	<i>metallicus</i> Townsend, 1891		<i>Gnadochaeta metallica</i> (Townsend, 1891) [ <i>Phasioclista</i> ]			2
<b><i>Phasiomyia</i></b>	Townsend, 1915		<b><i>Phasia</i></b> Latreille, 1804		1	6
	<i>splendida</i> (Coquillett, 1902) [ <i>Alophora</i> ]		<i>Phasia aurulans</i> Meigen, 1824			6
<b><i>Phasiopsis</i></b>	Townsend, 1912		<b><i>Masiphya</i></b> Brauer & Bergenstamm, 1891		1	1
*	<i>floridana</i> Townsend, 1912		<i>Masiphya floridana</i> (Townsend, 1912) [ <i>Phasiopsis</i> ]			1
<b><i>Phasiostoma</i></b>	Townsend, 1915		<b><i>Phytomyptera</i></b> Rondani, 1845		1	1
*	<i>aristalis</i> Townsend, 1915		<i>Phytomyptera aristalis</i> (Townsend, 1915) [ <i>Phasiostoma</i> ]			1
<b><i>Philippodexia</i></b>	Townsend, 1926				1	1
*	<i>longipes</i> Townsend, 1926					1
<b><i>Phoenicella</i></b>	Mik & Wachtl, 1895		<b><i>Thelaira</i></b> Robineau-Desvoidy, 1830		1	1
	<i>haematodes</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Thelaira haematodes</i> (Meigen, 1824) [ <i>Tachina</i> ]			1
<b><i>Phorantha</i></b>	Rondani, 1861		<b><i>Phasia</i></b> Latreille, 1804		2	11
	<i>fenestrata</i> (Bigot, 1889) [ <i>Alophora</i> ]		<i>Phasia fenestrata</i> (Bigot, 1889) [ <i>Alophora</i> ]			3
	<i>subcoleoprata</i> (Linnaeus, 1767) [ <i>Conops</i> ]		<i>Phasia subcoleoprata</i> (Linnaeus, 1767) [ <i>Conops</i> ]			8
<b><i>Phorinia</i></b>	Robineau-Desvoidy, 1830				1	4
	<i>aurifrons</i> Robineau-Desvoidy, 1830					4
<b><i>Phorocera</i></b>	Robineau-Desvoidy, 1830				2	22
	<i>assimilis</i> (Fallen, 1810) [ <i>Tachina</i> ]					8
	<i>caesifrons</i> Macquart, 1851		<i>Phorocera obscura</i> (Fallen, 1810) [ <i>Tachina</i> ]			14
<b><i>Phorostoma</i></b>	Robineau-Desvoidy, 1830		<b><i>Dinera</i></b> Robineau-Desvoidy, 1830		2	20
	<i>rutilans</i> Villeneuve, 1916		<i>Billaea rubida</i> (O'Hara & Cerretti, 2016) [ <i>Phorostoma</i> ]			6
	<i>subrotundatum</i> Rondani, 1862		<i>Billaea adelpha</i> (Loew, 1873) [ <i>Phorostoma</i> ]			14
<b><i>Phryno</i></b>	Robineau-Desvoidy, 1830				2	9
	<i>alacris</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Ptesiomyia alacris</i> (Meigen, 1824) [ <i>Tachina</i> ]			2
	<i>vetula</i> (Meigen, 1824) [ <i>Tachina</i> ]					7
<b><i>Phryxe</i></b>	Robineau-Desvoidy, 1830				2	143
	<i>vulgaris</i> (Fallen, 1810) [ <i>Tachina</i> ]					61

## Tachinidae

Phryxe

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>vulgaris</i> var <i>stridens</i> (Rondani, 1859) [ <i>Exorista</i> ]		<i>Phryxe vulgaris</i> (Fallen, 1810) [ <i>Tachina</i> ]			82
	<b>Phyllomyia</b> Macquart, 1835		<b>Phyllomya</b> Robineau-Desvoidy, 1830		1	16
	<i>volvulus</i> (Fabricius, 1794) [ <i>Musca</i> ]		<i>Phyllomya volvulus</i> (Fabricius, 1794) [ <i>Musca</i> ]			16
	<b>Phytomyptera</b> Rondani, 1845				1	7
	<i>nitidiventris</i> Rondani, 1845		<i>Phytomyptera nigrina</i> (Meigen, 1824) [ <i>Tachina</i> ]			7
	<b>Phytorophaga</b> Bezzi, 1923				1	2
*	<i>ventralis</i> Bezzi, 1923					2
	<b>Plagia</b> Meigen, 1838		<b>Voria</b> Robineau-Desvoidy, 1830		3	16
	<i>elata</i> Meigen, 1838		<i>Hyleorus elatus</i> (Meigen, 1838) [ <i>Plagia</i> ]			7
*	<i>horrida</i> (Coquillett, 1895) [ <i>Cyrtophleba</i> ]		<i>Cyrtophleba coquilletti</i> Aldrich, 1926			1
	<i>ruricola</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Cyrtophleba ruricola</i> (Meigen, 1824) [ <i>Tachina</i> ]			8
	<b>Plagiopsis</b> Brauer & Bergenstamm, 1889		<b>Aphria</b> Robineau-Desvoidy, 1830		1	7
*	<i>littoralis</i> (Townsend, 1911) [ <i>Plagiops</i> ]		<i>Chetogena floridensis</i> (Townsend, 1892) [ <i>Plagiprospherysa</i> ]			7
	<b>Plagiprospherysa</b> Townsend, 1892		<b>Chetogena</b> Rondani, 1856		1	3
	<i>parvipalpis</i> (Wulp, 1890) [ <i>Prospheysa</i> ]		<i>Chetogena parvipalpis</i> (Wulp, 1890) [ <i>Prospheysa</i> ]			3
	<b>Plesina</b> Meigen, 1838				4	54
	<i>fischeri</i> (Brauer, 1895) [ <i>Chaetostevenia</i> ]	Rhinophoridae	<i>Paykullia partenopea</i> (Rondani, 1861) [ <i>Stevenia</i> ]			6
	<i>maculata</i> (Fallen, 1815) [ <i>Ocyptera</i> ]	Rhinophoridae	<i>Paykullia maculata</i> (Fallen, 1815) [ <i>Ocyptera</i> ]			10
	<i>parmensis</i> (Rondani, 1861) [ <i>Stevenia</i> ]	Rhinophoridae	<i>Paykullia nubilipennis</i> (Loew, 1847) [ <i>Plesina</i> ]			34
	<i>partenopea</i> (Rondani, 1861) [ <i>Stevenia</i> ]	Rhinophoridae	<i>Paykullia partenopea</i> (Rondani, 1861) [ <i>Stevenia</i> ]			4
	<b>Pododexia</b> Brauer & Bergenstamm, 1889				1	1
	<i>arachna</i> Brauer & Bergenstamm, 1889					1
	<b>Podomyia</b> Brauer & Bergenstamm, 1889		<b>Blepharella</b> Macquart, 1851		1	1
	<i>setosa</i> (Doleschall, 1858) [ <i>Eurigaster</i> ]		<i>Blepharella lateralis</i> Macquart, 1851			1
	<b>Polistomyia</b> Townsend, 1908		<b>Trichopoda</b> Berthold, 1827		3	7
	<i>histrion</i> Walker, 1849		<i>Trichopoda plumipes</i> (Fabricius, 1805) [ <i>Thereva</i> ]			4
	<i>plumipes</i> (Fabricius, 1805) [ <i>Thereva</i> ]		<i>Trichopoda plumipes</i> (Fabricius, 1805) [ <i>Thereva</i> ]			2
	<i>trifasciata</i> Loew, 1863		<i>Trichopoda plumipes</i> (Fabricius, 1805) [ <i>Thereva</i> ]			1
	<b>Prosenia</b> Lepeltier & Serville, 1828				4	77
	<i>lacertosa</i> Wulp, 1891		<i>Mochlosoma lacertosum</i> (Wulp, 1891) [ <i>Prosenia</i> ]			9
	<i>longirostris</i> Egger, 1860		<i>Prosenia siberita</i> (Fabricius, 1775) [ <i>Stomoxys</i> ]			10
	<i>pectoralis</i> (Walker, 1858) [ <i>Dexia</i> ]					22
	<i>sybarita</i> Rondani, 1861		<i>Prosenia siberita</i> (Fabricius, 1775) [ <i>Stomoxys</i> ]			36



## Tachinidae

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	<i>Prosenia</i> specimens #
	<b><i>Prosenoides</i></b> Brauer & Bergenstamm, 1891				2	8
	<i>curvirostris</i> (Bigot, 1889) [ <i>Prosenia</i> ]					5
	<i>flavipes</i> Coquillett, 1895					3
	<b><i>Prosopaea</i></b> Brauer & Bergenstamm, 1889				3	13
*	<i>armigera</i> (Coquillett, 1889) [ <i>Tachina</i> ]		<i>Eucelatoria armigera</i> (Coquillett, 1889) [ <i>Tachina</i> ]			1
	<i>instabilis</i> (Rondani, 1861) [ <i>Frontina</i> ]		<i>Prosopaea nigricans</i> (Egger, 1861) [ <i>Frontina</i> ]			4
	<i>nigricans</i> (Egger, 1861) [ <i>Frontina</i> ]					8
	<b><i>Prosopodes</i></b> Brauer & Bergenstamm, 1889		<b><i>Bessa</i></b> Robineau-Desvoidy, 1863		1	5
	<i>fugax</i> (Rondani, 1861) [ <i>Frontina</i> ]		<i>Bessa parallela</i> (Meigen, 1824) [ <i>Tachina</i> ]			5
	<b><i>Protodejeania</i></b> Townsend, 1915				1	8
	<i>hystricosa</i> (Townsend, 1886) [ <i>Dejeania</i> ]					8
	<b><i>Pseudochaeta</i></b> Coquillett, 1895				1	2
	<i>argentifrons</i> Coquillett, 1895					2
	<b><i>Pseudodemoticus</i></b> Brauer & Bergenstamm, 1893		<b><i>Bithia</i></b> Robineau-Desvoidy, 1863		1	4
	<i>geniculatus</i> (Zetterstedt, 1844) [ <i>Tachina</i> ]		<i>Bithia geniculata</i> (Zetterstedt, 1844) [ <i>Tachina</i> ]			4
	<b><i>Pseudogonia</i></b> Brauer & Bergenstamm, 1889				2	17
	<i>cinerascens</i> (Rondani, 1859) [ <i>Gonia</i> ]		<i>Pseudogonia rufifrons</i> (Wiedemann, 1830) [ <i>Tachina</i> ]			9
	<i>hebes</i> (Fallen, 1820) [ <i>Tachina</i> ]		<i>Spallanzania hebes</i> (Fallen, 1820) [ <i>Tachina</i> ]			8
	<b><i>Pseudopachystylum</i></b> Mik, 1891				1	1
	<i>goniaeoides</i> (Zetterstedt) [ <i>Tachina</i> ]		<i>Pseudopachystylum gonioides</i> (Zetterstedt, 1838) [ <i>Tachina</i> ]			1
	<b><i>Pseudoperichaeta</i></b> Brauer & Bergenstamm, 1889		<b><i>Nilea</i></b> Robineau-Desvoidy, 1863		1	3
	<i>major</i> Brauer & Bergenstamm, 1889		<i>Nilea palesoides</i> (Robineau-Desvoidy, 1830) [ <i>Phryxe</i> ]			3
	<b><i>Ptilocerina</i></b> Macquart, 1835		<b><i>Zeuxia</i></b> Meigen, 1826		5	86
	<i>atramentaria</i> (Meigen, 1824) [ <i>Tachina</i> ]	Rhinophoridae	<i>Stevenia atramentaria</i> (Meigen, 1824) [ <i>Tachina</i> ]			26
	<i>bertolinii</i> (Rondani, 1862) [ <i>Ptilocheta</i> ]	Rhinophoridae	<i>Stevenia bertolinii</i> (Rondani, 1862) [ <i>Ptilocheta</i> ]			6
	<i>inornata</i> (Loew, 1847) [ <i>Rhinophora</i> ]	Rhinophoridae	<i>Stevenia atramentaria</i> (Meigen, 1824) [ <i>Tachina</i> ]			4
	<i>melania</i> (Meigen, 1824) [ <i>Dexia</i> ]	Rhinophoridae	<i>Stevenia atramentaria</i> (Meigen, 1824) [ <i>Tachina</i> ]			35
	<i>passerinii</i> (Rondani, 1862) [ <i>Ptilocheta</i> ]	Rhinophoridae	<i>Stevenia deceptoria</i> (Loew, 1847) [ <i>Rhinophora</i> ]			15
	<b><i>Ptilodexia</i></b> Brauer & Bergenstamm, 1889				2	11
	<i>carolinensis</i> Brauer & Bergenstamm, 1889					5
	<i>tibialis</i> Robineau-Desvoidy					6
	<b><i>Ptilozeuxia</i></b> Brauer & Bergenstamm, 1889		<b><i>Zeuxia</i></b> Meigen, 1826		2	12

## Tachinidae

## Ptilozeuxia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
*	<i>aioxena</i> Silvestri					9
	<i>brachycera</i> Brauer & Bergenstamm, 1891		<i>Zeuxia brevicornis</i> (Egger, 1860) [ <i>Dexia</i> ]			3
	<b><i>Ptychomyia</i></b> Brauer & Bergenstamm, 1889		<b><i>Bessa</i></b> Robineau-Desvoidy, 1863		2	13
*	<i>remota</i> Aldrich, 1925		<i>Bessa remota</i> (Aldrich, 1925) [ <i>Ptychomyia</i> ]			6
	<i>selecta</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Bessa selecta</i> (Meigen, 1824) [ <i>Tachina</i> ]			7
	<b><i>Punaclista</i></b> Townsend, 1915		<b><i>Prosopochaeta</i></b> Macquart, 1851		1	2
*	<i>setosa</i> Townsend, 1915		<i>Prosopochaeta setosa</i> (Townsend, 1915) [ <i>Punaclista</i> ]			2
	<b><i>Pyraustomyia</i></b> Townsend, 1916				1	4
	<i>penitalis</i> (Coquillett, 1897) [ <i>Panzeria</i> ]		<i>Eriothrix penitalis</i> (Coquillett, 1897) [ <i>Panzeria</i> ]			4
	<b><i>Pyrrhosiella</i></b> Villeneuve, 1916		<b><i>Ocypteromima</i></b> Townsend, 1916		1	2
*	<i>cingulata</i> Villeneuve, 1916		<i>Ocypteromima polita</i> Townsend, 1916			2
	<b><i>Rhachoepalpus</i></b> Townsend, 1908				1	15
*	<i>cinereus</i> Townsend, 1914					15
	<b><i>Rhachogaster</i></b> Townsend, 1915		<b><i>Tachina</i></b> Meigen, 1803		1	17
	<i>kermodei</i> Townsend, 1915		<i>Tachina algens</i> Wiedemann, 1830			17
	<b><i>Rhacodineura</i></b> Bezzi, 1907		<b><i>Ocytata</i></b> Gistel, 1848		1	5
	<i>antiqua</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Ocytata pallipes</i> (Fallen, 1820) [ <i>Tachina</i> ]			5
	<b><i>Rhamphina</i></b> Macquart, 1835				1	31
	<i>pedemontana</i> (Meigen, 1824) [ <i>Stomoxys</i> ]					31
	<b><i>Rhaphiochoeta</i></b> Zetterstedt		<b><i>Rhaphiochaeta</i></b> Brauer & Bergenstamm, 1889		1	4
	<i>breviseta</i> (Zetterstedt, 1838) [ <i>Tachina</i> ]		<i>Rhaphiochaeta breviseta</i> (Zetterstedt, 1838) [ <i>Tachina</i> ]			4
	<b><i>Rhinomyiobia</i></b> Bezzi, 1926		<b><i>Rhinomyobia</i></b> Brauer & Bergenstamm, 1893		2	3
*	<i>minuta</i> Bezzi, 1928					2
*	<i>plumifera</i> Bezzi, 1928					1
	<b><i>Rhinotachina</i></b> Brauer, 1893		<b><i>Bithia</i></b> Robineau-Desvoidy, 1863		2	17
	<i>modesta</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Bithia modesta</i> (Meigen, 1824) [ <i>Tachina</i> ]			9
	<i>ryctina</i> (Rondani, 1861) [ <i>Myobia</i> ]		<i>Bithia demotica</i> (Egger, 1861) [ <i>Tachina</i> ]			8
	<b><i>Rhodogyne</i></b> Meigen, 1800		<b><i>Gymnosoma</i></b> Meigen, 1803		3	136
	<i>fuliginosa</i> (Robineau-Desvoidy, 1830) [ <i>Gymnosoma</i> ]		<i>Gymnosoma fuliginosum</i> Robineau-Desvoidy, 1830			12
*	<i>philippinense</i> Townsend, 1928		<i>Gymnosoma philippinense</i> (Townsend, 1928) [ <i>Rhodogyne</i> ]			7
	<i>rotundata</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<i>Gymnosoma rotundatum</i> (Linnaeus, 1758) [ <i>Musca</i> ]			117

## Tachinidae

## Rhombothyriops

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Rhombothyriops</b> Townsend, 1915				1	5
*	<b>elegans</b> Townsend, 1915					5
	<b>Rhynchista</b> Rondani, 1861		<b>Eriothrix</b> Meigen, 1803		1	14
	<i>monticola</i> (Egger, 1856) [ <i>Macquartia</i> ]		<i>Eriothrix monticola</i> (Egger, 1856) [ <i>Macquartia</i> ]			14
	<b>Rhynchodexia</b> Wulp, 1891		<b>Senostoma</b> Macquart, 1847		2	8
	<i>discolor</i> Wulp, 1891		<i>Ptilodexia discolor</i> (Wulp, 1891) [ <i>Rhynchodexia</i> ]			3
	<i>omissa</i> Wulp, 1891		<i>Ptilodexia omissa</i> (Wulp, 1891) [ <i>Rhynchodexia</i> ]			5
	<b>Rhynchodinera</b> Brauer & Bergenstamm, 1889		<b>Billaea</b> Robineau-Desvoidy, 1830		1	4
	<i>cinerascens</i> Brauer & Bergenstamm, 1889		<i>Billaea lata</i> (Macquart, 1849) [ <i>Dexia</i> ]			4
	<b>Rileymyia</b> Townsend, 1893		<b>Leschenaultia</b> Robineau-Desvoidy, 1830		1	4
	<i>americana</i> (Brauer & Bergenstamm, 1893) [ <i>Rileya</i> ]		<i>Leschenaultia americana</i> (Brauer & Bergenstamm, 1893) [ <i>Rileya</i> ]			4
	<b>Rondania</b> Robineau-Desvoidy, 1850				1	6
	<i>dimidiata</i> (Meigen, 1824) [ <i>Tachina</i> ]					6
	<b>Rutilia</b> Robineau-Desvoidy, 1830				10	21
	<i>atribasis</i> Walker, 1861		<i>Formosia atribasis</i> (Walker, 1861) [ <i>Rutilia</i> ]			2
	<i>desvoidyi</i> Guerin-Meneville, 1843		<i>Rutilia vivipara</i> (Fabricius, 1805) [ <i>Tachina</i> ]			2
	<b>formosa</b> Robineau-Desvoidy, 1830					2
	<i>inornata</i> Guerin-Meneville, 1843		<i>Rutilia vivipara</i> (Fabricius, 1805) [ <i>Tachina</i> ]			3
	<b>lepida</b> Guerin-Meneville, 1843					1
	<i>papua</i> (Bigot, 1880) [ <i>Formosia</i> ]		<i>Rutilodexia papua</i> (Bigot, 1880) [ <i>Formosia</i> ]			1
	<b>pellucens</b> Macquart, 1846					3
	<b>regalis</b> Guerin-Meneville, 1831					3
	<b>retusa</b> (Fabricius, 1775) [ <i>Musca</i> ]					1
	<b>splendida</b> (Donovan, 1805) [ <i>Musca</i> ]					3
	<b>Salia</b> Robineau-Desvoidy, 1830		<b>Chetogena</b> Rondani, 1856		1	12
	<i>echinura</i> Robineau-Desvoidy, 1830		<i>Chetogena obliquata</i> (Fallen, 1810) [ <i>Tachina</i> ]			12
	<b>Salmacia</b> Meigen, 1800		<b>Gonia</b> Meigen, 1803		12	141
	<i>capitata</i> (De Geer, 1776) [ <i>Musca</i> ]		<i>Gonia capiata</i> (De Geer, 1776) [ <i>Musca</i> ]			17
	<i>divisa</i> (Meigen, 1926) [ <i>Gonia</i> ]		<i>Gonia divisa</i> Meigen, 1926			19
	<i>exul</i> (Williston, 1887) [ <i>Gonia</i> ]		<i>Gonia sequax</i> Williston, 1887			8
	<i>fasciata</i> (Meigen, 1826) [ <i>Gonia</i> ]		<i>Gonia picea</i> (Robineau-Desvoidy, 1830) [ <i>Spallanzania</i> ]			10
	<i>frontosa</i> (Say, 1829) [ <i>Gonia</i> ]		<i>Gonia frontosa</i> Say, 1829			21
	<i>indica</i> (Walker, 1853) [ <i>Gonia</i> ]		<i>Turanogonia chinensis</i> (Wiedemann, 1824) [ <i>Gonia</i> ]			7
	<i>mexicana</i> (Wulp, 1890) [ <i>Gonia</i> ]		<i>Gonia mexicana</i> Wulp, 1890			5
	<i>ornata</i> (Meigen, 1826) [ <i>Gonia</i> ]		<i>Gonia ornata</i> Meigen, 1826			33

## Tachinidae

## Salmacia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>pallens</i> (Wiedemann, 1830) [ <i>Gonia</i> ]		<i>Gonia pallens</i> Wiedemann, 1830			9
	<i>porca</i> (Williston, 1887) [ <i>Gonia</i> ]		<i>Gonia porca</i> Williston, 1887			1
	<i>senilis</i> (Williston, 1887) [ <i>Gonia</i> ]		<i>Gonia senilis</i> Williston, 1887			5
	<i>sequax</i> (Williston, 1887) [ <i>Gonia</i> ]		<i>Gonia sequax</i> Williston, 1887			6
	<b>Sarromyia</b> Pokorny, 1893				1	5
	<i>nubigena</i> Pokorny, 1893					5
	<b>Saundersiops</b> Townsend, 1914				2	19
*	<i>cayensis</i> Townsend, 1914					17
*	<i>punensis</i> Townsend, 1914		<i>Saundersiops simillimus</i> Townsend, 1914			2
	<b>Schineria</b> Rondani, 1857				1	2
	<i>tergestina</i> Rondani, 1859					2
	<b>Schizotachina</b> Walker, 1855		<b>Phytomyptera</b> Rondani, 1845		3	3
	<i>convecta</i> Walker, 1853		<i>Phytomyptera convecta</i> (Walker, 1853) [ <i>Schizotachina</i> ]			1
*	<i>fergusoni</i> Bezzi, 1923		<i>Ceromya fergusonii</i> (Bezzi, 1923) [ <i>Schizotachina</i> ]			1
	<i>vitinervis</i> Thomson, 1911		<i>Phytomyptera vitinervis</i> (Thompson, 1911) [ <i>Schizotachina</i> ]			1
	<b>Scopolia</b> Robineau-Desvoidy, 1830		<b>Periscepsia</b> Gistel, 1848		1	3
	<i>angusticornis</i> Loew, 1847		<i>Ligeria angusticornis</i> (Loew, 1847) [ <i>Scopolia</i> ]			3
	<b>Scotiptera</b> Macquart, 1835				1	5
	<i>melaleuca</i> Wiedemann, 1830		<i>Scotiptera venatoria</i> (Fabricius, 1805) [ <i>Musca</i> ]			5
	<b>Sericophoromyia</b> Austen, 1909		<b>Winthemia</b> Robineau-Desvoidy, 1830		2	6
*	<i>marshalli</i> Villeneuve, 1915		<i>Winthemia dasyops</i> (Wiedemann, 1824) [ <i>Tachina</i> ]			3
	<i>quadrata</i> (Wiedemann, 1830) [ <i>Tachina</i> ]		<i>Winthemia quadrata</i> (Wiedemann, 1830) [ <i>Tachina</i> ]			3
	<b>Servillia</b> Robineau-Desvoidy, 1830		<b>Tachina</b> Meigen, 1803		7	28
	<i>flavopilosa</i> (Bigot, 1888) [ <i>Echinomyia</i> ]		<i>Tachina flavopilosa</i> (Bigot, 1888) [ <i>Echinomyia</i> ]			2
	<i>jakovlevi</i> (Portschinsky, 1882) [ <i>Echinomyia</i> ]		<i>Tachina jakovlevi</i> (Portschinsky, 1882) [ <i>Echinomyia</i> ]			2
	<i>lurida</i> (Fabricius, 1781) [ <i>Musca</i> ]		<i>Tachina lurida</i> (Fabricius, 1781) [ <i>Musca</i> ]			8
	<i>politula</i> Coquillett, 1898		<i>Tachina politula</i> (Coquebert, 1898) [ <i>Servillia</i> ]			2
	<i>sobria</i> (Walker, 1853) [ <i>Tachina</i> ]		<i>Tachina sobria</i> Walker, 1853			3
	<i>strenua</i> Robineau-Desvoidy, 1863		<i>Tachina strenua</i> (Robineau-Desvoidy, 1863) [ <i>Servillia</i> ]			3
	<i>ursina</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Tachina ursina</i> Meigen, 1824			8
	<b>Sipholeskia</b> Townsend, 1916		<b>Leskia</b> Robineau-Desvoidy, 1830		1	2
	<i>occidentalis</i> (Coquillett, 1895) [ <i>Drepanoglossa</i> ]		<i>Leskia occidentalis</i> (Coquillett, 1895) [ <i>Drepanoglossa</i> ]			2
	<b>Siphonopsis</b> Townsend, 1916		<b>Siphona</b> Meigen, 1803		1	5
*	<i>plusiae</i> (Coquillett, 1895) [ <i>Siphona</i> ]		<i>Siphona plusiae</i> Coquillett, 1895			5

## Tachinidae

## Siphonopsis

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>Siphophyto</i> Townsend, 1892		<b><i>Clausicella</i></b> Rondani, 1856		1	1
*	<i>floridensis</i> Townsend, 1892		<i>Clausicella floridensis</i> (Townsend, 1892) [ <i>Siphophyto</i> ]			1
	<i>Siphoplaga</i> Townsend, 1891		<b><i>Plagiomima</i></b> Brauer & Bergenstamm, 1891		1	7
	<i>anomala</i> Townsend, 1891		<i>Plagiomima anomala</i> (Townsend, 1891) [ <i>Siphoplaga</i> ]			7
	<i>Siphoplagiopsis</i> Townsend, 1917		<b><i>Plagiomima</i></b> Brauer & Bergenstamm, 1891		1	1
*	<i>similis</i> Townsend, 1917		<i>Plagiomima similis</i> (Townsend, 1917) [ <i>Siphoplagiopsis</i> ]			1
	<b><i>Siphosturmia</i></b> Coquillett, 1897				1	6
	<i>rostrata</i> (Coquillett, 1895) [ <i>Argyrophylax</i> ]					6
	<i>Sirostoma</i> Rondani, 1862		<b><i>Billaea</i></b> Robineau-Desvoidy, 1830		1	3
	<i>pectinatum</i> Meigen, 1826		<i>Billaea pectinata</i> (Meigen, 1826) [ <i>Dexia</i> ]			3
	<b><i>Solieria</i></b> Robineau-Desvoidy, 1849				1	4
	<i>tibialis</i> (Roser, 1840) [ <i>Tachina</i> ]		<i>Solieria pacifica</i> (Meigen, 1824) [ <i>Tachina</i> ]			4
	<b><i>Spallanzania</i></b> Robineau-Desvoidy, 1830				2	13
	<i>hebes</i> (Fallen, 1820) [ <i>Tachina</i> ]					7
*	<i>pansa</i> (Snow, 1895) [ <i>Cnephalia</i> ]		<i>Spallanzania hebes</i> (Fallen, 1820) [ <i>Tachina</i> ]			6
	<i>Sphycocera</i> Verrall, 1882		<b><i>Peleteria</i></b> Robineau-Desvoidy, 1830		1	6
	<i>palustris</i> (Rondani, 1859) [ <i>Echinomyia</i> ]		<i>Peleteria sphyricera</i> (Macquart, 1835) [ <i>Echinomyia</i> ]			6
	<b><i>Staurochaeta</i></b> Brauer & Bergenstamm, 1889				1	1
	<i>gracilis</i> (Egger, 1861) [ <i>Baumhaueria</i> ]		<i>Staurochaeta albocingulata</i> (Fallen, 1820) [ <i>Tachina</i> ]			1
	<i>Steiniella</i> Berg, 1898		<b><i>Cleonice</i></b> Robineau-Desvoidy, 1863		1	4
	<i>callida</i> (Meigen, 1924) [ <i>Tachina</i> ]		<i>Cleonice callida</i> (Meigen, 1824) [ <i>Tachina</i> ]			4
	<b><i>Stomatodexia</i></b> Brauer & Bergenstamm, 1889				2	18
	<i>famelica</i> (Wiedemann, 1830) [ <i>Stomoxys</i> ]		<i>Leskia famelica</i> (Wiedemann, 1830) [ <i>Stomoxys</i> ]			2
	<i>similigena</i> Wulp, 1891					16
	<i>Stomatomyia</i> Brauer & Bergenstamm, 1889		<b><i>Chetogena</i></b> Rondani, 1856		1	12
	<i>filipalpis</i> (Rondani, 1859) [ <i>Chetogena</i> ]		<i>Chetogena filipalpis</i> Rondani, 1859			12
	<b><i>Sturmia</i></b> Robineau-Desvoidy, 1830				7	30
*	<i>aurifrons</i> Villeneuve, 1916		<i>Blepharella aurifrons</i> (Villeneuve, 1916) [ <i>Sturmia</i> ]			4
	<i>cilipes</i> (Macquart, 1843) [ <i>Tachina</i> ]		<i>Blepharipa sugens</i> (Wiedemann, 1830) [ <i>Tachina</i> ]			1
	<i>gilva</i> (Hartig, 1838) [ <i>Tachina</i> ]		<i>Drino gilva</i> (Hartig, 1838) [ <i>Tachina</i> ]			6
*	<i>parachrysops</i> Bezzi, 1925		<i>Drino parachrysops</i> (Bezzi, 1925) [ <i>Sturmia</i> ]			2

## Tachinidae

## Sturmia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>pelmatoprocta</i> (Brauer & Bergenstamm, 1891) [ <i>Argyrophylax</i> ]		<b><i>Thecocarcelia acutangulata</i></b> (Macquart, 1851) [ <i>Masicera</i> ]			1
	<i>scutellata</i> (Robineau-Desvoidy, 1830) [ <i>Nemoraea</i> ]		<b><i>Blepharipa pratensis</i></b> (Meigen, 1824) [ <i>Tachina</i> ]			7
	<i>scutellata major</i>					9
	<b><i>Stylogymnomyia</i></b> Brauer, 1891		<b><i>Gymnosoma</i></b> Meigen, 1803		1	24
	<i>nitens</i> (Meigen, 1824) [ <i>Gymnosoma</i> ]		<b><i>Gymnosoma nitens</i></b> Meigen, 1824			24
	<b><i>Succingulum</i></b> Pandellé, 1894		<b><i>Trigonospila</i></b> Pokorný, 1886		1	4
	<i>transvittatum</i> Pandellé, 1896		<b><i>Trigonospila transvittata</i></b> (Pandellé, 1896) [ <i>Succingulum</i> ]			4
	<b><i>Syntomocera</i></b> Schiner, 1861		<b><i>Estheria</i></b> Robineau-Desvoidy, 1830		1	67
	<i>petiolata</i> (Bonsdorff, 1866) [ <i>Dexia</i> ]		<b><i>Estheria petiolata</i></b> (Bonsdorff, 1866) [ <i>Dexia</i> ]			67
	<b><i>Syntomogaster</i></b> Schiner, 1861		<b><i>Microsoma</i></b> Macquart, 1855		1	7
	<i>exigua</i> (Meigen, 1824) [ <i>Tachina</i> ]		<b><i>Microsoma exigua</i></b> (Meigen, 1824) [ <i>Tachina</i> ]			7
	<b><i>Tachinomima</i></b> Brauer & Bergenstamm, 1891		<b><i>Linnaemya</i></b> Robineau-Desvoidy, 1830		1	8
	<i>longirostris</i> (Macquart, 1845) [ <i>Micropalpus</i> ]		<b><i>Linnaemya rondanii</i></b> (Townsend, 1916) [ <i>Elachipalpus</i> ]			8
	<b><i>Tachinomyia</i></b> Townsend, 1892				2	13
*	<b><i>floridensis</i></b> Townsend, 1892					3
	<i>robusta</i> Townsend, 1892		<b><i>Tachinomyia panaetius</i></b> (Walker, 1849) [ <i>Tachina</i> ]			10
	<b><i>Tamiclea</i></b> Macquart, 1836		<b><i>Strongygaster</i></b> Macquart, 1834		2	6
	<i>celer</i> (Meigen, 1838) [ <i>Cistogaster</i> ]		<b><i>Strongygaster celer</i></b> (Meigen, 1838) [ <i>Cistogaster</i> ]			3
	<i>globulus</i> (Meigen, 1824) [ <i>Tachina</i> ]		<b><i>Strongygaster globula</i></b> (Meigen, 1824) [ <i>Tachina</i> ]			3
	<b><i>Thelaira</i></b> Robineau-Desvoidy, 1830				4	56
	<i>intuenda</i> Rondani, 1862		<b><i>Thelaira nigripes</i></b> (Fabricius, 1794) [ <i>Musca</i> ]			12
	<b><i>leucozona</i></b> (Panzer, 1809) [ <i>Musca</i> ]					22
	<b><i>macropus</i></b> (Wiedemann, 1830) [ <i>Dexia</i> ]					1
	<b><i>nigripes</i></b> (Fabricius, 1794) [ <i>Musca</i> ]					21
	<b><i>Thelairosoma</i></b> Villeneuve, 1916				1	3
*	<b><i>fumosum</i></b> Villeneuve, 1916					3
	<b><i>Thelymyia</i></b> Brauer & Bergenstamm, 1891				1	2
	<i>saltuum</i> (Meigen, 1824) [ <i>Tachina</i> ]					2
	<b><i>Theresia</i></b> Robineau-Desvoidy, 1830		<b><i>Billaea</i></b> Robineau-Desvoidy, 1830		1	4
	<i>tandrec</i> Robineau-Desvoidy, 1830		<b><i>Billaea rutilans</i></b> (Fabricius, 1781) [ <i>Musca</i> ]			4
	<b><i>Therobia</i></b> Brauer, 1862				1	7
	<b><i>abdominalis</i></b> (Wiedemann, 1830) [ <i>Trypoderma</i> ]					7

## Tachinidae

## Therobia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Thryptocera</b> Macquart, 1834		<b>Actia</b> Robineau-Desvoidy, 1830		1	2
	<i>latifrons</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Goniocera versicolor</i> (Fallen, 1820) [ <i>Tachina</i> ]			2
	<b>Thysanomyia</b> Brauer & Bergenstamm, 1891		<b>Blepharipa</b> Rondani, 1856		2	12
	<i>aletiae</i> (Riley, 1879) [ <i>Tachina</i> ]		<i>Lespesia aletiae</i> (Riley, 1879) [ <i>Tachina</i> ]			7
	<i>fimbriata</i> Wulp, 1890		<i>Blepharipa fimbriata</i> (Wulp, 1890) [ <i>Thysanomyia</i> ]			5
	<b>Triachora</b> Townsend, 1908		<b>Belvosia</b> Robineau-Desvoidy, 1830		2	13
*	<i>equinoctialis</i> Townsend, 1912		<i>Belvosia equinoctialis</i> (Townsend, 1912) [ <i>Triachora</i> ]			4
	<i>unifasciata</i> (Robineau-Desvoidy, 1830) [ <i>Latreillia</i> ]		<i>Belvosia unifasciata</i> (Robineau-Desvoidy, 1830) [ <i>Latreillia</i> ]			9
	<b>Trichodejeania</b> Townsend, 1913		<b>Adejeania</b> Townsend, 1913		1	5
	<i>vexatrix</i> (Osten Sacken, 1877) [ <i>Dejeania</i> ]		<i>Adejeania vexatrix</i> (Osten Sacken, 1877) [ <i>Dejeania</i> ]			5
	<b>Tricholyga</b> Villeneuve, 1939		<b>Aplomya</b> Robineau-Desvoidy, 1830		4	51
	<i>aberrans</i>					9
*	<i>impexa</i> Villeneuve, 1916		<i>Aplomya metallica</i> (Wiedemann, 1824) [ <i>Tachina</i> ]			1
	<i>segregata</i> (Rondani, 1859) [ <i>Chetogena</i> ]		<i>Exorista fasciata</i> (Fallen, 1820) [ <i>Tachina</i> ]			4
	<i>sorbillans</i> Stein, 1924		<i>Exorista grandis</i> (Zetterstedt, 1844) [ <i>Tachina</i> ]			37
	<b>Trichoparia</b> Bezzi & Stein, 1907		<b>Admontia</b> Brauer & Bergenstamm, 1889		1	5
	<i>seria</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Admontia seria</i> (Meigen, 1824) [ <i>Tachina</i> ]			5
	<b>Trichophora</b> Macquart, 1847				4	9
	<i>callipyga</i> (Bigot, 1857) [ <i>Jurinia</i> ]		<i>Chiloepalpus callipygus</i> (Bigot, 1857) [ <i>Jurinia</i> ]			1
	<i>macrocera</i> (Wiedemann, 1830) [ <i>Tachina</i> ]		<i>Deopalpus macrocerus</i> (Wiedemann, 1830) [ <i>Tachina</i> ]			6
	<i>melas</i> (Bigot, 1885) [ <i>Siphoniomyia</i> ]					1
	<i>nigra</i> Macquart, 1843					1
	<b>Trichopoda</b> Berthold, 1827				2	42
	<i>cilipes</i> Wiedemann, 1830		<i>Trichopoda pennipes</i> (Fabricius, 1781) [ <i>Musca</i> ]			9
	<i>pennipes</i> (Fabricius, 1781) [ <i>Musca</i> ]					33
	<b>Trixa</b> Meigen, 1824				2	6
	<i>alpina</i> Meigen, 1824		<i>Trixa caerulescens</i> Meigen, 1824			1
	<i>dorsalis</i> Meigen, 1824		<i>Trixa conspersa</i> (Harris, 1776) [ <i>Musca</i> ]			5
	<b>Trixomorpha</b> Brauer & Bergenstamm, 1889				1	1
	<i>indica</i> Brauer & Bergenstamm, 1889					1
	<b>Tropidopsis</b> Brauer & Bergenstamm, 1889		<b>Macromyia</b> Robineau-Desvoidy, 1830		1	5
	<i>pyrrhaspis</i> (Wiedemann, 1830) [ <i>Tachina</i> ]	Platypezidae	<i>Polyporivora ornata</i> (Meigen, 1838) [ <i>Platypeza</i> ]			5

## Tachinidae

## Tryphera

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Tryphera</b> Meigen, 1838				1	3
	<i>lugubris</i> (Meigen, 1824) [ <i>Tachina</i> ]					3
	<b>Uclesia</b> Girschner, 1901				1	0
	<i>fumipennis</i> Girschner, 1901					0
	<b>Uramyia</b> Macquart, 1843		<b>Uramya</b> Robineau-Desvoidy, 1830		1	9
	<i>producta</i> Robineau-Desvoidy, 1830					9
	<b>Urodexia</b> Osten Sacken, 1882				1	6
	<i>sp.</i>					6
	<b>Vibrissina</b> Rondani, 1861				3	17
	<i>floridensis</i> Townsend					2
	<i>sordid squama</i> (Zetterstedt, 1844) [ <i>Tachina</i> ]		<b>Oswaldia muscaria</b> (Fallen, 1810) [ <i>Tachina</i> ]			7
	<i>turrata</i> (Meigen, 1824) [ <i>Tachina</i> ]					8
	<b>Viviania</b> Rondani, 1861		<b>Zaira</b> Robineau-Desvoidy, 1830		1	2
	<i>pacta</i> (Meigen, 1824) [ <i>Tachina</i> ]		<b>Zaira cinerea</b> (Fallen, 1810) [ <i>Tachina</i> ]			2
	<b>Voria</b> Robineau-Desvoidy, 1830				2	49
	<i>americana</i> Wulp, 1890		<b>Voria ruralis</b> (Fallen, 1810) [ <i>Tachina</i> ]			13
	<i>ruralis</i> (Fallen, 1810) [ <i>Tachina</i> ]					36
	<b>Wagneria</b> Robineau-Desvoidy, 1830				6	58
*	<i>alpina</i> Villeneuve, 1910					2
	<i>carbonaria</i> (Panzer, 1798) [ <i>Musca</i> ]		<b>Periscepsia carbonaria</b> (Panzer, 1798) [ <i>Musca</i> ]			11
	<i>fuliginaria</i> (Rondani, 1861) [ <i>Phoricheta</i> ]		<b>Periscepsia carbonaria</b> (Panzer, 1798) [ <i>Musca</i> ]			15
	<i>lacrimans</i> (Rondani, 1861) [ <i>Phoricheta</i> ]					8
	<i>sequax</i> (Williston, 1884) [ <i>Scopolia</i> ]		<b>Periscepsia helymus</b> (Walker, 1849) [ <i>Tachina</i> ]			20
	<i>tricincta</i> (Rondani, 1861) [ <i>Phoricheta</i> ]		<b>Periscepsia spathulata</b> (Fallen, 1820) [ <i>Tachina</i> ]			2
	<b>Weberia</b> Robineau-Desvoidy, 1830				2	36
	<i>curvicauda</i> (Fallen, 1820) [ <i>Tachina</i> ]		<b>Phania curvicauda</b> (Fallen, 1820) [ <i>Tachina</i> ]			21
	<i>thoracica</i> (Meigen, 1824) [ <i>Phania</i> ]		<b>Phania thoracica</b> Meigen, 1824			15
	<b>Websteriana</b> Walton, 1914		<b>Muscopteryx</b> Townsend, 1892		1	1
*	<i>costalis</i> (Coquillett, 1897) [ <i>Tricogena</i> ]		<b>Muscopteryx costalis</b> (Coquillett, 1897) [ <i>Tricogena</i> ]			1
	<b>Willistonina</b> Brauer & Bergenstamm, 1889		<b>Belvosia</b> Robineau-Desvoidy, 1830		2	25
	<i>analisis</i> (Macquart, 1846) [ <i>Belvosia</i> ]		<b>Belvosia analis</b> Macquart, 1846			20
	<i>esuriens</i> (Fabricius, 1805) [ <i>Musca</i> ]		<b>Iteuthelaira esuriens</b> (Fabricius, 1805) [ <i>Musca</i> ]			5



## Tachinidae

## Winthemia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Winthemia</b> Robineau-Desvoidy, 1830				8	67
	<i> analis</i> (Macquart, 1846) [ <i>Microtrichodes</i> ]					3
	<i> cillitibia</i> (Rondani, 1859) [ <i>Chaetolya</i> ]		<i>Winthemia venusta</i> (Meigen, 1824) [ <i>Tachina</i> ]			7
	<i> dispar</i> (Macquart, 1859) [ <i>Exorista</i> ]		<i>Carcelimyia dispar</i> (Macquart, 1851) [ <i>Exorista</i> ]			3
	<i> erythrura</i> (Meigen, 1838) [ <i>Nemoraea</i> ]					40
	<i> quadripustulata</i> (Fabricius, 1794) [ <i>Musca</i> ]					3
*	<i> semiberbis</i> Bezzi, 1925		<i>Sturmiopsis inferens</i> Townsend, 1916			1
	<i> speciosa</i> (Egger, 1861) [ <i>Nemoraea</i> ]					5
	<i> xanthogastra</i> Stein, 1924		<i>Winthemia bohemani</i> (Zetterstedt, 1844) [ <i>Tachina</i> ]			5
	<b>Xanthodexia</b> Wulp, 1891				1	3
	<i> sericea</i> (Wiedemann, 1830) [ <i>Tachina</i> ]					3
	<b>Xanthomelanodes</b> Townsend, 1893				1	12
	<i> arcuata</i> Say, 1829		<i>Xanthomelanodes acuatus</i> (Say, 1829) [ <i>Ocyptera</i> ]			12
	<b>Xenadmontia</b> Townsend, 1915		<b>Admontia</b> Brauer & Bergenstamm, 1889		1	2
*	<i> degeerioides</i> (Coquillett, 1895) [ <i>Hypostena</i> ]		<i>Admontia degeerioides</i> (Coquillett, 1895) [ <i>Hypostena</i> ]			2
	<b>Xysta</b> Meigen, 1824				3	9
	<i> cana</i> (Meigen, 1824) [ <i>Phasia</i> ]		<i>Opesia cana</i> (Meigen, 1824) [ <i>Phasia</i> ]			3
	<i> grandis</i> Egger, 1860		<i>Opesia grandis</i> (Egger, 1860) [ <i>Xysta</i> ]			4
	<i> holosericea</i> (Fabricius, 1805) [ <i>Thereva</i> ]					2
	<b>Xystomima</b> Villeneuve, 1914		<b>Therobia</b> Brauer, 1862		1	1
	<i> maculipennis</i> Villeneuve, 1914		<i>Therobia maculipennis</i> (Villeneuve, 1914) [ <i>Xystomima</i> ]			1
	<b>Zambesa</b> Walker, 1956				1	1
*	<i> makilingensis</i> Townsend, 1928		<i>Zambesa ocypterooides</i> Walker, 1856			1
	<b>Zelia</b> Robineau-Desvoidy, 1830				1	7
	<i> vertebrata</i> (Say, 1829) [ <i>Dexia</i> ]					7
	<b>Zenillia</b> Robineau-Desvoidy, 1830				4	27
	<i> fauna</i> (Rondani, 1859) [ <i>Exorista</i> ]		<i>Nilea innoxia</i> Robineau-Desvoidy, 1863			7
	<i> futilis</i> (Osten Sacken, 1887) [ <i>Tachina</i> ]		<i>Euexorista rebaptizata</i> Gosseries, 1989			5
	<i> libatrix</i> (Panzer, 1798) [ <i>Musca</i> ]					7
	<i> pullata</i> (Meigen, 1824) [ <i>Tachina</i> ]		<i>Clemelis pullata</i> (Meigen, 1824) [ <i>Tachina</i> ]			8
	<b>Zeuxia</b> Meigen, 1826				2	12
	<i> cinerea</i> Meigen, 1826					7
	<i> tessellata</i> Egger, 1860					5

## Tachinidae

## Zophomyia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Zophomyia</b> Macquart, 1835				1	32
	<i>temula</i> (Scopoli, 1763) [ <i>Musca</i> ]					32
	<b>Zygosturmia</b> Townsend, 1911		<b>Drino</b> Robineau-Desvoidy, 1863		1	19
	<i>distincta</i> (Wiedemann, 1824) [ <i>Tachina</i> ]		<b>Doriella distincta</b> (Wiedemann, 1824) [ <i>Tachina</i> ]			19

## Tachiniscidae

*Anthophasia*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Tachiniscidae</b>			1	1	1
	<i>Anthophasia</i> Speiser, 1906		<b><i>Bibundia</i></b> Bischof, 1903		1	1
	<i>fenestrata</i> (Grunberg, 1906) [ <i>Tachinoestrus</i> ]		<b><i>Bibundia hermanni</i></b> Bischof, 1903			1

Tanypezidae

*Tanypeza*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Tanypezidae</b>			1	2	19
	<b><i>Tanypeza</i></b> Fallen, 1820				2	19
	<i>abdominalis</i> Wiedemann, 1830		<b><i>Neotanypeza abdominalis</i></b> (Wiedemann, 1830) [ <i>Tanypeza</i> ]			11
	<b><i>longimana</i></b> Fallen, 1820					8

## Tephritidae

## Acanthiophilus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Tephritidae</b>				136	521	3302
	<b>Acanthiophilus</b> Becker, 1908				7	58
	<i>helianthi</i> (Rossi, 1794) [ <i>Musca</i> ]					32
*	<i>helianthoides</i> Bezzi, 1926		<i>Sphenella helianthoides</i> (Bezzi, 1926) [ <i>Acanthiophilus</i> ]			3
*	<i>hemimelas</i> Bezzi, 1926		<i>Afreutreta hemimelas</i> (Bezzi, 1926) [ <i>Acanthiophilus</i> ]			2
*	<i>muiroi</i> Bezzi, 1924		<i>Afreutreta muiroi</i> (Bezzi, 1924) [ <i>Acanthiophilus</i> ]			6
	<i>ochraceus</i> (Loew, 1861) [ <i>Trypeta</i> ]		<i>Telaletes ochraceus</i> (Loew, 1861) [ <i>Trypeta</i> ]			6
*	<i>semisphenella</i> Bezzi, 1926		<i>Sphenella semisphenella</i> (Bezzi, 1926) [ <i>Acanthiophilus</i> ]			1
	<i>walkeri</i> (Wollaston, 1858) [ <i>Tetanocera</i> ]					8
	<b>Acidia</b> Robineau-Desvoidy, 1830				5	41
	<i>caesio</i> (Harris, 1780) [ <i>Musca</i> ]		<i>Philophylla caesio</i> (Harris, 1780) [ <i>Musca</i> ]			6
	<i>cognata</i> (Wiedemann, 1817) [ <i>Tephritis</i> ]					23
*	<i>fossataeformis</i> Bezzi, 1920		<i>Philophylla fossataeformis</i> (Bezzi, 1920) [ <i>Acidia</i> ]			3
*	<i>himalayensis</i> Bezzi, 1913		<i>Vidalia himalayensis</i> (Bezzi, 1913) [ <i>Acidia</i> ]			1
	<i>lucida</i> (Fallen, 1826) [ <i>Tephritis</i> ]		<i>Myoleja lucida</i> (Fallen, 1826) [ <i>Tephritis</i> ]			8
	<b>Acidiella</b> Hendel, 1914				1	2
*	<i>rioxaeformis</i> (Bezzi, 1913) [ <i>Acidia</i> ]					2
	<b>Acidoxantha</b> Hendel, 1914				1	1
*	<i>minor</i> Hardy, 1974					1
	<b>Aciura</b> Robineau-Desvoidy, 1830				10	47
	<i>angusta</i> (Loew, 1861) [ <i>Trypeta</i> ]		<i>Tephraaciura angusta</i> (Loew, 1861) [ <i>Trypeta</i> ]			10
	<i>bigeloviae</i> (Cockerell, 1890) [ <i>Trypanea</i> ]		<i>Aciurina bigeloviae</i> (Cockerell, 1890) [ <i>Trypanea</i> ]			6
	<i>coryli</i> (Rossi, 1794) [ <i>Musca</i> ]					5
*	<i>grandidieri</i> Bezzi, 1924		<i>Metasphenisca grandidieri</i> (Bezzi, 1924) [ <i>Aciura</i> ]			2
*	<i>haematopoda</i> Bezzi, 1924		<i>Metasphenisca haematopoda</i> (Bezzi, 1924) [ <i>Aciura</i> ]			2
*	<i>nigriseta</i> Bezzi, 1924		<i>Metasphenisca nigriseta</i> (Bezzi, 1924) [ <i>Aciura</i> ]			4
	<i>oborinia</i> (Walker, 1849) [ <i>Trypeta</i> ]		<i>Tephraaciura oborinia</i> (Walker, 1849) [ <i>Trypeta</i> ]			7
	<i>rotundiventris</i> (Fallen, 1814) [ <i>Tephritis</i> ]		<i>Euleia rotundiventris</i> (Fallen, 1814) [ <i>Tephritis</i> ]			4
*	<i>tetrachaeta</i> Bezzi, 1918		<i>Metasphenisca tetrachaeta</i> (Bezzi, 1918) [ <i>Aciura</i> ]			4
	<i>tibialis</i> Robineau-Desvoidy, 1830		<i>Oxyaciura tibialis</i> (Robineau-Desvoidy, 1830) [ <i>Aciura</i> ]			3
	<b>Acropteromma</b> Bezzi, 1926				1	2
*	<i>munroanum</i> Bezzi, 1926					2
	<b>Acrotaeniostola</b> Hendel, 1914				1	3
	<i>sexvittata</i> Hendel, 1915					3
	<b>Adrama</b> Walker, 1859				2	19

## Tephritidae

## Adrama

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>austeni</i> Hendel, 1917					2
	<i>determinata</i> (Walker, 1856) [ <i>Dacus</i> ]					17
	<b>Afreutreta</b> Bezzi, 1924				4	10
	<i>bipunctata</i> (Loew, 1861) [ <i>Trypeta</i> ]					5
*	<i>biseriata</i> Bezzi, 1924		<i>Pseudafreutreta biseriata</i> (Bezzi, 1924) [ <i>Afreutreta</i> ]			1
*	<i>discoidalis</i> Bezzi, 1924		<i>Cosmetothrix discoidalis</i> (Bezzi, 1924) [ <i>Afreutreta</i> ]			3
*	<i>limbatella</i> Bezzi, 1926		<i>Ghentia millepunctata</i> (Bezzi, 1918) [ <i>Eutretosoma</i> ]			1
	<b>Afrocneros</b> Bezzi, 1924				2	11
	<i>excellens</i> (Loew, 1861) [ <i>Trypeta</i> ]					6
	<i>mundus</i> (Loew, 1963) [ <i>Trypeta</i> ]					5
	<b>Aleomyia</b> Phillips, 1923		<b>Rhynencina</b> Johnson, 1922		1	1
*	<i>alpha</i> Phillips, 1923		<i>Rhynencina longirostris</i> Johnson, 1922			1
	<b>Allotrypes</b> Bezzi, 1920		<b>Ocnerioxyna</b> Seguy, 1939		1	1
	<i>gracilis</i> (Loew, 1861) [ <i>Trypeta</i> ]		<i>Ocnerioxyna gracilis</i> (Loew, 1861) [ <i>Trypeta</i> ]			1
	<b>Anastrepha</b> Schiner, 1868				14	141
	<i>acidusa</i> (Walker, 1849) [ <i>Trypeta</i> ]					6
*	<i>bistrigata</i> Bezzi, 1919					6
*	<i>daciformis</i> Bezzi, 1909					3
	<i>distans</i> Hendel, 1914					2
	<i>fenestrata</i> Lutz & Lima, 1918					3
	<i>fraterculus</i> (Wiedemann, 1830) [ <i>Dacus</i> ]					34
	<i>grandis</i> (Macquart, 1846) [ <i>Tephritis</i> ]					11
	<i>ludens</i> (Loew, 1873) [ <i>Trypeta</i> ]					12
	<i>obliqua</i> (Macquart, 1835) [ <i>Tephritis</i> ]					1
	<i>pseudoparallela</i> (Loew, 1873) [ <i>Trypeta</i> ]					10
	<i>serpentina</i> (Wiedemann, 1830) [ <i>Dacus</i> ]					18
*	<i>soluta</i> Bezzi, 1909		<i>Anastrepha fraterculus</i> (Wiedemann, 1830) [ <i>Dacus</i> ]			12
	<i>striata</i> Schiner, 1868					16
	<i>suspensa</i> (Loew, 1862) [ <i>Trypeta</i> ]					7
	<b>Anomoia</b> Walker, 1835				1	1
*	<i>melanobasis</i> Hardy, 1974					1
	<b>Anoplomus</b> Bezzi, 1913				2	3
	<i>cassandra</i> (Osten Sacken, 1882) [ <i>Trypeta</i> ]					1
	<i>flexuosus</i> Bezzi, 1913		<i>Anoplomus cassandra</i> (Osten Sacken, 1882) [ <i>Trypeta</i> ]			2
	<b>Asimoneura</b> Czerny, 1909				1	8
*	<i>taurinensis</i>					8

## Tephritidae

## Asimoneura

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Bactrocera</b> Macquart, 1835				11	27
	<i>carambolae</i> Drew & Hancock, 1994					1
	<i>caryeae</i> Kapoor, 1971					1
	<i>dorsalis</i> (Hendel, 1912) [ <i>Dacus</i> ]					1
	<i>ferruginea</i> Bezzi, 1913		<i>Bactrocera dorsalis</i> (Hendel, 1912) [ <i>Dacus</i> ]			1
	<i>kandiensis</i> Drew & Hancock, 1994					1
*	<i>neopropinqua</i> Drew & Hancock, 1994					2
*	<i>occipitalis</i> (Bezzi, 1919) [ <i>Chaetodacus</i> ]					4
	<i>papayae</i> Drew & Hancock, 1994					1
*	<i>pedestris</i> (Bezzi, 1914) [ <i>Chaetodacus</i> ]					4
	<i>philippinensis</i> Drew & Hancock, 1994					1
	<i>umbrosa</i> (Fabricius, 1805) [ <i>Dacus</i> ]					10
	<b>Blepharoneura</b> Loew, 1873				3	5
	<i>impunctata</i> Hendel, 1914					1
	<i>poecilosoma</i> Schiner, 1868					1
	<i>saga</i> Giglio-Tos, 1893		<i>Blepharoneura poecilosoma</i> Schiner, 1868			3
	<b>Callistomyia</b> Bezzi, 1913				2	8
	<i>icarus</i> (Osten Sacken, 1882) [ <i>Dacus</i> ]					3
	<i>pavonina</i> Bezzi, 1913					5
	<b>Camaromyia</b> Hendel, 1914		<b>Euaresta</b> Loew, 1873		6	33
*	<i>acrophthalma</i> Bezzi, 1918		<i>Clematochaeta acrophthalma</i> (Bezzi, 1918) [ <i>Camaromyia</i> ]			1
	<i>aequalis</i> (Loew, 1862) [ <i>Trypeta</i> ]		<i>Euaresta aequalis</i> (Loew, 1862) [ <i>Trypeta</i> ]			14
	<i>bullans</i> (Wiedemann, 1830) [ <i>Trypeta</i> ]		<i>Euaresta bullans</i> (Wiedemann, 1830) [ <i>Trypeta</i> ]			11
*	<i>conferta</i> Bezzi, 1926		<i>Parafreutreta conferta</i> (Bezzi, 1926) [ <i>Camaromyia</i> ]			2
	<i>gemella</i> (Coquillett, 1902) [ <i>Tephritis</i> ]		<i>Euaresta gemella</i> (Coquillett, 1902) [ <i>Tephritis</i> ]			4
	<i>helva</i> (Loew, 1861) [ <i>Trypeta</i> ]		<i>Ptosanthus helvus</i> (Loew, 1861) [ <i>Trypeta</i> ]			1
	<b>Campiglossa</b> Rondani, 1870				2	6
	<i>grandinata</i> (Rondani, 1870) [ <i>Oxyna</i> ]					3
	<i>irrorata</i> (Fallen, 1814) [ <i>Tephritis</i> ]					3
	<b>Capparimyia</b> Bezzi, 1920				1	1
*	<i>savastani</i> (Martelli, 1911) [ <i>Ceratitis</i> ]					1
	<b>Carpomyia</b> Rondani, 1870		<b>Carpomyia</b> Costa, 1854		2	19
	<i>incompleta</i> (Becker, 1903) [ <i>Trypeta</i> ]		<i>Carpomyia incompleta</i> (Becker, 1903) [ <i>Trypeta</i> ]			15
*	<i>vesuviana</i> Costa, 1854		<i>Carpomyia vesuviana</i> Costa, 1854			4
	<b>Carpophthorella</b> Hendel, 1914				2	4
*	<i>capillata</i> (Bezzi, 1914) [ <i>Gastrozona</i> ]					3

## Tephritidae

## Carpophthorella

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
*	<i>luteiseta</i> (Bezzi, 1914) [ <i>Gastrozona</i> ]					1
	<b>Carpophthoromyia</b> Austen, 1910				4	16
	<i>dimidiata</i> Bezzi, 1924					2
*	<i>loranthi</i> (Froggatt, 1911) [ <i>Ceratitis</i> ]		<i>Ceratitella loranthi</i> (Froggatt, 1911) [ <i>Ceratitis</i> ]			4
	<i>pseudotrilinea</i> Bezzi, 1918					8
*	<i>superba</i> Bezzi, 1918					2
	<b>Cecidochoares</b> Bezzi, 1910				2	3
	<i>connexa</i> (Macquart, 1848) [ <i>Urophora</i> ]					2
*	<i>rufescens</i> Bezzi, 1913					1
	<b>Celidodacus</b> Hendel, 1914				2	10
	<i>fenestratus</i> (Enderlein, 1920) [ <i>Conradtina</i> ]		<i>Celidodacus obnubilus</i> (Karsch, 1887) [ <i>Acidia</i> ]			1
	<i>obnubilus</i> (Karsch, 1887) [ <i>Acidia</i> ]					9
	<b>Ceratitis</b> Macleay, 1829				2	25
	<i>capitata</i> (Wiedemann, 1824) [ <i>Tephritis</i> ]					24
	<i>catoirii</i> Guerin-Meneville, 1843					1
	<b>Ceriocera</b> Rondani, 1870		<b>Terellia</b> Robineau-Desvoidy, 1830		1	7
	<i>ceratocera</i> (Hendel, 1913) [ <i>Musca</i> ]		<i>Terellia ceratocera</i> (Hendel, 1913) [ <i>Musca</i> ]			7
	<b>Chaetodacus</b> Bezzi, 1913		<b>Bactrocera</b> Macquart, 1835		35	320
*	<i>atrachus</i> Bezzi, 1919		<i>Bactrocera atrachus</i> (Bezzi, 1919) [ <i>Chaetodacus</i> ]			4
	<i>bakeri</i> Bezzi, 1919		<i>Bactrocera bakeri</i> (Bezzi, 1919) [ <i>Chaetodacus</i> ]			1
*	<i>bezzii</i> (Miyake, 1919) [ <i>Dacus</i> ]		<i>Bactrocera scutellata</i> (Hendel, 1912) [ <i>Dacus</i> ]			5
*	<i>biguttulus</i> Bezzi, 1922		<i>Bactrocera biguttula</i> (Bezzi, 1922) [ <i>Chaetodacus</i> ]			4
*	<i>bipustulatus</i> (Bezzi, 1914) [ <i>Bactrocera</i> ]		<i>Bactrocera bipustulata</i> Bezzi, 1914			2
	<i>caudatus</i> (Fabricius, 1805) [ <i>Dacus</i> ]		<i>Bactrocera caudata</i> (Fabricius, 1805) [ <i>Dacus</i> ]			7
*	<i>cilifer</i> (Hendel, 1912) [ <i>Dacus</i> ]		<i>Bactrocera cilifera</i> (Hendel, 1912) [ <i>Dacus</i> ]			1
*	<i>continuus</i> Bezzi, 1919		<i>Bactrocera continua</i> (Bezzi, 1919) [ <i>Chaetodacus</i> ]			1
	<i>correctus</i> Bezzi, 1916		<i>Bactrocera correctata</i> (Bezzi, 1916) [ <i>Chaetodacus</i> ]			8
	<i>cucurbitae</i> Coquillett, 1899		<i>Bactrocera cucurbitae</i> (Coquillett, 1899) [ <i>Dacus</i> ]			78
	<i>diversus</i> (Coquillett, 1904) [ <i>Dacus</i> ]		<i>Bactrocera diversata</i> (Coquillett, 1904) [ <i>Dacus</i> ]			8
*	<i>dorsalis</i> (Hendel, 1912) [ <i>Dacus</i> ]		<i>Bactrocera dorsalis</i> (Hendel, 1912) [ <i>Dacus</i> ]			32
	<i>duplicatus</i> Bezzi, 1916		<i>Bactrocera duplicata</i> (Bezzi, 1916) [ <i>Chaetodacus</i> ]			4
	<i>facialis</i> (Coquillett, 1909) [ <i>Dacus</i> ]		<i>Bactrocera facialis</i> (Coquillett, 1909) [ <i>Dacus</i> ]			1
	<i>ferrugineus</i> (Fabricius, 1794) [ <i>Musca</i> ]		<i>Bactrocera dorsalis</i> (Hendel, 1912) [ <i>Dacus</i> ]			12
*	<i>froggatti</i> Bezzi, 1919		<i>Bactrocera froggatti</i> (Bezzi, 1919) [ <i>Chaetodacus</i> ]			2
*	<i>garcinia</i> (Bezzi, 1913) [ <i>Bactrocera</i> ]		<i>Bactrocera garciniae</i> Bezzi, 1913			3
	<i>hageni</i> (Meijere, 1911) [ <i>Dacus</i> ]		<i>Bactrocera tau</i> (Walker, 1849) [ <i>Dasyneura</i> ]			3
	<i>incisus</i> (Walker, 1861) [ <i>Dacus</i> ]		<i>Bactrocera incisus</i> (Walker, 1861) [ <i>Dacus</i> ]			22
	<i>limbiferus</i> Bezzi, 1919		<i>Bactrocera limbifera</i> (Bezzi, 1919) [ <i>Chaetodacus</i> ]			7



## Tephritidae

## Chaetodacus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
*	<i>macgregorii</i> Bezzi, 1919		<i>Bactrocera macgregori</i> (Bezzi, 1919) [ <i>Chaetodacus</i> ]			2
	<i>maculipennis</i> (Doleschall, 1856) [ <i>Bactrocera</i> ]		<i>Bactrocera caudata</i> (Fabricius, 1805) [ <i>Dacus</i> ]			2
	<i>melanotus</i> Coquillett, 1909		<i>Bactrocera melanotus</i> (Coquillett, 1909) [ <i>Dacus</i> ]			4
*	<i>mundus</i> Bezzi, 1919		<i>Bactrocera munda</i> (Bezzi, 1919) [ <i>Chaetodacus</i> ]			10
*	<i>nubilus</i> (Hendel, 1912) [ <i>Dacus</i> ]		<i>Bactrocera tau</i> (Walker, 1849) [ <i>Dasyneura</i> ]			10
	<i>passiflorae</i> (Froggatt, 1911) [ <i>Dacus</i> ]		<i>Bactrocera passiflorae</i> (Froggatt, 1911) [ <i>Dacus</i> ]			14
*	<i>pubescens</i> Bezzi, 1919		<i>Bactrocera pubescens</i> (Bezzi, 1919) [ <i>Chaetodacus</i> ]			2
*	<i>scutellaris</i> (Bezzi, 1913) [ <i>Bactrocera</i> ]		<i>Bactrocera scutellaris</i> Bezzi, 1913			5
*	<i>scutellinus</i> Bezzi, 1916		<i>Bactrocera scutellina</i> (Bezzi, 1916) [ <i>Chaetodacus</i> ]			2
*	<i>tetrachaetus</i> Bezzi, 1919		<i>Bactrocera tetrachaeta</i> (Bezzi, 1919) [ <i>Chaetodacus</i> ]			2
*	<i>tryoni</i> (Froggatt, 1897) [ <i>Tephritis</i> ]		<i>Bactrocera tryoni</i> (Froggatt, 1897) [ <i>Tephritis</i> ]			24
	<i>tuberculatus</i> Bezzi, 1916		<i>Bactrocera tuberculata</i> (Bezzi, 1916) [ <i>Chaetodacus</i> ]			1
*	<i>versicolor</i> Bezzi, 1916		<i>Bactrocera versicolor</i> (Bezzi, 1916) [ <i>Chaetodacus</i> ]			9
	<i>xanthodes</i> (Broun, 1904) [ <i>Tephritis</i> ]		<i>Bactrocera xanthodes</i> (Broun, 1904) [ <i>Tephritis</i> ]			3
	<i>zonatus</i> (Saunders, 1842) [ <i>Dasyneura</i> ]		<i>Bactrocera zonata</i> (Saunders, 1842) [ <i>Dasyneura</i> ]			25
<b>Chaetostoma</b> Costa, 1884			<b>Chetostoma</b> Rondani, 1856		1	2
	<i>curvinerve</i> Rondani, 1856					2
<b>Chelyophora</b> Rondani, 1875					2	2
*	<i>magniceps</i> Bezzi, 1918		<i>Bistrispinaria magniceps</i> (Bezzi, 1918) [ <i>Chelyophora</i> ]			1
*	<i>woodi</i> Bezzi, 1924		<i>Bistrispinaria woodi</i> (Bezzi, 1924) [ <i>Chelyophora</i> ]			1
<b>Coelotrypes</b> Bezzi, 1924					1	1
*	<i>vittatus</i> Bezzi, 1924					1
<b>Colobostroter</b> Enderlein, 1911					1	3
	<i>pulchralis</i> Enderlein, 1911					3
<b>Conradtina</b> Enderlein, 1911					2	5
	<i>acrodiauges</i> Speiser, 1913		<i>Conradtina longicornis</i> Enderlein, 1911			2
*	<i>suspensa</i> Bezzi, 1918					3
<b>Craspedoxantha</b> Bezzi, 1913					2	16
	<i>manengubae</i> Speiser, 1915					7
	<i>marginalis</i> (Wiedemann, 1818) [ <i>Tephritis</i> ]					9
<b>Dacus</b> Fabricius, 1805					30	350
	<i>annulatus</i> Becker, 1903					13
*	<i>apoxanthus</i> Bezzi, 1924					3
	<i>binotatus</i> Loew, 1862					30
	<i>bistrigulatus</i> Bezzi, 1908					2
*	<i>blepharogaster</i> Bezzi, 1917					1
	<i>brevis</i> Coquillett, 1901					14

## Tephritidae

Tephritidae		current family, if changed	valid name, if changed	genera #	species #	Dacus specimens #
	<i>brevistriga</i> Walker, 1861					15
	<i>brevistylus</i> Bezzi, 1908		<i>Dacus ciliatus</i> Loew, 1862			83
	<i>cucumis</i> French, 1907		<i>Bactrocera cucumis</i> (French, 1907) [ <i>Dacus</i> ]			16
*	<i>erythraeus</i> Bezzi, 1917					2
	<i>ficicola</i> Bezzi, 1915					2
	<i>frontalis</i> Becker, 1922					6
	<i>fuscatus</i> Wiedemann, 1819					34
	<i>hamatus</i> Bezzi, 1917					3
*	<i>hyalobasis</i> Bezzi, 1924					1
	<i>immaculatus</i> Coquillett, 1901		<i>Dacus binotatus</i> Loew, 1862			2
	<i>inornatus</i> Bezzi, 1909					2
	<i>longistylus</i> Wiedemann, 1830					18
	<i>marginalis</i> Bezzi, 1915		<i>Dacus vertebratus</i> Bezzi, 1908			8
*	<i>marshalli</i> Bezzi, 1924					1
	<i>oleae</i> (Rossi, 1790) [ <i>Musca</i> ]		<i>Bactrocera oleae</i> (Rossi, 1790) [ <i>Musca</i> ]			21
	<i>plagiatus</i> Collart, 1935					2
*	<i>purpurifrons</i> Bezzi, 1924					3
*	<i>rubicundus</i> Bezzi, 1924					8
	<i>rufus</i> Bezzi, 1915					8
	<i>sigmoides</i> Coquillett, 1901		<i>Dacus ciliatus</i> Loew, 1862			1
*	<i>subfuscatus</i> Bezzi, 1924		<i>Dacus fuscatus</i> Wiedemann, 1819			9
*	<i>vertebratus</i> Bezzi, 1908					34
*	<i>woodi</i> Bezzi, 1917					1
*	<i>xanthopus</i> Bezzi, 1924					7
<b>Diarrhegma</b> Bezzi, 1913						10
	<i>modestum</i> (Fabricius, 1805) [ <i>Dacus</i> ]				1	10
<b>Dioxyna</b> Frey, 1945						1
*	<i>heringi</i> Hardy, 1974		<i>Dioxyna conflicta</i> (Curran, 1929) [ <i>Ensina</i> ]			1
<b>Ditricha</b> Rondani, 1871						8
	<i>guttularis</i> (Meigen, 1826) [ <i>Trypeta</i> ]		<i>Dithryca</i> Rondani, 1856		1	8
			<i>Dithryca guttularis</i> (Meigen, 1826) [ <i>Trypeta</i> ]			8
<b>Elaphromyia</b> Taylor, 1917						15
*	<i>pallida</i> Bezzi, 1926				2	1
*	<i>pteroallaeformis</i> (Bezzi, 1913) [ <i>Paralleloptera</i> ]					14
<b>Ensina</b> Robineau-Desvoidy, 1830						174
	<i>anceps</i> (Loew, 1861) [ <i>Trypeta</i> ]		<i>Desmella anceps</i> (Loew, 1861) [ <i>Trypeta</i> ]			15
	<i>dubia</i> (Walker, 1853) [ <i>Trypeta</i> ]		<i>Mesoclanis dubia</i> (Walker, 1853) [ <i>Trypeta</i> ]			1
	<i>elongatula</i> (Loew, 1844) [ <i>Trypeta</i> ]		<i>Dioxyna bidentis</i> (Robineau-Desvoidy, 1830) [ <i>Stylia</i> ]			11
*	<i>hieroglyphica</i> Bezzi, 1924		<i>Mesoclanis magnipalpis</i> (Bezzi, 1920) [ <i>Ensina</i> ]			4
	<i>ignobilis</i> (Loew, 1861) [ <i>Trypeta</i> ]		<i>Campiglossa ignobilis</i> (Loew, 1861) [ <i>Trypeta</i> ]			10

## Tephritidae

Ensina

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
*	<i>liliputiana</i> Bezzi, 1924		<i>Lethyna liliputiana</i> (Bezzi, 1924) [Ensina]			5
	<i>magnipalpis</i> Bezzi, 1920		<i>Mesoclanis magnipalpis</i> (Bezzi, 1920) [Ensina]			2
*	<i>martii</i> (Becker, 1908) [Oxyina]		<i>Campiglossa martii</i> (Becker, 1908) [Oxyina]			5
	<i>myiopitoides</i> Bezzi, 1908		<i>Desmella myiopitoides</i> (Bezzi, 1908) [Ensina]			3
	<i>picciola</i> (Bigot, 1857) [Acinia]		<i>Dioxyna picciola</i> (Bigot, 1857) [Acinia]			6
	<i>producta</i> (Loew, 1844) [Trypanea]		<i>Campiglossa producta</i> (Loew, 1844) [Trypeta]			2
	<i>siphonina</i> Bezzi, 1918		<i>Campiglossa siphonina</i> (Bezzi, 1918) [Ensina]			11
	<i>sonchi</i> (Linnaeus, 1767) [Musca]					16
	<i>sororcula</i> (Wiedemann, 1830) [Trypeta]		<i>Dioxyna sororcula</i> (Wiedemann, 1830) [Trypeta]			66
	<i>tessellata</i> (Loew, 1844) [Trypanea]		<i>Campiglossa tessellata</i> (Loew, 1844) [Trypeta]			17
<b>Epochra</b> Loew, 1873			<b>Euphranta</b> Loew, 1862		1	2
	<i>rubida</i> Coquillett, 1899		<i>Chetostoma rubidum</i> (Coquillett, 1899) [Epochra]			2
<b>Euaresta</b> Loew, 1873					12	67
	<i>araneosa</i> (Coquillett, 1894) [Trypeta]		<i>Tephritis araneosa</i> (Coquillett, 1894) [Trypeta]			3
	<i>bella</i> (Loew, 1862) [Trypeta]					18
	<i>conjuncta</i> (Loew, 1844) [Trypeta]		<i>Tephritis neesii</i> (Meigen, 1830) [Trypeta]			5
	<i>festiva</i> (Loew, 1862) [Trypeta]					10
	<i>guttata</i> (Fallen, 1814) [Tephritis]		<i>Heringina guttata</i> (Fallen, 1814) [Tephritis]			8
	<i>megacephala</i> (Loew, 1846) [Trypeta]		<i>Euarestella megacephala</i> (Loew, 1846) [Trypeta]			0
	<i>melanogastra</i> (Loew, 1862) [Trypeta]		<i>Dyseuaresta mexicana</i> (Wiedemann, 1830) [Trypeta]			2
	<i>pulchra</i> (Loew, 1844) [Trypeta]		<i>Tephritis pulchra</i> (Loew, 1844) [Trypeta]			8
	<i>sejuncta</i> (Rondani, 1871) [Tephritis]		<i>Tephritis separata</i> Rondani, 1871			2
	<i>spectabilis</i> (Loew, 1873) [Trypeta]		<i>Tetreuaresta spectabilis</i> (Loew, 1873) [Trypeta]			4
	<i>tapetis</i> (Coquillett, 1894) [Trypeta]					4
	<i>timida</i> (Loew, 1862) [Trypeta]		<i>Tetreuaresta timida</i> (Loew, 1862) [Trypeta]			3
<b>Euphranta</b> Loew, 1862					6	7
	<i>connexa</i> (Fabricius, 1794) [Musca]					2
*	<i>convergens</i> Hardy, 1974					1
	<i>mikado</i> (Matsumura, 1916) [Trypeta]					1
*	<i>notata</i> Hardy, 1974					1
*	<i>ocellata</i> Hardy, 1974					1
*	<i>stenopeza</i> Hardy, 1974					1
<b>Euribia</b> Meigen, 1800			<b>Urophora</b> Robineau-Desvoidy, 1830		19	143
	<i>arnicae</i> (Linnaeus, 1758) [Musca]		<i>Tephritis arnicae</i> (Linnaeus, 1758) [Musca]			10
	<i>bardanae</i> (Schrank, 1803) [Trupanea]		<i>Tephritis bardanae</i> (Schrank, 1803) [Trupanea]			12
	<i>caffra</i> (Loew, 1861) [Trypeta]		<i>Scedella caffra</i> (Loew, 1861) [Trypeta]			5
	<i>cincta</i> (Loew, 1844) [Trypeta]		<i>Tephritis cincta</i> (Loew, 1844) [Trypeta]			4
	<i>conura</i> (Loew, 1844) [Trypeta]		<i>Tephritis conura</i> (Loew, 1844) [Trypeta]			11
	<i>dioscurea</i> (Loew, 1856) [Trypeta]		<i>Tephritis dioscurea</i> (Loew, 1856) [Trypeta]			12

## Tephritidae

Euribia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>formosa</i> (Loew, 1844) [ <i>Trypeta</i> ]		<i>Tephritis formosa</i> (Loew, 1844) [ <i>Trypeta</i> ]			9
	<i>hyosciami</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<i>Tephritis hyoscyami</i> (Linnaeus, 1758) [ <i>Musca</i> ]			4
	<i>lauta</i> (Loew, 1869) [ <i>Oxyna</i> ]		<i>Tephritomyia lauta</i> (Loew, 1869) [ <i>Oxyna</i> ]			5
	<i>leontodontis</i> (De Geer, 1776) [ <i>Musca</i> ]		<i>Tephritis leontodontis</i> (De Geer, 1776) [ <i>Musca</i> ]			12
	<i>nigricauda</i> (Loew, 1856) [ <i>Trypeta</i> ]		<i>Tephritis nigricauda</i> (Loew, 1856) [ <i>Trypeta</i> ]			12
	<i>postica</i> (Loew, 1844) [ <i>Trypeta</i> ]		<i>Tephritis postica</i> (Loew, 1844) [ <i>Trypeta</i> ]			8
	<i>praecox</i> (Loew, 1844) [ <i>Trypeta</i> ]		<i>Tephritis praecox</i> (Loew, 1844) [ <i>Trypeta</i> ]			7
	<i>praetexta</i> (Loew, 1861) [ <i>Trypeta</i> ]		<i>Scedella praetexta</i> (Loew, 1861) [ <i>Trypeta</i> ]			2
*	<i>reticulata</i> (Becker, 1908) [ <i>Tephritis</i> ]		<i>Campiglossa reticulata</i> (Becker, 1908) [ <i>Tephritis</i> ]			4
	<i>ruralis</i> (Loew, 1844) [ <i>Trypeta</i> ]		<i>Tephritis ruralis</i> (Loew, 1844) [ <i>Trypeta</i> ]			8
	<i>stictica</i> (Loew, 1862) [ <i>Tephritis</i> ]		<i>Tephritis stictica</i> Loew, 1862			6
	<i>tristrigata</i> Bezzi, 1918		<i>Scedella dissoluta</i> (Loew, 1861) [ <i>Trypeta</i> ]			6
	<i>vespertina</i> (Loew, 1844) [ <i>Trypeta</i> ]		<i>Tephritis vespertina</i> (Loew, 1844) [ <i>Trypeta</i> ]			6
<b>Eurosta</b> Loew, 1873					2	11
	<i>comma</i> (Wiedemann, 1830) [ <i>Trypeta</i> ]					2
	<i>solidaginis</i> (Fitch, 1855) [ <i>Acinia</i> ]					9
<b>Eutreta</b> Loew, 1873					3	14
	<i>diana</i> (Osten Sacken, 1877) [ <i>Trypeta</i> ]					4
	<i>sparsa</i> (Wiedemann, 1830) [ <i>Trypeta</i> ]					8
*	<i>xanthochaeta</i> Aldrich, 1921					2
<b>Eutretopsis</b> Norrbom & Prado, 2006					1	1
*	<i>nebulosa</i>					1
<b>Eutretosoma</b> Hendel, 1914					3	12
	<i>marschalli</i> Bezzi, 1924					1
	<i>millepunctatum</i> Bezzi, 1918		<i>Ghentia millepunctata</i> (Bezzi, 1918) [ <i>Eutretosoma</i> ]			9
*	<i>woodi</i> Bezzi, 1924					2
<b>Gastrozona</b> Bezzi, 1913					4	7
	<i>fasciventris</i> (Macquart, 1843) [ <i>Tephritis</i> ]					1
*	<i>japonica</i> Miyake, 1919		<i>Paragastrozona japonica</i> (Miyake, 1919) [ <i>Gastrozona</i> ]			2
	<i>macquarti</i> Hendel, 1913		<i>Gastrozona fasciventris</i> (Macquart, 1843) [ <i>Tephritis</i> ]			2
*	<i>miyakei</i> Bezzi, 1926		<i>Paragastrozona japonica</i> (Miyake, 1919) [ <i>Gastrozona</i> ]			2
<b>Goniglossum</b> Rondani, 1856					1	36
	<i>wiedemanni</i> (Meigen, 1826) [ <i>Trypanea</i> ]		<i>Carpomya</i> Costa, 1854			36
			<i>Carpomya wiedemanni</i> (Meigen, 1826) [ <i>Trypeta</i> ]			36
<b>Henicoptera</b> Loew, 1873					1	21
	<i>proditrix</i> Osten Sacken, 1882		<i>Enicoptera</i> Macquart, 1848			21
			<i>Enicoptera proditrix</i> Osten Sacken, 1882			21
<b>Hexachaeta</b> Loew, 1873					2	9

## Tephritidae

## Hexachaeta

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>eximia</i> (Wiedemann, 1830) [ <i>Trypeta</i> ]					8
	<i>socialis</i> (Wiedemann, 1830) [ <i>Trypeta</i> ]					1
	<b>Hexacinia</b> Hendel, 1914				1	10
*	<i>punctulata</i>					10
	<b>Hoplاندromyia</b> Bezzi, 1923				1	2
*	<i>tetracera</i> Bezzi, 1923					2
	<b>Hoplochaeta</b> Shiraki, 1933				1	10
	<i>reticulata</i> (Schrank, 1803) [ <i>Trupanea</i> ]		<i>Noeeta pupillata</i> (Fallen, 1814) [ <i>Tephritis</i> ]			10
	<b>Lagarosia</b> Wulp, 1891		<b>Euphranta</b> Loew, 1862		1	2
	<i>lacteata</i> Wulp, 1891		<i>Euphranta lacteata</i> (Wulp, 1891) [ <i>Lagarosia</i> ]			2
	<b>Leucotaeniella</b> Bezzi, 1918				1	2
	<i>guttipennis</i> Bezzi, 1920					2
	<b>Mellesis</b> Bezzi, 1916		<b>Dacus</b> Fabricius, 1805		6	12
*	<i>bioculata</i> Bezzi, 1919		<i>Dacus bioculatus</i> (Bezzi, 1919) [ <i>Mellesis</i> ]			2
*	<i>distillatoria</i> Bezzi, 1916		<i>Dacus destillatorius</i> (Bezzi, 1916) [ <i>Mellesis</i> ]			1
*	<i>eumenoides</i> Bezzi, 1916		<i>Dacus eumenoides</i> (Bezzi, 1916) [ <i>Mellesis</i> ]			2
*	<i>nummularia</i> Bezzi, 1916		<i>Dacus nummularius</i> (Bezzi, 1916) [ <i>Mellesis</i> ]			3
*	<i>pedunculata</i> Bezzi, 1916		<i>Dacus pedunculatus</i> (Bezzi, 1916) [ <i>Mellesis</i> ]			3
*	<i>subsessilis</i> Bezzi, 1919		<i>Dacus subsessilis</i> (Bezzi, 1919) [ <i>Mellesis</i> ]			1
	<b>Monacrostichus</b> Bezzi, 1814				1	8
*	<i>citricola</i> Bezzi, 1914					8
	<b>Munroella</b> Bezzi, 1924				1	24
*	<i>myiopotina</i> Bezzi, 1924					24
	<b>Munromyia</b> Bezzi, 1922				1	16
*	<i>nudiseta</i> Bezzi, 1922					16
	<b>Myiopardalis</b> Bezzi, 1910		<b>Carpomya</b> Costa, 1854		2	2
*	<i>pardalina</i> (Bigot, 1891) [ <i>Carpomya</i> ]					1
	<i>schineri</i> (Loew, 1856) [ <i>Trypeta</i> ]		<i>Carpomya schineri</i> (Loew, 1856) [ <i>Trypeta</i> ]			1
	<b>Myoleja</b> Rondani, 1856				1	2
*	<i>mindanaoensis</i> Hardy, 1974		<i>Philophylla mindanaoensis</i> (Hardy, 1974) [ <i>Myobia</i> ]			2
	<b>Myopites</b> Blot, 1827				4	53
	<i>blotii</i> Brebisson, 1827		<i>Myopites inulaedysentericae</i> Blot, 1827			23

## Tephritidae

## Myopites

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>nigrescens</i> Becker, 1908					3
	<i>stylata</i> (Fabricius, 1794) [ <i>Stomoxys</i> ]		<i>Myopites sylatus</i> (Fabricius, 1794) [ <i>Stomoxys</i> ]			24
	<i>variofasciata</i> Becker, 1903		<i>Myopites variofasciatus</i> Becker, 1903			3
	<b>Neaspilota</b> Osten Sacken, 1878				2	7
	<i>achilleae</i> Johnson, 1900					1
	<i>alba</i> (Loew, 1861) [ <i>Trypeta</i> ]					6
	<b>Ocnerioxa</b> Speiser, 1915				3	7
	<i>pennata</i> Speiser, 1915					1
	<i>sinuata</i> (Loew, 1861) [ <i>Trypeta</i> ]					5
	<i>woodi</i> Bezzi, 1918					1
	<b>Ocneros</b> Rondani, 1871		<b>Hemilea</b> Loew, 1862		2	5
	<i>dimidiata</i> (Costa, 1844) [ <i>Trypeta</i> ]		<i>Hemilea dimidiata</i> (Costa, 1844) [ <i>Trypeta</i> ]			4
*	<i>punctilabris</i> Bezzi, 1928		<i>Coelotrypes punctilabris</i> (Bezzi, 1928) [ <i>Ocneros</i> ]			1
	<b>Oedaspis</b> Loew, 1862				7	20
*	<i>chinensis</i> Bezzi, 1920					1
*	<i>escheri</i> Bezzi, 1910					3
*	<i>simplex</i> Bezzi, 1913		<i>Oedaspis trotteriana</i> Bezzi, 1913			3
*	<i>soluta</i> Bezzi, 1913		<i>Oedaspis trotteriana</i> Bezzi, 1913			2
*	<i>tavaresiana</i> (Bezzi, 1920) [ <i>Ptiloedaspis</i> ]		<i>Ptiloedaspis tavaresiana</i> Bezzi, 1920			1
*	<i>trotteriana</i> Bezzi, 1913					7
*	<i>villeneuvei</i> Bezzi, 1913					3
	<b>Oedicarena</b> Loew, 1873				1	7
	<i>diffusa</i> Snow, 1894		<i>Gymnocarena diffusa</i> (Snow, 1894) [ <i>Oedicarena</i> ]			7
	<b>Ornithoschema</b> Meijere, 1914				1	1
	<i>oculatum</i> Meijere, 1914					1
	<b>Oxya</b> Robineau-Desvoidy, 1830				10	66
	<i>absinthii</i> (Fabricius, 1805) [ <i>Tephritis</i> ]		<i>Campiglossa absinthii</i> (Fabricius, 1805) [ <i>Tephritis</i> ]			1
	<i>albiceps</i> (Loew, 1873) [ <i>Trypeta</i> ]		<i>Campiglossa albiceps</i> (Loew, 1873) [ <i>Trypeta</i> ]			3
	<i>argyrocephala</i> (Loew, 1844) [ <i>Trypeta</i> ]		<i>Campiglossa argyrocephala</i> (Loew, 1844) [ <i>Trypeta</i> ]			4
	<i>clathrata</i> (Loew, 1862) [ <i>Trypeta</i> ]		<i>Campiglossa clathrata</i> (Loew, 1862) [ <i>Trypeta</i> ]			5
	<i>doronici</i> (Loew, 1856) [ <i>Trypeta</i> ]		<i>Campiglossa doronici</i> (Loew, 1856) [ <i>Trypeta</i> ]			12
	<i>femoralis</i> Robineau-Desvoidy, 1830		<i>Oxya nebulosa</i> Wiedemann, 1817			1
	<i>flavescens</i> Robineau-Desvoidy, 1830		<i>Oxya flavipennis</i> (Loew, 1844) [ <i>Trypeta</i> ]			18
	<i>genalis</i> (Thomson, 1869) [ <i>Trypeta</i> ]		<i>Campiglossa genalis</i> (Thomson, 1869) [ <i>Trypeta</i> ]			2
	<i>plantaginis</i> (Haliday, 1833) [ <i>Tephritis</i> ]		<i>Campiglossa plantaginis</i> (Haliday, 1833) [ <i>Tephrella</i> ]			5
	<i>proboscidea</i> (Loew, 1844) [ <i>Trypeta</i> ]		<i>Oxya nebulosa</i> Wiedemann, 1817			15

## Tephritidae

## Paracantha

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Paracantha</b> Coquillett, 1899				1	7
	<i>culta</i> (Wiedemann, 1830) [ <i>Trypeta</i> ]					7
	<b>Parastenopa</b> Hendel, 1914				1	1
*	<i>marcetiae</i> Bezzi & Tavares, 1916					1
	<b>Pardalaspis</b> Bezzi, 1918		<b>Ceratitis</b> Macleay, 1829		12	82
	<i>aliena</i> Bezzi, 1920		<i>Ceratitis aliena</i> (Bezzi, 1920) [ <i>Pardalaspis</i> ]			1
*	<i>antistictica</i> (Bezzi, 1913) [ <i>Ceratitis</i> ]		<i>Ceratitis antistictica</i> Bezzi, 1913			5
	<i>bremii</i> (Guerin-Meneville, 1843) [ <i>Ceratitis</i> ]		<i>Ceratitis bremii</i> Germar, 1843			3
	<i>cosyra</i> (Walker, 1849) [ <i>Trypeta</i> ]		<i>Ceratitis cosyra</i> (Walker, 1849) [ <i>Trypeta</i> ]			7
*	<i>cyanescens</i> Bezzi, 1923		<i>Neoceratitis cyanescens</i> (Bezzi, 1923) [ <i>Pardalaspis</i> ]			1
*	<i>giffardi</i> (Bezzi, 1912) [ <i>Ceratitis</i> ]		<i>Ceratitis giffardi</i> Bezzi, 1912			10
	<i>melanaspis</i> Bezzi, 1920		<i>Capparimyia melanaspis</i> (Bezzi, 1920) [ <i>Pardalaspis</i> ]			30
*	<i>morstatti</i> (Bezzi, 1912) [ <i>Ceratitis</i> ]		<i>Ceratitis morstatti</i> Bezzi, 1912			2
*	<i>pedestris</i> Bezzi, 1924		<i>Ceratitis pedestris</i> (Bezzi, 1924) [ <i>Pardalaspis</i> ]			2
	<i>punctata</i> (Wiedemann, 1824) [ <i>Tephritis</i> ]		<i>Ceratitis punctata</i> (Wiedemann, 1824) [ <i>Tephritis</i> ]			6
*	<i>sarcocephali</i> Bezzi, 1924		<i>Ceratitis sarcocephali</i> (Bezzi, 1924) [ <i>Pardalaspis</i> ]			9
*	<i>silvestrii</i> (Bezzi, 1912) [ <i>Ceratitis</i> ]		<i>Ceratitis silvestrii</i> Bezzi, 1912			6
	<b>Peronyma</b> Loew, 1873				1	3
	<i>sarcinata</i> (Loew, 1862) [ <i>Trypeta</i> ]		<i>Peronyma quadrifasciata</i> (Macquart, 1843) [ <i>Tephritis</i> ]			3
	<b>Phagocarpus</b> Rondani, 1870		<b>Anomoia</b> Walker, 1835		2	2
*	<i>n. sp.</i>					1
*	<i>splendidus</i>					1
	<b>Philophylla</b> Rondani, 1870				4	60
	<i>centaureae</i> (Fabricius, 1794) [ <i>Musca</i> ]		<i>Euleia heraclei</i> (Linnaeus, 1758) [ <i>Musca</i> ]			3
	<i>fratria</i> (Loew, 1862) [ <i>Trypeta</i> ]		<i>Euleia fratria</i> (Loew, 1862) [ <i>Trypeta</i> ]			4
	<i>heraclei</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<i>Euleia heraclei</i> (Linnaeus, 1758) [ <i>Musca</i> ]			50
*	<i>separata</i> (Becker, 1908) [ <i>Acidia</i> ]		<i>Euleia separata</i> (Becker, 1908) [ <i>Acidia</i> ]			3
	<b>Phorellia</b> Rondani, 1870		<b>Trypeta</b> Meigen, 1803		4	22
	<i>artemisiae</i> (Fabricius, 1794) [ <i>Musca</i> ]		<i>Trypeta artemisiae</i> (Fabricius, 1794) [ <i>Musca</i> ]			4
	<i>hamifera</i> (Loew, 1846) [ <i>Trypeta</i> ]		<i>Trypeta immaculata</i> (Macquart, 1835) [ <i>Tephritis</i> ]			4
*	<i>peringueyi</i> Bezzi, 1924		<i>Cryptophorellia peringueyi</i> (Bezzi, 1924) [ <i>Phorellia</i> ]			2
	<i>zoe</i> (Meigen, 1826) [ <i>Trypeta</i> ]		<i>Trypeta zoe</i> Meigen, 1826			12
	<b>Platensina</b> Enderlein, 1911				2	5
	<i>acrostacta</i> (Wiedemann, 1824) [ <i>Tephritis</i> ]					4
*	<i>bezzii</i> Hardy, 1974					1

## Tephritidae

## Platyparea

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Platyparea</b> Loew, 1862				1	5
	<i>poeciloptera</i> (Schrank, 1776) [ <i>Musca</i> ]		<i>Pliorecepta poeciloptera</i> (Schrank, 1776) [ <i>Musca</i> ]			5
	<b>Platyparella</b> Hendel, 1914		<b>Platyparea</b> Loew, 1862		1	4
	<i>discoidea</i> (Fabricius, 1787) [ <i>Musca</i> ]		<i>Platyparea discoidea</i> (Fabricius, 1787) [ <i>Musca</i> ]			4
	<b>Pliomelaena</b> Bezzi, 1918				3	10
*	<i>brevifrons</i> (Bezzi, 1918) [ <i>Euaesta</i> ]					2
*	<i>stigmatica</i> Bezzi, 1924		<i>Platensina diaphasis</i> (Bigot, 1891) [ <i>Aedes</i> ]			5
*	<i>strictifrons</i> (Bezzi, 1918) [ <i>Euaesta</i> ]		<i>Platensina diaphasis</i> (Bigot, 1891) [ <i>Aedes</i> ]			3
	<b>Poecillis</b> Bezzi, 1913		<b>Chaetellipsis</b> Bezzi, 1913		1	1
	<i>judicanda</i> Bezzi, 1913		<i>Chaetellipsis paradoxa</i> Bezzi, 1913			1
	<b>Polionota</b> Wulp, 1899				1	2
	<i>mucida</i> (Giglio-Tos, 1893) [ <i>Anastrepha</i> ]					2
	<b>Proceidochares</b> Hendel, 1914				3	11
	<i>atra</i> (Loew, 1862) [ <i>Trypeta</i> ]					3
	<i>minuta</i> (Snow, 1894) [ <i>Oedaspis</i> ]					4
	<i>montana</i> (Snow, 1894) [ <i>Oedaspis</i> ]					4
	<b>Pseudeutreta</b> Hendel, 1914				1	3
	<i>anteapicalis</i> Hendel, 1914					3
	<b>Pseudospheniscus</b> Hendel, 1914		<b>Sphaeniscus</b> Becker, 1908		3	15
	<i>fossatus</i> (Fabricius, 1805) [ <i>Tephritis</i> ]		<i>Philophylla fossata</i> (Fabricius, 1805) [ <i>Tephritis</i> ]			9
	<i>homogeneous</i> (Bezzi, 1920) [ <i>Acidia</i> ]		<i>Philophylla homogenea</i> (Bezzi, 1920) [ <i>Acidia</i> ]			4
	<i>superfluctus</i> (Enderlein, 1911) [ <i>Trypeta</i> ]		<i>Philophylla superflucta</i> (Enderlein, 1911) [ <i>Trypeta</i> ]			2
	<b>Pterandrus</b> Bezzi, 1918		<b>Ceratitis</b> Macleay, 1829		6	57
	<i>anona</i> (Graham, 1908) [ <i>Ceratitis</i> ]		<i>Ceratitis anona</i> Graham, 1908			12
	<i>colae</i> (Silvestri, 1913) [ <i>Ceratitis</i> ]		<i>Ceratitis colae</i> Silvestri, 1913			8
*	<i>cornutus</i> Bezzi, 1924		<i>Ceratitis cornuta</i> (Bezzi, 1924) [ <i>Pterandrus</i> ]			2
*	<i>podocarp</i> Bezzi, 1924		<i>Ceratitis podocarp</i> (Bezzi, 1924) [ <i>Pterandrus</i> ]			6
	<i>rosa</i> (Karsch, 1887) [ <i>Ceratitis</i> ]		<i>Ceratitis rosa</i> Karsch, 1887			15
	<i>rubivorum</i> (Coquillett, 1901) [ <i>Ceratitis</i> ]		<i>Ceratitis rubivora</i> Coquillett, 1901			14
	<b>Ptilona</b> Wulp, 1880				1	9
	<i>brevicornis</i> Wulp, 1880		<i>Ptilona confinis</i> (Walker, 1856) [ <i>Rioxa</i> ]			9
	<b>Ptiloniola</b> Hendel, 1914				1	36
	<i>neavei</i> Bezzi, 1918		<i>Ptiloniola tripunctulata</i> (Karsch, 1887) [ <i>Hemilea</i> ]			36



## Tephritidae

## Rhabdochaeta

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Rhabdochaeta</b> Meijere, 1904				2	5
*	<i>bakeri</i> Bezzi, 1914		<b>Rhabdochaeta pulchella</b> Meijere, 1904			4
*	<i>melanura</i> Bezzi, 1926		<b>Rhochmopterum melanurum</b> (Bezzi, 1926) [ <i>Rhabdochaeta</i> ]			1
	<b>Rhacochlaena</b> Loew, 1862		<b>Euphranta</b> Loew, 1862		4	18
	<i>fasciolata</i> (Loew, 1863) [ <i>Trypeta</i> ]		<b>Coelotrypes fasciolatus</b> (Loew, 1863) [ <i>Trypeta</i> ]			12
	<i>major</i> Bezzi, 1924		<b>Coelotrypes major</b> (Bezzi, 1924) [ <i>Rhacochlaena</i> ]			4
*	<i>pulchella</i> Bezzi, 1920		<b>Coelotrypes pulchellus</b> (Bezzi, 1920) [ <i>Rhacochlaena</i> ]			1
	<i>toxoneura</i> (Loew, 1846) [ <i>Trypeta</i> ]		<b>Euphranta toxoneura</b> (Loew, 1846) [ <i>Trypeta</i> ]			1
	<b>Rhagoletis</b> Loew, 1862				3	11
	<i>cerasi</i> (Linnaeus, 1758) [ <i>Musca</i> ]					8
	<i>pomonella</i> (Walsh, 1867) [ <i>Trypeta</i> ]					1
	<i>suavis</i> (Loew, 1862) [ <i>Trypeta</i> ]					2
	<b>Rhochmopterum</b> Speiser, 1910				2	3
	<i>lutescens</i> Bezzi, 1924		<b>Rhabdochaeta lutescens</b> (Bezzi, 1924) [ <i>Rhochmopterum</i> ]			1
*	<i>munroi</i> Bezzi, 1924					2
	<b>Rhynchoedaspis</b> Bezzi, 1924		<b>Oedoncus</b> Speiser, 1924		1	3
*	<i>munroana</i> Bezzi, 1924		<b>Oedoncus taenipalpis</b> Speiser, 1924			3
	<b>Rioxa</b> Walker, 1856				4	25
	<i>bicolor</i> (Macquart, 1855) [ <i>Urophora</i> ]		<b>Acanthonevroides basalis</b> (Walker, 1853) [ <i>Trypeta</i> ]			5
	<i>musae</i> (Froggatt, 1899) [ <i>Trypeta</i> ]		<b>Dirioxa pornia</b> (Walker, 1849) [ <i>Trypeta</i> ]			14
*	<i>termitoxena</i> Bezzi, 1919		<b>Termitorioxa termitoxena</b> (Bezzi, 1919) [ <i>Rioxa</i> ]			3
	<i>trispila</i> Bezzi					3
	<b>Rioxoptilona</b> Hendel, 1914		<b>Acanthonevra</b> Macquart, 1843		2	19
*	<i>caeca</i> (Bezzi, 1914) [ <i>Rioxa</i> ]		<b>Dacopsis caeca</b> (Bezzi, 1914) [ <i>Rioxa</i> ]			10
	<i>dunlopi</i> (Wulp, 1880) [ <i>Ptilona</i> ]		<b>Acanthonevra dunlopi</b> (Wulp, 1880) [ <i>Ptilona</i> ]			9
	<b>Rivelliomima</b> Bezzi, 1824				1	10
	<i>punctiventris</i> Bezzi, 1924					10
	<b>Schistopterum</b> Becker, 1903				1	8
	<i>moebii</i> Bezzi, 1908		<b>Schistopterum moebiusi</b> Becker, 1903			8
	<b>Soita</b> Walker, 1865				1	1
*	<i>ensifera</i> Hardy, 1974					1
	<b>Sophira</b> Walker, 1856				2	9
	<i>limbata</i> Enderlein, 1911					2

## Tephritidae

Sophira

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>venusta</i> Walker, 1856					7
	<b>Sophiroides</b> Hendel, 1914				1	9
	<i>sp.</i>					9
	<b>Sosiopsila</b> Bezzi, 1920				1	1
*	<i>trisetosa</i> Bezzi, 1920		<i>Sosiopsila metadacus</i> (Speiser, 1915) [ <i>Polystodes</i> ]			1
	<b>Spathulina</b> Rondani, 1856				7	62
	<i>acroleuca</i> (Schiner, 1868) [ <i>Tephritis</i> ]					3
*	<i>anomalina</i> Bezzi, 1924		<i>Campiglossa anomalina</i> (Bezzi, 1924) [ <i>Spathulina</i> ]			2
*	<i>biseuaristina</i> Bezzi, 1924					4
*	<i>munroi</i> Bezzi, 1924		<i>Bezzina margaritifera</i> (Bezzi, 1908) [ <i>Oxyna</i> ]			15
*	<i>parca</i> (Bezzi, 1913) [ <i>Oxyna</i> ]		<i>Spathulina acroleuca</i> (Schiner, 1868) [ <i>Tephritis</i> ]			26
*	<i>semirufa</i> Bezzi, 1924		<i>Hyaloctoides semiater</i> (Loew, 1861) [ <i>Trypeta</i> ]			7
	<i>tristis</i> (Loew, 1869) [ <i>Tephritis</i> ]		<i>Spathulina sicula</i> Rondani, 1856			5
	<b>Sphenella</b> Robineau-Desvoidy, 1830				2	14
	<i>canariensis</i> (Macquart, 1839) [ <i>Tephritis</i> ]		<i>Oedosphearella canariensis</i> (Macquart, 1839) [ <i>Tephritis</i> ]			4
	<i>marginata</i> (Fallen, 1814) [ <i>Tephritis</i> ]					10
	<b>Spheniscomyia</b> Bezzi, 1913		<b>Sphaeniscus</b> Becker, 1908		10	89
*	<i>aegyptiaca</i> Efflatoun, 1924		<i>Sphaeniscus filiulus</i> (Loew, 1869) [ <i>Aciura</i> ]			2
	<i>binaria</i> (Loew, 1861) [ <i>Trypeta</i> ]		<i>Paraspheniscoides binarius</i> (Loew, 1861) [ <i>Trypeta</i> ]			19
*	<i>bioculata</i> Bezzi, 1928		<i>Sphaeniscus binoculatus</i> (Bezzi, 1928) [ <i>Spheniscomyia</i> ]			4
*	<i>debskii</i> Efflatoun, 1924		<i>Cesaspheniscus debskii</i> (Efflatoun, 1924) [ <i>Spheniscomyia</i> ]			5
*	<i>neavei</i> Bezzi, 1920		<i>Gymnaciura neavei</i> (Bezzi, 1920) [ <i>Spheniscomyia</i> ]			4
	<i>quadrincisa</i> (Wiedemann, 1824) [ <i>Tephritis</i> ]		<i>Sphaeniscus quadrincisus</i> (Wiedemann, 1824) [ <i>Tephritis</i> ]			3
*	<i>quaternaria</i> Bezzi, 1924		<i>Afraciura quaternaria</i> (Bezzi, 1924) [ <i>Spheniscomyia</i> ]			13
*	<i>quinaria</i> Bezzi, 1924		<i>Afraciura quinaria</i> (Bezzi, 1924) [ <i>Spheniscomyia</i> ]			10
	<i>sexmaculata</i> (Macquart, 1843) [ <i>Urophora</i> ]		<i>Sphaeniscus sexmaculatus</i> (Macquart, 1843) [ <i>Urophora</i> ]			20
	<i>ternaria</i> (Loew, 1861) [ <i>Trypeta</i> ]		<i>Pediapelta ternaria</i> (Loew, 1862) [ <i>Trypeta</i> ]			9
	<b>Spilocosmia</b> Bezzi, 1914				1	1
*	<i>bakeri</i> Bezzi, 1914					1
	<b>Staurella</b> Bezzi, 1913		<b>Euphranta</b> Loew, 1862		1	8
	<i>crux</i> (Fabricius, 1794) [ <i>Musca</i> ]		<i>Euphranta crux</i> (Fabricius, 1794) [ <i>Musca</i> ]			8
	<b>Stemonocera</b> Rondani, 1870				1	3
	<i>cornuta</i> (Scopoli, 1771) [ <i>Musca</i> ]					3
	<b>Stenopa</b> Loew, 1873				1	3
	<i>vulnerata</i> (Loew, 1873) [ <i>Trypeta</i> ]					3

## Tephritidae

Stenopa

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Stictaspis</b> Bezzi, 1913		<b>Acroceratitis</b> Hendel, 1913		1	1
*	<i>striata</i> (Froggatt, 1909) [ <i>Ceratitis</i> ]		<i>Acroceratitis striata</i> (Froggatt, 1909) [ <i>Ceratinostoma</i> ]			1
	<b>Straussia</b> Agassiz, 1846		<b>Strauzia</b> Robineau-Desvoidy, 1830		1	12
	<i>longipennis</i> (Wiedemann, 1830) [ <i>Trypanea</i> ]		<i>Strauzia longipennis</i> (Wiedemann, 1830) [ <i>Trypeta</i> ]			12
	<b>Strobelia</b> Rondani, 1868				1	1
	<i>baccharidis</i> Rondani, 1868					1
	<b>Taeniostola</b> Bezzi, 1913				1	2
	<i>vittigera</i> Bezzi, 1913					2
	<b>Tephrella</b> Bezzi, 1913				5	11
	<i>cyclopica</i> Bezzi, 1908		<i>Metasphenisca gracilipes</i> (Loew, 1862) [ <i>Trypeta</i> ]			1
*	<i>dispar</i> Bezzi, 1924		<i>Dicheniotes dispar</i> (Bezzi, 1924) [ <i>Tephrella</i> ]			6
*	<i>distigma</i> Bezzi, 1924		<i>Dicheniotes distigma</i> (Bezzi, 1924) [ <i>Tephrella</i> ]			2
*	<i>n.sp.</i>					1
	<i>rufiventris</i> Bezzi, 1918		<i>Brachyaciura rufiventris</i> (Bezzi, 1918) [ <i>Tephrella</i> ]			1
	<b>Tephritis</b> Latreille, 1804				20	57
	<i>bimaculata</i> Freidberg, 1981					1
	<i>crassipes</i> (Thomson, 1869) [ <i>Trypeta</i> ]		<i>Trupanea crassipes</i> (Thomson, 1869) [ <i>Trypeta</i> ]			5
	<i>cratericola</i> Grimshaw, 1901		<i>Trupanea cratericola</i> (Grimshaw, 1901) [ <i>Tephritis</i> ]			3
	<i>crepidis</i> Hendel, 1927					3
*	<i>dubautiae</i> Bryan, 1921		<i>Trupanea dubautiae</i> (Bryan, 1921) [ <i>Tephritis</i> ]			0
	<i>finalis</i> (Loew, 1862) [ <i>Trypeta</i> ]		<i>Neotephritis finalis</i> (Loew, 1862) [ <i>Trypeta</i> ]			10
	<i>fucata</i> (Fabricius, 1794) [ <i>Musca</i> ]		<i>Acinia picturata</i> (Snow, 1894) [ <i>Tephritis</i> ]			6
	<i>fucatella</i> Hendel, 1914		<i>Lamproxynella fucatella</i> (Hendel, 1914) [ <i>Euribia</i> ]			5
	<i>hirayamae</i> Matsumura, 1916		<i>Campiglossa hirayamae</i> (Matsumura, 1916) [ <i>Tephritis</i> ]			2
	<i>kogardtauca</i> Hering, 1944					2
*	<i>lyncea</i> Bezzi, 1913		<i>Campiglossa lyncea</i> (Bezzi, 1913) [ <i>Tephritis</i> ]			1
	<i>mariannae</i> Merz, 1992					1
	<i>matricariae</i> (Loew, 1844) [ <i>Trypeta</i> ]					1
	<i>murina</i> Doane, 1899		<i>Campiglossa murina</i> (Doane, 1899) [ <i>Tephritis</i> ]			2
	<i>mutabilis</i> Merz, 1992					1
	<i>spretta</i> (Loew, 1861) [ <i>Trypeta</i> ]					9
	<i>staminea</i> Wulp, 1900		<i>Neotephritis staminea</i> (Wulp, 1900) [ <i>Tephritis</i> ]			1
*	<i>swezeyi</i> Bryan, 1921		<i>Trupanea swezeyi</i> (Bryan, 1921) [ <i>Tephritis</i> ]			1
*	<i>vernoniicola</i> Bezzi, 1918		<i>Stammophora vernoniicola</i> (Bezzi, 1918) [ <i>Tephritis</i> ]			2
	<i>zodiacalis</i> Bezzi, 1913		<i>Platensina zodiacalis</i> (Bezzi, 1913) [ <i>Tephritis</i> ]			1
	<b>Terellia</b> Robineau-Desvoidy, 1830				16	170
	<i>cuticornis</i> (Loew, 1846) [ <i>Trypeta</i> ]		<i>Terellia longicauda</i> (Meigen, 1838) [ <i>Trypeta</i> ]			15

## Tephritidae

## Terellia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>australis</i> Bezzi, 1924		<i>Tephritites australis</i> (Bezzi, 1924) [ <i>Terellia</i> ]			14
	<i>colon</i> (Meigen, 1826) [ <i>Trypeta</i> ]					13
	<i>cylindrica</i> (Robineau-Desvoidy, 1830) [ <i>Tephrytis</i> ]		<i>Chaetostomella cylindrica</i> (Robineau-Desvoidy, 1830) [ <i>Tephrytis</i> ]			14
	<i>dentata</i> Loew, 1844		<i>Terellia serratulae</i> (Linnaeus, 1758) [ <i>Musca</i> ]			0
	<i>falcata</i> (Scopoli, 1763) [ <i>Musca</i> ]		<i>Orellia falcata</i> (Scopoli, 1763) [ <i>Musca</i> ]			17
	<i>fusicornis</i> (Loew, 1844) [ <i>Trypeta</i> ]					14
	<i>jaceae</i> (Robineau-Desvoidy, 1830) [ <i>Tephrytis</i> ]		<i>Chaetorellia jaceae</i> (Robineau-Desvoidy, 1830) [ <i>Tephrytis</i> ]			11
	<i>occidentalis</i> (Snow, 1894) [ <i>Trypeta</i> ]					3
	<i>palposa</i> (Loew, 1862) [ <i>Trypeta</i> ]					2
	<i>ruficauda</i> (Fabricius, 1794) [ <i>Musca</i> ]					8
	<i>serratulae</i> (Linnaeus, 1758) [ <i>Musca</i> ]					24
	<i>tussilaginis</i> (Fabricius, 1775) [ <i>Musca</i> ]					22
	<i>undosa</i> (Coquillett, 1899) [ <i>Trypeta</i> ]		<i>Chaetostomella undosa</i> (Coquillett, 1899) [ <i>Trypeta</i> ]			0
	<i>virens</i> (Loew, 1846) [ <i>Trypeta</i> ]					7
	<i>winthemi</i> (Meigen, 1826) [ <i>Trypeta</i> ]					6
	<b>Tetradacus</b> Miyake, 1919		<b>Bactrocera</b> Macquart, 1835		1	2
*	<i>tsuneonis</i> (Miyake, 1919) [ <i>Dacus</i> ]		<i>Bactrocera tsuneonis</i> (Miyake, 1919) [ <i>Dacus</i> ]			2
	<b>Themara</b> Walker, 1856				3	19
	<i>alcestis</i> (Bezzi, 1913) [ <i>Trypeta</i> ]		<i>Themara alkestis</i> (Osten Sacken, 1882) [ <i>Trypeta</i> ]			8
*	<i>fallacivena</i> var <i>trispila</i> Bezzi, 1923		<i>Aethiothemara fallacivena</i> (Enderlein, 1911) [ <i>Acanthoneura</i> ]			4
	<i>maculipennis</i> (Westwood, 1847) [ <i>Achias</i> ]					7
	<b>Themaroides</b> Hendel, 1914				1	1
	<i>quadrifera</i> (Walker, 1861) [ <i>Helomyza</i> ]					1
	<b>Tomoplagia</b> Coquillett, 1910				4	15
	<i>atelesta</i> Hendel, 1914					2
	<i>obliqua</i> (Say, 1830) [ <i>Trypeta</i> ]					10
	<i>pleuralis</i> Hendel, 1914					2
	<i>tripunctata</i> Hendel, 1914					1
	<b>Toxotrypana</b> Gerstaecker, 1860				1	5
	<i>curvicauda</i> Gerstaecker, 1860					5
	<b>Tridacus</b> Bezzi, 1915		<b>Dacus</b> Fabricius, 1805		9	67
	<i>bivittatus</i> (Bigot, 1858) [ <i>Leptoxys</i> ]		<i>Dacus bivittatus</i> (Bigot, 1858) [ <i>Leptoxys</i> ]			9
*	<i>chrysomphalus</i> Bezzi, 1924		<i>Dacus chrysomphalus</i> (Bezzi, 1924) [ <i>Tridacus</i> ]			28
	<i>d'emmerzei</i> Bezzi, 1917		<i>Dacus demmerzei</i> (Bezzi, 1917) [ <i>Tridacus</i> ]			1
	<i>lounsburyii</i> (Coquillett, 1901) [ <i>Dacus</i> ]		<i>Dacus lounsburyii</i> Coquillett, 1901			3
*	<i>momordicae</i> Bezzi, 1915		<i>Dacus momordicae</i> (Bezzi, 1915) [ <i>Tridacus</i> ]			4
	<i>pectoralis</i> (Walker, 1859) [ <i>Dacus</i> ]		<i>Bactrocera pectoralis</i> (Walker, 1859) [ <i>Dacus</i> ]			18
	<i>punctatifrons</i> (Karsch, 1887) [ <i>Dacus</i> ]		<i>Dacus punctatifrons</i> Karsch, 1887			1

## Tephritidae

## Tridacus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
*	<i>sphaerostigma</i> Bezzi, 1924		<i>Dacus sphaerostigma</i> (Bezzi, 1924) [ <i>Tridacus</i> ]			1
*	<i>telfaireae</i> Bezzi, 1924		<i>Dacus telfaireae</i> (Bezzi, 1924) [ <i>Tridacus</i> ]			2
<b>Trirhithrum</b> Bezzi, 1918					5	21
*	<i>basale</i> Bezzi, 1924					1
*	<i>leucopsis</i> Bezzi, 1918					2
	<i>lycii</i> (Coquillett, 1901) [ <i>Ceratitis</i> ]		<i>Neoceratitis lycii</i> (Coquillett, 1901) [ <i>Ceratitis</i> ]			3
	<i>nigerrimum</i> Bezzi, 1913					6
	<i>occipitale</i> Bezzi, 1918					9
<b>Tritaeniopteron</b> Meijere, 1914					1	1
*	<i>flavifacies</i> Hardy, 1974					1
<b>Trypanea</b> Agassiz, 1847				<b>Trypanea</b> Schrank, 1795	37	151
	<i>abstersa</i> (Loew, 1862) [ <i>Trypeta</i> ]		<i>Euarestoides abstersus</i> (Loew, 1862) [ <i>Trypeta</i> ]			7
	<i>actinobola</i> (Loew, 1873) [ <i>Trypeta</i> ]		<i>Trypanea actinobola</i> (Loew, 1873) [ <i>Trypeta</i> ]			5
	<i>amoena</i> Bezzi, 1914		<i>Trypanea glauca</i> (Thomson, 1869) [ <i>Trypeta</i> ]			12
	<i>asteria</i> (Schiner, 1868) [ <i>Tephritis</i> ]		<i>Trypanea asteria</i> (Schiner, 1868) [ <i>Tephritis</i> ]			3
*	<i>aucta</i> var. <i>repleta</i> Bezzi, 1918		<i>Trypanea repleta</i> (Bezzi, 1918) [ <i>Trypanea</i> ]			1
	<i>augur</i> (Frauenfeld, 1857) [ <i>Trypeta</i> ]		<i>Paradesis augur</i> (Frauenfeld, 1857) [ <i>Trypeta</i> ]			1
	<i>auguralis</i> (Bezzi, 1908) [ <i>Urellia</i> ]		<i>Hancockius auguralis</i> (Bezzi, 1908) [ <i>Urellia</i> ]			4
	<i>aurea</i> Bezzi, 1924		<i>Capitites aurea</i> (Bezzi, 1924) [ <i>Trypanea</i> ]			3
*	<i>bisdiversa</i> Bezzi, 1824		<i>Trypanea bisdiversa</i> (Bezzi, 1924) [ <i>Trypanea</i> ]			4
	<i>cometa</i> (Loew, 1840) [ <i>Trypeta</i> ]		<i>Tephritis cometa</i> (Loew, 1840) [ <i>Trypeta</i> ]			3
	<i>confluens</i> (Wiedemann, 1830) [ <i>Trypeta</i> ]		<i>Dectodesis confluens</i> (Wiedemann, 1830) [ <i>Trypeta</i> ]			17
	<i>decora</i> (Loew, 1861) [ <i>Trypeta</i> ]		<i>Trypanea decora</i> (Loew, 1861) [ <i>Trypeta</i> ]			6
*	<i>dentiens</i> Bezzi, 1924		<i>Capitites dentiens</i> (Bezzi, 1924) [ <i>Trypanea</i> ]			3
	<i>diversa</i> (Wiedemann, 1830) [ <i>Trypeta</i> ]		<i>Trypanea diversa</i> (Wiedemann, 1830) [ <i>Trypeta</i> ]			1
	<i>gnaphalii</i> (Loew, 1844) [ <i>Trypeta</i> ]		<i>Actinoptera discoidea</i> (Fallen, 1814) [ <i>Tephritis</i> ]			4
*	<i>guimari</i> (Becker, 1908) [ <i>Urellia</i> ]		<i>Urelliosoma guimari</i> (Becker, 1908) [ <i>Urellia</i> ]			3
*	<i>haemorrhoea</i> Bezzi, 1926		<i>Capitites goliath</i> (Bezzi, 1924) [ <i>Trypanea</i> ]			1
*	<i>insularum</i> (Becker, 1908) [ <i>Urellia</i> ]		<i>Trypanea insularum</i> (Becker, 1908) [ <i>Urellia</i> ]			2
*	<i>kingi</i> Bezzi, 1924		<i>Paradesis augur</i> (Frauenfeld, 1857) [ <i>Trypeta</i> ]			1
	<i>majuscula</i> Bezzi & Tavares, 1916		<i>Trypanea bonariensis</i> (Brethes, 1908) [ <i>Urellia</i> ]			5
	<i>mevarna</i> (Walker, 1849) [ <i>Trypeta</i> ]		<i>Trypanea mevarna</i> (Walker, 1849) [ <i>Trypeta</i> ]			2
*	<i>mundella</i> Bezzi, 1924		<i>Actinoptera mundella</i> (Bezzi, 1924) [ <i>Trypanea</i> ]			2
	<i>novarae</i> (Schiner, 1868) [ <i>Tephritis</i> ]		<i>Trypanea novarae</i> (Schiner, 1868) [ <i>Tephritis</i> ]			4
	<i>pacifica</i> (Doane, 1890) [ <i>Urellia</i> ]		<i>Tephritis araneosa</i> (Coquillett, 1894) [ <i>Trypeta</i> ]			0
	<i>peregrina</i> (Adams, 1905) [ <i>Urellia</i> ]		<i>Actinoptera peregrina</i> (Adams, 1905) [ <i>Urellia</i> ]			7
	<i>perfecta</i> (Becker, 1908) [ <i>Urellia</i> ]		<i>Capitites ramulosa</i> (Loew, 1844) [ <i>Trypeta</i> ]			0
	<i>platensis</i> (Brethes, 1908) [ <i>Urellia</i> ]		<i>Trypanea platensis</i> (Brethes, 1908) [ <i>Urellia</i> ]			4
	<i>polyclona</i> (Loew, 1873) [ <i>Trypeta</i> ]		<i>Trypanea polyclona</i> (Loew, 1873) [ <i>Trypeta</i> ]			12
	<i>radifera</i> (Coquillett, 1899) [ <i>Urellia</i> ]		<i>Trypanea radifera</i> (Coquillett, 1899) [ <i>Urellia</i> ]			1

## Tephritidae

## Trypanea

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>solaris</i> (Loew, 1862) [ <i>Trypeta</i> ]		<i>Trypanea mevarna</i> (Walker, 1849) [ <i>Trypeta</i> ]			5
	<i>stellata</i> (Fuesslin, 1775) [ <i>Musca</i> ]		<i>Trypanea stellata</i> (Fuesslin, 1775) [ <i>Musca</i> ]			7
	<i>stigmatica</i> (Coquillett, 1899) [ <i>Urellia</i> ]		<i>Tephritis stigmatica</i> (Coquillett, 1899) [ <i>Urellia</i> ]			1
*	<i>superdecora</i> Bezzi, 1924		<i>Trypanea superdecora</i> (Bezzi, 1924) [ <i>Trypanea</i> ]			4
	<i>urophora</i> Bezzi, 1918		<i>Actinoptera peregrina</i> (Adams, 1905) [ <i>Urellia</i> ]			4
	<i>vicinana</i> (Wulp, 1890) [ <i>Urellia</i> ]		<i>Trypanea vicina</i> (Wulp, 1890) [ <i>Urellia</i> ]			2
*	<i>woodi</i> Bezzi, 1924		<i>Pheroethrinax woodi</i> (Bezzi, 1924) [ <i>Trypanea</i> ]			6
*	<i>woodi</i> var <i>arrhiza</i> Bezzi, 1924		<i>Pheroethrinax arrhiza</i> (Bezzi, 1924) [ <i>Trypanea</i> ]			4
<b>Trypanophion</b> Bezzi, 1924					1	3
*	<i>gigas</i> Bezzi, 1924					3
<b>Trypeta</b> Meigen, 1803					1	1
	<i>trigona</i> Matsumura, 1905		<i>Acanthonevra trigona</i> (Matsumura, 1905) [ <i>Trypeta</i> ]			1
<b>Urophora</b> Robineau-Desvoidy, 1830					12	68
	<i>affinis</i> (Frauenfeld, 1857) [ <i>Trypeta</i> ]					6
	<i>algira</i> Macquart, 1843		<i>Urophora mauritanica</i> Macquart, 1851			5
	<i>cardui</i> (Linnaeus, 1758) [ <i>Musca</i> ]					2
	<i>centaureae</i> Robineau-Desvoidy, 1830		<i>Urophora aprica</i> (Fallen, 1814) [ <i>Tephritis</i> ]			9
	<i>macrura</i> (Loew, 1855) [ <i>Trypeta</i> ]		<i>Urophora mauritanica</i> Macquart, 1851			5
*	<i>pantomelas</i> Bezzi, 1926		<i>Asimoneura pantomelas</i> (Bezzi, 1926) [ <i>Urophora</i> ]			6
	<i>quadrifasciata</i> (Meigen, 1826) [ <i>Trypeta</i> ]					5
	<i>solstitialis</i> (Linnaeus, 1758) [ <i>Musca</i> ]					11
	<i>sp.</i>					13
	<i>stylata</i> (Fabricius, 1775) [ <i>Musca</i> ]					3
*	<i>townsendi</i> Bezzi, 1923					1
	<i>venabulata</i> Rondani, 1870		<i>Urophora stylata</i> (Fabricius, 1775) [ <i>Musca</i> ]			2
<b>Xanthaciura</b> Hendel, 1914					2	7
	<i>insecta</i> (Loew, 1862) [ <i>Trypeta</i> ]					5
	<i>phoenicura</i> (Loew, 1873) [ <i>Trypeta</i> ]					2
<b>Xanthorrhachista</b> Hendel, 1928				<b>Xanthorrhachista</b> Hendel, 1914	1	2
	<i>cephalia</i> Hendel, 1914		<i>Xanthorrhachista cephalia</i> Hendel, 1914			2
<b>Xarnuta</b> Walker, 1856					2	7
	<i>leucotela</i> Walker, 1856					5
*	<i>stellaris</i> Hardy, 1970					2
<b>Xyphosia</b> Robineau-Desvoidy, 1830					4	21
	<i>biflexa</i> (Loew, 1844) [ <i>Trypeta</i> ]		<i>Acinia biflexa</i> (Loew, 1844) [ <i>Trypeta</i> ]			4
	<i>corniculata</i> (Zetterstedt, 1819) [ <i>Tephritis</i> ]		<i>Acinia corniculata</i> (Zetterstedt, 1819) [ <i>Tephritis</i> ]			2
	<i>flava</i> (Loew, 1844) [ <i>Trypeta</i> ]		<i>Xyphosia miliaria</i> (Schrank, 1781) [ <i>Musca</i> ]			12

## Tephritidae

Xyphosia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>laticauda</i> (Meigen, 1826) [ <i>Trypeta</i> ]					3
	<b>Zonosema</b> Loew, 1862		<b>Rhagoletis</b> Loew, 1862		4	14
	<i>alternata</i> (Fallen, 1814) [ <i>Tephritis</i> ]		<i>Rhagoletis alternata</i> (Fallen, 1814) [ <i>Tephritis</i> ]			7
	<i>electa</i> (Say, 1830) [ <i>Trypeta</i> ]		<i>Zonosemata electa</i> (Say, 1930) [ <i>Trypeta</i> ]			3
	<i>meigenii</i> (Loew, 1844) [ <i>Trypeta</i> ]		<i>Rhagoletis meigenii</i> (Loew, 1844) [ <i>Trypeta</i> ]			3
*	<i>vittigera</i> Coquillett, 1899		<i>Zonosemata vittigera</i> (Coquillett, 1899) [ <i>Zonosema</i> ]			1

## Thaumaleidae

## Androprosopa

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Thaumaleidae</b>				2	11	55
	<b>Androprosopa</b> Mik, 1898				1	6
	<i>larvata</i> (Mik, 1888) [ <i>Orphnephila</i> ]					6
	<b>Thaumalea</b> Ruthe, 1831				10	49
*	<i>americana</i> Bezzi, 1913		<i>Protothaumalea americana</i> (Bezzi, 1913) [ <i>Thaumalea</i> ]			1
*	<i>buckae</i> Arnaud & Boussy, 1994					1
	<i>caudata</i> Bezzi, 1913					3
	<i>divaricata</i> Bezzi, 1913					8
	<i>inflata</i> Bezzi, 1913					10
	<i>major</i> Bezzi, 1913					6
*	<i>neozealandica</i> (Tonnoir, 1927) [ <i>Austrothaumalea</i> ]		<i>Austrothaumalea neozealandica</i> Tonnoir, 1927			1
	<i>nigra</i> (Loew, 1871) [ <i>Orphnephila</i> ]		<i>Orphnephilina nigra</i> (Loew, 1871) [ <i>Orphnephila</i> ]			2
*	<i>subafricana</i> (Becker, 1908) [ <i>Orphnephila</i> ]					4
	<i>testacea</i> Ruthe, 1831					13



## Therevidae

## Agapophytus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Therevidae</b>				16	64	332
	<b>Agapophytus</b> Guerin-Meneville, 1831				1	2
*	<i>nocturnus</i> Bezzi					2
	<b>Apioeicoceras</b> Becker, 1912		<b>Salentia</b> Costa, 1857		1	2
	<i>costalis</i> (Wiedemann, 1824) [ <i>Xestomyza</i> ]		<i>Salentia costalis</i> (Wiedemann, 1824) [ <i>Xestomyza</i> ]			2
	<b>Chromolepida</b> Cole, 1923				1	2
*	<i>bella</i> Cole, 1923					2
	<b>Chrysanthemymia</b> Becker, 1912				1	5
	<i>chrysanthemii</i> (Fabricius, 1787) [ <i>Tipula</i> ]					5
	<b>Dialineura</b> Rondani, 1856				2	5
	<i>anilis</i> (Linnaeus, 1761) [ <i>Musca</i> ]					3
	<i>crassicornis</i> Williston, 1886		<i>Pallicephala willistoni</i> (Cole, 1965) [ <i>Dialineura</i> ]			2
	<b>Epomyia</b> Cole, 1923		<b>Cyclotelus</b> Walker, 1850		3	14
	<i>pictipennis</i> (Wiedemann, 1821) [ <i>Thereva</i> ]		<i>Cerocatus pictipennis</i> (Wiedemann, 1821) [ <i>Thereva</i> ]			6
	<i>rufiventris</i> (Loew, 1869) [ <i>Psilocephala</i> ]		<i>Cerocatus rufiventris</i> (Loew, 1869) [ <i>Psilocephala</i> ]			4
	<i>scutellaris</i> (Loew, 1870) [ <i>Psilocephala</i> ]		<i>Cerocatus colei</i> Irwin & Lyneborg, 1981			4
	<b>Euphycus</b> Krober, 1912				1	3
	<i>dispar</i> (Wiedemann, 1820) [ <i>Thereva</i> ]					3
	<b>Metaphragma</b> Coquillett, 1894		<b>Tabuda</b> Walker, 1852		1	1
	<i>planiceps</i> (Loew, 1872) [ <i>Xestomyza</i> ]		<i>Tabuda planiceps</i> (Loew, 1872) [ <i>Xestomyza</i> ]			1
	<b>Neothereva</b> Krober, 1912		<b>Thereva</b> Latreille, 1797		1	1
*	<i>angustifrons</i> Krober, 1912		<i>Neothereva citrina</i> (Becker, 1902) [ <i>Thereva</i> ]			1
	<b>Orthactia</b> Krober, 1912				2	8
*	<i>frontalis</i> Krober, 1912		<i>Ruppellia thoracica</i> (Macquart, 1840) [ <i>Thereva</i> ]			2
	<i>thoracica</i> (Macquart, 1840) [ <i>Thereva</i> ]		<i>Ruppellia thoracica</i> (Macquart, 1840) [ <i>Thereva</i> ]			6
	<b>Phycus</b> Walker, 1850				1	1
	<i>nitidus</i> Wulp, 1897		<i>Phycus brunneus</i> (Wiedemann, 1824) [ <i>Xylophagus</i> ]			1
	<b>Psilocephala</b> Zetterstedt, 1838				19	95
	<i>abdominalis</i> (Fabricius, 1805) [ <i>Bibio</i> ]		<i>Elcaribe abdominalis</i> (Fabricius, 1805) [ <i>Bibio</i> ]			8
*	<i>aethiopica</i> Bezzi, 1906		<i>Pseudothereva aethiopica</i> (Bezzi, 1906) [ <i>Thereva</i> ]			1
	<i>albina</i> (Wiedemann, 1819) [ <i>Thereva</i> ]					20

## Therevidae

## Psilocephala

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>aldrichi</i> Coquillett, 1893		<i>Ozodiceromya aldrichi</i> (Coquillett, 1893) [ <i>Psilocephala</i> ]			2
	<i>ardea</i> (Fabricius, 1794) [ <i>Rhagio</i> ]		<i>Cliorismia ardea</i> (Fabricius, 1794) [ <i>Rhagio</i> ]			6
*	<i>baccata</i> Coquillett, 1893		<i>Brachylinga baccata</i> (Coquillett, 1893) [ <i>Psilocephala</i> ]			2
*	<i>bezzii</i> Krober, 1911		<i>Notiothereva bezzii</i> (Krober, 1911) [ <i>Psilocephala</i> ]			2
	<i>eximia</i> (Meigen, 1820) [ <i>Thereva</i> ]		<i>Pandivirilia eximia</i> (Meigen, 1820) [ <i>Thereva</i> ]			4
*	<i>flavipennis</i> Cole, 1923		<i>Ozodiceromya flavipennis</i> (Cole, 1923) [ <i>Psilocephala</i> ]			1
	<i>frauenfeldi</i> (Loew, 1856) [ <i>Thereva</i> ]		<i>Hoplosathe frauenfeldi</i> (Loew, 1856) [ <i>Thereva</i> ]			2
*	<i>frontalis</i> Cole, 1923		<i>Ozodiceromya frontalis</i> (Cole, 1923) [ <i>Psilocephala</i> ]			2
*	<i>gracilis</i> Krober, 1911		<i>Penniverpa gracilis</i> (Krober, 1911) [ <i>Psilocephala</i> ]			5
	<i>hoemorrhoidalis</i> (Macquart, 1840) [ <i>Thereva</i> ]		<i>Ozodiceromya hoemorrhoidalis</i> (Macquart, 1840) [ <i>Thereva</i> ]			17
	<i>indica</i> Bigot, 1889					4
	<i>laticornis</i> (Loew, 1869) [ <i>Thereva</i> ]		<i>Elcaribe laticornis</i> (Loew, 1869) [ <i>Psilocephala</i> ]			3
	<i>melaleuca</i> (Loew, 1847) [ <i>Thereva</i> ]		<i>Pandivirilia melaleuca</i> (Loew, 1847) [ <i>Thereva</i> ]			1
	<i>munda</i> Loew, 1869		<i>Psilocephala vicina</i> (Walker, 1848) [ <i>Thereva</i> ]			12
*	<i>otiosa</i> (Coquillett, 1893) [ <i>Thereva</i> ]		<i>Acrosathe otiosa</i> (Coquillett, 1893) [ <i>Thereva</i> ]			2
*	<i>velutina</i> Krober, 1912		<i>Irwinella velutina</i> (Krober, 1912) [ <i>Psilocephala</i> ]			1
<b>Salentia</b> Costa, 1857					1	2
	<i>fuscipennis</i> Costa, 1857					2
<b>Tabuda</b> Walker, 1852					1	3
	<i>fulvipes</i> Walker, 1852		<i>Tabuda varia</i> (Walker, 1848) [ <i>Thereva</i> ]			3
<b>Thereva</b> Latreille, 1797					27	186
*	<i>aethiopica</i> Bezzi, 1906		<i>Pseudothereva aethiopica</i> (Bezzi, 1906) [ <i>Thereva</i> ]			1
*	<i>algerica</i> Krober, 1913		<i>Thereva tuberculata</i> Loew, 1847			5
	<i>alpina</i> Egger, 1859		<i>Thereva brevicornis</i> Loew, 1847			8
	<i>annulata</i> (Fabricius, 1805) [ <i>Bibio</i> ]		<i>Acrosathe annulata</i> (Fabricius, 1805) [ <i>Bibio</i> ]			12
	<i>arcuata</i> Loew, 1847		<i>Thereva cincta</i> Meigen, 1820			14
	<i>aurata</i> Loew, 1854		<i>Thereva corinneae</i> Gosseries, 1991			4
	<i>bipunctata</i> Meigen, 1820		<i>Thereva unica</i> Harris, 1779			16
	<i>candidata</i> Loew, 1869		<i>Spiriverpa senex</i> (Walker, 1848) [ <i>Thereva</i> ]			1
	<i>circumscripta</i> Loew, 1847					8
	<i>comata</i> Loew, 1869					3
	<i>frontalis</i> Say, 1824					1
	<i>fulva</i> (Meigen, 1804) [ <i>Bibio</i> ]					11
	<i>fuscinervis</i> Zetterstedt, 1838					1
	<i>lanata</i> Zetterstedt, 1838					3
*	<i>laticincta</i> Krober					1
*	<i>latistriata</i> Krober, 1913		<i>Thereva strigata</i> (Fabricius, 1794) [ <i>Bibio</i> ]			1
	<i>marginula</i> Meigen, 1820					7
*	<i>neglecta</i> Krober, 1912					3
	<i>nigripes</i> Loew, 1847		<i>Thereva rustica</i> Loew, 1840			3

## Therevidae

Therevidae				<i>Thereva</i>		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<i>nobilitata</i> (Fabricius, 1775) [ <i>Bibio</i> ]					15
	<i>plebeja</i> (Linnaeus, 1758) [ <i>Musca</i> ]					43
	<i>poeciloptera</i> Loew, 1847		<i>Thereva spilopectera</i> Wiedemann, 1824			8
	<i>praecox</i> Egger, 1859					8
	<i>subfasciata</i> Schummel, 1839		<i>Thereva cinifera</i> Meigen, 1830			2
	<i>tristis</i> Loew, 1847					4
	<i>ursina</i> Wahlberg, 1854		<i>Thereva valida</i> Loew, 1847			1
	<i>vialis</i> Osten Sacken, 1877		<i>Acrosathe vialis</i> (Osten Sacken, 1877) [ <i>Thereva</i> ]			2
	<b><i>Xestomyzina</i> Krober, 1912</b>				1	2
*	<i>aegyptiaca</i> Krober, 1924		<i>Xestomyzina melanostoma</i> (Loew, 1856) [ <i>Thereva</i> ]			2

## Tipulidae

*Pselliophora*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Tipulidae</b>				4	5	10
	<b><i>Pselliophora</i></b> Osten Sacken, 1886				2	2
	<i>suspirans</i> var <i>hilaris</i> Bezzi, 1916		<b><i>Pselliophora hilaris</i></b> Bezzi, 1916			1
	<i>tripudians</i> Bezzi, 1910					1
	<b><i>Scamboneura</i></b> Osten Sacken, 1882				1	1
	<i>dotata</i> Osten Sacken, 1882					1
	<b><i>Tipula</i></b> Linnaeus, 1758				1	6
	<i>umbrina</i> Wiedemann, 1828		<b><i>Holorusia umbrina</i></b> (Wiedemann, 1828) [ <i>Tipula</i> ]			6
	<b><i>Tipulodina</i></b> Enderlein, 1912				1	1
	<i>cinctipes</i> (Meijere, 1911) [ <i>Tipula</i> ]		<b><i>Tipula cinctipes</i></b> Meijere, 1911			1

Ulidiidae				Acrosticta		
type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Ulidiidae</b>				48	114	873
<b>Acrosticta</b> Loew, 1868					2	4
	<i>pallipes</i> Grimshaw, 1901		<i>Pseudeuxesta prima</i> (Osten Sacken, 1881) [ <i>Euxesta</i> ]			1
	<i>scrobiculata</i> Loew, 1868					3
<b>Anacampta</b> Loew, 1868			<b>Ceroxys</b> Macquart, 1835		5	31
	<i>hortulana</i> (Roser, 1780) [ <i>Musca</i> ]		<i>Ceroxys hyalinata</i> (Panzer, 1798) [ <i>Musca</i> ]			13
	<i>latuscula</i> Loew, 1873		<i>Ceroxys latusculus</i> (Loew, 1873) [ <i>Anacampta</i> ]			6
	<i>pyrrhocephala</i> Loew, 1876		<i>Otites pyrrhocephala</i> (Loew, 1876) [ <i>Anacampta</i> ]			2
	<i>stigma</i> (Hendel, 1911) [ <i>Ortalis</i> ]		<i>Otites stigma</i> (Hendel, 1911) [ <i>Ortalis</i> ]			3
	<i>urticae</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<i>Ceroxys urticae</i> (Linnaeus, 1758) [ <i>Musca</i> ]			7
<b>Axiologina</b> Hendel, 1909					1	1
	<i>ferrumequinum</i> Hendel, 1909					1
<b>Callopietria</b> Loew, 1873			<b>Callopietromyia</b> Hendel, 1907		1	4
	<i>annulipes</i> (Macquart, 1855) [ <i>Platystoma</i> ]		<i>Callopietromyia annulipes</i> (Macquart, 1855) [ <i>Platystoma</i> ]			4
<b>Chaetopsis</b> Loew, 1868					6	36
	<i>aenea</i> (Wiedemann, 1830) [ <i>Ortalis</i> ]					24
	<i>angusta</i> Hendel, 1909		<i>Stenomyia angusta</i> (Hendel, 1909) [ <i>Chaetopsis</i> ]			2
*	<i>apicalis</i> Johnson, 1900					3
*	<i>mucronata</i> Hendel, 1909					2
	<i>nasoni</i> (Cresson, 1913) [ <i>Physiphora</i> ]		<i>Physiphora nasoni</i> Cresson, 1913			3
*	<i>praeceps</i> Hendel, 1909					2
<b>Chrysomyza</b> Fallen, 1817			<b>Physiphora</b> Fallen, 1810		6	115
	<i>aenea</i> (Fabricius, 1794) [ <i>Musca</i> ]		<i>Physiphora clausa</i> (Macquart, 1843) [ <i>Ulidia</i> ]			12
	<i>demandata</i> (Fabricius, 1798) [ <i>Musca</i> ]		<i>Physiphora alceae</i> (Preysslner, 1791) [ <i>Musca</i> ]			73
	<i>flavipes</i> Karsch, 1888		<i>Physiphora flavipes</i> (Karsch, 1888) [ <i>Chrysomyza</i> ]			4
*	<i>longicornis</i> Hendel, 1909		<i>Physiphora longicornis</i> (Hendel, 1909) [ <i>Chrysomyza</i> ]			12
*	<i>melanopa</i> Bezzi, 1914		<i>Physiphora violacea</i> (Hendel, 1910) [ <i>Chrysomyza</i> ]			1
	<i>smaragdina</i> (Loew, 1852) [ <i>Ulidia</i> ]		<i>Physiphora smaragdina</i> (Loew, 1852) [ <i>Ulidia</i> ]			13
<b>Delphinia</b> Robineau-Desvoidy, 1830					1	12
	<i>picta</i> (Fabricius, 1781) [ <i>Musca</i> ]					12
<b>Diacrita</b> Gerstaecker, 1860					1	1
	<i>costalis</i> Gerstaecker, 1860					1
<b>Dorycera</b> Meigen, 1830					1	5
	<i>graminum</i> (Fabricius, 1794) [ <i>Musca</i> ]					5

## Ulidiidae

## Eumecosomyia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Eumecosomyia</b> Hendel, 1909				1	7
*	<i>gracilis</i> (Coquillett, 1900) [ <i>Epiplatea</i> ]		<b>Eumecosomyia nubila</b> (Wiedemann, 1830) [ <i>Ortalis</i> ]			7
	<b>Eumetopiella</b> Hendel, 1907				1	7
	<i>rufipes</i> (Macquart, 1847) [ <i>Eumetopia</i> ]					7
	<b>Euxesta</b> Loew, 1858				11	52
	<i>abdominalis</i> Loew, 1868					1
	<i>annonae</i> (Fabricius, 1794) [ <i>Musca</i> ]					3
	<i>eluta</i> Loew, 1868					15
	<i>fascipennis</i> Wulp, 1899		<b>Euxesta leucomelas</b> (Walker, 1861) [ <i>Ortalis</i> ]			1
	<i>laticeps</i> Wulp, 1899		<b>Euxesta spoliata</b> Loew, 1868			3
	<i>nitidiventris</i> Loew, 1873					12
	<i>notata</i> (Wiedemann, 1830) [ <i>Ortalis</i> ]					5
	<i>schineri</i> Hendel, 1909					1
	<i>sororcula</i> Wiedemann, 1830					4
	<i>spoliata</i> Loew, 1868					3
	<i>stigmatias</i> Loew, 1868					4
	<b>Heramyia</b> Loew, 1873		<b>Otites</b> Latreille, 1804		1	3
	<i>bucephala</i> (Meigen, 1830) [ <i>Sciomyza</i> ]		<b>Otites nebulosa</b> (Latreille, 1811) [ <i>Oscinis</i> ]			3
	<b>Herina</b> Robineau-Desvoidy, 1830				7	162
	<i>afflicta</i> (Meigen, 1830) [ <i>Ortalis</i> ]		<b>Herina lugubris</b> (Meigen, 1826) [ <i>Ortalis</i> ]			25
	<i>frondescentiae</i> (Linnaeus, 1758) [ <i>Musca</i> ]					35
	<i>germinationis</i> (Rossi, 1790) [ <i>Musca</i> ]		<b>Herina nigrina</b> (Meigen, 1826) [ <i>Ortalis</i> ]			77
	<i>helvipes</i> Rondani, 1869		<b>Herina scutellaris</b> Robineau-Desvoidy, 1830			6
	<i>paludum</i> (Fallen, 1820) [ <i>Ortalis</i> ]					16
	<i>palustris</i> (Meigen, 1826) [ <i>Ortalis</i> ]					2
	<i>parva</i> (Loew, 1864) [ <i>Ortalis</i> ]					1
	<b>Holodasia</b> Loew, 1868		<b>Ceroxys</b> Macquart, 1835		1	8
	<i>fraudulosa</i> (Loew, 1864) [ <i>Ortalis</i> ]		<b>Ceroxys fraudulosa</b> (Loew, 1864) [ <i>Ortalis</i> ]			8
	<b>Hypochra</b> Loew, 1868				4	76
	<i>albipennis</i> (Loew, 1846) [ <i>Ortalis</i> ]					15
	<i>atricornis</i> Mik, 1885		<b>Phaeosoma atricornis</b> (Mik, 1885) [ <i>Hypochra</i> ]			1
	<i>parmensis</i> (Rondani, 1869) [ <i>Melieria</i> ]					43
	<i>subapennina</i> (Rondani, 1869) [ <i>Melieria</i> ]					17
	<b>Hypoecta</b> Loew, 1868				1	1
	<i>longula</i> Loew, 1868					1

## Ulidiidae

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Idana</b> Loew, 1873				1	4
	<i>marginata</i> Say, 1830					4
	<b>Macheirocera</b> Rondani, 1869		<b>Dorycera</b> Meigen, 1830		1	7
	<i>grandis</i> Rondani, 1869		<b>Dorycera grandis</b> (Rondani, 1869) [ <i>Macheirocera</i> ]			7
	<b>Melieria</b> Robineau-Desvoidy, 1830				10	41
	<i>acuticornis</i> (Loew, 1854) [ <i>Ortalis</i> ]					4
	<i>crassipennis</i> (Fabricius, 1794) [ <i>Musca</i> ]					5
	<i>nigritarsis</i> Becker, 1903					1
	<i>obscuricornis</i> (Loew, 1873) [ <i>Ceroxys</i> ]		<b>Melieria cana</b> (Loew, 1858) [ <i>Ortalis</i> ]			6
	<i>occidentalis</i> Coquillett, 1904					1
	<i>ochricornis</i> (Loew, 1873) [ <i>Ceroxys</i> ]					8
	<i>omissa</i> (Meigen, 1926) [ <i>Ortalis</i> ]					4
	<i>picta</i> (Meigen, 1826) [ <i>Ortalis</i> ]					4
	<i>similis</i> (Loew, 1873) [ <i>Ceroxys</i> ]					4
	<i>unicolor</i> (Loew, 1854) [ <i>Ortalis</i> ]					4
	<b>Myennis</b> Robineau-Desvoidy, 1830				1	4
	<i>fasciata</i> (Fabricius, 1805) [ <i>Scatophaga</i> ]		<b>Myennis octopunctata</b> (Coquebert, 1798) [ <i>Musca</i> ]			4
	<b>Myrmecomylia</b> Loew, 1873		<b>Cephalia</b> Meigen, 1826		1	9
	<i>rufipes</i> (Meigen, 1826) [ <i>Cephalia</i> ]		<b>Cephalia rufipes</b> Meigen, 1826			9
	<b>Myrmecothea</b> Hendel, 1910				1	9
	<i>myrmecoides</i> (Loew, 1860) [ <i>Cephalia</i> ]					9
	<b>Notogramma</b> Loew, 1868				1	4
	<i>stigma</i> (Fabricius, 1798) [ <i>Musca</i> ]					4
	<b>Oedopa</b> Loew, 1868				1	5
	<i>capito</i> Loew, 1868					5
	<b>Ortalis</b> Fallen, 1810		<b>Seioptera</b> Kirby & Spence, 1817		3	29
	<i>atripes</i> Loew, 1858		<b>Otites atripes</b> (Loew, 1858) [ <i>Ortalis</i> ]			12
	<i>formosa</i> (Panzer, 1798) [ <i>Musca</i> ]		<b>Otites elegans</b> Latreille, 1805			10
	<i>ruficeps</i> (Fabricius, 1805) [ <i>Scatophaga</i> ]		<b>Otites elegans</b> Latreille, 1805			7
	<b>Paroedopa</b> Coquillett, 1900				1	2
	<i>punctigera</i> Coquillett, 1900					2
	<b>Physiphora</b> Fallen, 1810				1	1
*	<i>orinigra</i> Steyskal					1

## Ulidiidae

## Plagiocephalus

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Plagiocephalus</b> Wiedemann, 1830				1	7
	<i>lobularis</i> Wiedemann, 1830					7
	<b>Polyteloptera</b> Hendel, 1909				1	7
*	<i>apotropa</i> Hendel, 1909					7
	<b>Psaeropterella</b> Hendel, 1914				1	1
*	<i>macrocephala</i> Hendel, 1914					1
	<b>Psairoptera</b> Wahlberg, 1839		<b>Homalocephala</b> Zetterstedt, 1838		1	2
	<i>albitarsis</i> (Zetterstedt, 1838) [ <i>Homalocephala</i> ]		<i>Euxesta albitarsis</i> (Zetterstedt, 1838) [ <i>Homalocephala</i> ]			2
	<b>Pseudotephritis</b> Johnson, 1902				3	16
	<i>cribellum</i> (Loew, 1873) [ <i>Stictocephala</i> ]		<i>Pseudotephritina cribellum</i> (Loew, 1873) [ <i>Stictocephala</i> ]			4
	<i>cribrum</i> (Loew, 1873) [ <i>Stictocephala</i> ]		<i>Pseudotephritina cribellum</i> (Loew, 1873) [ <i>Stictocephala</i> ]			7
	<i>vau</i> (Say, 1830) [ <i>Ortalis</i> ]					5
	<b>Pterocalla</b> Rondani, 1848				6	20
	<i>costalis</i> Wulp, 1899					2
	<i>obscura</i> (Wiedemann, 1830) [ <i>Trypeta</i> ]		<i>Pseudopterothrips obscura</i> (Wiedemann, 1830) [ <i>Trypeta</i> ]			3
	<i>ocellata</i> (Fabricius, 1805) [ <i>Dictya</i> ]					1
	<i>punctata</i> Hendel, 1909					5
	<i>quadrata</i> Wulp, 1899					5
	<i>tarsata</i> Schiner, 1868		<i>Pterocalla pantherina</i> (Walker, 1853) [ <i>Trypeta</i> ]			4
	<b>Pteropoecila</b> Loew, 1868		<b>Otites</b> Latreille, 1804		1	1
	<i>lamed</i> (Schrank, 1781) [ <i>Musca</i> ]		<i>Otites lamed</i> (Schrank, 1781) [ <i>Musca</i> ]			1
	<b>Pterotaenia</b> Rondani, 1868				1	8
	<i>fasciata</i> (Wiedemann, 1830) [ <i>Ortalis</i> ]					8
	<b>Ptilonota</b> Loew, 1868		<b>Otites</b> Latreille, 1804		2	12
	<i>centralis</i> (Fabricius, 1805) [ <i>Tephritis</i> ]		<i>Otites centralis</i> (Fabricius, 1805) [ <i>Tephritis</i> ]			5
	<i>guttata</i> (Meigen, 1830) [ <i>Ortalis</i> ]		<i>Otites guttata</i> (Meigen, 1830) [ <i>Ortalis</i> ]			7
	<b>Seoptera</b> Loew, 1868		<b>Seioptera</b> Kirby & Spence, 1817		1	36
	<i>vibrans</i> (Linnaeus, 1758) [ <i>Musca</i> ]		<i>Seioptera vibrans</i> (Linnaeus, 1758) [ <i>Musca</i> ]			36
	<b>Steneretma</b> Loew, 1873				1	1
	<i>laticauda</i> Loew, 1873		<i>Physiphora laticauda</i> (Loew, 1873) [ <i>Steneretma</i> ]			1
	<b>Stictomyia</b> Bigot, 1885				1	1
	<i>longicornis</i> Bigot, 1885					1



## Ulidiidae

## Systata

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Systata</b> Loew, 1868				1	1
	<i>rivularis</i> (Fabricius, 1805) [ <i>Tephritis</i> ]					1
	<b>Tephronota</b> Loew, 1868		<b>Herina</b> Robineau-Desvoidy, 1830		4	24
	<i>bifasciata</i> (Loew, 1858) [ <i>Ortalis</i> ]		<i>Herina tristis</i> (Meigen, 1826) [ <i>Ortalis</i> ]			10
	<i>canadensis</i> Johnson, 1902		<i>Herina canadensis</i> (Johnson, 1902) [ <i>Tephronota</i> ]			10
	<i>humilis</i> Loew, 1873		<i>Herina ruficeps</i> Wulp, 1867			3
	<i>ruficeps</i> (Wulp, 1867) [ <i>Herina</i> ]		<i>Herina ruficeps</i> Wulp, 1867			1
	<b>Tetanops</b> Fallen, 1820				7	23
	<i>aldrichi</i> Hendel, 1911		<i>Tetanops myopaeformis</i> (Roder, 1881) [ <i>Eurycephala</i> ]			2
	<i>corsicana</i> Becker, 1909					3
	<i>impunctata</i> Loew, 1854		<i>Tetanops flavescens</i> Macquart, 1835			3
	<i>luridipennis</i> Loew, 1873					3
	<i>myopina</i> Fallen, 1826					6
	<i>rufifrons</i> Wulp, 1899					4
	<i>vittifrons</i> Wulp, 1899					2
	<b>Timia</b> Wiedemann, 1824				2	7
*	<i>hirtipes</i> Hendel, 1908					2
	<i>jakowlewi</i> Hendel, 1908					5
	<b>Tritoxa</b> Loew, 1873				3	28
	<i>cuneata</i> Loew, 1873					9
	<i>flexa</i> (Wiedemann, 1830) [ <i>Trypeta</i> ]					9
	<i>incurva</i> Loew, 1873					10
	<b>Ulidia</b> Meigen, 1826				2	34
	<i>apicalis</i> (Meigen, 1826) [ <i>Timia</i> ]					18
	<i>erythrophthalma</i> Meigen, 1826					16
	<b>Xanthacrona</b> Wulp, 1898				1	3
	<i>bipustulata</i> Wulp, 1899					3
	<b>Zacompsia</b> Coquillett, 1901				1	1
	<i>fulva</i> Coquillett, 1901					1

## Vermileonidae

*Lampromyia*

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
<b>Vermileonidae</b>				2	4	8
	<b><i>Lampromyia</i></b> Macquart, 1835				3	4
*	<i>argentata</i> Bigot, 1886		<b><i>Leptynoma sericea</i></b> Westwood, 1876			1
	<i>cylindrica</i> (Fabricius, 1794) [ <i>Empis</i> ]					1
	<i>pallida</i> Macquart, 1835					2
	<b><i>Vermileo</i></b> Macquart, 1834				1	4
	<i>vermileo</i> (Linnaeus, 1758) [ <i>Musca</i> ]					4

## Xylomyidae

Prista

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Xylomyidae</b>			3	8	39
	<i>Prista</i> Enderlein, 1913		<i>Solva</i> Walker, 1859		1	12
	<i>vittata</i> (Doleschall, 1859) [ <i>Subula</i> ]		<i>Solva vittata</i> (Doleschall, 1859) [ <i>Subula</i> ]			12
	<b><i>Solva</i></b> Walker, 1859				1	12
	<i>flavipes</i> (Doleschall, 1859) [ <i>Subula</i> ]					12
	<i>Xylomyia</i> Bezzi, 1903		<i>Xylomya</i> Rondani, 1861		6	15
	<i>aterrima</i> Johnson, 1903					2
	<i>maculata</i> (Meigen, 1804) [ <i>Xylophagus</i> ]					2
	<i>marginata</i> (Meigen, 1820) [ <i>Xylophagus</i> ]		<i>Solva marginata</i> (Meigen, 1820) [ <i>Xylophagus</i> ]			1
	<i>pallipes</i> (Loew, 1863) [ <i>Subula</i> ]		<i>Solva pallipes</i> (Loew, 1863) [ <i>Subula</i> ]			6
	<i>tenthredinoides</i> (Wulp, 1867) [ <i>Subula</i> ]					2
	<i>varia</i> (Meigen, 1820) [ <i>Xylophagus</i> ]		<i>Solva varia</i> (Meigen, 1820) [ <i>Xylophagus</i> ]			2

## Xylophagidae

## Coenomyia

type flag	name on label	current family, if changed	valid name, if changed	genera #	species #	specimens #
	<b>Xylophagidae</b>			4	9	37
	<b>Coenomyia</b> Latreille, 1797				1	21
	<i>ferruginea</i> (Scopoli, 1763) [ <i>Musca</i> ]					21
	<b>Dialysis</b> Walker, 1850				4	10
	<i>aldrichii</i> Williston, 1895					2
*	<i>cispacifica</i> Bezzi, 1912					2
	<i>elongata</i> (Say, 1823) [ <i>Stygia</i> ]					1
	<i>rufithorax</i> (Say, 1823) [ <i>Leptis</i> ]					5
	<b>Heterostomus</b> Bigot, 1857				1	1
	<i>aureocinctus</i>					1
	<b>Xylophagus</b> Meigen, 1803				3	5
	<i>ater</i> Meigen, 1804					2
	<i>cinctus</i> (De Geer, 1776) [ <i>Nemotelus</i> ]					2
	<i>lugens</i> Loew, 1863					1

## Report totals

Number of Families:	123
Number of genera:	2.196
Number of species:	9.475
Number of specimens:	77.321

# Index

family	page #	family	page #	family	page #	family	page #
Acartophthalmidae	2	Curtonotidae	106	Nemestrinidae	213	Tabanidae	319
Acroceridae	3	Cypselosomatidae	107	Neriidae	215	Tachinidae	331
Agromyzidae	5	Diadocidiidae	108	Nothybidae	216	Tachiniscidae	371
Anisopodidae	9	Diastatidae	109	Odiniidae	217	Tanypezidae	372
Anthomyiidae	10	Diopsidae	110	Oestridae	218	Tephritidae	373
Anthomyzidae	17	Ditomyiidae	111	Opetiidae	220	Thaumaleidae	392
Apioceridae	18	Dixidae	112	Opomyzidae	221	Therevidae	393
Asilidae	19	Dolichopodidae	113	Oreogetonidae	222	Tipulidae	396
Asteiidae	39	Drosophilidae	126	Pallopteridae	223	Ulidiidae	397
Atelestidae	40	Dryomyzidae	130	Pantophthalmidae	224	Vermileonidae	402
Athericidae	41	Empididae	131	Pelecorrhynchidae	225	Xylomyidae	403
Aulacigastridae	42	Ephydriidae	144	Periscelididae	226	Xylophagidae	404
Austroleptidae	43	Fanniidae	152	Phaeomyiidae	227		
Bibionidae	44	Glossinidae	154	Phoridae	228		
Blephariceridae	46	Gobryidae	155	Piophilidae	231		
Bolbomyiidae	47	Helcomyzidae	156	Pipunculidae	232		
Bolitophilidae	48	Heleomyzidae	157	Platypezidae	234		
Bombyliidae	49	Heterocheilidae	160	Platystomatidae	235		
Brachystomatidae	69	Heteromyzidae	161	Psilidae	241		
Braulidae	70	Hilarimorphidae	162	Ptychopteridae	243		
Calliphoridae	71	Hippoboscidae	163	Pyrgotidae	244		
Camillidae	78	Homalocnemiidae	166	Rhagionidae	245		
Canacidae	79	Hybotidae	167	Rhiniidae	248		
Canthylloscelidae	80	Ironomyiidae	174	Rhinophoridae	251		
Carnidae	81	Iteaphila group	175	Richardiidae	252		
Cecidomyiidae	82	Keroplastidae	176	Ropalomeridae	253		
Celyphidae	83	Lauxaniidae	177	Sarcophagidae	254		
Chamaemyiidae	84	Limoniidae	181	Scathophagidae	262		
Chaoboridae	85	Lonchaeidae	182	Scatopsidae	266		
Chironomidae	86	Lonchopteridae	184	Scenopinidae	267		
Chloropidae	87	Megamerinidae	185	Sciaridae	268		
Chyromyidae	95	Micropezidae	186	Sciomyzidae	270		
Clusiidae	96	Milichiidae	188	Sepsidae	275		
Coelopidae	97	Muscidae	190	Simuliidae	277		
Conopidae	98	Mycetophilidae	206	Sphaeroceridae	278		
Cryptochetidae	102	Mydidae	211	Stratiomyidae	281		
Culicidae	103	Mythicomyiidae	212	Syrphidae	292		